



ANNEX B

Operational Control Inspection Checklist

Form: PGIA-PMM-F02

Completed by OM or Apron Supervisor: minimum weekly, and after any triggering event.

Date:	
Time Start:	
Time End:	
Conducted by (Name / Position):	
Vehicle Used:	
Inspection Type:	Weekly ☐ post-rain ☐ post-incident ☐ post-excursion ☐ Other: _____
Recent Rainfall (mm, if applicable):	
Weather / Visibility:	

SECTION 1 — RUNWAY PAVEMENT SURFACE (ASPHALT)	SAT	NO SAT	Remarks / Location
RW-01 No potholes or bowl-shaped depressions anywhere on runway surface	☐	☐	
RW-02 No cracking producing loose asphalt or aggregate (FOD hazard)	☐	☐	
RW-03 Widths of all cracks ≥ 3 mm measured and recorded in Remarks column	☐	☐	
RW-04 No alligator/fatigue cracking pattern covering > 0.5 m ²	☐	☐	
RW-05 No rutting deeper than 12 mm (measure with 1.2 m straightedge if suspected)	☐	☐	
RW-06 No depressions collecting standing water (identified by wet patches after rain)	☐	☐	
RW-07 No shoving or plastic deformation visible in runway surface	☐	☐	
RW-08 No raveling (loose aggregate at surface) creating FOD hazard	☐	☐	
RW-09 Rubber deposits in touchdown zones — rated: None / Low / Medium / High	☐	☐	
RW-10 Runway shoulder edges at correct elevation (no drop-off > 50 mm)	☐	☐	
RW-11 Runway drainage gutters (both edges) free of sediment and blockage	☐	☐	



SECTION 2 — TAXIWAY SURFACES (CONCRETE) Alpha, Bravo, Charlie.	SAT	NO SAT	Remarks / Location
TW-01 No potholes or loose slab fragments on any taxiway	☐	☐	
TW-02 No joint spalling with loose concrete any loose pieces collected	☐	☐	
TW-03 Joint sealant condition acceptable (no voids > 6 mm; sealant not extruded above slab)	☐	☐	
TW-04 No transverse or longitudinal cracking > 12 mm wide on any taxiway	☐	☐	
TW-05 No corner breaks on any concrete slabs	☐	☐	
TW-06 No pumping visible (water/fines ejected at joints under traffic)	☐	☐	
TW-07 No differential settlement between adjacent slabs > 6 mm	☐	☐	
TW-08 Taxiway Alpha shoulders (7.5 m each side) intact and at correct elevation	☐	☐	
TW-09 Drainage gutters adjacent to all taxiways clear and functional	☐	☐	

SECTION 3 — TURN PADS	SAT	NO SAT	Remarks / Location
TP-01 Turn pads at both runway ends surface free of potholes and loose material	☐	☐	
TP-02 Turn pad joint seals acceptable	☐	☐	
TP-03 Turn pad drainage functional	☐	☐	
TP-04 Turn pad surrounds free of objects > 7.5 cm height	☐	☐	

SECTION 4 — AIRCRAFT PARKING APRON (CONCRETE)	SAT	NO SAT	Remarks / Location
AP-01 No spalled concrete with loose FOD on apron	☐	☐	
AP-02 No cracked or lifted slab corners	☐	☐	
AP-03 All expansion and contraction joints sealed no open voids > 6 mm	☐	☐	
AP-04 No differential slab settlement > 6 mm	☐	☐	
AP-05 No fuel or oil contamination degrading surface	☐	☐	
AP-06 Apron drainage (channels, drains, sumps) fully clear and functional	☐	☐	
AP-07 No standing water on any part of apron 30 min after end of rainfall	☐	☐	

SECTION 5 — RESA AND RUNWAY STRIP	SAT	NO SAT	Remarks / Location
--	------------	---------------	---------------------------



RS-01 RESA (Threshold 07 end) no obstacles > 7.5 cm, level surface, no standing water	☐	☐	
RS-02 RESA (Threshold 25 end) no obstacles > 7.5 cm, level surface, no standing water	☐	☐	
RS-03 Runway strip grass areas grass within 20–38 cm range	☐	☐	
RS-04 Runway strip no objects exceeding 7.5 cm height in cleared area	☐	☐	
RS-05 Runway strip unpaved areas no significant saturated or flooded zones	☐	☐	

SECTION 6 — PAVEMENT MARKINGS (VISUAL CONDITION)	SAT	NO SAT	Remarks / Location
MK-01 Runway centerline continuous, white, full runway length, no major gaps	☐	☐	
MK-02 Runway threshold markings Threshold 07 all bars present, white, visible	☐	☐	
MK-03 Runway threshold markings Threshold 25 all bars present, white, visible	☐	☐	
MK-04 Runway designation '07' legible, correct numerals	☐	☐	
MK-05 Runway designation '25' legible, correct numerals	☐	☐	
MK-06 Runway aiming point markings visible at both ends	☐	☐	
MK-07 Runway touchdown zone markings visible at both ends	☐	☐	
MK-08 Holding position markings (all runway/taxiway intersections) yellow, full pattern, visible	☐	☐	
MK-09 Taxiway Alpha centerline yellow, continuous, full length	☐	☐	
MK-10 Taxiway Bravo centerline yellow, continuous	☐	☐	
MK-11 Taxiway Charlie centerline yellow, continuous	☐	☐	
MK-12 Taxiway edge markings visible on all taxiways	☐	☐	
MK-13 Apron aircraft stand numbers visible and legible	☐	☐	
MK-14 Apron lead-in lines visible on active stands	☐	☐	
MK-15 No marking segment obscured by rubber deposits, dirt, or water staining to unacceptable level	☐	☐	

SECTION 7 — AIRFIELD SIGNS (PHYSICAL CONDITION)	SAT	NO SAT	Remarks / Location
SG-01 All mandatory instruction signs (red/white) face intact, legend legible	☐	☐	
SG-02 Runway 07 designation mandatory sign intact and illuminated (if night/reduced vis.)	☐	☐	



SG-03 Runway 25 designation mandatory sign intact and illuminated (if night/reduced vis.)	☐	☐	
SG-04 All location signs (yellow text on black) face intact, legend legible	☐	☐	
SG-05 All direction signs (black text on yellow) face intact, arrows correct and legible	☐	☐	
SG-06 All runway distance remaining signs present, correct numerals, intact	☐	☐	
SG-07 No signs with cracked, missing, or shattered face panels	☐	☐	
SG-08 No signs with bent or severely corroded mounting posts	☐	☐	
SG-09 No signs displaced or tilted > 3° from vertical	☐	☐	
SG-10 No signs obscured by vegetation	☐	☐	
SG-11 Electrical malfunction noted: refer to EEC per Annex 2-2 (list in Remarks if applicable)	☐	☐	

SECTION 8 — DRAINAGE OVERVIEW	SAT	NO SAT	Remarks / Location
DR-01 All runway edge drainage channels visually clear, no overflow onto runway	☐	☐	
DR-02 All taxiway drainage channels clear and flowing	☐	☐	
DR-03 All visible apron drainage channels and sumps clear	☐	☐	
DR-04 No erosion channels created by surface water runoff at pavement edges	☐	☐	
DR-05 No sedimentation visible in drainage channels reducing flow capacity by >50%	☐	☐	

DEFICIENCY SUMMARY (for each NO SAT item: Section, Item No., Location, Description, Severity Level 1–4):



CORRECTIVE ACTION REQUIRED (describe OM action for each deficiency):

Conducted by (Name / Position / Signature) Date: _____	Reviewed / Received by OM (Name / Signature / Date) Date: _____
--	---