


A Fusion Center's Flock Stack Landed on GitHub

A contractor published the ALPR stack built for a California fusion center: 1,183 Flock cameras with coordinates, and the API that pulls the plates.



PATRICK QUIRK AND EKOMS SAVIOR


AUG 28, 2026

13

2

2

Share



This is not a police department's blog

NCRIC is the Northern California Regional Intelligence Center. Fusion centers sit above city PDs. They take tips, cases, and sensor feeds from many agencies and turn them into regional intel. NCRIC is that shop for a large slice of Northern California.

The GitHub repo is [not github.com/NCRIC/](https://github.com/NCRIC/) It is [erhhung/ncric-alprs](https://github.com/erhhung/ncric-alprs), published from a personal account whose commits are signed eyuan@maiveric.com. The description is blunt: **ALPRS (AstroMetrics) Automated AWS Infrastructure Deployment for NCRIC** ([GitHub, erhhung/ncric-alprs](https://github.com/erhhung/ncric-alprs)).

Ringmast4r is a reader-supported publication.

To receive new posts and support my work, consider becoming a free or paid subscriber.

[Subscribe](#)

MaiVERIC / AstroMetrics is the contractor. OpenLattice-style ALPR plumbing is the product. Flock Safety is a **data source** they wired in. The repo is Terraform, Auth0, Rundeck, Postgres dumps, Postman environments, and a worker they nicknamed **Flapper**: a CLI that pulls ALPR reads from Flock over REST.

Ottawa, Illinois published an intranet **link** to Flock's hotlist. This repo publishes the **ingest pipeline** and a database extract of the cameras that pipeline was pointed at.

Flapper: how they talk to Flock

`flapper/README.md` says Flapper runs on the Rundeck worker and retrieves ALPR reads from Flock Safety via REST. `docs/flock_api.md` lists the calls:

- `POST /v1/auth/userpass`
- `POST /v1/query`
- `POST /v2/images`
- `GET /v1/cameras`

The config file `flapper/config/flapper` `https://api.flocksafety.com/api`, w environment variables (`FLOCK_USER`, `FLOCK` sitting in that YAML as plaintext. The archit

That is the vendor leak pattern: not “here is t but “here is exactly which Flock API you hit, behalf of which fusion center.”

1,183 cameras, with coor

`postgresql/flock.sql.gz` is a Postgres dump of Flock network and camera tables. Parsed, it is 1,183 unique cameras across 47 agencies / 48 networks. Each camera row has:



Discover more from Ringmast4r

Independent security researcher sharing OSINT techniques, breach analysis, and things that shouldn't public. Documenting the internet's open secrets throu

Over 1,000 subscribers

[Subscribe](#)

By subscribing, you agree Substack's [Terms of Use](#), and acknowledge its [Information Collection Notice](#) and [Privacy Pol](#)

Already have an account? [Sign in](#)

- Flock camera id and UUID
- Human name (usually an intersection: “N/B Middlefield @ Ravenswood”)
- **Latitude and longitude**
- Parent network (the agency)

A companion text dump, `docs/flock-cameras.txt`, is the same census as a table of agency + camera name. `docs/flock-agencies.txt` rolls up counts. Examples from the agency file: Atherton CA PD (50 cameras), Benicia (45), Fairfield (56), Ontario CA PD (91), NCRIC’s own network (16), Kaiser Permanente Vallejo (13).

This is not a live CAD feed. It is a **point-in-time extract** of Flock camera inventory as NCRIC’s integrator stored it: street-level names plus WGS84 coordinates. Plot the inserts and you get a map of the Bay Area and Northern California Flock footprint this system knew about.

We plotted 1,182 of them (one row was 0,0 and dropped) on a local HTML map built from that SQL.

What else is in the tree (and what is not)

The repo is 500-plus files of real platform: EKS, GovCloud hints (`us-gov-west-1`, `alprsgov` profile), Auth0 tenant `maiveric.us.auth0.com`, Postman **prod** and **dev** environments for `api.astrometrics.us`, Java keystores, public TLS/IdP certs, Rundeck job XML that talks to the same Postgres pattern.

Client **IDs** for Auth0 SPA/M2M/webhook apps appear in `*.tfvars.example` and Postman JSON. Client **secrets** are empty or marked `DO_NOT_STORE`. SSH keys in the examples are truncated. Flock passwords stay in `${ }` placeholders.

So: this is not a full credential dump. It is worse in a different way. It is a **blueprint** plus a **camera geofile** for a fusion center’s Flock-fed ALPR warehouse.

We searched GitHub for a second copy of this pattern (`api.flocksafety.com` in Terraform/YAML, Flapper, `FLOCK_USER / FLOCK_PASSWORD`). The NCRIC repo is the only operational hit. API-catalog accounts republish docs. A dog-tracker app mentions the hostname. A researcher repo (`eric-muller/alpr`) processes Flock

audit logs from public records, which is FOIA work, not a contractor publishing the live stack.

Flock Safety's own infrastructure: 806 exposures, 493 critical/high

The scanner also probed Flock Safety's entire flocksafety.com domain ecosystem. From a single scan:

Exposure summary:

- Total findings: **806**
- Open/interesting: **561**
- **CRITICAL: 246 | HIGH: 247 | MEDIUM: 68**

By system (top findings):

- **149** Public Git Repositories (/svn/entries)
- **68** robots.txt + Wayback archives
- **37** CouchDB endpoints (/)
- **20** RabbitMQ / AMQP (/api/overview)
- **15** CouchDB utilities (/utils/)
- **15** Elasticsearch /_cat/indices
- **14** Kubernetes Dashboard / etcd (/api/v1/namespaces)
- **8** ELK Stack Kibana (/app/kibana)
- **7** Default Credentials login portals
- **6** MongoDB Express (/mongo-express/)

Critical hostnames exposed:

- `www.flocksafety.com` — CouchDB root
- `status.flocksafety.com` — Kubernetes etcd + CouchDB
- `security.flocksafety.com` — CouchDB

- `link.flocksafety.com` — Kibana, Mongo Express, MinIO, Kubernetes
- `scim.flocksafety.com` — `application.yml` (config), Kibana, Kubernetes
- `hello-devops2.flocksafety.com` — `adminer.php`, `backup.sql`, `dump.sql`, `/application.yml`, Kubernetes, Jenkins, GitLab
- `springbank10.flocksafety.com` — Default login portals
- `internal.support.flocksafety.com` — `/admin` portals
- `login.flocksafety.com` — CouchDB

The NCRIC integrator published the **agency footprint**. Flock’s own infrastructure published itself.

Two failure modes, one vendor ecosystem

Put this next to Ottawa PD.

Ottawa is the **customer** putting the officer portal on Pages. NCRIC/ALPRS is the **integrator** putting the regional Flock ingest on GitHub. Flock does not have to “get hacked” for the surrounding system to leak. The vendor itself published 806 paths into its own operations. The agencies and vendors who bolt onto Flock publish enough to reconstruct who is on the network and, in this case, **where the cameras sit**.

Raw Data

Parsed from the public clone of `erhhung/ncric-alprs` (commit `f5a4a75`, “Launch Worker as a spot instance”), archived locally 2026-08-20.

Canonical URLs

- Repo: <https://github.com/erhhung/ncric-alprs>
- Flock API notes: `docs/flock_api.md` (points at `https://api.flocksafety.com/api-docs/`)
- Flapper config: `flapper/config/flapper.yaml`
- Camera SQL: `postgresql/flock.sql.gz`

- Camera names: docs/flock-cameras.txt
- Agency counts: docs/flock-agencies.txt

Counts

- Unique cameras (by camera_id): 1,183
- Mapped (valid lat/lon, nonzero): 1,182
- Networks: 48
- Agency names: 47
- SQL INSERTs in the dump: 2,366 (networks repeated per camera insert)

Flock API surface (as documented in-repo)

- Auth: POST /v1/auth/userpass
- Query: POST /v1/query
- Images: POST /v2/images
- Cameras: GET /v1/cameras
- Base: https://api.flocksafety.com/api
- Credentials in config: \${FLOCK_USER} / \${FLOCK_PASSWORD} (not plaintext)

Sample coordinate rows (public SQL)

Atherton CA PD, network_id 1089:

- “18 W/B Isabella @ El Camino” — 37.460006, -122.196490
- “22 W/B Alejandra @ Brittany Meadows - original” — 37.456103, -122.194499
- “03 N/B Middlefield @ Ravenswood” — 37.460426, -122.175484

These are representative. The full set is in flock.sql.gz.

Agency snapshot (from flock-agencies.txt)

Includes Anderson City CA PD, Atherton, Benicia, Brisbane, Burlingame, Campbell, Fremont, Millbrae, Colma, Contra Costa SO (Alamo), Danville, Dixon, Fairfield, Gilroy, Hayward, Hercules, Hillsborough, Kaiser Permanente Vallejo, La Habra, Lakeport, Livermore, Los Alamitos, Milpitas, Morgan Hill, NCRIC (16 cameras), Newark, Novato, Oakley, Ontario CA PD (91), Orinda, Piedmont, Pleasanton, Salinas, San Bruno, and others in the same file.

Platform identifiers (not passwords)

- Auth0 tenant: `maiveric.us.auth0.com`
- Prod API host in Postman:

`https://api.astrometrics.us`

- Dev API host:

`https://api.dev.astrometrics.us`

- Prod AWS profile name in examples: `alprsgov / region us-gov-west-1`
- OpenLattice-style org database name appears in JDBC URLs as
`org_1446ff84711242ec828df181f45e4d20`

Auth0 SPA/M2M/webhook **client** IDs are in `config/prod.tfvars.example`, `config/dev.tfvars.example`, and Postman environments. Secrets fields are empty or `DO_NOT_STORE`.

Complete infrastructure and credential exposure

The `alprs.sql` database dump exposed far more than camera locations:

558 law enforcement email addresses across 47+ agencies:

- San Jose PD, Berkeley PD, Oakland PD, Fremont PD, SFPD, San Mateo County SO, CHP, California DOJ, plus dozens more
- Sample: `4339@sanjoseca.gov`, `abolanos@smcgov.org`,
`akingsley@chp.ca.gov`, `audyama.williams@doj.ca.gov`

Auth0 administrative accounts with full platform access:

- `eyuan@maiveric.com` — OWNER (primary admin)
- `agent.blue@maiveric.com` — OWNER
- `mashiq@maiveric.com` — OWNER + INFINITY (unrestricted scope)
- Plus 7 additional OWNER-level accounts at Maiveric and OpenLattice

Auth0 Client IDs (development and production):

- DEV M2M: `yVaBS1kv72811bt1I3smwBv1Pk99bZkp`
- DEV SPA: `kJBCfaEo0bUzBSpZJUPy4N5Jkpn4sZP4`
- PROD M2M: `Urmsy2aviz7STXGLjhq5sECnUgL0pu01`
- PROD SPA: `uZXrWBfTt5LJEhtjDAKw1xgj6LqJWvWD`
- SHARED Webhook: `1svCeV3aZILobwXfKudB0rhvzfEHlhSM`

AWS S3 buckets (dev and prod):

- `alprs-infra-dev / alprs-infra-prod` — Terraform state and bootstrapping
- `alprs-config-dev / alprs-config-prod` — YAML configs with embedded passwords
- `alprs-sftp-dev / alprs-sftp-prod` — ALPR feed ingestion
- `alprs-media-dev / alprs-media-prod` — ALPR plate images
- `alprs-audit-dev / alprs-audit-prod` — Audit logs
- `alprs-backup-dev / alprs-backup-prod` — Database backups

AWS SSM Parameter Store paths (where secrets live):

- `/auth0/webhook/secret` — Webhook client secret
- `/db/alprs/password` — ALPR database password
- `/db/atlas/password` — Atlas database password
- Plus paths for database hosts, EKS admin roles, webhook certificates

Rundeck credential paths (job orchestration):

- `keys/db_pass` — Database password
- `keys/client_id` — Auth0 Client ID
- `keys/ol_pass` — OpenLattice password
- Plus paths for AWS region, API URLs, S3 bucket names, database hosts

EC2 instances (mapped by type):

- PostgreSQL 1 & 2 (primary + staging ALPR databases)
- Elasticsearch (indexed ALPR reads)
- Conductor (ALPR read cataloger)
- Datastore (REST API + image storage)
- Indexer (search indexer)
- Bastion Host (Rundeck + webapp)
- Rundeck Worker (ingestion jobs)

EKS cluster for Flock webhook ingestion (Graviton spot instances)

AWS Profiles:

- `alprscm` — DEV environment, us-west-2
- `alprsgov` — PROD environment, us-gov-west-1 (GovCloud)

6,300+ SAML user records and 3,953 unique organizational IDs in the database.

Local map and analysis tools

Interactive Flock camera map: Live at <https://ringmast4r.github.io/ncric-alprs/> with all 1,183 cameras plotted and color-coded by agency.

Scanner tool structure (`E:\08 Scanner Library\flock-agency-scanner\`):

- `flock_agency.db` — SQLite database of parsed NCRIC ALPRS data
- `server/` — Flask-based dashboard/API server
- `modules/` — Python modules for data ingestion and transformation
- `docs/` — PostgreSQL dumps and parsed CSV exports

OSINT from a public GitHub repository. Archived August 2026. Camera coordinates are a snapshot of what the integrator committed, not a live Flock API pull. This is not authorization to query Flock or NCRIC systems.

Ringmast4r is a reader-supported publication.

To receive new posts and support my work,
consider becoming a free or paid subscriber.

Subscribe



13 Likes • 2 Restacks



A guest post by

ek0ms savi0r

churchofmalware.org | offensive tool dev | CEH |
ek0mssavi0r.dev

Subscribe to ek0ms

Discussion about this post

Comments Restacks



Write a comment...



Blake 7d

That's what I'm talking about!! You're a man of the people right there!

♡ LIKE 💬 REPLY

🔗 SHARE



Isaiah Antares Aug 29

They have all the money in the world, and still can't get InfoSec right.

♡ LIKE 💬 REPLY

🔗 SHARE

