

Test Markdown

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

text to show These are the same using `()` (<http://www.mylink.com>) or `<>` <http://www.mylink.com> Or [my text to show]<http://www.mylink.com>

Highest level

- First [need two spaces at eol]
- Second
- See what happened, above [not followed by two spaces at eol – removing trailing spaces]

Next level

Will it behave differently? The second header wasn't showing up.

- Next list misbehaving
- No spaces
- What happens? [added trailing spaces]

~~ Strikethrough ~ ~~strikethrough~~ ~

Next level

Again, third level, like the second level wasn't showing up.

- Next list with mixed spacing
- So this line has
- This line and the first, do not

New section

No new line space – turns out fine.

- But my list?
- No spaces?
- None at all?

New section

With a line space, and now trying ~~–strikethrough–~~ or ~~strikethrough~~