参考文献

[1] MARTIN J H. Neuroanatomy text and atlas[M]. McGraw-Hill, 2012.

[2] NIEUWENHUYS R, VOOGD J, VAN HUIJZEN C. The human central nervous system: a synopsis and atlas[M]. Springer Science & Business Media, 2007.

[3] GESCHWIND N. Specializations of the human brain[J]. Scientific American, 1979, 241(3): 180-201.

[4] MACSWEENEY M, WOLL B, CAMPBELL R, et al. Neural systems underlying British Sign Language and audio-visual English processing in native users[J]. Brain, 2002, 125(7): 1583-1593.

[5] MCGUE M, BOUCHARD JR T J. Genetic and environmental influences on human behavioral differences[J]. Annual review of neuroscience, 1998, 21(1): 1-24.

[6] GOTTESMAN I I. Schizophrenia genesis: The origins of madness.[M]. WH Freeman/Times Books/Henry Holt & Co, 1991.

[7] ALBERTS B. Molecular biology of the cell[M]. Garland science, 2017.

[8] WATOSON J. Recombinant DNA, a short course[J]. A Scientific American Book, 1983.

[9] ROWEN L Q S, Madan A. Initial sequencing and analysis of the human genome[J]. nature, 2001, 409(6822): 860-921.

[10] VENTER J C, ADAMS M D, MYERS E W, et al. The sequence of the human genome[J]. science, 2001, 291(5507): 1304-1351.

[11] TSIEN J Z, HUERTA P T, TONEGAWA S. The essential role of hippocampal CA1 NMDA receptor–dependent synaptic plasticity in spatial memory[J]. Cell, 1996, 87(7): 1327-1338.

[12] MAYFORD M, BACH M E, HUANG Y Y, et al. Control of memory formation through regulated expression of a CaMKII transgene[J]. Science, 1996, 274(5293): 1678-1683.

[13] KONOPKA R J, BENZER S. Clock mutants of Drosophila melanogaster[J]. Proceedings of the National Academy of Sciences, 1971, 68(9): 2112-2116.

[14] TAKAHASHI J S, PINTO L H, VITATERNA M H. Forward and reverse genetic approaches to behavior in the mouse[J]. Science, 1994, 264(5166): 1724-1733.

[15] SOKOLOWSKI M B. Drosophila: genetics meets behaviour[J]. Nature Reviews Genetics, 2001, 2(11): 879-890.

[16] DE BONO M, BARGMANN C I. Natural variation in a neuropeptide Y receptor homolog modifies social behavior and food response in C. elegans[J]. Cell, 1998, 94(5): 679-689.

[17] YOUNG L J, LIM M M, GINGRICH B, et al. Cellular mechanisms of social attachment[J]. Hormones and behavior, 2001, 40(2): 133-138.

[18] HODGKIN A L, HUXLEY A F. Action potentials recorded from inside a nerve fibre[J]. Nature, 1939, 144(3651): 710-711.

[19] ROSS M H, PAWLINA W. Histology[M]. Lippincott Williams & Wilkins, 2006.

[20] DACEY D M, PETERSON B B, ROBINSON F R, et al. Fireworks in the primate retina: in vitro photodynamics reveals diverse LGN-projecting ganglion cell types[J]. Neuron, 2003, 37(1): 15-27.

[21] HEIMER L. The human brain and spinal cord: functional neuroanatomy and dissection guide[M]. Springer Science & Business Media, 2012.

[22] JONES E G. Connectivity of the primate sensory-motor cortex[G]//Sensory-motor areas and aspects of cortical connectivity. Springer, 1986: 113-183.

[23] FELLEMAN D J, VAN ESSEN D C. Distributed hierarchical processing in the primate cerebral cortex.[J]. Cerebral cortex (New York, NY: 1991), 1991, 1(1): 1-47.

[24] BUZSÁKI G. Hippocampal sharp wave-ripple: A cognitive biomarker for episodic memory and planning[J]. Hippocampus, 2015, 25(10): 1073-1188.

[25] BUZSÁKI G, HORVATH Z, URIOSTE R, et al. High-frequency network oscillation in the hippocampus[J]. Science, 1992, 256(5059): 1025-1027.

[26] DIBA K, BUZSÁKI G. Forward and reverse hippocampal place-cell sequences during ripples[J]. Nature neuroscience, 2007, 10(10): 1241-1242.

[27] SCHRIMPF M, KUBILIUS J, HONG H, et al. Brain-score: Which artificial neural network for object recognition is most brain-like?[J]. BioRxiv, 2018: 407007.

[28] WILLIAMS P, WARWICK R, DYSON M. Bannister LH[J]. Gray's Anatomy, 1989, 37: 756-8.

[29] PETERS A, PALAY S, WEBSTER H D F. The neuropil[J]. The Fine Structure of the Nervous System. Neurons and their Supporting Cells. Oxford University Press, Oxford, 1991: 356-383.

[30] DE CAMILLI P, MORETTI M, DONINI S D, et al. Heterogeneous distribution of the cAMP receptor protein RII in the nervous system: evidence for its intracellular accumulation on microtubules, microtubule-organizing centers, and in the area of the Golgi complex.[J]. The Journal of cell biology, 1986, 103(1): 189-203.

[31] COONEY J R, HURLBURT J L, SELIG D K, et al. Endosomal compartments serve multiple hippocampal dendritic spines from a widespread rather than a local store of recycling membrane[J]. Journal of Neuroscience, 2002, 22(6): 2215-2224.

[32] HARRIS K M, STEVENS J K. Dendritic spines of CA 1 pyramidal cells in the rat hippocampus: serial electron microscopy with reference to their biophysical characteristics[J]. Journal of Neuroscience, 1989, 9(8): 2982-2997.

[33] SORRA K, HARRIS K M. Occurrence and three-dimensional structure of multiple synapses between individual radiatum axons and their target pyramidal cells in hippocampal area CA1[J]. Journal of Neuroscience, 1993, 13(9): 3736-3748.

[34] BERSHADSKY A D, VASILIEV J M. Cytoskeleton[J]. 2012.

[35] OCHS S. Fast Transport of Materials in Mammalian Nerve Fibers: A fast transport mechanism for materials exists in nerve fibers, which depends on oxidative metabolism.[J]. Science, 1972, 176(4032): 252-260.

[36] SCHNAPP B J, REESE T. Cytoplasmic structure in rapid-frozen axons.[J]. The Journal of cell biology, 1982, 94(3): 667-669.

[37] RAINE C S. Morphology of myelin and myelination[G]//Myelin. Springer, 1984: 1-50.

[38] THOMAS P. Clinical features and differential diagnosis of peripheral neuropathy. Dyck PJ, Thomas PK, Lambert EH, Bunge R, editors. Peripheral neuropathy, vol. 2[Z]. 1984.

[39] PELES E, SALZER J L. Molecular domains of myelinated axons[J]. Current opinion in neurobiology, 2000, 10(5): 558-565.

[40] READHEAD C, POPKO B, TAKAHASHI N, et al. Expression of a myelin basic protein gene in transgenic shiverer mice: correction of the dysmyelinating phenotype[J]. Cell, 1987, 48(4): 703-712.

[41] BUSHONG E A, MARTONE M E, JONES Y Z, et al. Protoplasmic astrocytes in CA1 stratum radiatum occupy separate anatomical domains[J]. Journal of Neuroscience, 2002, 22(1): 183-192.

[42] HAMA K, ARII T, KOSAKA T. Three-dimensional organization of neuronal and glial processes: High voltage electron microscopy[J]. Microscopy research and technique, 1994, 29(5): 357-367.

[43] VENTURA R, HARRIS K M. Three-dimensional relationships between hippocampal synapses and astrocytes[J]. Journal of Neuroscience, 1999, 19(16): 6897-6906.

[44] GALLO V, CHITTAJALLU R. Unwrapping glial cells from the synapse: what lies inside?[J]. Science, 2001, 292(5518): 872-873.

[45] SCHOFIELD P R, DARLISON M G, FUJITA N, et al. Sequence and functional expression of the GABAA receptor shows a ligand-gated receptor super-family[J]. Nature, 1987, 328(6127): 221-227.

[46] DOYLE D A, CABRAL J M, PFUETZNER R A, et al. The structure of the potassium channel: molecular basis of K+ conduction and selectivity[J]. science, 1998, 280(5360): 69-77.

[47] MORAIS-CABRAL J H, ZHOU Y, MACKINNON R. Energetic optimization of ion conduction rate by the K+ selectivity filter[J]. Nature, 2001, 414(6859): 37-42.

[48] MILLER C. See potassium run[J]. Nature, 2001, 414(6859): 23-24.

[49] LONG S B, TAO X, CAMPBELL E B, et al. Atomic structure of a voltage-dependent K+ channel in a lipid membrane-like environment[J]. Nature, 2007, 450(7168): 376-382.

[50] GADSBY D C. Spot the difference[J]. Nature, 2004, 427(6977): 795-797.

[51] HILLE B. Ionic channels in excitable membranes. Current problems and biophysical approaches[J]. Biophysical journal, 1978, 22(2): 283-294.

[52] SIGWORTH F J, NEHER E. Single Na+ channel currents observed in cultured rat muscle cells[J]. Nature, 1980, 287(5781): 447-449.

[53] ARMSTRONG C M, GILLY W F. Fast and slow steps in the activation of sodium channels.[J]. The Journal of general physiology, 1979, 74(6): 691-711.

[54] AHERN C A, PAYANDEH J, BOSMANS F, et al. The hitchhiker’s guide to the voltage-gated sodium channel galaxy[J]. Journal of General Physiology, 2016, 147(1): 1-24.

[55] DEKIN M S, GETTING P A. In vitro characterization of neurons in the ventral part of the nucleus tractus solitarius. II. Ionic basis for repetitive firing patterns[J]. Journal of Neurophysiology, 1987, 58(1): 215-229.

[56] LLINÁS R, JAHNSEN H. Electrophysiology of mammalian thalamic neurones in vitro[J]. Nature, 1982, 297(5865): 406-408.

[57] MCCORMICK D A, HUGUENARD J R. A model of the electrophysiological properties of thalamocortical relay neurons[J]. Journal of neurophysiology, 1992, 68(4): 1384-1400.

[58] JACKSON A C, YAO G L, BEAN B P. Mechanism of spontaneous firing in dorsomedial suprachiasmatic nucleus neurons[J]. Journal of Neuroscience, 2004, 24(37): 7985-7998.

[59] JOHNSTON J, FORSYTHE I D, KOPP-SCHEINPFLUG C. SYMPOSIUM REVIEW: Going native: voltage-gated potassium channels controlling neuronal excitability[J]. The Journal of physiology, 2010, 588(17): 3187-3200.

[60] NOWAK L G, AZOUZ R, SANCHEZ-VIVES M V, et al. Electrophysiological classes of cat primary visual cortical neurons in vivo as revealed by quantitative analyses[J]. Journal of neurophysiology, 2003, 89(3): 1541-1566.

[61] FURSHPAN E, POTTER D. Transmission at the giant motor synapses of the crayfish[J]. The Journal of physiology, 1959, 145(2): 289.

[62] FURSHPAN E, POTTER D. Mechanism of nerve-impulse transmission at a crayfish synapse[J]. Nature, 1957, 180(4581): 342-343.

[63] MAKOWSKI L, CASPAR D, PHILLIPS W, et al. Gap junction structures: Analysis of the x-ray diffraction data [J]. The Journal of cell biology, 1977, 74(2): 629-645.

[64] UNWIN P, ZAMPIGHI G. Structure of the junction between communicating cells[J]. Nature, 1980, 283(5747): 545-549.

[65] CAREW T J, KANDEL E R. Two functional effects of decreased conductance EPSP's: synaptic augmentation and increased electrotonic coupling[J]. Science, 1976, 192(4235): 150-153.

[66] MCMAHAN U, KUFFLER S W, KATZ B. Visual identification of synaptic boutons on living ganglion cells and of varicosities in postganglionic axons in the heart of the frog[J]. Proceedings of the Royal Society of London. Series B. Biological Sciences, 1971, 177(1049): 485-508.

[67] MORALES-PEREZ C L, NOVIELLO C M, HIBBS R E. X-ray structure of the human $\alpha4\beta2$ nicotinic receptor [J]. Nature, 2016, 538(7625): 411-415.

[68] COLQUHOUN D. How fast do drugs work?[J]. Trends in Pharmacological Sciences, 1981, 2: 212-217.

[69] ARMSTRONG N, SUN Y, CHEN G Q, et al. Structure of a glutamate-receptor ligand-binding core in complex with kainate[J]. Nature, 1998, 395(6705): 913-917.

[70] SOBOLEVSKY A I, ROSCONI M P, GOUAUX E. X-ray structure, symmetry and mechanism of an AMPA-subtype glutamate receptor[J]. Nature, 2009, 462(7274): 745-756.

[71] MAYER M L. Structural biology of glutamate receptor ion channel complexes[J]. Current opinion in structural biology, 2016, 41: 119-127.

[72] SAKMANN B. Nobel Lecture. Elementary steps in synaptic transmission revealed by currents through single ion channels.[J]. The EMBO Journal, 1992, 11(6): 2002-2016.

[73] SHENG M, HOOGENRAAD C C. The postsynaptic architecture of excitatory synapses: a more quantitative view [J]. Annu. Rev. Biochem., 2007, 76: 823-847.

[74] HESTRIN S, NICOLL R, PERKEL D, et al. Analysis of excitatory synaptic action in pyramidal cells using whole-cell recording from rat hippocampal slices.[J]. The Journal of Physiology, 1990, 422(1): 203-225.

[75] MORGAN S, TEYLER T. Electrical stimuli patterned after the theta-rhythm induce multiple forms of LTP[J]. Journal of neurophysiology, 2001, 86(3): 1289-1296.

[76] ECKERT R. Propagation and transmission of signals[J]. Animal Physiology: Mechanisms and Adaptations, 1988: 134-176.

[77] STUART G, SPRUSTON N, HÄUSSER M. Dendrites[M]. Oxford University Press, 2016.

[78] LARKUM M E, ZHU J J, SAKMANN B. A new cellular mechanism for coupling inputs arriving at different cortical layers[J]. Nature, 1999, 398(6725): 338-341.

[79] LANG C, BARCO A, ZABLOW L, et al. Transient expansion of synaptically connected dendritic spines upon induction of hippocampal long-term potentiation[J]. Proceedings of the National Academy of Sciences, 2004, 101(47): 16665-16670.

[80] YUSTE R, DENK W. Dendritic spines as basic functional units of neuronal integration[J]. Nature, 1995, 375(6533): 682-684.

[81] FRIELLE T, KOBILKA B, DOHLMAN H, et al. The β-adrenergic receptor and other receptors coupled to guanine nucleotide regulatory proteins[J]. Molecular Biology in Physiology, 1989: 79-91.

[82] KOBILKA B. The structural basis of G-protein-coupled receptor signaling (Nobel Lecture)[J]. Angewandte Chemie (International ed. in English), 2013, 52(25): 6380.

[83] ADAMS P, JONES S, PENNEFATHER P, et al. Slow synaptic transmission in frog sympathetic ganglia[J]. Journal of experimental biology, 1986, 124(1): 259-285.

[84] WHORTON M R, MACKINNON R. X-ray structure of the mammalian GIRK2–$\beta\gamma$ G-protein complex[J]. Nature, 2013, 498(7453): 190-197.

[85] TODA N, WEST T C. Interactions of K, Na, and vagal stimulation in the SA node of the rabbit[J]. American Journal of Physiology-Legacy Content, 1967, 212(2): 416-423.

[86] SOEJIMA M, NOMA A. Mode of regulation of the ACh-sensitive K-channel by the muscarinic receptor in rabbit atrial cells[J]. Pflügers Archiv, 1984, 400: 424-431.

[87] SIEGELBAUM S A, CAMARDO J S, KANDEL E R. Serotonin and cyclic AMP close single K+ channels in Aplysia sensory neurones[J]. Nature, 1982, 299(5882): 413-417.

[88] SHUSTER M, CAMARDO J, SIEGELBAUM S, et al. Cyclic AMP-dependent protein kinase closes the serotonin-sensitive K+ channels of Aplysia sensory neurones in cell-free membrane patches[J]. Nature, 1985, 313(6001): 392-395.

[89] EISEN J S, MARDER E. A mechanism for production of phase shifts in a pattern generator[J]. Journal of neurophysiology, 1984, 51(6): 1375-1393.

[90] MARDER E, BUCHER D. Understanding circuit dynamics using the stomatogastric nervous system of lobsters and crabs[J]. Annu. Rev. Physiol., 2007, 69: 291-316.

[91] HARRIS-WARRICK R M. Neuromodulation and flexibility in central pattern generator networks[J]. Current opinion in neurobiology, 2011, 21(5): 685-692.

[92] KATZ B, MILEDI R. A study of synaptic transmission in the absence of nerve impulses[J]. The Journal of physiology, 1967, 192(2): 407.

[93] LLINÁS R R. Depolarization-release coupling systems in neurons.[J]. Neurosciences Research Program Bulletin, 1977, 15(4): 555-687.

[94] ROBITAILLE R, ADLER E, CHARLTON M P. Strategic location of calcium channels at transmitter release sites of frog neuromuscular synapses[J]. Neuron, 1990, 5(6): 773-779.

[95] WACHMAN E S, POAGE R E, STILES J R, et al. Spatial distribution of calcium entry evoked by single action potentials within the presynaptic active zone[J]. Journal of Neuroscience, 2004, 24(12): 2877-2885.

[96] MEINRENKEN C J, BORST J G G, SAKMANN B. The Hodgkin–Huxley–Katz Prize Lecture: Local routes revisited: the space and time dependence of the Ca2+ signal for phasic transmitter release at the rat calyx of Held [J]. The Journal of physiology, 2003, 547(3): 665-689.

[97] SUN J, PANG Z P, QIN D, et al. A dual-Ca2+-sensor model for neurotransmitter release in a central synapse[J]. Nature, 2007, 450(7170): 676-682.

[98] LILEY A. The quantal components of the mammalian end-plate potential[J]. The Journal of physiology, 1956, 133(3): 571.

[99] BOYD I, MARTIN A. The end-plate potential in mammalian muscle[J]. The Journal of physiology, 1956, 132(1): 74.

[100] DITTMAN J S, KREITZER A C, REGEHR W G. Interplay between facilitation, depression, and residual calcium at three presynaptic terminals[J]. Journal of Neuroscience, 2000, 20(4): 1374-1385.

[101] FERNÁNDEZ-CHACÓN R, KÖNIGSTORFER A, GERBER S H, et al. Synaptotagmin I functions as a calcium regulator of release probability[J]. Nature, 2001, 410(6824): 41-49.

[102] GEIGER J R, JONAS P. Dynamic control of presynaptic Ca2+ inflow by fast-inactivating K+ channels in hippocampal mossy fiber boutons[J]. Neuron, 2000, 28(3): 927-939.

[103] CHUNG S, LI X, NELSON S B. Short-term depression at thalamocortical synapses contributes to rapid adaptation of cortical sensory responses in vivo[J]. Neuron, 2002, 34(3): 437-446.

[104] HEUSER J, REESE T. Structural changes after transmitter release at the frog neuromuscular junction.[J]. The Journal of cell biology, 1981, 88(3): 564-580.

[105] FERNANDEZ J, NEHER E, GOMPERTS B. Capacitance measurements reveal stepwise fusion events in degranulating mast cells[J]. Nature, 1984, 312(5993): 453-455.

[106] ZENISEK D, HORST N K, MERRIFIELD C, et al. Visualizing synaptic ribbons in the living cell[J]. Journal of Neuroscience, 2004, 24(44): 9752-9759.

[107] MONCK J R, FERNANDEZ J M. The exocytotic fusion pore.[J]. The Journal of cell biology, 1992, 119(6): 1395-1404.

[108] SPRUCE A, BRECKENRIDGE L, LEE A, et al. Properties of the fusion pore that forms during exocytosis of a mast cell secretory vesicle[J]. Neuron, 1990, 4(5): 643-654.

[109] SCHWEIZER F E, BETZ H, AUGUSTINE G J. From vesicle docking to endocytosis: intermediate reactions of exocytosis[J]. Neuron, 1995, 14(4): 689-696.

[110] TAKAMORI S, HOLT M, STENIUS K, et al. Molecular anatomy of a trafficking organelle[J]. Cell, 2006, 127(4): 831-846.

[111] SÜDHOF T C. Neurotransmitter release: the last millisecond in the life of a synaptic vesicle[J]. Neuron, 2013, 80(3): 675-690.

[112] RIZO J, SÜDHOF T C. Snares and Munc18 in synaptic vesicle fusion[J]. Nature Reviews Neuroscience, 2002, 3(8): 641-653.

[113] GEPPERT M, GODA Y, HAMMER R E, et al. Synaptotagmin I: a major Ca2+ sensor for transmitter release at a central synapse[J]. Cell, 1994, 79(4): 717-727.

[114] FERNANDEZ I, ARAÇ D, UBACH J, et al. Three-dimensional structure of the synaptotagmin 1 C2B-domain: synaptotagmin 1 as a phospholipid binding machine[J]. Neuron, 2001, 32(6): 1057-1069.

[115] ZHOU Q, ZHOU P, WANG A L, et al. The primed SNARE–complexin–synaptotagmin complex for neuronal exocytosis[J]. Nature, 2017, 548(7668): 420-425.

[116] HARLOW M L, RESS D, STOSCHEK A, et al. The architecture of active zone material at the frog's neuromuscular junction[J]. Nature, 2001, 409(6819): 479-484.

[117] CHAUDHRY F A, BOULLAND J L, JENSTAD M, et al. Pharmacology of neurotransmitter transport into secretory vesicles[J]. Pharmacology of Neurotransmitter Release, 2008: 77-106.

[118] GARDNER J C. Grendel[M]. Hachette UK, 2015.

[119] SWETS J A. The Relative Operating Characteristic in Psychology: A technique for isolating effects of response bias finds wide use in the study of perception and cognition.[J]. Science, 1973, 182(4116): 990-1000.

[120] ALBE-FESSARD D, ANDRES K, BATES J, et al. Morphology of cutaneous receptors[J]. Somatosensory system, 1973: 3-28.

[121] DOWLING J E. The retina: an approachable part of the brain[M]. Harvard University Press, 1987.

[122] MOUNTCASTLE V B, TALBOT W H, KORNHUBER H H. The neural transformation of mechanical stimuli delivered to the monkey's hand[C]//Ciba Foundation Symposium-Hormonal Factors in Carbohydrate Metabolism (Colloquia on Endocrinology). 1966: 325-351.

[123] TALBOT W H, DARIAN-SMITH I, KORNHUBER H H, et al. The sense of flutter-vibration: comparison of the human capacity with response patterns of mechanoreceptive afferents from the monkey hand.[J]. Journal of neurophysiology, 1968, 31(2): 301-334.

[124] GLASSER M F, COALSON T S, ROBINSON E C, et al. A multi-modal parcellation of human cerebral cortex[J]. Nature, 2016, 536(7615): 171-178.

[125] BIEDERMAN-THORSON M A, SCHMIDT R F, THEWS G. Human Physiology[M]. Springer Science & Business Media, 2013.

[126] GANDHI S P, HEEGER D J, BOYNTON G M. Spatial attention affects brain activity in human primary visual cortex[J]. Proceedings of the National Academy of Sciences, 1999, 96(6): 3314-3319.

[127] ALBRIGHT T D, STONER G R. Contextual influences on visual processing[J]. Annual review of neuroscience, 2002, 25(1): 339-379.

[128] LI L, RUTLIN M, ABRAIRA V E, et al. The functional organization of cutaneous low-threshold mechanosensory neurons[J]. Cell, 2011, 147(7): 1615-1627.

[129] ERLANGER J, GASSER H S. Electrical signs of nervous activity[M]. University of Pennsylvania Press, 2016.

[130] SACHS F. Stretch-sensitive ion channels: an update[J]. Soc. Gen. Physiol. Ser, 1992, 47: 241-260.

[131] CONE R A, CURRY G M, FEINLEIB M E, et al. Transducer properties and integrative mechanisms in the frog’s muscle spindle[J]. Principles of receptor physiology, 1971: 442-499.

[132] GUHARAY F, SACHS F. Stretch-activated single ion channel currents in tissue-cultured embryonic chick skeletal muscle.[J]. The Journal of physiology, 1984, 352(1): 685-701.

[133] LIN S Y, COREY D P. TRP channels in mechanosensation[J]. Current opinion in neurobiology, 2005, 15(3): 350-357.

[134] MURTHY S E, DUBIN A E, PATAPOUTIAN A. Piezos thrive under pressure: mechanically activated ion channels in health and disease[J]. Nature reviews Molecular cell biology, 2017, 18(12): 771-783.

[135] SAOTOME K, MURTHY S E, KEFAUVER J M, et al. Structure of the mechanically activated ion channel Piezo1 [J]. Nature, 2018, 554(7693): 481-486.

[136] MAKSIMOVIC S, NAKATANI M, BABA Y, et al. Epidermal Merkel cells are mechanosensory cells that tune mammalian touch receptors[J]. Nature, 2014, 509(7502): 617-621.

[137] ZIMMERMAN A, BAI L, GINTY D D. The gentle touch receptors of mammalian skin[J]. Science, 2014, 346(6212): 950-954.

[138] BAI L, LEHNERT B P, LIU J, et al. Genetic identification of an expansive mechanoreceptor sensitive to skin stroking[J]. Cell, 2015, 163(7): 1783-1795.

[139] JORDT S E, MCKEMY D D, JULIUS D. Lessons from peppers and peppermint: the molecular logic of thermosensation[J]. Current opinion in neurobiology, 2003, 13(4): 487-492.

[140] PERL E. Myelinated afferent fibres innervating the primate skin and their response to noxious stimuli[J]. The Journal of physiology, 1968, 197(3): 593-615.

[141] GHITANI N, BARIK A, SZCZOT M, et al. Specialized mechanosensory nociceptors mediating rapid responses to hair pull[J]. Neuron, 2017, 95(4): 944-954.

[142] JOHANSSON R S, VALLBO Å B. Tactile sensory coding in the glabrous skin of the human hand[J]. Trends in neurosciences, 1983, 6: 27-32.

[143] BOLANOWSKI S J, PAWSON L. Organization of Meissner corpuscles in the glabrous skin of monkey and cat[J]. Somatosensory & motor research, 2003, 20(3-4): 223-231.

[144] WEINSTEIN S. Intensive and extensive aspects of tactile sensitivity as a function of body part, sex and laterality [C]//the First Int'l symp. on the Skin Senses, 1968. 1968.

[145] JOHNSON K O, PHILLIPS J R. Tactile spatial resolution. I. Two-point discrimination, gap detection, grating resolution, and letter recognition[J]. Journal of neurophysiology, 1981, 46(6): 1177-1192.

[146] PHILLIPS J, JOHANSSON R, JOHNSON K. Representation of braille characters in human nerve fibres[J]. Experimental Brain Research, 1990, 81: 589-592.

[147] BRISBEN A, HSIAO S, JOHNSON K. Detection of vibration transmitted through an object grasped in the hand [J]. Journal of neurophysiology, 1999, 81(4): 1548-1558.

[148] MOUNTCASTLE V B, LAMOTTE R H, CARLI G. Detection thresholds for stimuli in humans and monkeys: comparison with threshold events in mechanoreceptive afferent nerve fibers innervating the monkey hand.[J]. Journal of neurophysiology, 1972, 35(1): 122-136.

[149] JOHANSSON R S, LANDSTRO U, LUNDSTRO R, et al. Responses of mechanoreceptive afferent units in the glabrous skin of the human hand to sinusoidal skin displacements[J]. Brain research, 1982, 244(1): 17-25.

[150] MUNIAK M A, RAY S, HSIAO S S, et al. The neural coding of stimulus intensity: linking the population response of mechanoreceptive afferents with psychophysical behavior[J]. Journal of Neuroscience, 2007, 27(43): 11687-11699.

[151] SALINAS E, HERNANDEZ A, ZAINOS A, et al. Periodicity and firing rate as candidate neural codes for the frequency of vibrotactile stimuli[J]. Journal of neuroscience, 2000, 20(14): 5503-5515.

[152] JOHANSSON R S. Sensory control of dexterous manipulation in humans[G]//Hand and brain. Elsevier, 1996: 381-414.

[153] OBERLAENDER M, de KOCK C P, BRUNO R M, et al. Cell type–specific three-dimensional structure of thalamocortical circuits in a column of rat vibrissal cortex[J]. Cerebral cortex, 2012, 22(10): 2375-2391.

[154] GARDNER E P. Somatosensory cortical mechanisms of feature detection in tactile and kinesthetic discrimination [J]. Canadian journal of physiology and pharmacology, 1988, 66(4): 439-454.

[155] IWAMURA Y, TANAKA M, SAKAMOTO M, et al. Rostrocaudal gradients in the neuronal receptive field complexity in the finger region of the alert monkey's postcentral gyrus[J]. Experimental Brain Research, 1993, 92: 360-368.

[156] IWAMURA Y, IRIKI A, TANAKA M. Bilateral hand representation in the postcentral somatosensory cortex[J]. Nature, 1994, 369(6481): 554-556.

[157] NELSON R, SUR M, FELLEMAN D, et al. Representations of the body surface in postcentral parietal cortex of Macaca fascicularis[J]. Journal of Comparative Neurology, 1980, 192(4): 611-643.

[158] DICARLO J J, JOHNSON K O, HSIAO S S. Structure of receptive fields in area 3b of primary somatosensory cortex in the alert monkey[J]. Journal of neuroscience, 1998, 18(7): 2626-2645.

[159] SRIPATI A P, YOSHIOKA T, DENCHEV P, et al. Spatiotemporal receptive fields of peripheral afferents and cortical area 3b and 1 neurons in the primate somatosensory system[J]. Journal of Neuroscience, 2006, 26(7): 2101-2114.

[160] WARREN S, HAMALAINEN H A, GARDNER E P. Objective classification of motion-and direction-sensitive neurons in primary somatosensory cortex of awake monkeys[J]. Journal of Neurophysiology, 1986, 56(3): 598-622.

[161] HINKLEY L B, KRUBITZER L A, NAGARAJAN S S, et al. Sensorimotor integration in S2, PV, and parietal rostroventral areas of the human sylvian fissure[J]. Journal of neurophysiology, 2007, 97(2): 1288-1297.

[162] ROMO R, HERNÁNDEZ A, ZAINOS A, et al. Neuronal correlates of decision-making in secondary somatosensory cortex[J]. Nature neuroscience, 2002, 5(11): 1217-1225.

[163] PAUSE M, KUNESCH E, BINKOFSKI F, et al. Sensorimotor disturbances in patients with lesions of the parietal cortex[J]. Brain, 1989, 112(6): 1599-1625.

[164] HIKOSAKA O, TANAKA M, SAKAMOTO M, et al. Deficits in manipulative behaviors induced by local injections of muscimol in the first somatosensory cortex of the conscious monkey[J]. Brain research, 1985, 325(1-2): 375-380.

[165] PERL E R. Ideas about pain, a historical view[J]. Nature Reviews Neuroscience, 2007, 8(1): 71-80.

[166] FIELDS H. Painful dysfunction of the nervous system[J]. Pain, 1987: 133-167.

[167] TOMINAGA M, CATERINA M J. Thermosensation and pain[J]. Journal of neurobiology, 2004, 61(1): 3-12.

[168] BAUTISTA D M, JORDT S E, NIKAI T, et al. TRPA1 mediates the inflammatory actions of environmental irritants and proalgesic agents[J]. Cell, 2006, 124(6): 1269-1282.

[169] RAJA S N, CAMPBELL J N, MEYER R A. Evidence for different mechanisms of primary and secondary hyperalgesia following heat injury to the glabrous skin[J]. Brain, 1984, 107(4): 1179-1188.

[170] FLOR H, NIKOLAJSEN L, STAEHELIN JENSEN T. Phantom limb pain: a case of maladaptive CNS plasticity?[J]. Nature reviews neuroscience, 2006, 7(11): 873-881.

[171] DE BIASI S, RUSTIONI A. Ultrastructural immunocytochemical localization of excitatory amino acids in the somatosensory system.[J]. Journal of Histochemistry & Cytochemistry, 1990, 38(12): 1745-1754.

[172] CRAIG A, BUSHNELL M. The thermal grill illusion: unmasking the burn of cold pain[J]. Science, 1994, 265(5169): 252-255.

[173] FIELD D J, HAYES A, HESS R F. Contour integration by the human visual system: evidence for a local “association field”[J]. Vision research, 1993, 33(2): 173-193.

[174] HUBEL D H. Eye, brain, and vision.[M]. Scientific American Library/Scientific American Books, 1995.

[175] BLASDEL G G, LUND J S. Termination of afferent axons in macaque striate cortex[J]. Journal of Neuroscience, 1983, 3(7): 1389-1413.

[176] KAPADIA M K, WESTHEIMER G, GILBERT C D. Spatial distribution of contextual interactions in primary visual cortex and in visual perception[J]. Journal of neurophysiology, 2000, 84(4): 2048-2062.

[177] CURCIO C A, HENDRICKSON A E. Organization and development of the primate photoreceptor mosaic[J]. Progress in retinal research, 1991, 10: 89-120.

[178] BOYCOTT B B, DOWLING J E. Organization of the primate retina: light microscopy, with an appendix: a second type of midget bipolar cell in the primate retina[J]. Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences, 1969, 255(799): 109-184.

[179] POLYAK S L. The retina.[J]. 1941.

[180] HURVICH L M. Color vision[J]. 1981.

[181] O’BRIEN D F. The chemistry of vision[J]. Science, 1982, 218(4576): 961-966.

[182] YOUNG R W. Visual cells[J]. Scientific American, 1970, 223(4): 80-91.

[183] SCHNEEWEIS D M, SCHNAPF J L. Photovoltage of rods and cones in the macaque retina[J]. Science, 1995, 268(5213): 1053-1056.

[184] NATHANS J, HOGNESS D S. Isolation and nucleotide sequence of the gene encoding human rhodopsin.[J]. Proceedings of the National Academy of Sciences, 1984, 81(15): 4851-4855.

[185] NATHANS J, THOMAS D, HOGNESS D S. Molecular genetics of human color vision: the genes encoding blue, green, and red pigments[J]. Science, 1986, 232(4747): 193-202.

[186] SAKMANN B, CREUTZFELDT O D. Scotopic and mesopic light adaptation in the cat's retina[J]. Pflügers Archiv, 1969, 313: 168-185.

[187] WYSZECKI G, STILES W S. Color science: concepts and methods, quantitative data and formulae: vol. 40[M]. John wiley & sons, 2000.

[188] SCHNEEWEIS D, SCHNAPF J. Noise and light adaptation in rods of the macaque monkey[J]. Visual neuroscience, 2000, 17(5): 659-666.

[189] DE VALOIS R L, MORGAN H, SNODDERLY D M. Psychophysical studies of monkey vision-III. Spatial luminance contrast sensitivity tests of macaque and human observers[J]. Vision research, 1974, 14(1): 75-81.

[190] DERRINGTON A, LENNIE P. Spatial and temporal contrast sensitivities of neurones in lateral geniculate nucleus of macaque.[J]. The Journal of physiology, 1984, 357(1): 219-240.

[191] ENROTH-CUGELL C, ROBSON J G. Functional characteristics and diversity of cat retinal ganglion cells. Basic characteristics and quantitative description.[J]. Investigative ophthalmology & visual science, 1984, 25(3): 250-267.

[192] HUBEL D H, WIESEL T N. Receptive fields and functional architecture of monkey striate cortex[J]. The Journal of physiology, 1968, 195(1): 215-243.

[193] LI W, GILBERT C D. Global contour saliency and local colinear interactions[J]. Journal of neurophysiology, 2002, 88(5): 2846-2856.

[194] POGGIO G F. Mechanisms of stereopsis in monkey visual cortex[J]. Cerebral Cortex, 1995, 5(3): 193-204.

[195] BAKIN J S, NAKAYAMA K, GILBERT C D. Visual responses in monkey areas V1 and V2 to three-dimensional surface configurations[J]. Journal of Neuroscience, 2000, 20(21): 8188-8198.

[196] ZHOU H, FRIEDMAN H S, VON DER HEYDT R. Coding of border ownership in monkey visual cortex[J]. Journal of Neuroscience, 2000, 20(17): 6594-6611.

[197] PRIEBE N J, FERSTER D. Inhibition, spike threshold, and stimulus selectivity in primary visual cortex[J]. Neuron, 2008, 57(4): 482-497.

[198] ADELSON E H. Perceptual organization and the judgment of brightness[J]. Science, 1993, 262(5142): 2042-2044.

[199] CRIST R E, LI W, GILBERT C D. Learning to see: experience and attention in primary visual cortex[J]. Nature neuroscience, 2001, 4(5): 519-525.

[200] LI W, PIËCH V, GILBERT C D. Learning to link visual contours[J]. Neuron, 2008, 57(3): 442-451.

[201] WANG Q, CAVANAGH P, GREEN M. Familiarity and pop-out in visual search[J]. Perception & psychophysics, 1994, 56: 495-500.

[202] DUHAMEL J R, COLBY C L, GOLDBERG M E. The updating of the representation of visual space in parietal cortex by intended eye movements[J]. Science, 1992, 255(5040): 90-92.

[203] SOMMER M A, WURTZ R H. Brain circuits for the internal monitoring of movements[J]. Annu. Rev. Neurosci., 2008, 31: 317-338.

[204] CAVANAUGH J, BERMAN R A, JOINER W M, et al. Saccadic corollary discharge underlies stable visual perception[J]. Journal of Neuroscience, 2016, 36(1): 31-42.

[205] ANDERSEN R A, ESSICK G K, SIEGEL R M. Encoding of spatial location by posterior parietal neurons[J]. Science, 1985, 230(4724): 456-458.

[206] ASSAD J A, SHEPHERD G M, COREY D P. Tip-link integrity and mechanical transduction in vertebrate hair cells[J]. Neuron, 1991, 7(6): 985-994.

[207] HUDSPETH A, GILLESPIE P G. Pulling springs to tune transduction: adaptation by hair cells[J]. Neuron, 1994, 12(1): 1-9.

[208] HOWARD J, HUDSPETH A. Compliance of the hair bundle associated with gating of mechanoelectrical transduction channels in the bullfrog's saccular hair cell[J]. Neuron, 1988, 1(3): 189-199.

[209] HUDSPETH A J. How the ear's works work[J]. Nature, 1989, 341(6241): 397-404.

[210] WU Z, MÜLLER U. Molecular identity of the mechanotransduction channel in hair cells: not quiet there yet[J]. Journal of Neuroscience, 2016, 36(43): 10927-10934.

[211] PAN B, AKYUZ N, LIU X P, et al. TMC1 forms the pore of mechanosensory transduction channels in vertebrate inner ear hair cells[J]. Neuron, 2018, 99(4): 736-753.

[212] WILSON J. Evidence for a cochlear origin for acoustic re-emissions, threshold fine-structure and tonal tinnitus[J]. Hearing research, 1980, 2(3-4): 233-252.

[213] MURPHY W, TALMADGE C, TUBIS A, et al. Relaxation dynamics of spontaneous otoacoustic emissions perturbed by external tones. I. Response to pulsed single-tone suppressors[J]. The Journal of the Acoustical Society of America, 1995, 97(6): 3702-3710.

[214] SPOENDLIN H. Neuroanatomy of the cochlea[C]//Facts and Models in Hearing: Proceedings of the Symposium on Psychophysical Models and Physiological Facts in Hearing, held at Tutzing, Oberbayern, Federal Republic of Germany, April 22–26, 1974. 1974: 18-32.

[215] KIANG N Y S, WATANABE T, THOMAS E C, et al. Discharge patterns of single fibers in the cat's auditory nerve: vol. 35[M]. MIT press Cambridge, MA, 1965.

[216] IURATO S. Submicroscopic structure of the inner ear[M]. Elsevier, 2013.

[217] FLOCK Å. Transducing mechanisms in the lateral line canal organ receptors[C]//Cold Spring Harbor Symposia on Quantitative Biology: vol. 30. 1965: 133-145.

[218] SPOENDLIN H. The ultrastructure of the vestibular sense organ[J]. The vestibular system and its diseases, 2016, 1968: 39-68.

[219] GACEK R, LYON M. The localization of vestibular efferent neurons in the kitten with horseradish peroxidase[J]. Acta oto-laryngologica, 1974, 77(1-6): 92-101.

[220] EINSTEIN A. Über das Relativitätsprinzip und die aus demselben gezogenen Folgerungen[M]. S. Hirzel Leipzig, Germany, 1908.

[221] SUGIUCHI Y, IZAWA Y, EBATA S, et al. Vestibular cortical area in the periarcuate cortex: its afferent and efferent projections[J]. Annals of the New York Academy of Sciences, 2005, 1039(1): 111-123.

[222] MILES F, EIGHMY B. Long-term adaptive changes in primate vestibuloocular reflex. I. Behavioral observations. [J]. Journal of Neurophysiology, 1980, 43(5): 1406-1425.

[223] GEISLER C D. From sound to synapse: physiology of the mammalian ear[M]. Oxford University Press, USA, 1998.

[224] Y Cajal. Histologie du systeme nerveux de l' homme et des vertebre s II[J]. (No Title), 1909.

[225] JEFFRESS L A. A place theory of sound localization.[J]. Journal of comparative and physiological psychology, 1948, 41(1): 35.

[226] YIN T C. Neural mechanisms of encoding binaural localization cues in the auditory brainstem[J]. Integrative functions in the mammalian auditory pathway, 2002: 99-159.

[227] DARROW K N, MAISON S F, LIBERMAN M C. Cochlear efferent feedback balances interaural sensitivity[J]. Nature neuroscience, 2006, 9(12): 1474-1476.

[228] KING A J. Sensory experience and the formation of a computational map of auditory space in the brain[J]. Bioessays, 1999, 21(11): 900-911.

[229] COHEN Y E, KNUDSEN E I. Maps versus clusters: different representations of auditory space in the midbrain and forebrain[J]. Trends in neurosciences, 1999, 22(3): 128-135.

[230] WANG X. Cortical coding of auditory features[J]. Annual review of neuroscience, 2018, 41: 527-552.

[231] WANG X, LU T, SNIDER R K, et al. Sustained firing in auditory cortex evoked by preferred stimuli[J]. Nature, 2005, 435(7040): 341-346.

[232] MIDDLEBROOKS J C. Auditory cortex cheers the overture and listens through the finale[J]. Nature neuroscience, 2005, 8(7): 851-852.

[233] ZHANG L I, BAO S, MERZENICH M M. Persistent and specific influences of early acoustic environments on primary auditory cortex[J]. Nature neuroscience, 2001, 4(11): 1123-1130.

[234] MERZENICH M M, KNIGHT P L, ROTH G L. Representation of cochlea within primary auditory cortex in the cat[J]. Journal of neurophysiology, 1975, 38(2): 231-249.

[235] RAUSCHECKER J P, TIAN B. Mechanisms and streams for processing of “what” and “where” in auditory cortex[J]. Proceedings of the National Academy of Sciences, 2000, 97(22): 11800-11806.

[236] LU T, LIANG L, WANG X. Temporal and rate representations of time-varying signals in the auditory cortex of awake primates[J]. Nature neuroscience, 2001, 4(11): 1131-1138.

[237] BARTLETT E L, WANG X. Neural representations of temporally modulated signals in the auditory thalamus of awake primates[J]. Journal of neurophysiology, 2007, 97(2): 1005-1017.

[238] BENDOR D, WANG X. The neuronal representation of pitch in primate auditory cortex[J]. Nature, 2005, 436(7054): 1161-1165.

[239] SUGA N, O’NEILL W E, KUJIRAI K, et al. Specificity of combination-sensitive neurons for processing of complex biosonar signals in auditory cortex of the mustached bat[J]. Journal of Neurophysiology, 1983, 49(6): 1573-1626.

[240] SUGA N. Neural mechanisms of complex-sound processing for echolocation[J]. Trends in Neurosciences, 1984, 7(1): 20-27.

[241] HOUDE J F, CHANG E F. The cortical computations underlying feedback control in vocal production[J]. Current opinion in neurobiology, 2015, 33: 174-181.

[242] ELIADES S J, WANG X. Sensory-motor interaction in the primate auditory cortex during self-initiated vocalizations[J]. Journal of neurophysiology, 2003, 89(4): 2194-2207.

[243] ELIADES S J, WANG X. Neural substrates of vocalization feedback monitoring in primate auditory cortex[J]. Nature, 2008, 453(7198): 1102-1106.

[244] MALNIC B, HIRONO J, SATO T, et al. Combinatorial receptor codes for odors[J]. Cell, 1999, 96(5): 713-723.

[245] RESSLER K J, SULLIVAN S L, BUCK L B. A zonal organization of odorant receptor gene expression in the olfactory epithelium[J]. Cell, 1993, 73(3): 597-609.

[246] HABERLY L B, SHEPHERD G M. The synaptic organization of the brain[J]. Olfactory cortex, 1998: 377-416.

[247] RESSLER K J, SULLIVAN S L, BUCK L B. Information coding in the olfactory system: evidence for a stereotyped and highly organized epitope map in the olfactory bulb[J]. Cell, 1994, 79(7): 1245-1255.

[248] JOHNSON B A, FARAHBOD H, LEON M. Interactions between odorant functional group and hydrocarbon structure influence activity in glomerular response modules in the rat olfactory bulb[J]. Journal of Comparative Neurology, 2005, 483(2): 205-216.

[249] BLAKEMORE S J, GOODBODY S J, WOLPERT D M. Predicting the consequences of our own actions: the role of sensorimotor context estimation[J]. Journal of Neuroscience, 1998, 18(18): 7511-7518.

[250] FLANAGAN J R, BELTZNER M A. Independence of perceptual and sensorimotor predictions in the size–weight illusion[J]. Nature neuroscience, 2000, 3(7): 737-741.

[251] MORASSO P. Spatial control of arm movements[J]. Experimental brain research, 1981, 42(2): 223-227.

[252] SCHMIDT R A, ZELAZNIK H, HAWKINS B, et al. Motor-output variability: a theory for the accuracy of rapid motor acts.[J]. Psychological review, 1979, 86(5): 415.

[253] BRASHERS-KRUG T, SHADMEHR R, BIZZI E. Consolidation in human motor memory[J]. Nature, 1996, 382(6588): 252-255.

[254] ROEMMICH R T, LONG A W, BASTIAN A J. Seeing the errors you feel enhances locomotor performance but not learning[J]. Current biology, 2016, 26(20): 2707-2716.

[255] BOTTERMAN B, IWAMOTO G, GONYEA W. Gradation of isometric tension by different activation rates in motor units of cat flexor carpi radialis muscle[J]. Journal of neurophysiology, 1986, 56(2): 494-506.

[256] FUGLEVAND A J, MACEFIELD V G, BIGLAND-RITCHIE B. Force-frequency and fatigue properties of motor units in muscles that control digits of the human hand[J]. Journal of neurophysiology, 1999, 81(4): 1718-1729.

[257] MACEFIELD V G, FUGLEVAND A J, BIGLAND-RITCHIE B. Contractile properties of single motor units in human toe extensors assessed by intraneural motor axon stimulation[J]. Journal of neurophysiology, 1996, 75(6): 2509-2519.

[258] CUTSEM M V, FEIEREISEN P, DUCHATEAU J, et al. Mechanical properties and behaviour of motor units in the tibialis anterior during voluntary contractions[J]. Canadian journal of applied physiology, 1997, 22(6): 585-597.

[259] BOTTINELLI R, CANEPARI M, PELLEGRINO M, et al. Force-velocity properties of human skeletal muscle fibres: myosin heavy chain isoform and temperature dependence.[J]. The Journal of physiology, 1996, 495(2): 573-586.

[260] DESMEDT J E, GODAUX E. Ballistic contractions in man: characteristic recruitment pattern of single motor units of the tibialis anterior muscle.[J]. The Journal of physiology, 1977, 264(3): 673-693.

[261] MILNER-BROWN H, STEIN R, YEMM R. The orderly recruitment of human motor units during voluntary isometric contractions[J]. The Journal of physiology, 1973, 230(2): 359.

[262] MORITZ C T, BARRY B K, PASCOE M A, et al. Discharge rate variability influences the variation in force fluctuations across the working range of a hand muscle[J]. Journal of neurophysiology, 2005, 93(5): 2449-2459.

[263] HECKMAN C, MOTTRAM C, QUINLAN K, et al. Motoneuron excitability: the importance of neuromodulatory inputs[J]. Clinical Neurophysiology, 2009, 120(12): 2040-2054.

[264] ERIM Z, DE LUCA C J, MINEO K, et al. Rank-ordered regulation of motor units[J]. Muscle & Nerve: Official Journal of the American Association of Electrodiagnostic Medicine, 1996, 19(5): 563-573.

[265] BLOOM W, MAXIMOW A. A textbook of histology[M]. WB Saunders, 1952.

[266] GORDON A, REGNIER M, HOMSHER E. Skeletal and cardiac muscle contractile activation: tropomyosin "rocks and rolls" [J]. Physiology, 2001, 16(2): 49-55.

[267] WINTERS J M, WOO S L, DELP I. Multiple muscle systems: biomechanics and movement organization[M]. Springer Science & Business Media, 2012.

[268] LIEBER R L, FRIDÉN J. Functional and clinical significance of skeletal muscle architecture[J]. Muscle & Nerve: Official Journal of the American Association of Electrodiagnostic Medicine, 2000, 23(11): 1647-1666.

[269] FINNI T, KOMI P V, LEPOLA V. In vivo human triceps surae and quadriceps femoris muscle function in a squat jump and counter movement jump[J]. European journal of applied physiology, 2000, 83: 416-426.

[270] GREGOR R, ROY R, WHITING W, et al. Mechanical output of the cat soleus during treadmill locomotion: in vivo vs in situ characteristics[J]. journal of Biomechanics, 1988, 21(9): 721-732.

[271] LIDDELL E G T, SHERRINGTON C S. Reflexes in response to stretch (myotatic reflexes)[J]. Proceedings of the Royal Society of London. Series B, Containing Papers of a Biological Character, 1924, 96(675): 212-242.

[272] SCHMIDT R F, WIESENDANGER M. Motor systems[G]//Human physiology. Springer, 1989: 82-123.

[273] HUNT C C, KUFFLER S W. Stretch receptor discharges during muscle contraction[J]. The Journal of physiology, 1951, 113(2-3): 298.

[274] HULLIGER M. The mammalian muscle spindle and its central control[J]. Reviews of Physiology, Biochemistry and Pharmacology, Volume 101: Volume: 101, 1984: 1-110.

[275] BOYD I. The isolated mammalian muscle spindle[J]. Trends in neurosciences, 1980, 3(11): 258-265.

[276] BROWN M, MATTHEWS P. On the subdivision of the efferent fibres to muscle spindles into static and dynamic fusimotor fibres[J]. Control and innervation of skeletal muscle, 1966: 18-31.

[277] CRAGO P E, HOUK J C, RYMER W Z. Sampling of total muscle force by tendon organs.[J]. Journal of neurophysiology, 1982, 47(6): 1069-1083.

[278] VALLBO Å. Basic patterns of muscle spindle discharge in man[C]//Muscle Receptors and Movement: Proceedings of a Symposium held at the Sherrington School of Physiology, St Thomas's Hospital Medical School, London, on July 8th and 9th, 1980. 1981: 263-275.

[279] ENGBERG I, LUNDBERG A. An electromyographic analysis of muscular activity in the hindlimb of the cat during unrestrained locomotion[J]. Acta Physiologica Scandinavica, 1969, 75(4): 614-630.

[280] GRILLNER S, ZANGGER P. The effect of dorsal root transection on the efferent motor pattern in the cat's hindlimb during locomotion[J]. Acta Physiologica Scandinavica, 1984, 120(3): 393-405.

[281] GRILLNER S, ZANGGER P. On the central generation of locomotion in the low spinal cat[J]. Experimental brain research, 1979, 34: 241-261.

[282] PEARSON K, ROSSIGNOL S. Fictive motor patterns in chronic spinal cats[J]. Journal of neurophysiology, 1991, 66(6): 1874-1887.

[283] RYBAK I A, STECINA K, SHEVTSOVA N A, et al. Modelling spinal circuitry involved in locomotor pattern generation: insights from the effects of afferent stimulation[J]. The Journal of physiology, 2006, 577(2): 641-658.

[284] GRILLNER S. Biological pattern generation: the cellular and computational logic of networks in motion[J]. Neuron, 2006, 52(5): 751-766.

[285] KIEHN O. Decoding the organization of spinal circuits that control locomotion[J]. Nature Reviews Neuroscience, 2016, 17(4): 224-238.

[286] KRIELLAARS D, BROWNSTONE R, NOGA B, et al. Mechanical entrainment of fictive locomotion in the decerebrate cat[J]. Journal of neurophysiology, 1994, 71(6): 2074-2086.

[287] HIEBERT G W, WHELAN P J, PROCHAZKA A, et al. Contribution of hind limb flexor muscle afferents to the timing of phase transitions in the cat step cycle[J]. Journal of neurophysiology, 1996, 75(3): 1126-1137.

[288] WHELAN P, HIEBERT G, PEARSON K. Stimulation of the group I extensor afferents prolongs the stance phase in walking cats[J]. Experimental Brain Research, 1995, 103: 20-30.

[289] CAGGIANO V, LEIRAS R, GOÑI-ERRO H, et al. Midbrain circuits that set locomotor speed and gait selection [J]. Nature, 2018, 553(7689): 455-460.

[290] DREW T. Motor cortical cell discharge during voluntary gait modification[J]. Brain research, 1988, 457(1): 181-187.

[291] DREW T, MARIGOLD D S. Taking the next step: cortical contributions to the control of locomotion[J]. Current opinion in neurobiology, 2015, 33: 25-33.

[292] MCVEA D A, PEARSON K G. Object avoidance during locomotion[J]. Progress in Motor Control: A Multidisciplinary Perspective, 2009: 293-315.

[293] LAJOIE K, ANDUJAR J E, PEARSON K, et al. Neurons in area 5 of the posterior parietal cortex in the cat contribute to interlimb coordination during visually guided locomotion: a role in working memory[J]. Journal of neurophysiology, 2010, 103(4): 2234-2254.

[294] WERNIG A, MÜLLER S, NANASSY A, et al. Laufband therapy based on ‘rules of spinal locomotion’ is effective in spinal cord injured persons[J]. European Journal of Neuroscience, 1995, 7(4): 823-829.

[295] CRAMMOND D J, KALASKA J F. Prior information in motor and premotor cortex: activity during the delay period and effect on pre-movement activity[J]. Journal of neurophysiology, 2000, 84(2): 986-1005.

[296] MARAVITA A, IRIKI A. Tools for the body (schema)[J]. Trends in cognitive sciences, 2004, 8(2): 79-86.

[297] TANJI J. Sequential organization of multiple movements: involvement of cortical motor areas[J]. Annual review of neuroscience, 2001, 24(1): 631-651.

[298] CISEK P, KALASKA J F. Neural mechanisms for interacting with a world full of action choices[J]. Annual review of neuroscience, 2010, 33: 269-298.

[299] KLAES C, WESTENDORFF S, CHAKRABARTI S, et al. Choosing goals, not rules: deciding among rule-based action plans[J]. Neuron, 2011, 70(3): 536-548.

[300] WALLIS J D, MILLER E K. From rule to response: neuronal processes in the premotor and prefrontal cortex[J]. Journal of neurophysiology, 2003, 90(3): 1790-1806.

[301] ROMO R, HERNÁNDEZ A, ZAINOS A. Neuronal correlates of a perceptual decision in ventral premotor cortex [J]. Neuron, 2004, 41(1): 165-173.

[302] RIZZOLATTI G, FADIGA L, GALLESE V, et al. Premotor cortex and the recognition of motor actions[J]. Cognitive brain research, 1996, 3(2): 131-141.

[303] SCHAFFELHOFER S, SCHERBERGER H. Object vision to hand action in macaque parietal, premotor, and motor cortices[J]. elife, 2016, 5: e15278.

[304] PARK M C, BELHAJ-SAÏF A, GORDON M, et al. Consistent features in the forelimb representation of primary motor cortex in rhesus macaques[J]. Journal of Neuroscience, 2001, 21(8): 2784-2792.

[305] RATHELOT J A, STRICK P L. Muscle representation in the macaque motor cortex: an anatomical perspective [J]. Proceedings of the National Academy of Sciences, 2006, 103(21): 8257-8262.

[306] SHINODA Y, YOKOTA J I, FUTAMI T. Divergent projection of individual corticospinal axons to motoneurons of multiple muscles in the monkey[J]. Neuroscience letters, 1981, 23(1): 7-12.

[307] CHENEY P D, FETZ E E, PALMER S S. Patterns of facilitation and suppression of antagonist forelimb muscles from motor cortex sites in the awake monkey[J]. Journal of neurophysiology, 1985, 53(3): 805-820.

[308] EVARTS E V. Relation of pyramidal tract activity to force exerted during voluntary movement.[J]. Journal of neurophysiology, 1968, 31(1): 14-27.

[309] FETZ E E, CHENEY P D. Postspike facilitation of forelimb muscle activity by primate corticomotoneuronal cells [J]. Journal of neurophysiology, 1980, 44(4): 751-772.

[310] SERGIO L E, KALASKA J F. Systematic changes in motor cortex cell activity with arm posture during directional isometric force generation[J]. Journal of neurophysiology, 2003, 89(1): 212-228.

[311] GEORGOPOULOS A P, KALASKA J F, CAMINITI R, et al. On the relations between the direction of two-dimensional arm movements and cell discharge in primate motor cortex[J]. Journal of Neuroscience, 1982, 2(11): 1527-1537.

[312] SCOTT S H, GRIBBLE P L, GRAHAM K M, et al. Dissociation between hand motion and population vectors from neural activity in motor cortex[J]. Nature, 2001, 413(6852): 161-165.

[313] GRIFFIN D M, HUDSON H M, BELHAJ-SAIF A, et al. Do corticomotoneuronal cells predict target muscle EMG activity?[J]. Journal of neurophysiology, 2008, 99(3): 1169-1986.

[314] GEORGOPOULOS A P, CAMINITI R, KALASKA J F, et al. Spatial coding of movement: a hypothesis concerning the coding of movement direction by motor cortical populations[J]. Experimental Brain Research, 1983, 49(Suppl. 7): 327-336.

[315] NUDO R J, MILLIKEN G W, JENKINS W M, et al. Use-dependent alterations of movement representations in primary motor cortex of adult squirrel monkeys[J]. The Journal of neuroscience, 1996, 16(2): 785.

[316] INOUE M, UCHIMURA M, KITAZAWA S. Error signals in motor cortices drive adaptation in reaching[J]. Neuron, 2016, 90(5): 1114-1126.

[317] HENN V, HEPP K, BÜTTNER-ENNEVER J. The primate oculomotor system. II. Premotor system. A synthesis of anatomical, physiological, and clinical data.[J]. Human Neurobiology, 1982, 1(2): 87-95.

[318] YARBUS A L. Eye movements and vision[M]. Springer, 2013.

[319] FUCHS A, LUSCHEI E. Firing patterns of abducens neurons of alert monkeys in relationship to horizontal eye movement.[J]. Journal of neurophysiology, 1970, 33(3): 382-392.

[320] CURTIS C E, CONNOLLY J D. Saccade preparation signals in the human frontal and parietal cortices[J]. Journal of Neurophysiology, 2008, 99(1): 133-145.

[321] AIZAWA H, WURTZ R H. Reversible inactivation of monkey superior colliculus. I. Curvature of saccadic trajectory[J]. Journal of neurophysiology, 1998, 79(4): 2082-2096.

[322] HIKOSAKA O, SAKAMOTO M, USUI S. Functional properties of monkey caudate neurons. I. Activities related to saccadic eye movements[J]. Journal of neurophysiology, 1989, 61(4): 780-798.

[323] POWELL K D, GOLDBERG M E. Response of neurons in the lateral intraparietal area to a distractor flashed during the delay period of a memory-guided saccade[J]. Journal of Neurophysiology, 2000, 84(1): 301-310.

[324] BRUCE C J, GOLDBERG M E. Primate frontal eye fields. I. Single neurons discharging before saccades[J]. Journal of neurophysiology, 1985, 53(3): 603-635.

[325] ZEE D S. Disorders of eye-head coordination[C]//Eye movements: ARVO symposium 1976. 1977: 9-39.

[326] LAURUTIS V, ROBINSON D. The vestibulo-ocular reflex during human saccadic eye movements.[J]. The Journal of Physiology, 1986, 373(1): 209-233.

[327] OTTEN E. Balancing on a narrow ridge: biomechanics and control[J]. Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences, 1999, 354(1385): 869-875.

[328] MACPHERSON J M. Strategies that simplify the control of quadrupedal stance. II. Electromyographic activity[J]. Journal of neurophysiology, 1988, 60(1): 218-231.

[329] DUNBAR D C, HORAK F B, MACPHERSON J M, et al. Neural control of quadrupedal and bipedal stance: implications for the evolution of erect posture[J]. American journal of physical anthropology, 1986, 69(1): 93-105.

[330] HORAK F B, NASHNER L M. Central programming of postural movements: adaptation to altered support-surface configurations[J]. Journal of neurophysiology, 1986, 55(6): 1369-1381.

[331] GERA G, FLING B W, VAN OOTEGHEM K, et al. Postural motor learning deficits in people with MS in spatial but not temporal control of center of mass[J]. Neurorehabilitation and Neural Repair, 2016, 30(8): 722-730.

[332] LEE W, MICHAELS C, PAI Y. The organization of torque and EMG activity during bilateral handle pulls by standing humans[J]. Experimental Brain Research, 1990, 82: 304-314.

[333] CORDO P J, NASHNER L M. Properties of postural adjustments associated with rapid arm movements[J]. Journal of neurophysiology, 1982, 47(2): 287-302.

[334] MACKINNON C D, WINTER D A. Control of whole body balance in the frontal plane during human walking[J]. Journal of biomechanics, 1993, 26(6): 633-644.

[335] PETERKA R J. Sensorimotor integration in human postural control[J]. Journal of neurophysiology, 2002, 88(3): 1097-1118.

[336] HORAK F, DIENER H. Cerebellar control of postural scaling and central set in stance[J]. Journal of neurophysiology, 1994, 72(2): 479-493.

[337] HORAK F, NUTT J, NASHNER L. Postural inflexibility in parkinsonian subjects[J]. Journal of the neurological sciences, 1992, 111(1): 46-58.

[338] BASTIAN A, ZACKOWSKI K, THACH W. Cerebellar ataxia: torque deficiency or torque mismatch between joints?[J]. Journal of neurophysiology, 2000, 83(5): 3019-3030.

[339] LARSELL O, JANSEN J. The comparative anatomy and histology of the cerebellum: the human cerebellum, cerebellar connections, and cerebellar cortex[J]. (No Title), 1972.

[340] BOSTAN A C, DUM R P, STRICK P L. Cerebellar networks with the cerebral cortex and basal ganglia[J]. Trends in cognitive sciences, 2013, 17(5): 241-254.

[341] BROOKS V, THACH W. Handbook of physiology, The Nervous System[J]. Motor control, 1981: 877-946.

[342] MARTINEZ F, CRILL W, KENNEDY T. Electrogenesis of cerebellar Purkinje cell responses in cats.[J]. Journal of neurophysiology, 1971, 34(3): 348-356.

[343] RAYMOND J L, LISBERGER S G, MAUK M D. The cerebellum: a neuronal learning machine?[J]. Science, 1996, 272(5265): 1126-1131.

[344] ITO M, SAKURAI M, TONGROACH P. Climbing fibre induced depression of both mossy fibre responsiveness and glutamate sensitivity of cerebellar Purkinje cells[J]. The Journal of physiology, 1982, 324(1): 113-134.

[345] GILBERT P, THACH W. Purkinje cell activity during motor learning[J]. Brain research, 1977, 128(2): 309-328.

[346] MARTIN T, KEATING J, GOODKIN H, et al. Throwing while looking through prisms: I. Focal olivocerebellar lesions impair adaptation[J]. Brain, 1996, 119(4): 1183-1198.

[347] LISBERGER S. The neural basis for motor learning in the vestibulo-ocular reflex in monkeys[J]. Trends in Neurosciences, 1988, 11(4): 147-152.

[348] CAREY M R, LISBERGER S G. Embarrassed, but not depressed: eye opening lessons for cerebellar learning[J]. Neuron, 2002, 35(2): 223-226.

[349] DRAGANSKI B, KHERIF F, KLÖPPEL S, et al. Evidence for segregated and integrative connectivity patterns in the human basal ganglia[J]. Journal of Neuroscience, 2008, 28(28): 7143-7152.

[350] BLABE C H, GILJA V, CHESTEK C A, et al. Assessment of brain–machine interfaces from the perspective of people with paralysis[J]. Journal of neural engineering, 2015, 12(4): 043002.

[351] SANTHANAM G, RYU S I, YU B M, et al. A high-performance brain–computer interface[J]. nature, 2006, 442(7099): 195-198.

[352] GILJA V, NUYUJUKIAN P, CHESTEK C A, et al. A high-performance neural prosthesis enabled by control algorithm design[J]. Nature neuroscience, 2012, 15(12): 1752-1757.

[353] PANDARINATH C, NUYUJUKIAN P, BLABE C H, et al. High performance communication by people with paralysis using an intracortical brain-computer interface[J]. Elife, 2017, 6: e18554.

[354] HOCHBERG L R, BACHER D, JAROSIEWICZ B, et al. Reach and grasp by people with tetraplegia using a neurally controlled robotic arm[J]. Nature, 2012, 485(7398): 372-375.

[355] WODLINGER B, DOWNEY J, TYLER-KABARA E, et al. Ten-dimensional anthropomorphic arm control in a human brain- machine interface: difficulties, solutions, and limitations[J]. Journal of neural engineering, 2014, 12(1): 016011.

[356] AJIBOYE A B, WILLETT F R, YOUNG D R, et al. Restoration of reaching and grasping movements through brain-controlled muscle stimulation in a person with tetraplegia: a proof-of-concept demonstration[J]. The Lancet, 2017, 389(10081): 1821-1830.

[357] RICHERSON G B, GETTING P A. Maintenance of complex neural function during perfusion of the mammalian brain[J]. Brain research, 1987, 409(1): 128-132.

[358] SMITH J C, ELLENBERGER H H, BALLANYI K, et al. Pre-Bötzinger complex: a brainstem region that may generate respiratory rhythm in mammals[J]. Science, 1991, 254(5032): 726-729.

[359] WANG W, BRADLEY S R, RICHERSON G B. Quantification of the response of rat medullary raphe neurones to independent changes in pHo and PCO2[J]. The Journal of Physiology, 2002, 540(3): 951-970.

[360] BRADLEY S R, PIERIBONE V A, WANG W, et al. Chemosensitive serotonergic neurons are closely associated with large medullary arteries[J]. Nature neuroscience, 2002, 5(5): 401-402.

[361] GRUNSTEIN R, SULLIVAN C. Neural control of respiration during sleep[J]. Handbook of sleep disorders, 1990: 76-102.

[362] LAHIRI S, MARET K H, SHERPA M G, et al. Sleep and periodic breathing at high altitude: Sherpa natives versus sojourners[J]. High altitude and man, 1984: 73-90.

[363] ASTON-JONES G, BLOOM F. Activity of norepinephrine-containing locus coeruleus neurons in behaving rats anticipates fluctuations in the sleep-waking cycle[J]. Journal of Neuroscience, 1981, 1(8): 876-886.

[364] RICHERSON G B. Serotonergic neurons as carbon dioxide sensors that maintain pH homeostasis[J]. Nature Reviews Neuroscience, 2004, 5(6): 449-461.

[365] FILIANO J J, KINNEY H C. A perspective on neuropathologic findings in victims of the sudden infant death syndrome: the triple-risk model[J]. Neonatology, 1994, 65(3-4): 194-197.

[366] ASTON-JONES G, RAJKOWSKI J, COHEN J. Role of locus coeruleus in attention and behavioral flexibility[J]. Biological psychiatry, 1999, 46(9): 1309-1320.

[367] SPEAKMAN J R, LEVITSKY D A, ALLISON D B, et al. Set points, settling points and some alternative models: theoretical options to understand how genes and environments combine to regulate body adiposity[J]. Disease models & mechanisms, 2011, 4(6): 733-745.

[368] FURNESS J, COSTA M. Types of nerves in the enteric nervous system[J]. Commentaries in the Neurosciences, 1980: 235-252.

[369] De GROAT W C. Neurophysiology of micturition and its modification in animal models of human disease[J]. In The Autonomic Nervous System, 1993, 3: 227-290.

[370] SWANSON L W. Cerebral hemisphere regulation of motivated behavior[J]. Brain research, 2000, 886(1-2): 113-164.

[371] LEDOUX J, BEMPORAD J R. The emotional brain[J]. Journal of the American Academy of Psychoanalysis, 1997, 25(3): 525-528.

[372] MEDINA J F, CHRISTOPHER REPA J, MAUK M D, et al. Parallels between cerebellum-and amygdala-dependent conditioning[J]. Nature Reviews Neuroscience, 2002, 3(2): 122-131.

[373] FEINSTEIN J S, ADOLPHS R, DAMASIO A, et al. The human amygdala and the induction and experience of fear[J]. Current biology, 2011, 21(1): 34-38.

[374] SCHULTZ W, DAYAN P, MONTAGUE P R. A neural substrate of prediction and reward[J]. Science, 1997, 275(5306): 1593-1599.

[375] RUSSO S J, NESTLER E J. The brain reward circuitry in mood disorders[J]. Nature reviews neuroscience, 2013, 14(9): 609-625.

[376] GRANT S, LONDON E D, NEWLIN D B, et al. Activation of memory circuits during cue-elicited cocaine craving.[J]. Proceedings of the National Academy of Sciences, 1996, 93(21): 12040-12045.

[377] TRIMBLE M. Molecular neuropharmacology, a foundation for clinical neuroscience: Edited by Eric J Nestler, Steven E Hyman, and Robert C Malenka (Pp 503,£ 36.99). Published by McGraw-Hill, New York, 2001. ISBN 0-8385-6379-1[Z]. 2002.

[378] BAL T, von KROSIGK M, MCCORMICK D A. Synaptic and membrane mechanisms underlying synchronized oscillations in the ferret lateral geniculate nucleus in vitro.[J]. The Journal of physiology, 1995, 483(3): 641-663.

[379] CROCKER A, ESPAÑA R A, PAPADOPOULOU M, et al. Concomitant loss of dynorphin, NARP, and orexin in narcolepsy[J]. Neurology, 2005, 65(8): 1184-1188.

[380] WURST W, BALLY-CUIF L. Neural plate patterning: upstream and downstream of the isthmic organizer[J]. Nature Reviews Neuroscience, 2001, 2(2): 99-108.

[381] ADDISON M, WILKINSON D G. Segment identity and cell segregation in the vertebrate hindbrain[J]. Current topics in developmental biology, 2016, 117: 581-596.

[382] GOULDING M, LANUZA G, SAPIR T, et al. The formation of sensorimotor circuits[J]. Current opinion in neurobiology, 2002, 12(5): 508-515.

[383] KIECKER C, LUMSDEN A. Compartments and their boundaries in vertebrate brain development[J]. Nature Reviews Neuroscience, 2005, 6(7): 553-564.

[384] WOLPERT L, TICKLE C, ARIAS A M. Principles of development[M]. Oxford University Press, USA, 2015.

[385] STUDER M, LUMSDEN A, ARIZA-MCNAUGHTON L, et al. Altered segmental identity and abnormal migration of motor neurons in mice lacking Hoxb-1[J]. Nature, 1996, 384(6610): 630-634.

[386] DASEN J S, TICE B C, BRENNER-MORTON S, et al. A Hox regulatory network establishes motor neuron pool identity and target-muscle connectivity[J]. Cell, 2005, 123(3): 477-491.

[387] HAMASAKI T, LEINGÄRTNER A, RINGSTEDT T, et al. EMX2 regulates sizes and positioning of the primary sensory and motor areas in neocortex by direct specification of cortical progenitors[J]. Neuron, 2004, 43(3): 359-372.

[388] SCHLAGGAR B L, O'LEARY D D. Potential of visual cortex to develop an array of functional units unique to somatosensory cortex[J]. Science, 1991, 252(5012): 1556-1560.

[389] SHARMA J, ANGELUCCI A, SUR M. Induction of visual orientation modules in auditory cortex[J]. Nature, 2000, 404(6780): 841-847.

[390] QIAN X, GODERIE S K, SHEN Q, et al. Intrinsic programs of patterned cell lineages in isolated vertebrate CNS ventricular zone cells[J]. Development, 1998, 125(16): 3143-3152.

[391] OLSON E C, WALSH C A. Smooth, rough and upside-down neocortical development[J]. Current opinion in genetics & development, 2002, 12(3): 320-327.

[392] GLEESON J G, WALSH C A. Neuronal migration disorders: from genetic diseases to developmental mechanisms [J]. Trends in neurosciences, 2000, 23(8): 352-359.

[393] BANDLER R C, MAYER C, FISHELL G. Cortical interneuron specification: the juncture of genes, time and geometry[J]. Current opinion in neurobiology, 2017, 42: 17-24.

[394] GIANDOMENICO S L, LANCASTER M A. Probing human brain evolution and development in organoids[J]. Current opinion in cell biology, 2017, 44: 36-43.

[395] PURVES D, LICHTMAN J W. Principles of neural development[J]. (No Title), 1985.

[396] REICHARDT L F, FARINAS I. Neurotrophic factors and their receptors: roles in neuronal development and function[J]. Molecular and cellular approaches to neural development, 1997: 220-263.

[397] JESENBERGER V, JENTSCH S. Deadly encounter: ubiquitin meets apoptosis[J]. Nature Reviews Molecular Cell Biology, 2002, 3(2): 112-121.

[398] KAECH S, BANKER G. Culturing hippocampal neurons[J]. Nature protocols, 2006, 1(5): 2406-2415.

[399] KISHI M, PAN Y A, CRUMP J G, et al. Mammalian SAD kinases are required for neuronal polarization[J]. Science, 2005, 307(5711): 929-932.

[400] HEIDEMANN S R. Cytoplasmic mechanisms of axonal and dendritic growth in neurons[J]. International review of cytology, 1996, 165: 235-296.

[401] MING G L, SONG H J, BERNINGER B, et al. cAMP-dependent growth cone guidance by netrin-1[J]. Neuron, 1997, 19(6): 1225-1235.

[402] LEUNG K M, van HORCK F P, LIN A C, et al. Asymmetrical β-actin mRNA translation in growth cones mediates attractive turning to netrin-1[J]. Nature neuroscience, 2006, 9(10): 1247-1256.

[403] WALTER J, HENKE-FAHLE S, BONHOEFFER F. Avoidance of posterior tectal membranes by temporal retinal axons[J]. Development, 1987, 101(4): 909-913.

[404] NJÅ A, PURVES D. Specific innervation of guinea-pig superior cervical ganglion cells by preganglionic fibres arising from different levels of the spinal cord.[J]. The Journal of physiology, 1977, 264(2): 565-583.

[405] SANES J R, YAMAGATA M. Many paths to synaptic specificity[J]. Annual Review of Cell and Developmental, 2009, 25: 161-195.

[406] HUANG Z J. Subcellular organization of GABAergic synapses: role of ankyrins and L1 cell adhesion molecules [J]. Nature neuroscience, 2006, 9(2): 163-166.

[407] SALMONS S, SRETER F. Significance of impulse activity in the transformation of skeletal muscle type[J]. Nature, 1976, 263(5572): 30-34.

[408] HALL Z W, SANES J R. Synaptic structure and development: the neuromuscular junction[J]. Cell, 1993, 72: 99-121.

[409] ANDERSON M, COHEN M. Nerve-induced and spontaneous redistribution of acetylcholine receptors on cultured muscle cells.[J]. The Journal of Physiology, 1977, 268(3): 757-773.

[410] LUPA M, GORDON H, HALL Z. A specific effect of muscle cells on the distribution of presynaptic proteins in neurites and its absence in a C2 muscle cell variant[J]. Developmental biology, 1990, 142(1): 31-43.

[411] GLICKSMAN M A, SANES J R. Differentiation of motor nerve terminals formed in the absence of muscle fibres [J]. Journal of neurocytology, 1983, 12(4): 661-671.

[412] BURDEN S J, SARGENT P B, MCMAHAN U. Acetylcholine receptors in regenerating muscle accumulate at original synaptic sites in the absence of the nerve.[J]. The Journal of cell biology, 1979, 82(2): 412-425.

[413] NOAKES P G, GAUTAM M, MUDD J, et al. Aberrant differentiation of neuromuscular junctions in mice lacking s-laminin/laminin β2[J]. Nature, 1995, 374(6519): 258-262.

[414] DECHIARA T M, BOWEN D C, VALENZUELA D M, et al. The receptor tyrosine kinase MuSK is required for neuromuscular junction formation in vivo[J]. Cell, 1996, 85(4): 501-512.

[415] MISGELD T, KUMMER T T, LICHTMAN J W, et al. Agrin promotes synaptic differentiation by counteracting an inhibitory effect of neurotransmitter[J]. Proceedings of the National Academy of Sciences, 2005, 102(31): 11088-11093.

[416] GAUTAM M, NOAKES P G, MOSCOSO L, et al. Defective neuromuscular synaptogenesis in agrin-deficient mutant mice[J]. Cell, 1996, 85(4): 525-535.

[417] SANES J R, LICHTMAN J W. Induction, assembly, maturation and maintenance of a postsynaptic apparatus[J]. Nature Reviews Neuroscience, 2001, 2(11): 791-805.

[418] FENG G, TINTRUP H, KIRSCH J, et al. Dual requirement for gephyrin in glycine receptor clustering and molybdoenzyme activity[J]. Science, 1998, 282(5392): 1321-1324.

[419] ALLEN N J. Astrocyte regulation of synaptic behavior[J]. Annual review of cell and developmental biology, 2014, 30: 439-463.

[420] BEHEN M E, HELDER E, ROTHERMEL R, et al. Incidence of specific absolute neurocognitive impairment in globally intact children with histories of early severe deprivation[J]. Child Neuropsychology, 2008, 14(5): 453-469.

[421] ELUVATHINGAL T J, CHUGANI H T, BEHEN M E, et al. Abnormal brain connectivity in children after early severe socioemotional deprivation: a diffusion tensor imaging study[J]. Pediatrics, 2006, 117(6): 2093-2100.

[422] HUBEL D H, WIESEL T N. Ferrier lecture-Functional architecture of macaque monkey visual cortex[J]. Proceedings of the Royal Society of London. Series B. Biological Sciences, 1977, 198(1130): 1-59.

[423] CONSTANTINE-PATON M, LAW M I. Eye-specific termination bands in tecta of three-eyed frogs[J]. Science, 1978, 202(4368): 639-641.

[424] HENSCH T K. Critical period plasticity in local cortical circuits[J]. Nature Reviews Neuroscience, 2005, 6(11): 877-888.

[425] DAW N W. Critical periods and amblyopia[J]. Archives of ophthalmology, 1998, 116(4): 502-505.

[426] ORAY S, MAJEWSKA A, SUR M. Dendritic spine dynamics are regulated by monocular deprivation and extracellular matrix degradation[J]. Neuron, 2004, 44(6): 1021-1030.

[427] ANTONINI A, STRYKER M P. Rapid remodeling of axonal arbors in the visual cortex[J]. Science, 1993, 260(5115): 1819-1821.

[428] MCGEE A W, YANG Y, FISCHER Q S, et al. Experience-driven plasticity of visual cortex limited by myelin and Nogo receptor[J]. Science, 2005, 309(5744): 2222-2226.

[429] SANES J R, YAMAGATA M. Formation of lamina-specific synaptic connections[J]. Current opinion in neurobiology, 1999, 9(1): 79-87.

[430] KNUDSEN E I. Instructed learning in the auditory localization pathway of the barn owl[J]. Nature, 2002, 417(6886): 322-328.

[431] MERZENICH M M, NELSON R J, STRYKER M P, et al. Somatosensory cortical map changes following digit amputation in adult monkeys[J]. Journal of comparative Neurology, 1984, 224(4): 591-605.

[432] BEIROWSKI B, BEREK L, ADALBERT R, et al. Quantitative and qualitative analysis of Wallerian degeneration using restricted axonal labelling in YFP-H mice[J]. Journal of neuroscience methods, 2004, 134(1): 23-35.

[433] DAVID S, AGUAYO A J. Axonal elongation into peripheral nervous system" bridges" after central nervous system injury in adult rats[J]. Science, 1981, 214(4523): 931-933.

[434] SCHWEGLER G, SCHWAB M E, KAPFHAMMER J P. Increased collateral sprouting of primary afferents in the myelin-free spinal cord[J]. Journal of Neuroscience, 1995, 15(4): 2756-2767.

[435] YIU G, HE Z. Glial inhibition of CNS axon regeneration[J]. Nature Reviews Neuroscience, 2006, 7(8): 617-627.

[436] SMITH P D, SUN F, PARK K K, et al. SOCS3 deletion promotes optic nerve regeneration in vivo[J]. Neuron, 2009, 64(5): 617-623.

[437] BAREYRE F M, KERSCHENSTEINER M, RAINETEAU O, et al. The injured spinal cord spontaneously forms a new intraspinal circuit in adult rats[J]. Nature neuroscience, 2004, 7(3): 269-277.

[438] TAVAZOIE M, VAN DER VEKEN L, SILVA-VARGAS V, et al. A specialized vascular niche for adult neural stem cells[J]. Cell stem cell, 2008, 3(3): 279-288.

[439] KORDOWER J H, SORTWELL C E. Neuropathology of fetal nigra transplants for Parkinson's disease[J]. Progress in brain research, 2000, 127: 333-344.

[440] WEN Z, CHRISTIAN K M, SONG H, et al. Modeling psychiatric disorders with patient-derived iPSCs[J]. Current opinion in neurobiology, 2016, 36: 118-127.

[441] FRANKLIN R J, FFRENCH-CONSTANT C. Remyelination in the CNS: from biology to therapy[J]. Nature Reviews Neuroscience, 2008, 9(11): 839-855.

[442] KEIRSTEAD S A, RASMINSKY M, FUKUDA Y, et al. Electrophysiologic responses in hamster superior colliculus evoked by regenerating retinal axons[J]. Science, 1989, 246(4927): 255-257.

[443] WILHELM D, PALMER S, KOOPMAN P. Sex determination and gonadal development in mammals[J]. Physiological reviews, 2007.

[444] WU M V, MANOLI D S, FRASER E J, et al. Estrogen masculinizes neural pathways and sex-specific behaviors [J]. Cell, 2009, 139(1): 61-72.

[445] WIERMAN M E. Sex steroid effects at target tissues: mechanisms of action[J]. Advances in physiology education, 2007, 31(1): 26-33.

[446] GREENSPAN R J, FERVEUR J F. Courtship in drosophila[J]. Annual review of genetics, 2000, 34(1): 205-232.

[447] KIMURA K I, OTE M, TAZAWA T, et al. Fruitless specifies sexually dimorphic neural circuitry in the Drosophila brain[J]. Nature, 2005, 438(7065): 229-233.

[448] MORRIS J A, JORDAN C L, BREEDLOVE S M. Sexual differentiation of the vertebrate nervous system[J]. Nature neuroscience, 2004, 7(10): 1034-1039.

[449] COOKE B M, WOOLLEY C S. Gonadal hormone modulation of dendrites in the mammalian CNS[J]. Journal of neurobiology, 2005, 64(1): 34-46.

[450] BRAINARD M S, DOUPE A J. What songbirds teach us about learning[J]. Nature, 2002, 417(6886): 351-358.

[451] KONISHI M, AKUTAGAWA E. Neuronal growth, atrophy and death in a sexually dimorphic song nucleus in the zebra finch brain[J]. Nature, 1985, 315: 145-147.

[452] DULAC C, WAGNER S. Genetic analysis of brain circuits underlying pheromone signaling[J]. Annu. Rev. Genet., 2006, 40: 449-467.

[453] KIMCHI T, XU J, DULAC C. A functional circuit underlying male sexual behaviour in the female mouse brain [J]. Nature, 2007, 448(7157): 1009-1014.

[454] EDWARDS D A, BURGE K G. Early androgen treatment and male and female sexual behavior in mice[J]. Hormones and Behavior, 1971, 2(1): 49-58.

[455] SAPOLSKY R M. Mothering style and methylation[J]. Nature neuroscience, 2004, 7(8): 791-792.

[456] XU X, COATS J K, YANG C F, et al. Modular genetic control of sexually dimorphic behaviors[J]. Cell, 2012, 148(3): 596-607.

[457] GORSKI R. Hormone-induced sex differences in hypothalamic structure[J]. Bull. TMIN, 1988, 16(Suppl. 3): 67-90.

[458] CAHILL L. Why sex matters for neuroscience[J]. Nature reviews neuroscience, 2006, 7(6): 477-484.

[459] BERGLUND H, LINDSTRÖM P, SAVIC I. Brain response to putative pheromones in lesbian women[J]. Proceedings of the National Academy of Sciences, 2006, 103(21): 8269-8274.

[460] SAVIC I, LINDSTRÖM P. PET and MRI show differences in cerebral asymmetry and functional connectivity between homo-and heterosexual subjects[J]. Proceedings of the National Academy of Sciences, 2008, 105(27): 9403-9408.

[461] KRUIJVER F P, ZHOU J N, POOL C W, et al. Male-to-female transsexuals have female neuron numbers in a limbic nucleus[J]. The Journal of Clinical Endocrinology & Metabolism, 2000, 85(5): 2034-2041.

[462] RAINER G, ASAAD W F, MILLER E K. Memory fields of neurons in the primate prefrontal cortex[J]. Proceedings of the National Academy of Sciences, 1998, 95(25): 15008-15013.

[463] CORKIN S, AMARAL D G, GONZÁLEZ R G, et al. HM’s medial temporal lobe lesion: findings from magnetic resonance imaging[J]. Journal of Neuroscience, 1997, 17(10): 3964-3979.

[464] BLAKEMORE C. Mechanics of the Mind[J]. 1977.

[465] SQUIRE L R. Memory and brain.[M]. Oxford University Press, 1987.

[466] WAGNER A D, SCHACTER D L, ROTTE M, et al. Building memories: remembering and forgetting of verbal experiences as predicted by brain activity[J]. Science, 1998, 281(5380): 1188-1191.

[467] SCHACTER D L, BENOIT R G, SZPUNAR K K. Episodic future thinking: Mechanisms and functions[J]. Current opinion in behavioral sciences, 2017, 17: 41-50.

[468] BROWN T I, CARR V A, LAROCQUE K F, et al. Prospective representation of navigational goals in the human hippocampus[J]. Science, 2016, 352(6291): 1323-1326.

[469] EICHENBAUM H, COHEN N J. Can we reconcile the declarative memory and spatial navigation views on hippocampal function?[J]. Neuron, 2014, 83(4): 764-770.

[470] VAIDYA C J, GABRIELI J D, VERFAELLIE M, et al. Font-specific priming following global amnesia and occipital lobe damage.[J]. Neuropsychology, 1998, 12(2): 183.

[471] DUNCAN K, DOLL B B, DAW N D, et al. More than the sum of its parts: a role for the hippocampus in configural reinforcement learning[J]. Neuron, 2018, 98(3): 645-657.

[472] RESCORLA R A. Probability of shock in the presence and absence of CS in fear conditioning.[J]. Journal of comparative and physiological psychology, 1968, 66(1): 1.

[473] PINSKER H, KUPFERMANN I, CASTELLUCCI V, et al. Habituation and dishabituation of the gill-withdrawal reflex in Aplysia[J]. Science, 1970, 167(3926): 1740-1742.

[474] CASTELLUCCI V, CAREW T, KANDEL E. Cellular analysis of long-term habituation of the gill-withdrawal reflex of Aplysia californica[J]. Science, 1978, 202(4374): 1306-1308.

[475] KLEIN M, KANDEL E R. Mechanism of calcium current modulation underlying presynaptic facilitation and behavioral sensitization in Aplysia.[J]. Proceedings of the National Academy of Sciences, 1980, 77(11): 6912-6916.

[476] HAWKINS R D, ABRAMS T W, CAREW T J, et al. A cellular mechanism of classical conditioning in Aplysia: activity-dependent amplification of presynaptic facilitation[J]. Science, 1983, 219(4583): 400-405.

[477] BAILEY C H, CHEN M. Morphological basis of long-term habituation and sensitization in Aplysia[J]. Science, 1983, 220(4592): 91-93.

[478] GLANZMAN D L, KANDEL E R, SCHACHER S. Target-dependent structural changes accompanying long-term synaptic facilitation in Aplysia neurons[J]. Science, 1990, 249(4970): 799-802.

[479] MARTIN K C, CASADIO A, ZHU H, et al. Synapse-specific, long-term facilitation of aplysia sensory to motor synapses: a function for local protein synthesis in memory storage[J]. Cell, 1997, 91(7): 927-938.

[480] CASADIO A, MARTIN K C, GIUSTETTO M, et al. A transient, neuron-wide form of CREB-mediated long-term facilitation can be stabilized at specific synapses by local protein synthesis[J]. Cell, 1999, 99(2): 221-237.

[481] BAILEY C H, KANDEL E R, SI K. The persistence of long-term memory: a molecular approach to self-sustaining changes in learning-induced synaptic growth[J]. Neuron, 2004, 44(1): 49-57.

[482] KANDEL E R. In search of memory: The emergence of a new science of mind[M]. WW Norton & Company, 2007.

[483] ROGAN M T, LEON K S, PEREZ D L, et al. Distinct neural signatures for safety and danger in the amygdala and striatum of the mouse[J]. Neuron, 2005, 46(2): 309-320.

[484] MAREN S. Long-term potentiation in the amygdala: a mechanism for emotional learning and memory[J]. Trends in neurosciences, 1999, 22(12): 561-567.

[485] HUANG Y Y, KANDEL E R. Postsynaptic induction and PKA-dependent expression of LTP in the lateral amygdala[J]. Neuron, 1998, 21(1): 169-178.

[486] HUANG Y Y, MARTIN K C, KANDEL E R. Both protein kinase A and mitogen-activated protein kinase are required in the amygdala for the macromolecular synthesis-dependent late phase of long-term potentiation[J]. Journal of Neuroscience, 2000, 20(17): 6317-6325.

[487] JENKINS W M, MERZENICH M M, OCHS M T, et al. Functional reorganization of primary somatosensory cortex in adult owl monkeys after behaviorally controlled tactile stimulation[J]. Journal of neurophysiology, 1990, 63(1): 82-104.

[488] ELBERT T, PANTEV C, WIENBRUCH C, et al. Increased cortical representation of the fingers of the left hand in string players[J]. Science, 1995, 270(5234): 305-307.

[489] ZALUTSKY R A, NICOLL R A. Comparison of two forms of long-term potentiation in single hippocampal neurons[J]. Science, 1990, 248(4963): 1619-1624.

[490] MONTGOMERY J M, PAVLIDIS P, MADISON D V. Pair recordings reveal all-silent synaptic connections and the postsynaptic expression of long-term potentiation[J]. Neuron, 2001, 29(3): 691-701.

[491] HUANG Y Y, KANDEL E R. Recruitment of long-lasting and protein kinase A-dependent long-term potentiation in the CA1 region of hippocampus requires repeated tetanization.[J]. Learning & memory, 1994, 1(1): 74-82.

[492] DUDEK S M, BEAR M F. Homosynaptic long-term depression in area CA1 of hippocampus and effects of N-methyl-D-aspartate receptor blockade.[J]. Proceedings of the National Academy of Sciences, 1992, 89(10): 4363-4367.

[493] NICHOLLS R E, ALARCON J M, MALLERET G, et al. Transgenic mice lacking NMDAR-dependent LTD exhibit deficits in behavioral flexibility[J]. Neuron, 2008, 58(1): 104-117.

[494] LIU X, RAMIREZ S, PANG P T, et al. Optogenetic stimulation of a hippocampal engram activates fear memory recall[J]. Nature, 2012, 484(7394): 381-385.

[495] MARR D, WILLSHAW D, MCNAUGHTON B. Simple memory: a theory for archicortex[M]. Springer, 1991.

[496] MULLER R U, KUBIE J L, RANCK J B. Spatial firing patterns of hippocampal complex-spike cells in a fixed environment[J]. Journal of Neuroscience, 1987, 7(7): 1935-1950.

[497] STENSOLA H, STENSOLA T, SOLSTAD T, et al. The entorhinal grid map is discretized[J]. Nature, 2012, 492(7427): 72-78.

[498] KJELSTRUP K B, SOLSTAD T, BRUN V H, et al. Finite scale of spatial representation in the hippocampus[J]. Science, 2008, 321(5885): 140-143.

[499] SARGOLINI F, FYHN M, HAFTING T, et al. Conjunctive representation of position, direction, and velocity in entorhinal cortex[J]. Science, 2006, 312(5774): 758-762.

[500] SOLSTAD T, BOCCARA C N, KROPFF E, et al. Representation of geometric borders in the entorhinal cortex[J]. Science, 2008, 322(5909): 1865-1868.

[501] KROPFF E, CARMICHAEL J E, MOSER M B, et al. Speed cells in the medial entorhinal cortex[J]. Nature, 2015, 523(7561): 419-424.

[502] ALME C B, MIAO C, JEZEK K, et al. Place cells in the hippocampus: eleven maps for eleven rooms[J]. Proceedings of the National Academy of Sciences, 2014, 111(52): 18428-18435.

[503] ROTENBERG A, MAYFORD M, HAWKINS R D, et al. Mice expressing activated CaMKII lack low frequency LTP and do not form stable place cells in the CA1 region of the hippocampus[J]. Cell, 1996, 87(7): 1351-1361.

[504] DOUPE A J, KUHL P K. Birdsong and human speech: common themes and mechanisms[J]. Annual review of neuroscience, 1999, 22(1): 567-631.

[505] KUHL P K, TSAO F M, LIU H M. Foreign-language experience in infancy: Effects of short-term exposure and social interaction on phonetic learning[J]. Proceedings of the National Academy of Sciences, 2003, 100(15): 9096-9101.

[506] BROCA P. Remarques sur le siège de la faculté du langage articulé, suivies d’une observation d’aphémie (perte de la parole)[J]. Bulletin et Memoires de la Societe anatomique de Paris, 1861, 6: 330-357.

[507] WERNICKE C, WERNICKE C. Der Aphasische Symptomenkomplex: eine psychologische Studie auf anatomischer basis[J]. Der aphasische Symptomencomplex: Eine psychologische Studie auf anatomischer Basis, 1974: 1-70.

[508] LICHTHEIM L. On aphasia[J]. Brain, 1885, 7: 433-484.

[509] GESCHWIND N. The Organization of Language and the Brain: Language disorders after brain damage help in elucidating the neural basis of verbal behavior.[J]. Science, 1970, 170(3961): 940-944.

[510] HICKOK G, POEPPEL D. The cortical organization of speech processing[J]. Nature reviews neuroscience, 2007, 8(5): 393-402.

[511] SKEIDE M A, FRIEDERICI A D. The ontogeny of the cortical language network[J]. Nature reviews neuroscience, 2016, 17(5): 323-332.

[512] XU Y, GANDOUR J, TALAVAGE T, et al. Activation of the left planum temporale in pitch processing is shaped by language experience[J]. Human brain mapping, 2006, 27(2): 173-183.

[513] ROMO R, SALINAS E. Touch and go: decision-making mechanisms in somatosensation[J]. Annual review of neuroscience, 2001, 24(1): 107-137.

[514] BRITTEN K H, SHADLEN M N, NEWSOME W T, et al. The analysis of visual motion: a comparison of neuronal and psychophysical performance[J]. Journal of Neuroscience, 1992, 12(12): 4745-4765.

[515] MAZUREK M E, ROITMAN J D, DITTERICH J, et al. A role for neural integrators in perceptual decision making [J]. Cerebral cortex, 2003, 13(11): 1257-1269.

[516] DITTERICH J, MAZUREK M E, SHADLEN M N. Microstimulation of visual cortex affects the speed of perceptual decisions[J]. Nature neuroscience, 2003, 6(8): 891-898.

[517] GOLD J I, SHADLEN M N. The neural basis of decision making[J]. Annu. Rev. Neurosci., 2007, 30: 535-574.

[518] ROITMAN J D, SHADLEN M N. Response of neurons in the lateral intraparietal area during a combined visual discrimination reaction time task[J]. Journal of neuroscience, 2002, 22(21): 9475-9489.

[519] YANG T, SHADLEN M N. Probabilistic reasoning by neurons[J]. Nature, 2007, 447(7148): 1075-1080.

[520] BROMBERG M. Acute and chronic dysimmune polyneuropathies diagnostic algorithms[J]. Neuromuscular function and disease. Brown, Bolton, Aminoff, 2002, 2: 1041-60.

[521] TAYLOR J P, BROWN JR R H, CLEVELAND D W. Decoding ALS: from genes to mechanism[J]. Nature, 2016, 539(7628): 197-206.

[522] LUPSKI J. Molecular genetics of peripheral neuropathies[J]. Scientific American molecular neurology, 1998: 239-256.

[523] BROWN R, AMATO A. Inherited peripheral neuropathies. Classification, clinical features, and review of molecular pathophysiology[J]. Neuromuscular function and disease. 1st ed. Philadelphia: Saunders, 2002: 619-635.

[524] HOFFMAN E P, BROWN JR R H, KUNKEL L M. Dystrophin: the protein product of the Duchenne muscular dystrophy locus[J]. Cell, 1987, 51(6): 919-928.

[525] BROWN JR R, MENDELL J. Harrison’s Principles of Internal Medicine: 2527[J]. 2005.

[526] CANNON S C. Sodium channelopathies of skeletal muscle[J]. Voltage-gated sodium channels: structure, function and channelopathies, 2018: 309-330.

[527] LOTHMAN E, COLLINS R. Seizures and epilepsy[J]. Neurobiology of disease, 1990: 276-298.

[528] LOTHMAN E W. The neurobiology of epileptiform discharges[J]. American Journal of EEG Technology, 1993, 33(2): 93-112.

[529] STACEY W C, LITT B. Technology insight: neuroengineering and epilepsy—designing devices for seizure control [J]. Nature clinical practice Neurology, 2008, 4(4): 190-201.

[530] HECK C N, KING-STEPHENS D, MASSEY A D, et al. Two-year seizure reduction in adults with medically intractable partial onset epilepsy treated with responsive neurostimulation: final results of the RNS System Pivotal trial[J]. Epilepsia, 2014, 55(3): 432-441.

[531] LOTHMAN E. Pathophysiology of seizures and epilepsy in the mature and immature brain: cells, synapses, and circuits.[J]. Pediatric epilepsy., 1993: 1-15.

[532] SUTULA T, CASCINO G, CAVAZOS J, et al. Mossy fiber synaptic reorganization in the epileptic human temporal lobe[J]. Annals of Neurology: Official Journal of the American Neurological Association and the Child Neurology Society, 1989, 26(3): 321-330.

[533] MARSHALL J C, HALLIGAN P W. Blindsight and insight in visuo-spatial neglect[J]. Nature, 1988, 336(6201): 766-767.

[534] TONG F, NAKAYAMA K, VAUGHAN J T, et al. Binocular rivalry and visual awareness in human extrastriate cortex[J]. Neuron, 1998, 21(4): 753-759.

[535] HOWARD R, BRAMMER M, DAVID A, et al. The anatomy of conscious vision: an fMRI study of visual hallucinations[J]. Nature neuroscience, 1998, 1(8): 738-742.

[536] BECK D M, REES G, FRITH C D, et al. Neural correlates of change detection and change blindness[J]. Nature neuroscience, 2001, 4(6): 645-650.

[537] MILNER D, GOODALE M. The visual brain in action: vol. 27[M]. OUP Oxford, 2006.

[538] HAGGARD P, CLARK S, KALOGERAS J. Voluntary action and conscious awareness[J]. Nature neuroscience, 2002, 5(4): 382-385.

[539] FOURNERET P, JEANNEROD M. Limited conscious monitoring of motor performance in normal subjects[J]. Neuropsychologia, 1998, 36(11): 1133-1140.

[540] RUGG M D, MARK R E, WALLA P, et al. Dissociation of the neural correlates of implicit and explicit memory [J]. Nature, 1998, 392(6676): 595-598.

[541] O'CRAVEN K M, KANWISHER N. Mental imagery of faces and places activates corresponding stimulus-specific brain regions[J]. Journal of cognitive neuroscience, 2000, 12(6): 1013-1023.

[542] CANNON T D, THOMPSON P M, van ERP T G, et al. Cortex mapping reveals regionally specific patterns of genetic and disease-specific gray-matter deficits in twins discordant for schizophrenia[J]. Proceedings of the National Academy of Sciences, 2002, 99(5): 3228-3233.

[543] BARCH D M, CARTER C S, BRAVER T S, et al. Selective deficits in prefrontal cortex function in medication-naive patients with schizophrenia[J]. Archives of general psychiatry, 2001, 58(3): 280-288.

[544] LYNALL M E, BASSETT D S, KERWIN R, et al. Functional connectivity and brain networks in schizophrenia [J]. Journal of Neuroscience, 2010, 30(28): 9477-9487.

[545] GAREY L, ONG W, PATEL T, et al. Reduced dendritic spine density on cerebral cortical pyramidal neurons in schizophrenia[J]. Journal of Neurology, Neurosurgery & Psychiatry, 1998, 65(4): 446-453.

[546] SEEMAN P, LEE T, CHAU-WONG M, et al. Antipsychotic drug doses and neuroleptic/dopamine receptors[J]. Nature, 1976, 261(5562): 717-719.

[547] VAHIA V N. Diagnostic and statistical manual of mental disorders 5: A quick glance[J]. Indian journal of psychiatry, 2013, 55(3): 220.

[548] NESTLER E J, KENNY P J, RUSSO S J, et al. Nestler, Hyman & Malenka's molecular neuropharmacology: a foundation for clinical neuroscience[J]. (No Title), 2020.

[549] SEELEY W W, MENON V, SCHATZBERG A F, et al. Dissociable intrinsic connectivity networks for salience processing and executive control[J]. Journal of Neuroscience, 2007, 27(9): 2349-2356.

[550] ETKIN A, KLEMENHAGEN K C, DUDMAN J T, et al. Individual differences in trait anxiety predict the response of the basolateral amygdala to unconsciously processed fearful faces[J]. Neuron, 2004, 44(6): 1043-1055.

[551] MAYBERG H S, BRANNAN S K, MAHURIN R K, et al. Cingulate function in depression: a potential predictor of treatment response[J]. Neuroreport, 1997, 8(4): 1057-1061.

[552] GALLAGHER H L, HAPPÉ F, BRUNSWICK N, et al. Reading the mind in cartoons and stories: an fMRI study of ‘theory of mind’ in verbal and nonverbal tasks[J]. Neuropsychologia, 2000, 38(1): 11-21.

[553] CASTELLI F, FRITH C, HAPPÉ F, et al. Autism, Asperger syndrome and brain mechanisms for the attribution of mental states to animated shapes[J]. Brain, 2002, 125(8): 1839-1849.

[554] KLIN A, JONES W, SCHULTZ R, et al. Defining and quantifying the social phenotype in autism[J]. American Journal of Psychiatry, 2002, 159(6): 895-908.

[555] STREHLER B L. Implications of aging research for society[G]//Biology of Aging and Development. Springer, 1975: 3-9.

[556] ARIAS E. United States life tables, 2004[J]. 2007.

[557] RUBIN E H, STORANDT M, MILLER J P, et al. A prospective study of cognitive function and onset of dementia in cognitively healthy elders[J]. Archives of neurology, 1998, 55(3): 395-401.

[558] PARK D C, SMITH A D, LAUTENSCHLAGER G, et al. Mediators of long-term memory performance across the life span.[J]. Psychology and aging, 1996, 11(4): 621.

[559] HUTTENLOCHER P R. Neural plasticity: The effects of environment on the development of the cerebral cortex [M]. Harvard University Press, 2009.

[560] HEKIMI S, GUARENTE L. Genetics and the specificity of the aging process[J]. Science, 2003, 299(5611): 1351-1354.

[561] LIN Y J, SEROUDE L, BENZER S. Extended life-span and stress resistance in the Drosophila mutant methuselah [J]. Science, 1998, 282(5390): 943-946.

[562] BROWN-BORG H M, BORG K E, MELISKA C J, et al. Dwarf mice and the ageing process[J]. Nature, 1996, 384(6604): 33-33.

[563] ARNOLD S E, HYMAN B T, FLORY J, et al. The topographical and neuroanatomical distribution of neurofibrillary tangles and neuritic plaques in the cerebral cortex of patients with Alzheimer's disease[J]. Cerebral cortex, 1991, 1(1): 103-116.

[564] PERRIN R J, FAGAN A M, HOLTZMAN D M. Multimodal techniques for diagnosis and prognosis of Alzheimer's disease[J]. Nature, 2009, 461(7266): 916-922.

[565] KARCH C M, GOATE A M. Alzheimer’s disease risk genes and mechanisms of disease pathogenesis[J]. Biological psychiatry, 2015, 77(1): 43-51.

[566] BRODY D L, HOLTZMAN D M. Active and passive immunotherapy for neurodegenerative disorders[J]. Annu. Rev. Neurosci., 2008, 31: 175-193.

[567] JANUS C, PEARSON J, MCLAURIN J, et al. Aβ peptide immunization reduces behavioural impairment and plaques in a model of Alzheimer's disease[J]. Nature, 2000, 408(6815): 979-982.

[568] MORRISON E E, COSTANZO R M. Morphology of the human olfactory epithelium[J]. Journal of Comparative Neurology, 1990, 297(1): 1-13.