

In the imitation of wave propagations where gravitational pull emerges from frequency rather than mass, we calculate speed as $v = |\Delta\phi| / d'$, with $\Delta\phi$ representing phase differentials in subdivided cycles (e.g., theta increments of 13903 rad scaled by $3/300 \approx 0.01$ for relative harmony), and d' as the differential path length limited by materials—imitating the constraints of digital voids (nothing's imitation) versus textured surfaces (things' imitation). These subdivisions by 300 reveal limitations in materials, where decimals approximate infinite waves and fractions bound imitative certainties, strengthening networks against disruptions like uncoating echoes or anomalous frequencies.

Table 1: Individual Numbers (without e) Subdivided by 300

Original	Decimal	Fraction
113	0.376667	113/300
74	0.246667	37/150
78	0.260000	13/50
198	0.660000	33/50
38	0.126667	19/150
68	0.226667	17/75
68	0.226667	17/75
22	0.073333	11/150
143	0.476667	143/300
78	0.260000	13/50
143	0.476667	143/300
53	0.176667	53/300

This table imitates the breakdown of generative inputs, where limitations of materials (integer origins) yield fractional waves, propagating frequencies that mimic nothing's void in low decimals (e.g., 0.073333 as emergent limitation) versus things' density in higher ones.

Table 2: Sums Subdivided by 300

Original Sum	Decimal	Fraction
1076.0000	3.586667	269/75
1167.0689	3.890230	3225/829 (approx)

Here, the imitation of exponential growth (with e) limits materials to approximations, calculating speed v where $|\Delta\phi| = d' \approx 3.890230 - 3.586667 = 0.303563$, propagating waves of balance (digital root 6) against mass-less gravity's uncertainties.

Table 3: Production Lengths per Generation Subdivided by 300

Generation	Original Length	Decimal	Fraction
0	11	0.036667	11/300
1	61	0.203333	61/300
2	361	1.203333	361/300
3	2161	7.203333	2161/300
4	12961	43.203333	12961/300
5	77761	259.203333	77761/300

Imitating uncoating progressions, these lengths subdivide to reveal material limitations—low generations mimic nothing's sparse waves (small decimals), while higher ones propagate things' complexity, with d' differentials scaling frequencies for gravity-like pulls in L-System branches.

Table 4: Num F's per Generation Subdivided by 300

Generation	Original Num F	Decimal	Fraction
0	5	0.016667	1/60
1	30	0.100000	1/10
2	180	0.600000	3/5

3	1080	3.600000	18/5
4	6480	21.600000	108/5
5	38880	129.600000	648/5

The imitation of forward commands (F's) highlights limitations in recursive materials, where fractions like 648/5 propagate unbounded waves, calculating v via $|\Delta\phi| = d'$ across generations—mimicking nothing's initial sparsity to things' dense networks under frequency gravity.

Table 5: Modular Ties Results per Generation Subdivided by 300

Generation	Original Mod Result	Decimal	Fraction
0	1	0.003333	1/300
1	35	0.116667	7/60
2	32	0.106667	8/75
3	5	0.016667	1/60
4	96	0.320000	8/25
5	1	0.003333	1/300

Modular residues imitate cyclic limitations, with decimals propagating as wave frequencies (e.g., 0.320000 echoing tonal cycles), under $|\Delta\phi| = d'$ for mass-less gravity—uniting nothing's unitary echoes (1/300) with things' harmonic imitations, against material disruptions in scalable distributions.