

# Page Index

## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

### Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by  ☐ css

```
<!DOCTYPE html>
<html lang=fr>

  <head>
    <meta charset="UTF-8">
    <title>Home</title>

    <link rel="stylesheet" href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" integrity="sha384-18mE4kWBq78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqy12QvZ6jIW3" crossorigin="anonymous">

    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
      integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
      crossorigin="anonymous">
    </script>

    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

### Source

```
1. <!DOCTYPE html>↵
2. <html lang=fr>↵
3.   ↵
4.   <head>↵
5.     <meta charset="UTF-8">↵
6.     <title>Home</title>↵
7.     ↵
8.     <link rel="stylesheet" href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" integrity="sha384-18mE4kWBq78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqy12QvZ6jIW3" crossorigin="anonymous">↵
9.     ↵
10.    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"↵
11.      integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" ↵
12.      crossorigin="anonymous">↵
13.    </script>↵
14.  ↵
```

# Page Interets

## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

### Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by  ☐ css

```
<!DOCTYPE html>
<html lang=en>

  <head>
    <meta charset="UTF-8">
    <title>Interets</title>

    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" integrity="sha384-1BmE4kWBq78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">

    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
      integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
      crossorigin="anonymous">
    </script>

    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

### Source

```
1. <!DOCTYPE html>↵
2. <html lang=en>↵
3.   ↵
4.   <head>↵
5.     <meta charset="UTF-8">↵
6.     <title>Interets</title>↵
7.     ↵
8.     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" integrity="sha384-1BmE4kWBq78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">↵
9.     ↵
10.    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"↵
11.      integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" ↵
12.      crossorigin="anonymous">↵
13.    </script>↵
```

# Page Projet Professionnel

## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

### Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by  ☐ css

```
<!DOCTYPE html>
<html lang=en>

  <head>
    <meta charset="UTF-8">
    <title>Professionnal Project</title>

    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" integrity="sha384-1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">

    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
      integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
      crossorigin="anonymous">
    </script>

    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

### Source

```
1. <!DOCTYPE html>↵
2. <html lang=en>↵
3.   ↵
4.   <head>↵
5.     <meta charset="UTF-8">↵
6.     <title>Professionnal Project</title>↵
7.     ↵
8.     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" integrity="sha384-1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">↵
9.     ↵
10.    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"↵
11.      integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" ↵
12.      crossorigin="anonymous">↵
13.    </script>↵
```

# Page compétences

## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

### Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ☐ css

```
<!DOCTYPE html>
<html lang=en>

  <head>
    <meta charset="UTF-8">
    <title>Skills</title>

    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" integrity="sha384-1BmE4kW8q78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">

    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
      integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
      crossorigin="anonymous">
    </script>

    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

### Source

```
1. <!DOCTYPE html>↵
2. <html lang=en>↵
3.   ↵
4.   <head>↵
5.     <meta charset="UTF-8">↵
6.     <title>Skills</title>↵
7.     ↵
8.     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" integrity="sha384-1BmE4kW8q78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">↵
9.   ↵
10.    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"↵
11.      integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" ↵
12.      crossorigin="anonymous">↵
13.    </script>↵
14.  ..
```

# Page liens utiles

## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

### Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by  ☐ css

```
<!DOCTYPE html>
<html lang=en>

  <head>
    <meta charset="UTF-8">
    <title>Links</title>

    <link rel="stylesheet" href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" integrity="sha384-1BmE4klBq78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">

    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
      integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
      crossorigin="anonymous">
    </script>

    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js">
    </script>
  </head>
</html>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

### Source

```
1. <!DOCTYPE html>↵
2. <html lang=en>↵
3.   ↵
4.   <head>↵
5.     <meta charset="UTF-8">↵
6.     <title>Links</title>↵
7.     ↵
8.     <link rel="stylesheet" href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" integrity="sha384-1BmE4klBq78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">↵
9.     ↵
10.    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"↵
11.      integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" ↵
12.      crossorigin="anonymous">↵
13.    </script>↵
```

# CSS



## Service de validation CSS du W3C

Résultats de la validation W3C CSS de TextArea (CSS niveau 3 + SVG)

Aller à: [CSS valide](#)

### Résultats de la validation W3C CSS de TextArea (CSS niveau 3 + SVG)

#### Félicitations ! Aucune erreur trouvée.

Ce document est valide conformément à la recommandation [CSS niveau 3 + SVG](#) !

Pour montrer à vos lecteurs votre souci d'interopérabilité lors de la création de cette page Web, vous pouvez afficher cette icône sur toutes les pages valides. Voici le fragment de XHTML que vous pouvez utiliser pour ajouter cette icône à votre page Web:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

(fermez le tag img avec > au lieu de /> si vous utilisez HTML <= 4.01)



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

Si vous le désirez, vous pouvez télécharger une copie de cette image dans votre répertoire Web local, et changer le fragment d'HTML décrit ci-dessus pour référencer le nouvel emplacement de celle-ci.

Si vous voulez créer un lien direct sur le résultat de cette validation, afin de revalider facilement, ou de permettre à d'autres de vérifier facilement la validité de votre document, l'URI de cette page est :

[http://jigsaw.w3.org/css-validator/validator\\$link](http://jigsaw.w3.org/css-validator/validator$link)  
or

## Votre feuille de style CSS validée :

```
*, ::after, ::before {  
  box-sizing : border-box;  
}
```

```
body {  
  margin : 0;  
  padding : 0;  
  height : 100vh;  
}
```

```
.btn-cv {  
  border-color : #c50000;  
  margin-right : 0.5rem;  
}
```

```
.btn {  
  color : #232921;  
  background-color : #ffffff;  
}
```

```
.btn-a {  
  color : #ffffff;  
  background-color : #212529;  
}
```

```
.btn-dropdown {  
  border-color : #c50000;  
}
```

```
.btn-v {  
  color : white;  
  background-color : #232921;  
  margin-bottom : 1px;  
  margin-top : -130px;  
  width : max-content;  
}
```

```
.btn-link {  
  color : white;  
  background-color : #232921;  
  margin-bottom : 5px;  
  width : 100%;  
}
```

```
.text-end {  
  text-align : end;  
}
```

```
.cc {  
  margin-bottom : -30px;  
}
```