

NOTES: UNLESS OTHERWISE SPECIFIED:

1. APPLICABLE STANDARDS/SPECIFICATIONS:
ASME Y14.5-2009, DIMENSIONING AND TOLERANCING.

**AIZERA-T 0251 -05096: INCH/MILLIMETER
CONVERSION PROCEDURE.**

2. -- / -- - - - - UIREMENTS
PER AIZERA-T 0250-27105.

3. SEE PQC APPENDIX FOR PART QUALIFICATION AND
QUALITY CONTROL REQUIREMENTS PER IQMS 04.4-01-11.

4. ALTERNATE MATERIALS ALLOWED PER APPLIED
MATERIALS 0250-46767.

5. MANUFACTURE PER APPLIED
MATERIALS 0250-20001.

6. INSTALL PER MANUFACTURER'S INSTRUCTIONS.

7. FIT PER ASME B4.1, CLASS LN2. BEFORE CLEANING.

8. ITEM 9 FINISH: SILVER PLATE PER
ASTM B700 TYPE 11, GRADE B .0005 THICK.

9. FIT PER ASME B4.1, CLASS FN2. BEFORE CLEANING.



10. DIMENSIONS ARE TO THEORETICAL SHARP CORNERS.

11. **CLEAN PER AIZERA-T 0250-20000,**
APPENDIX D.

12. **COSMETIC PER AIZERA-T OZ50-O1019**
APPENDIX F, CODE III-C.

13. **IDENTIFY PER AIZERA-T 0250-O1033**
METHOD 2 OR 3. LOCATE APPROXIMATELY WHERE
SHOWN AND IN THE SAME ORIENTATION OF THE
PART MARKING SYMBOL.

14. **PACKAGE PER AIZERA-T 0250-O0098.**




9 5
SP ON Ø 17.250
Φ Ø .005 M A B M


2X EQ SP ON Ø 14.80
Φ Ø .005 M A B M

6 2X 2
EQ SP ON Ø 18.250

REF 8



DETAIL D




TOP VIEW

9	2		BRASS, PIN, DIA .386 X 1.50 IN, SILVER PLATED	(TC3-6201224)
8	2	3550-01081	PIN DOWEL 1/8 DIA X 1/2L SST303	(TC1-0051702)
7	24	3410-00322	INSERT, HELICOIL 10-24 X .285LG, 304 SST	(TC3-0152090)
6	12	3410-00271	3410-00271 INSERT, HELICOIL, 8-32 X .246LG, 304 SST	(TC3-0141638)
5	1	3550-01292	PIN DOWEL 3/16 DIA X 7/8L 303SST	(TC1-0051823)
4	2	3550-00591	DOWEL PIN .250D X .375L	(TC1-0519720)
3	2	3550-01002	PIN DOWEL 1/8 DIA X 3/8LG SST 303	(TC1-0051643)
2	2	3410-00280	INSR THD 5/16-18 INT X 1/2-13 EXT, .43LG SST NON LKG HD	(TC1-0255299)
1	1		MATERIAL PER 0250-32053	(TC3-6201256)


UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES & INCLUDE FINISH. REMOVE BURRS/SHARP EDGES. LINEAR TOLERANCE: XX ± .01 XXX ± .005 ANGULAR TOLERANCE: ±.5° SURFACE: 63V		INTERPRET DRAWING PER ASME Y14.5-2018		THIRD ANGLE PROJECTION		MATERIAL: SEE BOM		FINISH:	
---	--	---------------------------------------	--	------------------------	--	--------------------------	--	---------	--

Item No	Part Number	Description	Qty
DRAWING TITLE: ADAPTOR UPPER, SIP-CU 290MM, WATER COOLED, NEW SOURCE SUPPLY			
ENGINEERING DRAWING NO: 0043-07547			
SHEET SIZE: A3 CUST. DRAWING			
DRAWING SCALE: DO NOT SCALE APPROXIMATE WEIGHT: 37.57LB REF KG SHEET NUMBER: 1 OF 1			


ECO	STATUS
	EVAL



SECTION H-H



DETAIL K



DETAIL P






B

C

D






1

0250-31854 REV



Item No		Part Number				Description		Qty	
(UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES & INCLUDE FINISH: REMOVE BURRS CHAMF EDGES LINEAR TOLERANCE: XXX ± .01 ANGULAR TOLERANCE: ±5° SURFACE: 63		This drawing and any information or descriptive material, sent or not in form of the contract and any right property of ABER SPOTCO LIMITED, is hereby assigned to ABER SPOTCO LIMITED. COPIED, LOANED, IN whole or part or for any purpose, without the written permission from ABER SPOTCO SUBSIDIARY.				 ABERZA SPOTCO SUBSIDIARY No. 44 VAS, Jalan Pelapas 4/6, Taman Perindustrian Tanjung Pelapas, 82550 Gelang Patah 1, Johor Malaysia			
		DRAWING TITLE				ADAPTOR UPPER, SIP-CU 20MM, WATER COOLED, NEW SOURCE SUPPLY			
		ENGINEERING DRAWING NO.				0043-07547			
		SHEET NO.				03			
INTERCEPT DRAWING PER AONE 1145-2018		CHECKED BY		DRAWN BY		APPROVED BY		DATE	
TOLERANCE PRECISION		MATERIAL		SHEET SCALE		DRAFT NUMBER		DATE	
 FIRST ANGLE		SEE BOM		DO NOT SCALE		APPROXIMATE WEIGHT 31.00 LBS (KG)		1 OF 1	

AIZERA-T CONFIDENTIAL: THIS DOCUMENT
AND THE INFORMATION CONTAINED IN IT ARE
CONFIDENTIAL, AND CANNOT BE COPIED OR DISC
- - - - -
WRITTEN CONSENT OF AIZERA-T INC.



VIEW N

	Item No.	Part Number	Description	Qty
(UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES & INCLUDE FINISH REMOVE BURRS/CHAP EDGES LINEAR TOLERANCES XX ± .01 XXX ± .005 ANGULAR TOLERANCE ±.5° SURFACE 321 INTERPRET DRAWING PER: AISC, Y145-2018 THIRD ANGLE PROJECTION MATERIAL: SEE BOM  FIRST ANGLE PROJECTION	This drawing and any information or descriptive material put on it are the confidential and copyright property of AIZERA SUPTEC Sdn Bhd. and MUST NOT BE DISCLOSED, COPIED, LOANED or used for any purpose without the written permission from AIZERA SUPTEC Sdn Bhd. Aizera SUPTEC Sdn Bhd. AIZERA SUPTEC Sdn Bhd. No. 44 Jalan Jujur, Pegasus 4/6, Tropic Perindustrian Tanjung Pagar, BESS1 Jelang Petah 1, Johor Malaysia			
	DRAWING TITLE: ADAPTER UPDOR, SIP-CU 28MM, WATER COOLED, NEW SOURCE SUPPLY			
	DRAWING NO: 0043-07547			REVISION 03
	DRAWN BY: _____ CHECKED BY: _____ APPROVED BY: _____	DIMENSIONS: 1/16" DATE: _____ SHEET NO.: _____ TOTAL SHEETS: _____ A3	DRAWING SCALE: _____ APPROPRIATELY WEIGHT: _____ 1:1 (AS SHOWN) 1 OF 1	

AIZERA-T CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF AIZERA-T INC.

PART QUALIFICATION & QUALITY CONTROLS (PQC) TABLE

PART NUMBER:0043-07547

REV:03

CLASSIFICATION: NON-CRITICAL

PART DESCRIPTION: ADAPTOR UPPER, SIP-CU 290MM, WATER COOLED, NEW SOURCE SUPPLY

QUALIFICATION REQUIREMENTS	REQ.
FAI: FIRST ARTICLE INSPECTION	YES
PPI: PART TO PRINT METROLOGY INSP.	NO
CRAMS: COMPONENT RELIABILITY, AVAILABILITY, MAINTAINABILITY AND SAFETY TESTING	NO
PQP-D: PART QUALIFICATION PROCESS (DOCUMENTATION)	NO

QUALITY CONTROL REQUIREMENTS	REQ.
SL: SUPPLIER LOCK	NO
PQP-V: PART QUALIFICATION PROCESS (VALIDATION)	NO
COC: CERTIFICATE OF COMPLIANCE	NO
PQR: PRODUCT QUALITY REPORT	YES
SPC: STATISTICAL PROCESS CONTROL	NO
SNT: SERIAL NUMBER TRACKING	NO
FRD: FUNCTIONAL REQUIREMENT DOCUMENT	NO
VSC: VIRUS SCAN CERTIFICATE	NO

REFERENCE AIZERA-T SPECIFICATION 04.4-01-11 1
FOR PROCEDURES RELATED TO INDICATED REQUIREMENTS

UNLESS SPECIFIED BY AN AIZERA-T REPRESENTATIVE,
ALL POC CONTROLS SPECIFIED AS 'YES' REQUIRE COMPLETION
~~ONLY WHILE AT EVAL, NSR, OR PRODUCTION STATUS~~
ONLY WHILE AT EVAL, NSR_CES, OR PRODUCTION STATUS

REQUIREMENTS LEGEND:

YES - REQUIRED

NO - NOT REQUIRED

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES & INCLUDE FINISH REMOVE BURRS/SHARP EDGES LINEAR TOLERANCE XX ±.01 XXX ±.005 ANGULAR TOLERANCE ±5° SURFACE ±31 INTERPRET DRAWING PER ASME Y14.3-2003 DATE: 04-07-2017 BY: SEE BOM PROJ: 0043-07547 REV: A3 APP: 0043-07547 DATE: 04-07-2017 BY: 0043-07547 PROJ: 0043-07547 REV: A3 APP: 0043-07547 DATE: 04-07-2017 BY: 0043-07547	Item No. Part Number Description Qty	ALZERA SPTTCS 20W 40D, No 44 145, Jalan Pripes 4/5, Taman Perumahan Tanjung Pripes, 82550 Gelang Patah 1, Johor Malaysia ADAPTOR UPPER, SIP-CU 20MM, WATER COOLED, NEW SOURCE SUPPLY ENGINEERING DRAWING NO. 0043-07547 SHEET SIZE: (SHEET DRAWING) A3 DO NOT SCALE APPROVED: 0043-07547 DATE: 04-07-2017 BY: 0043-07547 PROJ: 0043-07547 REV: A3 APP: 0043-07547 DATE: 04-07-2017 BY: 0043-07547
--	--	--

AIZERA-T CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF AIZERA-T INC.