

ORDER STATUS LIFECYCLE

Customer orders – Order Type 1

Local orders – Order Type 2

Amazon orders – Order Type 3

Amazon Picks – Not in order status table

Notes

Managed from the orderstatus table

Note: Order Status table has one line per sku and duplicated multiple sku orders. QTY is always 1

CUSTOMER ORDERS

Shopify order

Update_orders2.py loads to our database

Order Status table – Order Type 1

Operator Packed and Fulfilled

Update_orders2.py updated our database

Removed from Order Status table

LOCAL ORDERS

Brookfield Amazon screen or order local screen

Order Status table – Order Type 2

Arrived: 0

Goods In – When scanned

Arrived: 1

Arrived Date Set

Cleaned up or Never Arrives

Script clean_sales.sql runs weekly Monday 4am

Deleted when over 30 days old regardless if arrived or not

AMAZON ORDERS

Brookfield Amazon screen

Order Status table – order type 3

Arrived: 0

Goods In – When scanned

Arrived: 1

Arrived Date Set

Cleaned up

Script update_orders2.py runs daily

Deletes orders that have arrived more than 7 days ago

Never Arrives

Script clean_sales.sql runs weekly Monday 4am

Deleted when over 30 days old

Shipment Complete

When the Amazon boxes have been paced and collected by DPD

Operator presses shipment complete button

Delete everything in localstock if allocated = 'amz' and location = 'C3-Amazon'

Clears the amazon shipment table and puts it in amazon shipment archive

AMAZON PICKS

Brookfield Amazon screen

Local Stock table (localstock)

Keeps item in location as #FREE

Sets allocated field to 'amz'

Shopify Customer orders product

Item is picked for a normal order first

Operator picks for Amazon

Allocated stays 'amz'

Location moves to C3-Amazon

Shopify Customer orders product

Item is still picked for the customer from C3-Amazon

Shipment Complete

When the Amazon boxes have been packed and collected by DPD

Operator presses shipment complete button

Delete everything in localstock if allocated = 'amz' and location = 'C3-Amazon'

Clears the amazon shipment table and puts it in amazon shipment archive

STOCK POSITION

localstock table

Local Stock - #FREE

Local Stock - #FREE – allocated 'amz'

Local Stock – 'PICK' for a customer order

orderstatus table

Amazon and local orders all deleted after 30 days

Customer order paid and unfulfilled – deleted when fulfilled

Ordered for Local (order type 2) not arrived

Ordered for Amazon (order type 3) not arrived

Ordered for Local (order type 2) arrived

Ordered for Amazon (order type 3) arrived – hold for 7 days

amzfeed table

Amazon Stock Report – Inbound

Amazon Stock Report – Live

amzshipment table

Amazon Shipment – in an Amazon box ready to go

Amazon Shipment Archive – Sent to Amazon with DPD

AMAZON TOTAL CALCULATION

Value is used to determine quantity required for Amazon re-order

TOTAL qty of below data

amzfeed total

amzshipment

amzshipment_archive if within 2 days of shipment

orderstatus ordertype 3 not arrived

localstock allocated 'amz'