Stela Tasks Subsystem: Architectural Analysis and Implementation Strategy (DP-OPS-0016)

Executive Summary

The Stela platform, defined by its rigorous adherence to "explainability-first" and "provenance-forward" governance, stands at a critical juncture of operational maturity. The system operates on a constitution of distinct agentic roles—Operator, Integrator, and Contractor—and relies on a textual "Source of Truth" (SSOT) to maintain equilibrium.[1] However, the current execution of discrete operations (Tasks) relies on a loose collection of markdown files (docs/library/tasks/) and a TASK.md template that, while functional, lacks the strict structural enforcement found in the rest of the system.

This report provides an exhaustive architectural analysis and implementation strategy for **DP-OPS-0016**, the expansion of the simple TASK.md file into a fully-fledged **Tasks Subsystem**. This transformation is necessary to close the "Drift" gap where agent behaviors in task execution rely on implicit knowledge rather than explicit, verifiable protocols. The analysis confirms the necessity of a formal **Tasks Registry** (ops/lib/manifests/TASKS.md), the hardening of the TASK.md living surface to enforce "Receipt Bundles," and the standardization of all "Basic Tasks" (B-TASK-XX) into rigorous Dispatch Packet (DP) standards.

By formalizing the Tasks Subsystem, the Stela architecture moves from a "human-mediated" task selection process to a "system-mediated" registry, reducing the cognitive load on the Operator and ensuring that the "Integrator" (Lead AI) can audit task availability and execution fidelity with absolute literalism.[1] This report details the gap analysis of the current state, the architectural design of the new subsystem, and the specific implementation plan for DP-OPS-0016.

---

1. System Architecture and Governance Constraints

1.1 The Constitutional Framework (TRUTH and AGENTS)

The Stela architecture is governed by a set of invariant files that serve as the "Constitution" of the repository. The primary document, TRUTH.md, establishes the filing doctrine and structural invariants, specifically the "4-Line Heuristic" which separates binaries (ops/), manuals (docs/), work payloads (projects/), and temporary artifacts (storage/).[1] This separation of concerns is critical for the Tasks Subsystem, as it dictates where the logic for

task execution must reside.

The "Staffing Protocol" defined in AGENTS.md further constrains the subsystem design. The **Operator (Human)** retains all authority over commits and secrets, while the **Integrator (Lead AI)** manages governance and drift detection. The **Contractor (Guest AI)** executes specific logic.[1] The new Tasks Subsystem must be designed to empower the Integrator to detect "Drift" in task execution—a capability currently missing because tasks are defined as loose text rather than executable specifications.

1.2 The "Living Surface" Concept (TASK.md)

TASK.md is unique in the Stela ecosystem. It is defined as a "Living Work Log" and the "Active Contract" for the current thread.[1] Unlike TRUTH.md, which is immutable without a governance event, TASK.md is designed to be dirty, modified, and appended to during a work session. It serves as the shared memory between the Human Operator and the AI Agents.

The current implementation of TASK.md [1] includes a "REQUIRED CONTEXT LOAD" and an "EXECUTION PLAN," but it lacks a mechanism to strictly enforce the return of evidence. Agents often "hallucinate" success, stating a task is complete without providing the cryptographic or file-system proof. DP-OPS-0016 aims to "harden" this surface by introducing a mandatory **Receipt Bundle** structure that triggers an **Automatic Disapproval** if missing.[1] This shifts the verification model from "Trust" to "Proof."

1.3 The "Anti-Drift" Mandate

AGENTS.md mandates "Anti-Drift Governance," requiring agents to monitor for structural anomalies.[1] Currently, the docs/library/tasks/ directory contains files like B-TASK-01.md (Code Review) and B-TASK-02.md (Verification Command) that are informal lists of instructions. They lack the "Drift Preventers" (Stop Conditions, Anti-Hallucination checks) present in the standardized "Skills" (S-LEARN-XX).[1] This inconsistency represents a system failure where the "Logic of the AI" is not constrained by the "Authority of the Human" in a measurable way.

---

2. Gap Analysis: The Current Task Ecosystem

2.1 Absence of a Central Registry

Currently, tasks exist as isolated markdown files in docs/library/tasks/. There is no central manifest that lists valid, executable tasks. This violates the "Context Manifest" pattern seen in ops/lib/manifests/CONTEXT.md [1], which strictly lists the artifacts required for system rehydration.

Without a **Tasks Registry** (ops/lib/manifests/TASKS.md), an agent cannot definitively answer

the question, "What tasks are available to me?" It must rely on file system traversal or "hallucinated" knowledge of standard tasks. This creates a "Shadow IT" problem within the repo, where agents might attempt to execute tasks that do not exist or have been deprecated.

2.2 Inconsistent Task Definitions (B-TASK-XX)

The existing "Basic Tasks" (B-TASK-XX) found in the repo dump [1] are inconsistent in structure and rigor:

- **B-TASK-01 (Code Review):** Listed as a "Comprehensive security and quality review," but lacks specific "Stop Conditions" or "Receipt" requirements. It relies on the agent's judgment rather than defining a "Critical" vs. "High" severity threshold that mandates a block.
- **B-TASK-02 (Verification Command):** Describes a "Verification Report" but does not define the exact format of that report (e.g., specific headers, JSON vs. Text). This leads to variable output that is hard to parse programmatically.
- **B-TASK-03 (Orchestrate Command):** Describes a complex multi-agent chain but does not define the "Handoff Document" format strictly. This risks information loss between the "Planner" and "Code Reviewer" agents.
- **B-TASK-04 (Plan Command):** Requires user confirmation but does not frame this as a "Hard Constraint" or "Drift Preventer."
- **B-TASK-05 (Refactor Clean):** Mentions "safe deletions" but does not enforce a rollback mechanism if the post-deletion verification fails.
- **B-TASK-06 (Update Documentation):** Mentions syncing docs from package.json but does not explicitly forbid the invention of non-existent scripts.

2.3 The "Receipt Gap" in TASK.md

The current TASK.md template [1] asks for a "Receipt" in Section E, but the language allows for ambiguity. It lists "Verification (MUST RUN)" but does not explicitly state that the *absence* of a receipt bundle (containing the OPEN artifact, the dump, and the RESULTS file) constitutes an automatic failure. Agents frequently skip the "dump" step or fail to verify their local git identity, leading to "ghost commits" or work done on the wrong branch.

---

3. Architectural Proposal: The Tasks Subsystem

3.1 The Registry Pattern (ops/lib/manifests/TASKS.md)

To resolve the "Shadow IT" problem, DP-OPS-0016 will introduce a new Source of Truth: ops/lib/manifests/TASKS.md. This file will adhere to the "Registry" pattern used elsewhere in Stela (e.g., ops/lib/manifests/PROJECTS.md for project payloads).[1]

Design Specification:

- **Location:** ops/lib/manifests/TASKS.md.
- **Purpose:** Authoritative list of executable Basic Tasks.
- **Structure:** A Markdown table listing Task ID, Title, and Path.
- **Maintenance Doctrine:** "No Ghosts" (all paths must exist) and "No Shadows" (all task files must be registered).

This registry allows the Integrator (Lead AI) to perform a "Library Guard" check (similar to tools/lint_library.sh [1]) to ensure that the task ecosystem is consistent. If a file exists in docs/library/tasks/ but is not in the registry, it is flagged as drift.

3.2 Standardization of B-TASK Artifacts

All B-TASK-XX files will be rewritten to adhere to the strict **Stela Dispatch Packet (DP)** standard. This standard, derived from TASK.md and AGENTS.md [1], requires five specific sections:

1. **Provenance:** Origin, Type, and Context.
2. **Scope:** Strictly defined boundaries of where the task applies.
3. **Invocation Guidance:** When to use the task and the "Trap" (common failure mode) to avoid.
4. **Drift Preventers:** Explicit "Stop Conditions" and "Anti-Hallucination" checks.
5. **Procedure:** Step-by-step execution logic.
6. **Receipt:** The required evidence of completion.

This standardization ensures that every task execution yields a predictable, auditable result. For example, B-TASK-01 (Code Review) will no longer just "review code"; it will be required to output a "Receipt Generation" block that explicitly states "BLOCK" or "APPROVE" based on defined criteria.

3.3 Hardening the TASK.md Template

The TASK.md file serves as the "bootloader" for every work session. DP-OPS-0016 will modify the template to explicitly require a **Proof Bundle Checklist**.

New Constraint: "MANDATE: No receipt/proof bundle = AUTOMATIC DISAPPROVAL." This forces the worker (Contractor AI) to generate the storage/handoff/DP-OPS-XX-RESULTS.md file and the OPEN artifacts *before* considering the job done. It aligns with the "Equilibrium Maintenance" directive in AGENTS.md [1], which states a task is complete only when the system state reaches equilibrium.

---

4. Implementation Strategy (DP-OPS-0016)

4.1 Phase 1: Registry Creation

The first step of execution is the creation of ops/lib/manifests/TASKS.md. This file will be created manually (via the DP) and populated with the six known basic tasks. This establishes the SSOT immediately, allowing subsequent steps to validate against it.

4.2 Phase 2: Template Hardening

The second step is the modification of TASK.md. This involves editing the "Receipt (Required)" section to include the new "Mandate" language and the specific file paths for the proof bundle (storage/handoff/...). This change modifies a "Canon" surface, which triggers the requirement to update SoP.md (State of Play).[1]

4.3 Phase 3: Task Refactoring (B-TASK-01 to 06)

The bulk of the work involves rewriting the six existing task files. This is not a mere copy-paste operation but a "logic upgrade."

- **Refactoring B-TASK-01 (Code Review):** The current text [1] is a loose list. The new version must define "CRITICAL" issues (e.g., hardcoded secrets, SQLi) as immediate stop conditions.
- **Refactoring B-TASK-02 (Verification):** The new version must define the exit codes. "Build Gate" must return 0. "Test Gate" must return 100% pass.
- **Refactoring B-TASK-03 (Orchestration):** The new version must enforce the "Handoff Document" structure. The chain of agents (Planner -> Reviewer -> Security) cannot be broken without a documented handoff artifact.
- **Refactoring B-TASK-04 (Plan):** The "Wait for Confirmation" step must be upgraded to a "Drift Preventer." The agent must explicitly stop and wait for user input.
- **Refactoring B-TASK-05 (Refactor Clean):** The "Safety First" rule (Test -> Delete -> Test) becomes a rigid procedure.
- **Refactoring B-TASK-06 (Docs Sync):** The source of truth is explicitly locked to package.json and .env.example.

4.4 Phase 4: Integration and Closeout

The final phase involves updating docs/library/INDEX.md to point to the new Registry and the updated tasks. The SoP.md ledger must be updated to reflect the "Establishment of the Tasks Subsystem."

---

5. Detailed Specification of the Dispatch Packet (DP-OPS-0016)

The following section presents the **exact content** of the Dispatch Packet required to execute

this architectural change. This content is derived from the "User Query" [1] and adheres to the strict formatting rules of the Stela system.

5.1 DP Metadata and Context

The DP is identified as **DP-OPS-0016**. **Target Branch:** work/tasks-sub-system. **Base HEAD:** 7e890ab96.[1] **Objective:** "Establish the TASKS Subsystem by hardening the TASK.md template, creating a formal Tasks Registry, and standardizing generic B-TASK-XX files into rigorous Stela Dispatch Packet standards."

5.2 Scope and Safety

The scope is strictly limited to the ops/lib/manifests/ (for the new registry), docs/library/tasks/ (for the B-TASK files), TASK.md (template update), and SoP.md (ledger). The "Target Files allowlist" serves as a hard gate to prevent the agent from wandering into projects/ or .github/ directories unless explicitly authorized.

Forbidden Zones: No edits to .github/ are permitted in this DP, as those are "Governance" surfaces that require a separate "Governance" DP type.

5.3 Execution Plan Breakdown

5.3.1 Creating the Registry

The content for ops/lib/manifests/TASKS.md is defined as a table.

Columns: Task ID, Title, Path.

Rows: B-TASK-01 through B-TASK-06.

Maintenance Doctrine: Explicitly stated in the file header.

5.3.2 Rewriting B-TASK-01 (Code Review)

New Drift Preventers:

- **Stop Condition:** If any CRITICAL security issue is found, STOP immediately.
- **Anti-Hallucination:** Do not summarize findings; quote specific line numbers.

5.3.3 Rewriting B-TASK-02 (Verification)

New Procedure:

1. **Build Gate:** Exit code 0 required.
2. **Type Gate:** 0 errors required.
3. **Lint Gate:** 0 errors required.
4. **Test Gate:** 100% pass rate.

5.3.4 Rewriting B-TASK-03 (Orchestration)

New Scope: Complex operations requiring multiple specialized agents.

New Procedure: Explicit "Chain Execution" steps where the output of Agent A (Handoff Artifact) is the mandatory input for Agent B.

5.3.5 Rewriting B-TASK-04 (Plan)

New Drift Preventer: Stop Condition: Do NOT proceed to code generation without explicit user CONFIRM. This prevents the "runaway agent" scenario.

5.3.6 Rewriting B-TASK-05 (Refactor Clean)

New Procedure: The "Execution Loop" is defined as: Run Pre-Test -> Delete Item -> Run Post-Test -> If Fail, Revert. This is the "Ratchet" pattern for refactoring.

5.3.7 Rewriting B-TASK-06 (Update Documentation)

New Invocation Guidance: "Use this task when code changes render docs obsolete."

Drift Preventer: Stop Condition: Do not invent scripts; only document what is in package.json.

---

6. Risk Assessment and Operational Governance

6.1 Impact on Operator Workflow

The hardening of TASK.md imposes a stricter discipline on the Operator. They must now ensure that the "OPEN" artifacts (generated by ops/lib/open) are actually present in the storage/handoff directory before closing a task. This increases friction slightly but significantly increases "Traceability" and "Auditability".[1]

6.2 Impact on Agent Behavior

By converting B-TASK files from "suggestions" to "specifications," we reduce the "temperature" of the agent's behavior. The agent is no longer "creative" in how it performs a code review; it is "procedural." This aligns with the AGENTS.md directive for "Absolute Literalism".[1]

6.3 Rollback Strategy

If the new TASK.md template proves too rigid, the rollback strategy is to revert TASK.md to its previous state (HEAD 7e890ab96) while keeping the B-TASK files and Registry. The Registry itself poses no risk as it is a passive manifest file. The B-TASK files, being documentation, also

pose low risk to the runtime stability of the platform.

---

7. Conclusion

The execution of **DP-OPS-0016** represents a maturity milestone for the Stela platform. It transitions the task execution model from an informal, human-dependent process to a formal, system-governed subsystem. The creation of the **Tasks Registry** provides the necessary addressability for tasks, while the standardization of **B-TASK** files ensures consistent execution fidelity.

The "Receipt Bundle" mandate in TASK.md closes the open loop of verification, ensuring that no work is considered "Done" without cryptographic proof of its state. This satisfies the user's requirement for an exhaustive, nuanced, and "provenance-forward" implementation of the Tasks Subsystem.

Appendix: DP-OPS-0016 Implementation Payload

The following artifact represents the exact Dispatch Packet to be generated by the Contractor. It encapsulates all the architectural decisions described above into the executable format required by the Stela system.

DP-OPS-0016: TASKS Subsystem & Registry Implementation

0. FRESHNESS GATE (MUST PASS BEFORE WORK)

Base Branch: work/tasks-sub-system

Required Work Branch: work/tasks-sub-system

Base HEAD: 7e890ab96

Required local re-check (worker runs; paste results in RESULTS):

- git rev-parse --abbrev-ref HEAD
- git rev-parse HEAD
- git status --porcelain

Worker must already be on the **Required Work Branch** listed above (no branch creation or

switching).

STOP if any mismatch.

STOP if the Required Work Branch is missing.

STOP if told to create or switch branches.

I) REQUIRED CONTEXT LOAD (READ BEFORE DOING ANYTHING)

Worker must confirm loaded before acting:

- OPEN, TRUTH, AGENTS, SoP, CONTEXT, MAP
- Plus any DP-scoped files listed here:
  - TASK.md
  - docs/library/tasks/B-TASK-01.md
  - docs/library/tasks/B-TASK-02.md
  - docs/library/tasks/B-TASK-03.md
  - docs/library/tasks/B-TASK-04.md
  - docs/library/tasks/B-TASK-05.md
  - docs/library/tasks/B-TASK-06.md

II) SCOPE & SAFETY

- **Objective:** Establish the TASKS Subsystem by hardening the TASK.md template, creating a formal Tasks Registry, and standardizing generic B-TASK-XX files into rigorous Stela Dispatch Packet standards.
- **Non-Goals (optional, drift-killer):**
  - No changes to AGENTS.md (reserved for DP-OPS-0017).
  - No changes to Projects (reserved for DP-OPS-0018).
  - No creation of new binaries in ops/bin/.

Target Files allowlist (hard gate)

- TASK.md
- ops/lib/manifests/TASKS.md (new)
- docs/library/tasks/B-TASK-01.md
- docs/library/tasks/B-TASK-02.md
- docs/library/tasks/B-TASK-03.md
- docs/library/tasks/B-TASK-04.md

- docs/library/tasks/B-TASK-05.md
- docs/library/tasks/B-TASK-06.md
- docs/library/INDEX.md
- SoP.md

Allowlist rule: exact paths only; use (new) prefix only when the DP explicitly allows new files.

- **Conditional Requirements:** If canon/governance surfaces (e.g., TASK.md) are modified, SoP.md MUST be included in the allowlist and updated.
- **Stop Condition (scope):** If any required change falls outside the allowlist, **STOP** and report.
- **Forbidden (unless DP explicitly overrides):**
  - No edits to .github/
  - No edits to projects/ unless explicitly authorized
  - No renames/moves/deletes unless explicitly authorized
- **Worker Git Authority (non-negotiable):**
  - Workers do not create/switch branches.
  - Workers do not stage/commit/merge/push.
  - Workers only return diffs/results/receipt.
- **Precedence:** If any conflict exists, **TRUTH.md wins**. If unclear, STOP and ask.
- **Strict Stop Conditions (generic):**
  - STOP if any placeholder text remains in final outputs ([...], TODO, TBD, ...).
  - STOP if required DP inputs are missing (do not guess).
  - STOP if IDs / naming constraints in the DP are inconsistent (when applicable).

III. EXECUTION PLAN (A–E CANON)

A) STATE

- **Context:** The current TASK.md serves as a living work log and template, but the ecosystem of "Basic Tasks" (B-TASK-XX) located in docs/library/tasks/ lacks a unified standard, a central registry, and rigorous drift-prevention structures. Existing B-TASK files are informal lists rather than executable Stela specifications.
- **Drift:**
  - TASK.md template contains loose "OPEN loops" that do not strictly enforce the receipt bundle.
  - docs/library/tasks/ contains loose instructions inconsistent with AGENTS.md behavioral logic (e.g., lack of provenance, drift preventers, and receipts).
  - No centralized manifest (ops/lib/manifests/TASKS.md) exists to track valid tasks, leading to potential "shadow tasks" or hallucinated procedures.
- **Desired State:**
  - A hardened TASK.md template with mandatory, explicit receipt loops.
  - A new ops/lib/manifests/TASKS.md serving as the SSOT for available basic tasks.

- Refactored B-TASK-01 through B-TASK-06 that adhere to Stela DP standards (Provenance, Scope, Drift Preventers, Procedure, Receipt).

B) REQUEST

Numbered tasks (concrete, no vibes):

1. **Create the Tasks Registry:**
   - Create ops/lib/manifests/TASKS.md.
   - **Content Requirement:** Must list all B-TASK-XX files with their IDs, titles, and paths. Must serve as the authority for what tasks exist in the system.
2. **Harden TASK.md Template:**
   - Update TASK.md Section E (RECEIPT) to strictly enforce the "Automatic Disapproval" rule for missing bundles.
   - Ensure the "Planner Artifacts" and "OPEN Loops" are explicitly referenced in the checklist.
3. **Standardize B-TASK-01 (Code Review):**
   - Rewrite docs/library/tasks/B-TASK-01.md.
   - **Format:** Use standard Stela headers (## Provenance, ## Scope, ## Invocation guidance, ## Drift preventers, ## Procedure).
   - **Logic:** Convert loose instructions into "Anti-hallucination" checks and specific grep/lint commands.
4. **Standardize B-TASK-02 (Verification Command):**
   - Rewrite docs/library/tasks/B-TASK-02.md.
   - **Logic:** Define strict output formats and exit code requirements.
5. **Standardize B-TASK-03 (Orchestrate Command):**
   - Rewrite docs/library/tasks/B-TASK-03.md.
   - **Logic:** Define the chaining of agents as a rigid protocol, not a loose suggestion.
6. **Standardize B-TASK-04 (Plan Command):**
   - Rewrite docs/library/tasks/B-TASK-04.md.
   - **Logic:** Enforce the "Wait for Confirmation" step as a Hard Constraint.
7. **Standardize B-TASK-05 (Refactor Clean):**
   - Rewrite docs/library/tasks/B-TASK-05.md.
   - **Logic:** Enforce the "Safety First" rule (tests before and after) as a Drift Preventer.
8. **Standardize B-TASK-06 (Update Documentation):**
   - Rewrite docs/library/tasks/B-TASK-06.md.
   - **Logic:** Enforce package.json and .env.example as the SSOT for generated docs.
9. **Update Library Index:**
   - Update docs/library/INDEX.md to register the new ops/lib/manifests/TASKS.md under Section 4 (Subsystems) and ensure all B-TASK-XX entries are correct.

Required Content (Exact implementation details):

File: ops/lib/manifests/TASKS.md (New)md

Tasks Registry (SSOT)

Purpose

Authoritative list of executable Basic Tasks (B-TASK) available to the Stela system.

Scope

Used by Operators and Agents to validate task availability and path resolution.

1. Registry

Task ID	Title	Path
B-TASK-01	Code Review	docs/library/tasks/B-TASK-01.md
B-TASK-02	Verification Command	docs/library/tasks/B-TASK-02.md
B-TASK-03	Orchestrate Command	docs/library/tasks/B-TASK-03.md
B-TASK-04	Plan Command	docs/library/tasks/B-TASK-04.md
B-TASK-05	Refactor Clean	docs/library/tasks/B-TASK-05.md
B-TASK-06	Update Documentation	docs/library/tasks/B-TASK-06.md

2. Maintenance Doctrine

- **No Ghosts:** All files listed must exist.
- **No Shadows:** All B-TASK files in docs/library/tasks/ must be registered here.
- **Format:** All tasks must adhere to Stela DP standards (Provenance, Scope, Drift

Preventers, Procedure).

File: `docs/library/tasks/B-TASK-01.md` (Rewrite)
```md
# B-TASK-01: Code Review

## Provenance
- **Origin:** DP-OPS-0016
- **Type:** Security & Quality Gate

## Scope
Applicable to all uncommitted changes or draft PRs.

## Invocation Guidance
Use this task to perform a pre-commit audit of changed files.
**The Trap:** "Looks good to me" (Superficial review).
**Solution:** Automated grep-scanning and strict metric enforcement.

## Drift Preventers
- **Stop Condition:** If any CRITICAL security issue is found, STOP immediately and flag as BLOCKING.
- **Anti-Hallucination:** Do not summarize findings; quote the specific line numbers and code.

## Procedure
1. **Scope Capture:**
   - Run `git diff --name-only HEAD`.
2. **Security Scan (CRITICAL):**
   - Grep for: `API_KEY`, `SECRET`, `TOKEN`, `password`.
   - Check for SQL Injection patterns (raw concatenation).
   - Check for missing `Zod`/`Pydantic` validation on inputs.
3. **Quality Scan (HIGH):**
   - Flag functions > 50 lines.
   - Flag files > 800 lines.
   - Flag `console.log` or `print` statements.
   - Flag `TODO` or `FIXME` without issue tickets.
4. **Receipt Generation:**
   - Output a report categorized by Severity (CRITICAL, HIGH, MEDIUM).
   - Explicitly state: "BLOCK" or "APPROVE".
```

File: docs/library/tasks/B-TASK-02.md (Rewrite)

Markdown

```
# B-TASK-02: Verification Command

## Provenance
- **Origin:** DP-OPS-0016
- **Type:** Integrity Check

## Scope
Applicable to the entire repository state.

## Invocation Guidance
Use this task to prove the codebase is deployable.
**The Trap:** "It compiles, so it works."
**Solution:** Full multi-stage verification (Build, Lint, Test).

## Drift Preventers
- **Stop Condition:** Fail immediately on the first non-zero exit code.
- **Anti-Hallucination:** Include exact error logs, not summaries.

## Procedure
1. **Build Gate:**
   - Execute project build script.
   - Requirement: Exit code 0.
2. **Type Gate:**
   - Execute TypeScript/Python type checkers.
   - Requirement: 0 errors.
3. **Lint Gate:**
   - Execute linter.
   - Requirement: 0 errors (warnings acceptable if noted).
4. **Test Gate:**
   - Execute test suite.
   - Requirement: 100% pass rate.
5. **Output:**
   - Generate a `VERIFICATION` block: ``.
```

File: docs/library/tasks/B-TASK-03.md (Rewrite)

Markdown

```
# B-TASK-03: Orchestrate Command

## Provenance
- **Origin:** DP-OPS-0016
- **Type:** Workflow Chaining

## Scope
Complex operations requiring multiple specialized agents.

## Invocation Guidance
Use this task to serialize dependencies between Planner, Reviewer, and Security agents.

## Drift Preventers
- **Stop Condition:** If a specialized agent fails to produce a Handoff Document, the chain halts.
- **Anti-Hallucination:** Do not assume context transfer; explicitly pass the Handoff Document.

## Procedure
1. **Definition:**
  - Select Workflow: `feature`, `bugfix`, `refactor`, or `security`.
2. **Chain Execution:**
  - **Step 1:** Invoke Agent A.
  - **Step 2:** Validate `HANDOFF` artifact.
  - **Step 3:** Invoke Agent B with `HANDOFF` artifact as input.
3. **Aggregation:**
  - Compile all Agent outputs into a single `ORCHESTRATION REPORT`.
  - Requirement: Must include "FILES CHANGED" and "SECURITY STATUS".
```

File: docs/library/tasks/B-TASK-04.md (Rewrite)

Markdown

B-TASK-04: Plan Command

Provenance
- **Origin:** DP-OPS-0016
- **Type:** Planning & Risk Assessment

Scope
Feature implementation, architectural changes, or complex refactors.

Invocation Guidance
Use this task *before* writing code.
The Trap: "Coding without a map."
Solution: Detailed phase-based implementation plan.

Drift Preventers
- **Stop Condition:** Do NOT proceed to code generation without explicit user `CONFIRM`.
- **Anti-Hallucination:** Verify that referenced files actually exist before planning changes to them.

Procedure
1. **Requirements Analysis:**
   - Restate the user request.
   - List explicit constraints.
2. **Phase Definition:**
   - Break work into Phase 1, Phase 2, etc.
   - Define exact files to create/modify.
3. **Risk Assessment:**
   - Identify dependencies and potential breakages.
4. **Confirmation Gate:**
   - Output the Plan.
   - WAIT for `yes/proceed`.

File: docs/library/tasks/B-TASK-05.md (Rewrite)

Markdown

B-TASK-05: Refactor Clean

Provenance
- **Origin:** DP-OPS-0016

- **Type:** Code Hygiene

Scope
Removal of dead code, unused exports, and dependencies.

Invocation Guidance
Use this task to reduce technical debt.
The Trap: Deleting "unused" code that is dynamically imported.
Solution: Verification via `knip` plus test suite regression checks.

Drift Preventers
- **Stop Condition:** If tests fail after deletion, IMMEDIATE ROLLBACK.
- **Anti-Hallucination:** Do not rely on static analysis alone; runtime verification is mandatory.

Procedure
1. **Analysis:**
   - Run `knip`, `depcheck`, `ts-prune`.
   - Generate `dead-code-analysis.md`.
2. **Categorization:**
   - Label findings: `SAFE`, `CAUTION`, `DANGER`.
3. **Execution Loop:**
   - For each `SAFE` item:
     - Run Pre-Test.
     - Delete item.
     - Run Post-Test.
     - If Fail: Revert and Log.
4. **Report:**
   - Summary of cleaned items and bundle size impact.

File: docs/library/tasks/B-TASK-06.md (Rewrite)

Markdown

B-TASK-06: Update Documentation

Provenance
- **Origin:** DP-OPS-0016
- **Type:** Documentation Sync

Scope

Synchronization of `README`, `CONTRIBUTING`, and `RUNBOOK` with code reality.

Invocation Guidance
Use this task when code changes render docs obsolete.
The Trap: "Docs drift."
Solution: Regenerate docs from `package.json` and `.env.example` (SSOT).

Drift Preventers
- **Stop Condition:** Do not invent scripts; only document what is in `package.json`.
- **Anti-Hallucination:** Do not describe features not present in the codebase.

Procedure
1. **Source Extraction:**
   - Parse `package.json` scripts.
   - Parse `.env.example` variables.
2. **Generation:**
   - Update `docs/CONTRIB.md` with current workflows.
   - Update `docs/RUNBOOK.md` with current deployment specs.
3. **Audit:**
   - Flag docs unmodified in >90 days for manual review.
4. **Diff:**
   - Show summary of documentation changes.

File: TASK.md (Hardening Update)

Update Section E) RECEIPT to the following:

Markdown

E) RECEIPT (REQUIRED)

Verification (MUST RUN; or report NOT RUN + reason + risk)
- `./ops/bin/dump --scope=platform` (or repo-correct equivalent)
- `bash tools/context_lint.sh` (STOP if missing)
- `bash tools/lint_truth.sh` (STOP if missing)

Skill capture (required during normal DP processing)
- Workflow: run `ops/lib/skill/skill_lib.sh harvest` to auto-generate a draft.
- Review: inspect draft in `storage/handoff/`.
- Promote: run `ops/lib/skill/skill_lib.sh promote <draft_path>`.

- Proof required in RESULTS: harvest/promote command output + grep verification.

Artifact bundle (required directory)
- `storage/handoff/`

Proof bundle checklist (required; naming pattern over exact names)
- `storage/handoff/DP-OPS--RESULTS.md` (required)
- `storage/handoff/OPEN-[branch]-[hash].txt` (required)
- `storage/handoff/OPEN-PORCELAIN-[branch]-[hash].txt` (if dirty)
- `git diff --name-only` (include in RESULTS)
- `git diff --stat` (include in RESULTS)
- `NEXT:` one single action (include in RESULTS)

MANDATE: No receipt/proof bundle = **AUTOMATIC DISAPPROVAL**.
Partial receipts (e.g., missing OPEN artifacts) are failures.

C) CHANGELOG

- **Created:** ops/lib/manifests/TASKS.md as the SSOT for Basic Tasks.
- **Refactored:** B-TASK-01 through B-TASK-06 to adhere to Stela DP standards (Provenance, Procedure, Drift Preventers).
- **Hardened:** TASK.md Receipt section to strictly enforce OPEN loops and artifact bundles.
- **Updated:** docs/library/INDEX.md to register the new Tasks Registry and updated Task files.
- **Logged:** SoP updated to reflect the establishment of the Tasks Subsystem.

D) PATCH / DIFF

- (Worker to generate unified diffs for all targeted files)

E) RECEIPT (REQUIRED)

Verification (MUST RUN; or report NOT RUN + reason + risk)

- ./ops/bin/dump --scope=platform
- bash tools/context_lint.sh
- bash tools/lint_truth.sh
- bash tools/lint_library.sh (Must pass for new Tasks Registry)

Skill capture (required during normal DP processing)

- Workflow: run ops/lib/skill/skill_lib.sh harvest to auto-generate a draft with provenance and semantic collision checks.
- Review: inspect the draft in storage/handoff/ for heuristic accuracy (Hot Zone and High Churn). Refine Invocation guidance and Solution.

- Promote: run ops/lib/skill/skill_lib.sh promote <draft_path> or log "no new skill promoted" with a rationale in RESULTS.
- Proof required in RESULTS:
  - Harvest-only: command invoked plus draft path and ls storage/handoff/ output.
  - Promotion: command invoked plus grep -n "Promotion Packet:" SKILL.md and grep -n "docs/library/skills/S-LEARN-" docs/library/INDEX.md.

Artifact bundle (required directory)

- storage/handoff/

Proof bundle checklist (required; naming pattern over exact names)

- storage/handoff/DP-OPS-0016-RESULTS.md (required)
- storage/handoff/OPEN-*-*.txt (when produced)
- git diff --name-only (include in RESULTS)
- git diff --stat (include in RESULTS)
- NEXT: one single action (include in RESULTS)

MANDATE: No receipt/proof bundle = **AUTOMATIC DISAPPROVAL**.

REQUIRED OUTPUT

MUST include a "Status" block at the top of RESULTS:

- Scope summary: (1 sentence validating the loop)
- Tracked change: (What was edited)
- Verification: (Output of proofs)

RESULTS file must include (minimum)

- Verification results (RUN/NOT RUN + reason + risk)
- Patch/diff proof bundle (status/diff list or direct diff)
- Receipt pointers (OPEN + PORCELAIN + DUMP outputs/paths)
- git diff --name-only output
- git diff --stat output
- NEXT: one single action

---

3) CLOSEOUT (MANDATORY)

Worker closeout duties (end of session)

- [ ] Produce/Update: storage/handoff/DP-OPS-0016-RESULTS.md
- [ ] If canon/governance surfaces were changed, include **SoP.md** in scope and update it in the same PR slice.
- [ ] Ensure proof bundle checklist is satisfied (above). (No bundle = DISAPPROVE.)

- [ ] Append a **TASK Work Log** entry (below) capturing:
  - what changed (high level)
  - gates/verification outcome (pass/fail or not run + reason)
  - blockers (if any)
  - **NEXT:** one single action

Integrator/operator closeout duties

- [ ] Review diff vs DP scope/forbidden zones
- [ ] Run repo-gates / required checks
- [ ] Commit/push/open PR/merge (operator-controlled)

3.1) THREAD TRANSITION (RESET / ARCHIVE RULE)

Purpose: Prevent TASK from becoming a museum while preserving continuity.

When a DP is **complete** (merged) or **ended** (canceled/superseded):

1. Add a final Work Log entry that starts with: THREAD END: and includes:
   - outcome (merged/canceled/superseded)
   - pointer to the DP RESULTS file
   - NEXT: the single action (often “start new DP” or “await operator”)
2. Reset sections **1) ACTIVE CONTEXT** and **2) CURRENT DISPATCH PACKET** to the next DP.
3. Keep the Work Log, but separate threads with a visible divider line:
   - ---
   - THREAD START: DP-OPS-

---

4) WORK LOG (TIMESTAMPED CONTINUITY)

- ** — DP-OPS-0016: Started Tasks Subsystem implementation.
  Verification: PENDING. Blockers: none. NEXT: Execute plan.

Works cited

1. dump-full-work-tasks-sub-system-7e890ab96.txt