DP-OPS-0022 Strategic Architecture Report: The Consolidation of the Project Factory and Resolution of Epistemic Drift

1. Executive Strategic Analysis

The Stela platform, currently operating at the specific freshness state of f2258f404 on the main branch, is undergoing a critical phase of "Ontological Metamorphosis." This transition, initiated by the partial implementation of Dispatch Packet DP-OPS-0021 ("The Autopoietic Project Binary"), aims to evolve the repository from a static file storage system into a dynamic "Project Factory"—a self-sustaining engine capable of manufacturing and verifying compliant software payloads through high-density governance.[1] However, a rigorous forensic audit of the post-implementation state, cross-referenced against the internal "Stela Agent Constitution Refinement" documentation, reveals significant instances of "Epistemic Drift." This drift—defined as a divergence between the intended governance model and the actualized codebase—threatens the integrity of the system by introducing fragility into the Continuous Integration (CI) pipeline and ambiguity into the agentic context.[1]

This comprehensive research report serves as the strategic foundation for **DP-OPS-0022**. Its primary objectives are threefold: to resolve the "Red Gate" anomaly currently compromising the CI pipeline due to fragile path resolution logic; to correct the "Ontological Map" regarding the relationship between Agents, Tasks, and Skills; and to purge "Documentation Debt" that violates the Single Source of Truth (SSOT) doctrine.

Crucially, this analysis represents a strategic pivot away from the "Agent Injection" model proposed in previous discussions and partially implemented in DP-OPS-0021. The directive mandates a strict rejection of the "Enforcement Logic" and "Operational Map" proposals contained in the *Stela Agent Constitution Refinement.pdf* [1] and commands a reversal of the "drift" changes in ops/bin/open. This decision reflects a re-commitment to "Static Governance," where the behavior of the system is defined by immutable, explicitly loaded canon files (TRUTH.md, AGENTS.md) rather than dynamically assembled context vectors.

By executing the remediation strategies detailed herein, Stela will transition from a state of fragile experimentation to a robust, "Green Gates Only" environment. This report provides the theoretical justification, forensic evidence, and executable specifications required to restore the repository to a state of high-governance integrity.

2. Theoretical Framework: The Epistemology of High-Governance

To rigorously define the requirements for DP-OPS-0022 and justify the rejection of the previous agent injection strategy, it is necessary to deconstruct the epistemic mechanics that govern the Stela repository. Governance in an AI-driven environment is not merely a matter of file management or code style; it is a problem of the "Political Economy of Truth." In an agentic environment, "Truth" is a finite resource quantified in tokens, and the efficiency of the system is determined by the "Attention Voltage"—the capacity of the model to attend to relevant instructions amidst competing noise.[1]

2.1 The Political Economy of Truth

The central axiom of the Stela architecture is the "Economy of Truth," which dictates that for a proposition to be valid, the resources required to derive it must be explicitly present in the context. This principle drove the "Great Compression" of TRUTH.md and AGENTS.md in Phase Two.[1] However, the current state analysis reveals a dangerous conflation between "Economy" (optimization) and "Scarcity" (deprivation).

Epistemic Scarcity occurs when unresolvable unknowns prevent probabilistic optimization. In the context of Stela, this manifests when the removal of narrative justification strips away the semantic causal links required for the model to bridge the gap between "Instruction" and "Intent." The mandate to treat AGENTS.md as a "Constitution" resolves this tension. A Constitution functions as a set of axioms; it does not need to argue for its own validity. By stripping the "Why" (narrative justification) from the "What" (operational rules), we increase the "Epistemic Density" of the context.[1] This reduces the surface area for "Interpretation Drift," where an agent might hallucinate an exception to a rule based on a misunderstood rationale.

The "Documentation Debt" identified in Section 3 represents a violation of this economy. When multiple files (e.g., ops/lib/project/INTEGRATION.md and docs/library/INTEGRATION.md) attempt to describe the same truth, they create "Epistemic Inflation." The value of each token of truth is diluted, and the agent is forced to arbitrage between conflicting sources. DP-OPS-0022 restores the value of the currency by eliminating these redundant sources.

2.2 Autopoiesis and the Project Factory

The ultimate goal of Stela is Autopoiesis—the capability of the system to reproduce and maintain itself.[1] A system is autopoietic if its maintenance processes are internal to its operation. The ops/bin/project utility is designed to be the primary engine of this autopoiesis, acting as a "Membrane" that selectively permeates context between the Platform (the OS) and the Payload (the Project).

This separation is vital because the code in projects/ has a different lifecycle, ownership, and truth table than the code in ops/. Indiscriminately loading "Project Agents" or "Project Tasks" into the "System Context"—as was attempted with the --include logic in ops/bin/open—creates "Context Pollution".[1] This risks a collapse into a "Vector Haze," where the model cannot distinguish between immutable system laws (e.g., "No contractions") and mutable project requirements (e.g., "Use Python 3.11"). The "Red Gate" anomaly discussed in Section 3 represents a failure of this autopoiesis: the system's internal verification tools failed to correctly identify their own location relative to the system root, leading to a breakdown in self-maintenance.

2.3 The Ontological Tension: Constitution vs. Citizen

The repository state exhibits "Ontological Tension"—confusion regarding the hierarchy of authority. The rejected proposals for "Enforcement Logic" sought to codify agent behavior through complex runtime checks and dynamic prompt injection. This analysis rejects that approach as fragile and prone to drift. Instead, we establish a strict "Constitution vs. Citizen" hierarchy.[1]

- **The Constitution (AGENTS.md):** This file represents the immutable laws of the environment. It applies to every entity, human or AI. It defines the "Rights" (access levels) and "Responsibilities" (Behavioral Logic Standards). It is the supreme law.
- **The Citizen (Agent):** Specific agent files (e.g., R-AGENT-06) define the job description of a "Citizen" within the system.

The flaw in the previous "Agent Injection" model (DP-OPS-0021) was the attempt to *replace* the Constitutional context with the Citizen context using the --agent flag in ops/bin/open. This unmoored the agent from the non-negotiable constraints of the system. By reverting this drift, we enforce that every agent is first and foremost a "Contractor" bound by the Constitution, and secondarily a specialist utilizing specific Skills.

3. Forensic Audit of Repository State (f2258f404)

A granular, line-by-line forensic verification of the repository state (Freshness: f2258f404) against the requirements of the Stela standard reveals specific vulnerabilities and structural violations that mandate the creation of DP-OPS-0022. This audit utilizes the "Dump Payload" provided in the research material.[1]

3.1 The "Red Gate" Anomaly: Path Resolution Failure

The current operational status reports that "repo-gates is red" due to "strange path reporting from scripts located in /tools." This represents a failure in "Anti-Drift Governance" and requires immediate remediation. A deep forensic analysis of the shell scripts in tools/ reveals a critical vulnerability in how path resolution is handled, particularly in Continuous Integration (CI) environments where the working directory and git state may differ from a local developer's

environment.[1]

The Diagnosis: Relative Path Fragility

The primary linter scripts—tools/lint/truth.sh, tools/lint/context.sh, and tools/lint/library.sh—rely on establishing the REPO_ROOT to locate canonical files like TRUTH.md or ops/lib/manifests/CONTEXT.md. In the current dump (f2258f404), tools/lint/context.sh uses the following logic [1]:

Bash

```
SCRIPT_DIR="$(cd "$(dirname "${BASH_SOURCE}")" && pwd)"
REPO_ROOT="$(cd "${SCRIPT_DIR}/.." && pwd)"
MANIFEST_PATH="${REPO_ROOT}/ops/lib/manifests/CONTEXT.md"
```

The Logic Failure:

1. The script tools/lint/context.sh is located in tools/lint/.
2. dirname "${BASH_SOURCE}" correctly identifies tools/lint (or a relative equivalent).
3. SCRIPT_DIR resolves to the absolute path /abs/path/to/tools/lint.
4. REPO_ROOT is defined as cd ${SCRIPT_DIR}/.. which resolves to /abs/path/to/tools.
5. The script then constructs the path: /abs/path/to/tools/ops/lib/manifests/CONTEXT.md.

This path does not exist. The ops/ directory is located at the repository root, not inside tools/. The script assumes it is running from one level deep (e.g., tools/script.sh), but it is actually two levels deep (tools/lint/script.sh). This "Path Depth Mismatch" causes the script to fail to find the manifest, triggering the red gate.[1] Similarly, tools/verify.sh defines ROOT_DIR using .. which works for depth 1 but fails for depth 2.[1] This fragility violates the "Anti-Drift Governance" directive in AGENTS.md.

The Fix: Git-Anchored Root Resolution

To permanently resolve this and prevent future drift if scripts are moved, the system must abandon relative path counting (../..) and rely on the definitive authority of git. In a "High-Governance" repository, **Location Independence** is a requirement. Scripts must verify their own execution context based on the "Truth" of the repository structure (git) rather than the "Reality" of the file system (pwd).[1]

The proposed logic pattern ("The Anchor") utilizes git rev-parse --show-toplevel. This command, when executed within a git working tree, returns the absolute path to the root of the repository.[2] This method is robust against depth changes; a script can be moved from

tools/ to tools/lint/deep/nested/ and still correctly identify the root without code changes.

3.2 The Skill Registry Violation

The file SKILL.md currently resides at the repository root.[1]

- **Audit Finding:** SKILL.md contains the "Skills Promotion Template," a "Harvest Engine workflow," and logs for candidates and promotions.[1]
- **Violation:** The TRUTH.md Filing Doctrine states:
  - ops/ = Run
  - docs/ = Explain
  - **Root** = Constitution & State (TRUTH, AGENTS, SOP, TASK)
- **Analysis:** SKILL.md is neither Constitution nor State. It is procedural documentation and a registry of capabilities. While SoP.md tracks the *history* of the system rules, SKILL.md tracks the *history* of learned capabilities. Placing it at the root dilutes the authority of the Canon. It belongs in the library.
- **Remediation:** SKILL.md must be moved to docs/library/SKILLS.md. This aligns with the filing doctrine by grouping "Explanation" (Skills) with the library, while keeping the root clean for "State" and "Law".[1]

3.3 Documentation Debt and Redundancy

The audit identifies several files that violate the "Economy of Truth" by creating redundant or conflicting sources of information.

Table 1: Documentation Debt Analysis

File Path	Status	Issue	Remediation Strategy
ops/lib/project/user-STELA.md	**Drift**	Contains user-level configurations (IDE settings, preferences) that create hidden state and pollute factory reproducibility.[1]	**Delete**. Project definition must be purely canonical (STELA.md) and agnostic to the operator's environment.
ops/lib/project/INTEGRATION.md	**Redundant**	Describes integration contracts now implemented	**Delete**. The code is the SSOT for the contract. Textual description creates

		directly in the ops/bin/project binary code.[1]	"Epistemic Inflation."
docs/library/INTEGRATION.md	**Redundant**	Operator guide pointing to the file above. Integration workflows are now standard commands (ops/bin/project work).[1]	**Delete**. Usage instructions belong in docs/library/MANUAL.md.

3.4 The "Drift" in ops/bin/open

The user explicitly requests the reversal of changes in ops/bin/open related to --agent and --include logic from DP-OPS-0021. A review of ops/bin/open in the dump [1] reveals the specific code blocks that constitute this drift.

Drift Components:

1. **Argument Parsing:** The script parses --agent and --include flags.
2. **Resolution Logic:** Functions resolve_agent_file and extract_agent_role look up files in docs/library/agents/ and extract YAML content.
3. **Prompt Modification:** The script injects the extracted agent role into the contractor_block and appends extra_context to the file list.

Drift Analysis: This code introduces dynamic state injection that depends on the existence and content of non-canonical files (library agents) at runtime. This violates the "Static Governance" principle where the "Open Prompt" should be deterministic and derived solely from the Canon (TRUTH, AGENTS, SoP). The presence of this logic suggests a move toward the "Enforcement Logic" model (rejected in this DP) where the script tries to "enforce" the agent's persona. Reverting this returns the script to a simple, robust tool that only loads the Constitution and State.

4. Architectural Remediation Strategy

To address the forensic findings and enforce the corrected Ontological Map, the following architectural changes will be codified in DP-OPS-0022.

4.1 Git-Anchored Script Robustness (The Fix)

To resolve the "Red Gate" and ensure "Location Independence," all operational scripts in tools/ must implement Dynamic Root Resolution. We cannot rely on pwd or relative paths.

The Logic: The script must ask Git: "Where is the root of this tree?" If Git answers, that answer is the Truth. If Git cannot answer (e.g., in a stripped container), the script must fall back to a heuristic search for a canonical anchor file (TRUTH.md).[4]

Proposed Code Pattern:

Bash

```
# Robust Repo Root Resolution
if command -v git >/dev/null 2>&1 && git rev-parse --is-inside-work-tree >/dev/null 2>&1; then
    REPO_ROOT="$(git rev-parse --show-toplevel)"
else
    # Fallback for non-git environments (e.g., rigid container mounts)
    # Assumes script is at tools/lint/script.sh (2 levels down)
    SCRIPT_DIR="$(cd "$(dirname "${BASH_SOURCE}")" && pwd)"
    # Attempt to resolve root by looking for TRUTH.md
    if]; then
        REPO_ROOT="$(cd "${SCRIPT_DIR}/../../" && pwd)"
    elif]; then
        REPO_ROOT="$(cd "${SCRIPT_DIR}/.." && pwd)"
    else
        echo "ERROR: Could not locate REPO_ROOT (TRUTH.md not found)." >&2
        exit 1
    fi
fi
```

This pattern must be applied to tools/lint/context.sh, tools/lint/truth.sh, and tools/lint/library.sh. Furthermore, tools/lint/truth.sh currently uses git ls-files which is sensitive to the current working directory.[1] It must be updated to explicitly cd "$REPO_ROOT" before execution to ensure the file list is generated relative to the root.

4.2 Consolidation of the Project Factory

The fragmentation of the "Library Trinity" (Agents, Tasks, Skills) must be resolved to align with the "Filing Doctrine."

1. **Move SKILL.md**: Relocate from root to docs/library/SKILLS.md. This places the *registry* of skills alongside the skills themselves.
2. **Update ops/lib/scripts/skill.sh**: Modify the SKILL_FILE variable to point to docs/library/SKILLS.md.
3. **Update llms.txt**: Ensure the entry point references the new location for context loading.

4. **Update docs/library/INDEX.md**: Reflect the move and ensure the "Registry" is accurate.

4.3 Reversal of Dynamic Agents (The open Reset)

We will revert ops/bin/open to its pre-drift state. This involves surgically removing:

- The --agent and --include argument parsers.
- The resolve_agent_file and extract_agent_role helper functions.
- The variable initialization for agent_name, extra_context, etc.
- The logic block that modifies the contractor_block in the prompt generation.

The open script will no longer attempt to be "smart" by pre-loading specific role definitions. It will load the universal AGENTS.md. If a specific skill or role is needed, the Agent (Contractor) must explicitly request it by reading the relevant file from the library *after* the session has started, adhering to the "JIT" (Just-In-Time) context loading philosophy.

4.4 Rejection of PDF Proposals

The user has explicitly commanded the exclusion of "Enforcement Logic" and "Operational Map" from the *Stela Agent Constitution Refinement.pdf*.

- **Rejection of Enforcement Logic:** The PDF proposed complex mechanisms to strictly enforce agent personas at the prompt level. This is rejected because it creates "Governance Bloat" and introduces brittleness. We rely instead on the "Behavioral Logic Standard" in AGENTS.md (Self-Enforcement) and the "Repo Gates" (System Enforcement).
- **Rejection of Operational Map:** The PDF proposed a rigid mapping of tasks to specific agents. This is excluded to maintain flexibility. The Operator remains the final arbiter of which agent performs which task, rather than hardcoding these relationships into the system.

5. The Dispatch Packet (DP-OPS-0022)

The following Dispatch Packet is the executable artifact of this report. It is drafted in strict adherence to the TASK.md headers and the Stela Standard (A-E), incorporating the specific logic overrides mandated by the user.

DP-OPS-0022: Fix Repo-Gates & Consolidate Project System

3.1 Freshness Gate (Must Pass Before Work)

Base Branch: main

Required Work Branch: work/fix-gates-consolidate-2026-02-04

Base HEAD: f2258f404

Required local re-check (worker runs; paste results in RESULTS):

- git rev-parse --abbrev-ref HEAD
- git rev-parse HEAD
- git status --porcelain

Worker must already be on the **Required Work Branch** listed above (no branch creation or switching).

STOP if any mismatch.

STOP if the Required Work Branch is missing.

STOP if told to create or switch branches.

3.2 Required Context Load (Read Before Doing Anything)

Worker must confirm loaded before acting:

- TRUTH, AGENTS, SoP, CONTEXT, MAP
- Plus any DP-scoped files listed here:
  - tools/lint/context.sh
  - tools/lint/truth.sh
  - tools/lint/library.sh
  - ops/lib/scripts/skill.sh
  - docs/library/INDEX.md
  - ops/bin/open

(OPEN is for Integrator/DP Writer state refresh; Worker does not read OPEN).

DISPOSABLE ARTIFACTS (chat logs, etc.) MUST NOT BE REFERENCED OR INCLUDED.

3.3 Scope and Safety

- **Objective:** Fix linter path resolution to green repo-gates; move SKILL.md to library; remove redundant documentation; revert ops/bin/open drift.
- **Non-Goals (optional, drift-killer):**
  - No changes to project payloads in projects/.
  - No changes to AGENTS.md text (only path references in other files).
  - Do NOT implement "Enforcement Logic" or "Operational Map" from the research

PDF.

Target Files allowlist (hard gate)

- tools/lint/context.sh
- tools/lint/truth.sh
- tools/lint/library.sh
- tools/verify.sh
- SKILL.md (move to docs/library/SKILLS.md)
- (new) docs/library/SKILLS.md
- ops/lib/scripts/skill.sh
- llms.txt
- ops/lib/project/user-STELA.md (delete)
- ops/lib/project/INTEGRATION.md (delete)
- docs/library/INTEGRATION.md (delete)
- docs/library/INDEX.md
- ops/bin/open
- SoP.md

Allowlist rule: exact paths only; use (new) prefix only when the DP explicitly allows new files.

- **Conditional Requirements:** If canon/governance surfaces (e.g., TASK.md) are modified, SoP.md MUST be included in the allowlist and updated.
- **Stop Condition (scope):** If any required change falls outside the allowlist, **STOP** and report.
- **Forbidden (unless DP explicitly overrides):**
  - No edits to .github/
  - No edits to projects/ unless explicitly authorized
  - No renames/moves/deletes unless explicitly authorized
- **Worker Git Authority (non-negotiable):**
  - Workers do not create/switch branches.
  - Workers do not stage/commit/merge/push.
  - Workers only return diffs/results/receipt.
- **Precedence:** If any conflict exists, **TRUTH.md wins**. If unclear, STOP and ask.
- **Strict Stop Conditions (generic):**
  - STOP if any placeholder text remains in final outputs ([...], TODO, TBD, ...).
  - STOP if required DP inputs are missing (do not guess).
  - STOP if IDs / naming constraints in the DP are inconsistent (when applicable).

3.4 Execution Plan (A-E Canon)

3.4.1 State

- **Context:** The repository is currently failing repo-gates because linter scripts in tools/lint/

use relative path logic (cd../..) that is fragile and incorrect given their depth. Additionally, the "Library Trinity" (Agents, Tasks, Skills) is fragmented, with SKILL.md at the root and redundant integration docs causing epistemic drift. ops/bin/open contains drift logic for dynamic agent injection that violates static governance.

- **Drift:** tools/lint/context.sh looks for manifest at tools/ops/... instead of root. SKILL.md violates Filing Doctrine by being at root. INTEGRATION.md files are redundant to the binary. ops/bin/open has unused/drift code for --agent.
- **Desired State:** All linters use git rev-parse --show-toplevel for robust root resolution. SKILL.md is moved to docs/library/SKILLS.md. Redundant files are deleted. ops/bin/open is reverted to static behavior.

3.4.2 Request

Numbered tasks (concrete, no vibes):

1. **Refactor Linters:** Update tools/lint/context.sh, tools/lint/truth.sh, and tools/lint/library.sh to use the robust git rev-parse --show-toplevel pattern for REPO_ROOT resolution. Ensure fallback logic exists for non-git environments.
2. **Fix Truth Linter:** In tools/lint/truth.sh, ensure the script explicitly cd "$REPO_ROOT" before running git ls-files to guarantee correct file discovery regardless of invocation directory.
3. **Relocate SKILL.md:** Move SKILL.md to docs/library/SKILLS.md.
4. **Update Skill Script:** Modify ops/lib/scripts/skill.sh to point SKILL_FILE to the new location docs/library/SKILLS.md.
5. **Update LLMS Entry Point:** Update llms.txt to point to docs/library/SKILLS.md instead of SKILL.md (if applicable) or ensure the small bundle references the new path.
6. **Purge Documentation Debt:** Delete ops/lib/project/user-STELA.md, ops/lib/project/INTEGRATION.md, and docs/library/INTEGRATION.md.
7. **Revert ops/bin/open:** Remove the --agent and --include argument parsing, the resolve_agent_file and extract_agent_role functions, and the logic that modifies the prompt based on these flags. Restore the prompt construction to a static block.
8. **Update Registry:** Update docs/library/INDEX.md to remove the INTEGRATION.md entry and update the skills-template entry to point to docs/library/SKILLS.md.
9. **Update SoP:** Log the governance changes (Linter fix + Library consolidation + Open reversal).

Required Content (optional; use when doc/governance changes demand exact text/format):

Ensure the Linter fix uses the following pattern:

Bash

```
if command -v git >/dev/null 2>&1 && git rev-parse --is-inside-work-tree >/dev/null 2>&1; then
  REPO_ROOT="$(git rev-parse --show-toplevel)"
else
  # Fallback logic
  SCRIPT_DIR="$(cd "$(dirname "${BASH_SOURCE}")" && pwd)"
  #... (logic to find TRUTH.md)...
fi
```

3.4.3 Changelog

- **Log (human-readable, 1–6 bullets):**
  - Refactored tools/lint/*.sh to use git rev-parse for robust root resolution (Fixes Red Gate).
  - Moved SKILL.md to docs/library/SKILLS.md to align with Filing Doctrine.
  - Deleted redundant INTEGRATION.md and user-STELA.md files.
  - Reverted ops/bin/open to static behavior (removed --agent/--include logic).
  - Updated ops/lib/scripts/skill.sh and docs/library/INDEX.md to reflect paths.

3.4.4 Patch / Diff

- **Format:** Unified diff (preferred) or anchored snippets.

3.4.5 Receipt (Required)

Verification (MUST RUN; or report NOT RUN + reason + risk)

- ./ops/bin/dump --scope=platform
- If dump refiners are used, include this fallback line in the DP:
  - Fallback:./ops/bin/dump --scope=platform --format=chatgpt --out=auto --bundle
- **Zero-Byte Check:** Verify dump is not empty (test -s <path>).
- Context lint (use repo-canonical command):
  - Prefer: bash tools/lint/context.sh
  - If not found and required: **STOP** and ask (do not invent a substitute)
- Truth lint (when TRUTH/canon surfaces touched; use repo-canonical command):
  - Prefer: bash tools/lint/truth.sh
  - If not found and required: **STOP** and ask (do not invent a substitute)

Skill capture (required during normal DP processing)

- Workflow: run ops/lib/scripts/skill.sh harvest to auto-generate a draft with provenance and semantic collision checks.
- Review: inspect the draft in storage/handoff/ for heuristic accuracy (Hot Zone and High Churn). Refine Invocation guidance and Solution. Do not edit the Provenance block.

- Promote: run ops/lib/scripts/skill.sh promote <draft_path> or log "no new skill promoted" with a rationale in RESULTS.
- Legacy capture is forbidden. Do not manually write skill files; the provenance block is required.
- If a DP requires skill capture, the DP Target Files allowlist must include SKILL.md (or docs/library/SKILLS.md).
- Proof required in RESULTS:
  - Harvest-only: command invoked plus draft path and ls storage/handoff/ output.
- Promotion: command invoked plus grep -n "Promotion Packet:" docs/library/SKILLS.md and grep -n "docs/library/skills/S-LEARN-" docs/library/INDEX.md.

Artifact bundle (required directory)

- storage/handoff/

Proof bundle checklist (required; naming pattern over exact names)

- storage/handoff/DP-OPS-0022-RESULTS.md (required)
- storage/handoff/OPEN-PORCELAIN-[work-branch]-[hash].txt (required)
- storage/handoff/OPEN-[work-branch]-[hash].txt (required)
- storage/dumps/dump-full-... (or platform scope as applicable)
- git diff --name-only (include in RESULTS)
- git diff --stat (include in RESULTS)
- NEXT: one single action (include in RESULTS)

MANDATE: No receipt/proof bundle = **AUTOMATIC DISAPPROVAL**.

Closeout routine receipts not being produced CONSISTENTLY INCLUDING PORCELAIN, DUMP AND OPEN is a failure condition.

Partial receipts (e.g., missing OPEN artifacts when a session was started) are considered failures.

REQUIRED OUTPUT

MUST include a "Status" block at the top of RESULTS:

- Scope summary: (1 sentence validating the loop)
- Tracked change: (What was edited)
- Verification: (Output of proofs)

RESULTS file must include (minimum)

- Verification results (RUN/NOT RUN + reason + risk)
- Patch/diff proof bundle (status/diff list or direct diff)
- Receipt pointers (OPEN + PORCELAIN + DUMP outputs/paths)
- git diff --name-only output

- git diff --stat output
- NEXT: one single action

Storage artifact flow (local-only, untracked):

- OPEN and OPEN-PORCELAIN outputs land in storage/handoff/.
- Dump bundles land in storage/dumps/.
- Results receipts land in storage/handoff/DP-OPS-0000-RESULTS.md (pattern).
- Operator stores DP drafts under storage/dp/intake/ and moves or copies to storage/dp/processed/ after completion (or when reusing a previously executed DP).
- These are retention paths only; they are not worker prerequisites unless the DP explicitly says so.

6. Implications and Future Roadmap

The execution of DP-OPS-0022 will establish a "Green Gate" baseline, a prerequisite for any further development. By rejecting the dynamic "Agent Injection" model, we reaffirm that the AGENTS.md file is the supreme constitution of the repository.

The "Constitution vs. Citizen" model, while stripped of its dynamic enforcement logic in this packet, remains valid as a mental model: The AI is a citizen (Worker) bound by the Constitution (Rules), utilizing Skills (Tools) to execute Tasks (Recipes). However, the implementation of this model will be purely through static file referencing, not through runtime script injection. This decision eliminates the "Drift" risk associated with having open logic that diverges from the repo's static truth.

The "Red Gate" failure highlighted that tools/ scripts must be treated as production code with the same rigor as the projects/ payload. The shift to git-anchored paths ensures that the "Factory" itself is not brittle and can survive reorganization or deployment in varying CI depths.

Next Phase (Phase 3): Upon successful merge of DP-OPS-0022, the system will be ready for a clean implementation of "Agent Specialization" that relies on the now-consolidated "Library Trinity" without needing complex runtime injection. The stable docs/library/SKILLS.md and docs/library/agents/ paths will serve as reliable reference points for manual invocation or static context bundling.

This report confirms that the proposed remediation strategy aligns with the "High-Governance" mandate and effectively reverses the epistemic drift introduced in the previous cycle. The system is ready for correction.

Works cited

1. Stela Agent Constitution Refinement.pdf
2. git-rev-parse Documentation - Git, accessed February 4, 2026,

https://git-scm.com/docs/git-rev-parse/2.19.0
3. Git Tips — The Hidden Magic of 'git rev-parse' for Git Enthusiasts | by Eduardo Silva, accessed February 4, 2026, https://medium.com/@eduardosilva_94960/git-tips-the-hidden-magic-of-git-rev-parse-for-git-enthusiasts-7462a0054023
4. Peek inside your Git repo with rev-parse | Opensource.com, accessed February 4, 2026, https://opensource.com/article/22/4/git-repo-rev-parse
5. Running a shell script from anywhere in a Git repo - gist no Github, accessed February 4, 2026, https://gist.github.com/aviflax/23b05327559c26f64d79618a5ef99872
6. Is there a way to get the git root directory in one command? - Stack Overflow, accessed February 4, 2026, https://stackoverflow.com/questions/957928/is-there-a-way-to-get-the-git-root-directory-in-one-command
7. get git root path : r/lua - Reddit, accessed February 4, 2026, https://www.reddit.com/r/lua/comments/r154gx/get_git_root_path/