# Radio PRO

# Music matters



Documentation

Date: 31.08.2021

Version: 2021.2.2

© 2015-2021 **cross**tales LLC https://www.crosstales.com

# **Table of Contents**

2. Features       5         2.1. Radio stations       5         2.2. Flickible & expandable       5         2.3. Filter & order       6         2.4. OnRadio integration       6         2.5. Documentation & control       6         2.6. Compatibility       6         2.7. Integrations       7         3. Demonstration       8         3.1. PlayStations       8         3.2. StationList       5         3.3. PlayOwnStation       9         3.4. 3DAudio       9         3.4. 3DAudio       9         3.5. Loudspeaker       10         4.1. Schema       11         4.2. Single radio-station (RadioPlayer)       12         4.2. Single radio-stations (RadioSet)       14         4.3. Multiple radio-stations (RadioSet)       14         4.4. SimplePlayer       15         4.5. Other components       16         4.5. Jurivies Ceneswitch       16         4.5.1. StreamSever       16         4.5.2. Survives Sceneswitch       16         4.5.3. Loudspeaker       16         4.5. Players       16         5. Providers       17         5. 1. How-to create your own text resources	1.	Overview	4
2.2. Flexible & expandable       5         2.3. Filter & order       5         2.4. OnRadio integration       6         2.5. Documentation & control       6         2.6. Compatibility       6         2.7. Integrations       7         3. Demonstration       8         3.1. PlayStations       8         3.2. StationList       5         3.3. PlayOwnStation       5         3.4. 3DAudio       10         3.5. Loudspeaker       10         4. Setup       11         4.1. Schema       11         4.2. Single radio-station (RadioPlayer)       12         4.2. Parameter       13         4.3. Multiple radio-stations (RadioSet)       14         4.4. SimplePlayer       15         4.5. Other components       16         4.5. StreamSaver       16         4.5.1. StreamSaver       16         4.5.2. EurivieSceneSwitch       16         4.5.3. Loudspeaker       16         4.5.4. CrossFader       16         5. Providers       17         5.1. How-to create your own text resources       18         6. API       6.1. Players       15         6.1. Players       15	2.	Features	5
2.3. Filter & order.       5.         2.4. OnRadio integration.       6.         2.5. Documentation & control.       6.         2.6. Compatibility.       6.         2.7. Integrations.       .7         3. Demonstration.       8.         3.1. PlayStations.       8.         3.2. StationList.       .9         3.3. PlayOwnStation.       .9         3.4. 3DAudio.       .10         3.5. Loudspeaker.       .10         4. Setup.       .11         4.1. Schema.       .11         4.2. Single radio-station (RadioPlayer).       .12         4.2.1 Parameter.       .12         4.3. Multiple radio-stations (RadioSet)       .14         4.4. SimplePlayer.       .15         4.5. Other components       .16         4.5. StreamSaver.       .16         4.5.1 StreamSaver.       .16         4.5.2 SurviveSceneSwitch.       .16         4.5.3 Loudspeaker.       .16         4.5.4 CrossFader.       .16         5. Providers.       .17         5.1 How-to create your own text resources.       .17         6.1. Players.       .16         6.1. Players.       .16         6.2. Previous.		2.1. Radio stations	5
2.3. Filter & order.       5.         2.4. OnRadio integration.       6.         2.5. Documentation & control.       6.         2.6. Compatibility.       6.         2.7. Integrations.       .7         3. Demonstration.       8.         3.1. PlayStations.       8.         3.2. StationList.       .9         3.3. PlayOwnStation.       .9         3.4. 3DAudio.       .10         3.5. Loudspeaker.       .10         4. Setup.       .11         4.1. Schema.       .11         4.2. Single radio-station (RadioPlayer).       .12         4.2.1 Parameter.       .12         4.3. Multiple radio-stations (RadioSet)       .14         4.4. SimplePlayer.       .15         4.5. Other components       .16         4.5. StreamSaver.       .16         4.5.1 StreamSaver.       .16         4.5.2 SurviveSceneSwitch.       .16         4.5.3 Loudspeaker.       .16         4.5.4 CrossFader.       .16         5. Providers.       .17         5.1 How-to create your own text resources.       .17         6.1. Players.       .16         6.1. Players.       .16         6.2. Previous.		2.2. Flexible & expandable	5
2.4. OnRadio integration.       6         2.5. Documentation & control       6         2.6. Compatibility       6         2.7. Integrations.       7         3. Demonstration       8         3.1. PlayStations.       8         3.2. StationList.       9         3.3. PlayOwnStation.       9         3.4. 3DAudio.       10         3.5. Loudspeaker       10         4. Setup.       11         4.1. Schema.       11         4.2. Single radio-station (RadioPlayer).       12         4.2.1. Parameter       13         4.3. Multiple radio-stations (RadioSet)       14         4.4. SimplePlayer       15         4.5. Other components.       16         4.5.1. StreamSaver.       16         4.5.2. SurviveSceneSwitch.       16         4.5.3. Loudspeaker.       16         4.5.4. CrossFader.       16         5. Providers.       17         5.1. How-to create your own text resources.       18         6. API.       15         6.1. Players.       16         6.1. Players.       15         6.1. Powious.       15         6.2. ReadioManager.       15			
2.5. Documentation & control       6.         2.6. Compatibility       6.         2.7. Integrations       7         3. Demonstration       8         3.1. PlayStations       8         3.2. StationList       5         3.3. PlayOwnStation       9         3.4. 3DAudio       9         3.5. Loudspeaker       10         4. Setup       11         4.1. Schema       11         4.2. Single radio-station (RadioPlayer)       12         4.2. Single radio-stations (RadioSet)       14         4.3. Multiple radio-stations (RadioSet)       14         4.4. SimplePlayer       15         4.5. Other components       16         4.5.1. StreamSaver       16         4.5.2. SurviveSceneSwitch       16         4.5.3. Loudspeaker       16         4.5.4. CrossFader       16         5. Providers       17         5. I How-to create your own text resources       18         6. API       15         6.1. Players       16         6.1. Players       19         6.1. Players       19         6.1. Next       15         6.2. Previous       20         6.2. StopA			
2.6. Compatibility.       6         2.7. Integrations.       7         3. Demonstration.       8         3.1. PlayStations.       5         3.2. StationList.       9         3.3. PlayOwnStation.       9         3.4. 3DAudio.       10         3.5. Loudspeaker.       10         4. Setup.       11         4.1. Schema.       11         4.2. Single radio-station (RadioPlayer).       12         4.2.1. Parameter.       12         4.2.1. Parameter.       12         4.3. Multiple radio-stations (RadioSet).       14         4.4. SimplePlayer.       15         4.5. Other components.       16         4.5.1. StreamSaver.       16         4.5.2. SurviveSceneSwitch.       16         4.5.3. Loudspeaker.       16         4.5.4. CrossFader.       16         5. Providers.       17         5.1. How-to create your own text resources.       16         6. API.       15         6.1. Players.       16         6.1. Players.       15         6.1.1. Play.       15         6.2.2. RadioManager.       15         6.2.3. NextStation.       20         6			
2.7. Integrations.       3. Demonstration.       8.         3.1. PlayStations.       8.         3.2. StationList.       9.         3.3. PlayOwnStation.       9.         3.4. 3DAudio.       10.         3.5. Loudspeaker.       10.         4. Setup.       11.         4.1. Schema.       11.         4.2. Single radio-station (RadioPlayer).       12.         4.2. Ingle radio-stations (RadioSet).       14.         4. J. Parameter.       15.         4.3. Multiple radio-stations (RadioSet).       14.         4.4. SimplePlayer.       15.         4.5. Other components.       16.         4.5.1 StreamSaver.       16.         4.5.2 SurviveSceneSwitch.       16.         4.5.3 Loudspeaker.       16.         4.5.4 CrossFader.       16.         5. Providers.       17.         5.1. How-to create your own text resources.       18.         6.API.       18.         6.1. Players.       19.         6.1.1 Play.       15.         6.1.2 Stop.       15.         6.1.3 Restart.       19.         6.2.1 Next.       19.         6.2.2 Previous.       20.         6.3. RadioProvid			
3. Demonstration       8.         3.1. PlayStations       8.         3.2. StationList       9.         3.3. PlayOwnStation       9.         3.4. 3DAudio       10.         3.5. Loudspeaker       10.         4. Setup       11.         4.1. Schema       11.         4.2. Single radio-station (RadioPlayer)       11.         4.2. Single radio-stations (RadioSet)       14.         4.3. Multiple radio-stations (RadioSet)       14.         4.4. SimplePlayer       15.         4.5. Other components       16.         4.5.1. StreamSaver       16.         4.5.2. SurviveSceneSwitch       16.         4.5.3. Loudspeaker       16.         4.5.4. CrossFader       16.         5. Providers       17.         5.1. How-to create your own text resources       18.         6. API       19.         6.1. Players       19.         6.1. Players       19.         6.1.1. Play       15.         6.2. RadioManager       19.         6.2.1. Next       15.         6.2.2. Previous       20.         6.2.3. NextStation       20.         6.2.4. PreviousStation       20.		·	
3.1. PlayStations.       8.         3.2. StationList.       9.         3.3. PlayOwnStation.       9.         3.4. 3DAudio.       10.         3.5. Loudspeaker.       10.         4. Setup.       11.         4.1. Schema.       11.         4.2. Single radio-station (RadioPlayer)       12.         4.2.1. Parameter.       13.         4.3. Multiple radio-stations (RadioSet).       14.         4.4. SimplePlayer.       15.         4.5. Other components.       16.         4.5.1. StreamSaver.       16.         4.5.2. SurviveSceneSwitch       16.         4.5.3. Loudspeaker.       16.         4.5.4. CrossFader.       16.         5. Providers.       17.         5.1. How-to create your own text resources.       18.         6. API       19.         6.1. Players.       15.         6.1.1. Play.       15.         6.1.2. Stop.       15.         6.1.3. Restart.       16.         6.2. RadioManager.       16.         6.2.1. Next.       19.         6.2.2. Previous.       20.         6.2.3. NextStation.       20.         6.2.4. PreviousStation.       20. <td>3</td> <td></td> <td></td>	3		
3.2. StationList	٠.		
3.3. PlayOwnStation       .5         3.4. 3DAudio       .10         3.5. Loudspeaker       .10         4. Setup       .11         4.1. Schema       .11         4.2. Single radio-station (RadioPlayer)       .12         4.2.1. Parameter       .12         4.3. Multiple radio-stations (RadioSet)       .14         4.4. SimplePlayer       .15         4.5. Other components       .16         4.5.1. StreamSaver       .16         4.5.2. SurviveSceneSwitch       .16         4.5.3. Loudspeaker       .16         4.5.4. CrossFader       .16         5. Providers       .17         5.1. How-to create your own text resources       .18         6. API       .15         6.1. Players       .15         6.1.1. Play       .15         6.1.2. Stop       .15         6.1.3. Restart       .15         6.2. RadioManager       .15         6.2.1. Next       .15         6.2.2. Previous       .20         6.2.3. NextStation       .20         6.2.4. PreviousStation       .20         6.2.5. StopAll       .20         6.3.1. Next       .20         6.4.2. Buffe		•	
3.4. 3DAudio. 3.5. Loudspeaker  (1. Setup. 4.1. Schema. 4.1. Schema. 11. 4.2. Single radio-station (RadioPlayer). 12. 4.2.1. Parameter. 13. Multiple radio-stations (RadioSet). 14. 4. SimplePlayer. 15. Other components. 16. 4.5.1. StreamSaver. 17. 4.5.2. SurviveSceneSwitch. 18. 4.5.3. Loudspeaker. 19. 4.5.4. CrossFader. 19. 5. Providers. 19. 6. API. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19.			
3.5. Loudspeaker.       10         4. Setup.       11         4.1. Schema.       11         4.2. Single radio-station (RadioPlayer).       12         4.2.1. Parameter.       12         4.3. Multiple radio-stations (RadioSet).       14         4.4. SimplePlayer.       15         4.5. Other components.       16         4.5. StreamSaver.       16         4.5.1. StreamSaver.       16         4.5.2. SurviveSceneSwitch.       16         4.5.3. Loudspeaker.       16         4.5.4. CrossFader.       16         5. Providers.       17         5.1. How-to create your own text resources.       18         6. API.       19         6.1. Players.       15         6.1. Players.       15         6.1. Players.       15         6.2.1. Stop.       15         6.1.2. Stop.       15         6.2.1. Next       15         6.2.2. Previous.       26         6.2.1. Next       15         6.2.2. Previous.       26         6.2.3. NextStation       20         6.2.5. StopAll       20         6.3.1. Next.       20         6.4.1. Playback start and end. <td></td> <td>·</td> <td></td>		·	
4. Setup.       11         4.1. Schema.       11         4.2. Single radio-station (RadioPlayer).       12         4.2.1. Parameter.       12         4.3. Multiple radio-stations (RadioSet).       14         4.4. SimplePlayer.       15         4.5. Other components.       16         4.5. StreamSaver.       16         4.5.1. StreamSaver.       16         4.5.2. SurviveSceneSwitch.       16         4.5.3. Loudspeaker.       16         4.5.4. CrossFader.       16         5. Providers.       17         5.1. How-to create your own text resources.       18         6.2. Players.       19         6.1. Players.       19         6.1. Play.       15         6.1. Play.       15         6.1. Play.       15         6.2.1. Next.       19         6.2.1. Next.       19         6.2.1. Next.       19         6.2.2. Previous.       20         6.2.3. NextStation.       20         6.2.5. StopAll.       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.4. Callbacks.       21         6.4. Playback start and end.			
4.1. Schema.       11         4.2. Single radio-station (RadioPlayer).       12         4.2.1 Parameter.       12         4.3. Multiple radio-stations (RadioSet).       14         4.4. SimplePlayer.       15         4.5. Other components.       16         4.5.1. StreamSaver.       16         4.5.2. SurviveSceneSwitch.       16         4.5.3. Loudspeaker.       16         4.5.4. CrossFader.       16         5. Providers.       17         5.1. How-to create your own text resources.       18         6.API.       19         6.1. Players.       19         6.1.1. Play.       19         6.1.2. Stop.       15         6.1.1. Play.       15         6.1.2. Stop.       15         6.2. RadioManager.       15         6.2. Next.       19         6.2.1. Next.       19         6.2.2. Previous.       20         6.2.3. NextStation.       20         6.2.4. PreviousStation.       20         6.2.5. StopAll.       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.3.3. NextStation and progress.       21         6.4.1	1	·	
4.2. Single radio-station (RadioPlayer).       12         4.2.1. Parameter       13         4.3. Multiple radio-stations (RadioSet).       14         4.4. SimplePlayer.       15         4.5. Other components.       16         4.5.1. StreamSaver       16         4.5.2. SurviveSceneSwitch.       16         4.5.3. Loudspeaker       16         4.5.4. CrossFader.       17         5. Providers.       17         5.1. How-to create your own text resources.       18         6. API.       19         6.1. Players.       19         6.1.1. Play.       15         6.1.2. Stop.       15         6.1.3. Restart.       15         6.2. RadioManager.       15         6.2.1. Next.       15         6.2.2. Previous.       26         6.2.3. NextStation       26         6.2.4. PreviousStation       27         6.3. RadioProvider       20         6.3. RadioProvider       20         6.3.1. Next.       20         6.3.2. Previous       20         6.4. Callbacks.       21         6.4.1. Playback start and end.       22         6.4.2. Buffering start, end and time.       22 <td>ᇽ.</td> <td>·</td> <td></td>	ᇽ.	·	
4.2.1. Parameter.       1:         4.3. Multiple radio-stations (RadioSet).       14         4.4. SimplePlayer.       15         4.5. Other components.       16         4.5.1. StreamSaver.       16         4.5.2. SurviveSceneSwitch.       16         4.5.3. Loudspeaker.       16         4.5.4. CrossFader.       16         5. Providers.       17         5.1. How-to create your own text resources.       18         6. API.       19         6.1. Players.       15         6.1. Players.       15         6.1.1. Play.       15         6.1.2. Stop.       15         6.1.3. Restart.       15         6.2. RadioManager.       19         6.2.1. Next.       15         6.2.2. Previous.       20         6.2.3. NextStation.       20         6.2.4. PreviousStation.       20         6.2.5. StopAll.       20         6.3. RadioProvider.       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.4. Callbacks.       21         6.4.1. Playback start and end.       22         6.4.2. Buffering start, end and time.       22			
4.3. Multiple radio-stations (RadioSet).       14         4.4. SimplePlayer.       15         4.5. Other components.       16         4.5.1. StreamSaver.       16         4.5.2. SurviveSceneSwitch.       16         4.5.3. Loudspeaker.       16         4.5.4. CrossFader.       16         5. Providers.       17         5.1. How-to create your own text resources.       18         6. API.       19         6.1. Players.       19         6.1.2. Stop.       15         6.1.2. Stop.       15         6.1.3. Restart.       15         6.2. RadioManager       15         6.2.1. Next.       15         6.2.2. Previous.       20         6.2.3. NextStation.       20         6.2.4. PreviousStation.       20         6.2.5. StopAll.       20         6.3. RadioProvider.       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.4. Callbacks.       21         6.4. Playback start and end.       22         6.4. 2. Buffering start, end and progress.       22         6.4. 2. Buffering start, end and time.       22         6.4. 2. Next record change and dela			
4.4. SimplePlayer.       15         4.5. Other components.       16         4.5.1. StreamSaver.       16         4.5.2. SurviveSceneSwitch.       16         4.5.3. Loudspeaker.       16         4.5.4. CrossFader.       16         5. Providers.       17         5.1. How-to create your own text resources.       18         6. API.       19         6.1. Players.       15         6.1. Play.       15         6.1. Play.       15         6.2. Stop.       15         6.2. RadioManager.       19         6.2. RadioManager.       19         6.2. Previous       20         6.2. Next.       15         6.2. Previous       20         6.2. NextStation.       20         6.2. StopAll.       20         6.3. RadioProvider.       20         6.3. Next.       20         6.3. Previous       20         6.4. Callbacks.       21         6.4. Playback start and end.       22         6.4. Playback start, end and progress.       27         6.4.1 Playback start, end and progress.       27         6.4.2. Buffering start, end and progress.       27 <t< td=""><td></td><td></td><td></td></t<>			
4.5. Other components       16         4.5.1. StreamSaver       16         4.5.2. SurviveSceneSwitch       16         4.5.3. Loudspeaker       16         4.5.4. CrossFader       16         5. Providers       17         5.1. How-to create your own text resources       18         6. API       19         6.1. Players       15         6.1. Players       15         6.1. Play       15         6.1.2. Stop       15         6.1.3. Restart       15         6.2. RadioManager       15         6.2.1. Next       17         6.2.2. Previous       20         6.2.3. NextStation       20         6.2.4. PreviousStation       20         6.2.5. StopAll       20         6.3. RadioProvider       20         6.3.1. Next       20         6.3.2. Previous       20         6.4. Callbacks       21         6.4.1. Playback start and end       22         6.4.2. Buffering start, end and progress       27         6.4.3. Audio start, end and time       22         6.4.5. Next record change and time       22         6.4.5. Next record change and delay       22			
4.5.1. StreamSaver.       16         4.5.2. SurviveSceneSwitch       16         4.5.3. Loudspeaker.       16         4.5.4. CrossFader.       16         5. Providers.       17         5.1. How-to create your own text resources.       18         6. API.       19         6.1. Players.       19         6.1.1. Play.       19         6.1.2. Stop.       15         6.1.3. Restart.       19         6.2. RadioManager.       15         6.2. Revious.       20         6.2.1. Next.       15         6.2.2. Previous.       20         6.2.3. NextStation       20         6.2.5. StopAll.       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.3.3. Next.       20         6.4. Callbacks.       21         6.4.1. Playback start and end.       22         6.4.2. Buffering start, end and progress.       22         6.4.3. Audio start, end and time.       22         6.4.5. Next record change and time.       22         6.4.5. Next record change and delay.       22         6.4.6. Errors.       22         6.4.7. Provider ready.       23 </td <td></td> <td></td> <td></td>			
4.5.2. SurviveSceneSwitch       16         4.5.3. Loudspeaker       16         4.5.4. CrossFader       16         5. Providers       17         5.1. How-to create your own text resources       18         6. API       19         6.1. Players       19         6.1. Play       15         6.1.2. Stop       15         6.1.3. Restart       15         6.2. RadioManager       15         6.2.1. Next       15         6.2.2. Previous       20         6.2.3. NextStation       20         6.2.4. PreviousStation       20         6.2.5. StopAll       20         6.3.1. Next       20         6.3.2. Previous       20         6.4. Callbacks       21         6.4.1. Playback start and end       22         6.4.2. Buffering start, end and time       22         6.4.3. Audio start, end and time       22         6.4.5. Next record change and time       22         6.4.5. Next record change and delay       22         6.4.7. Provider ready       23         6.4.8. Station change       23			
4.5.3. Loudspeaker       16         4.5.4. CrossFader       16         5. Providers.       17         5.1. How-to create your own text resources       18         6. API.       19         6.1. Players.       19         6.1.1. Play.       19         6.1.2. Stop.       15         6.1.3. Restart.       15         6.2. RadioManager       15         6.2.1. Next.       15         6.2.2. Previous       20         6.2.3. NextStation       20         6.2.4. PreviousStation       20         6.2.5. StopAll       20         6.3. RadioProvider       20         6.3.1. Next       20         6.3.2. Previous       20         6.4. Callbacks       21         6.4.1. Playback start and end       22         6.4.2. Buffering start, end and progress       22         6.4.3. Audio start, end and time       22         6.4.5. Next record change and time       22         6.4.5. Next record change and delay       22         6.4.7. Provider ready       23         6.4.8. Station change       23			
4.5.4. CrossFader.       16         5. Providers.       17         5.1. How-to create your own text resources.       18         6. API.       19         6.1. Players.       19         6.1.1. Play.       19         6.1.2. Stop.       15         6.1.3. Restart.       15         6.2. RadioManager.       19         6.2.1. Next.       15         6.2.2. Previous.       20         6.2.3. NextStation.       20         6.2.4. PreviousStation.       20         6.2.5. StopAll.       20         6.3. RadioProvider.       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.4. Callbacks.       21         6.4. Playback start and end.       22         6.4.1. Playback start, end and progress.       22         6.4.2. Buffering start, end and time.       22         6.4.3. Audio start, end and time.       22         6.4.5. Next record change and time.       22         6.4.5. Next record change and delay.       22         6.4.6. Errors.       22         6.4.7. Provider ready.       22         6.4.8. Station change.       23			
5. Providers.       17         5.1. How-to create your own text resources.       18         6. API.       19         6.1. Players.       19         6.1.1. Play       15         6.1.2. Stop.       19         6.1.3. Restart.       19         6.2. RadioManager.       19         6.2.1. Next.       19         6.2.2. Previous.       20         6.2.3. NextStation       20         6.2.4. PreviousStation       20         6.2.5. StopAll       20         6.3. RadioProvider       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.4. Callbacks.       21         6.4.1. Playback start and end.       22         6.4.2. Buffering start, end and progress.       22         6.4.3. Audio start, end and time.       22         6.4.4. Record change and time.       22         6.4.5. Next record change and delay.       22         6.4.7. Provider ready.       22         6.4.8. Station change.       23		·	
5.1. How-to create your own text resources.       18         6. API.       19         6.1. Players.       19         6.1.1. Play.       15         6.1.2. Stop.       19         6.1.3. Restart.       19         6.2. RadioManager.       19         6.2.1. Next.       19         6.2.2. Previous.       20         6.2.3. NextStation.       20         6.2.4. PreviousStation.       20         6.2.5. StopAll.       20         6.3. RadioProvider.       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.4. Callbacks.       21         6.4.1. Playback start and end.       22         6.4.2. Buffering start, end and progress.       22         6.4.3. Audio start, end and time.       22         6.4.5. Next record change and time.       22         6.4.5. Next record change and delay.       22         6.4.6. Errors.       22         6.4.7. Provider ready.       23         6.4.8. Station change.       23	5.		
6. API.       19         6.1. Players       19         6.1.1. Play       19         6.1.2. Stop       15         6.1.3. Restart       15         6.2. RadioManager       15         6.2. Revious       20         6.2.1. Next       15         6.2.2. Previous       20         6.2.3. NextStation       20         6.2.4. PreviousStation       20         6.2.5. StopAll       20         6.3. RadioProvider       20         6.3.1. Next       20         6.3.2. Previous       20         6.4. Callbacks       21         6.4.1. Playback start and end       22         6.4.2. Buffering start, end and progress       22         6.4.3. Audio start, end and time       22         6.4.5. Next record change and time       22         6.4.5. Next record change and delay       22         6.4.6. Errors       22         6.4.7. Provider ready       23         6.4.8. Station change       23			
6.1. Players       19         6.1.1. Play       19         6.1.2. Stop       19         6.1.3. Restart       15         6.2. RadioManager       19         6.2.1. Next       19         6.2.2. Previous       20         6.2.3. NextStation       20         6.2.4. PreviousStation       20         6.2.5. StopAll       20         6.3. RadioProvider       20         6.3.1. Next       20         6.3.2. Previous       20         6.4. Callbacks       21         6.4.1. Playback start and end       2'         6.4.2. Buffering start, end and progress       2'         6.4.3. Audio start, end and time       2'         6.4.4. Record change and time       2'         6.4.5. Next record change and delay       22         6.4.6. Errors       22         6.4.7. Provider ready       23         6.4.8. Station change       23	6.	·	
6.1.1. Play       19         6.1.2. Stop       19         6.1.3. Restart       15         6.2. RadioManager       19         6.2.1. Next       19         6.2.2. Previous       20         6.2.3. NextStation       20         6.2.4. PreviousStation       20         6.2.5. StopAll       20         6.3. RadioProvider       20         6.3.1. Next       20         6.3.2. Previous       20         6.4. Callbacks       21         6.4.1. Playback start and end       2'         6.4.2. Buffering start, end and progress       2'         6.4.3. Audio start, end and time       2'         6.4.4. Record change and time       2'         6.4.5. Next record change and delay       22         6.4.6. Errors       22         6.4.7. Provider ready       23         6.4.8. Station change       23	_		
6.1.2. Stop.       19         6.1.3. Restart.       19         6.2. RadioManager.       19         6.2.1. Next.       19         6.2.2. Previous.       20         6.2.3. NextStation.       20         6.2.4. PreviousStation.       20         6.2.5. StopAll.       20         6.3. RadioProvider.       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.4. Callbacks.       21         6.4.1. Playback start and end.       22         6.4.2. Buffering start, end and progress.       22         6.4.3. Audio start, end and time.       22         6.4.4. Record change and time.       22         6.4.5. Next record change and delay.       22         6.4.6. Errors.       22         6.4.7. Provider ready.       23         6.4.8. Station change.       23			
6.2. RadioManager.       19         6.2.1. Next.       19         6.2.2. Previous.       20         6.2.3. NextStation       20         6.2.4. PreviousStation.       20         6.2.5. StopAll.       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.4. Callbacks.       21         6.4.1. Playback start and end.       22         6.4.2. Buffering start, end and progress.       22         6.4.3. Audio start, end and time       22         6.4.4. Record change and time       22         6.4.5. Next record change and delay       22         6.4.6. Errors.       22         6.4.7. Provider ready.       23         6.4.8. Station change.       23		·	
6.2.1. Next       19         6.2.2. Previous       20         6.2.3. NextStation       20         6.2.4. PreviousStation       20         6.2.5. StopAll       20         6.3. RadioProvider       20         6.3.1. Next       20         6.3.2. Previous       20         6.4. Callbacks       21         6.4.1. Playback start and end       22         6.4.2. Buffering start, end and progress       22         6.4.3. Audio start, end and time       22         6.4.4. Record change and time       22         6.4.5. Next record change and delay       22         6.4.6. Errors       22         6.4.7. Provider ready       23         6.4.8. Station change       23		6.1.3. Restart	19
6.2.2. Previous.       20         6.2.3. NextStation.       20         6.2.4. PreviousStation.       20         6.2.5. StopAll.       20         6.3. RadioProvider.       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.4. Callbacks.       21         6.4.1. Playback start and end.       22         6.4.2. Buffering start, end and progress.       22         6.4.3. Audio start, end and time.       22         6.4.4. Record change and time.       22         6.4.5. Next record change and delay.       22         6.4.6. Errors.       22         6.4.7. Provider ready.       23         6.4.8. Station change.       23		6.2. RadioManager	19
6.2.3. NextStation.       20         6.2.4. PreviousStation.       20         6.2.5. StopAll.       20         6.3. RadioProvider.       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.4. Callbacks.       21         6.4.1. Playback start and end.       22         6.4.2. Buffering start, end and progress       22         6.4.3. Audio start, end and time.       22         6.4.4. Record change and time.       22         6.4.5. Next record change and delay.       22         6.4.6. Errors.       22         6.4.7. Provider ready.       23         6.4.8. Station change.       23		6.2.1. Next	19
6.2.4. PreviousStation       20         6.2.5. StopAll       20         6.3. RadioProvider       20         6.3.1. Next       20         6.3.2. Previous       20         6.4. Callbacks       21         6.4.1. Playback start and end       22         6.4.2. Buffering start, end and progress       22         6.4.3. Audio start, end and time       22         6.4.4. Record change and time       22         6.4.5. Next record change and delay       22         6.4.6. Errors       22         6.4.7. Provider ready       23         6.4.8. Station change       23			
6.2.5. StopAll       20         6.3. RadioProvider       20         6.3.1. Next       20         6.3.2. Previous       20         6.4. Callbacks       21         6.4.1. Playback start and end       27         6.4.2. Buffering start, end and progress       27         6.4.3. Audio start, end and time       27         6.4.4. Record change and time       22         6.4.5. Next record change and delay       22         6.4.6. Errors       22         6.4.7. Provider ready       23         6.4.8. Station change       23			
6.3. RadioProvider.       20         6.3.1. Next.       20         6.3.2. Previous.       20         6.4. Callbacks.       21         6.4.1. Playback start and end.       27         6.4.2. Buffering start, end and progress.       27         6.4.3. Audio start, end and time.       27         6.4.4. Record change and time.       22         6.4.5. Next record change and delay.       22         6.4.6. Errors.       22         6.4.7. Provider ready.       23         6.4.8. Station change.       23			
6.3.1. Next.       20         6.3.2. Previous.       20         6.4. Callbacks.       21         6.4.1. Playback start and end.       2′         6.4.2. Buffering start, end and progress.       2′         6.4.3. Audio start, end and time.       2′         6.4.4. Record change and time.       22         6.4.5. Next record change and delay.       22         6.4.6. Errors.       22         6.4.7. Provider ready.       23         6.4.8. Station change.       23		·	
6.3.2. Previous.       20         6.4. Callbacks.       21         6.4.1. Playback start and end.       2'         6.4.2. Buffering start, end and progress.       2'         6.4.3. Audio start, end and time.       2'         6.4.4. Record change and time.       22         6.4.5. Next record change and delay.       22         6.4.6. Errors.       22         6.4.7. Provider ready.       23         6.4.8. Station change.       23			
6.4. Callbacks       21         6.4.1. Playback start and end       27         6.4.2. Buffering start, end and progress       27         6.4.3. Audio start, end and time       27         6.4.4. Record change and time       22         6.4.5. Next record change and delay       22         6.4.6. Errors       22         6.4.7. Provider ready       23         6.4.8. Station change       23			
6.4.1. Playback start and end			
6.4.2. Buffering start, end and progress       2'         6.4.3. Audio start, end and time       2'         6.4.4. Record change and time       22         6.4.5. Next record change and delay       22         6.4.6. Errors       22         6.4.7. Provider ready       23         6.4.8. Station change       23			
6.4.3. Audio start, end and time.       27         6.4.4. Record change and time.       22         6.4.5. Next record change and delay.       22         6.4.6. Errors.       22         6.4.7. Provider ready.       23         6.4.8. Station change.       23			
6.4.4. Record change and time			
6.4.5. Next record change and delay.       22         6.4.6. Errors.       22         6.4.7. Provider ready.       23         6.4.8. Station change.       23		·	
6.4.7. Provider ready.236.4.8. Station change.23			
6.4.8. Station change23			
		•	
6.4.9. Example		<u> </u>	
		b.4.9. Example	24

6.5. Complete API	24
7. Third-party support (PlayMaker etc.)	
8. Verify installation	
9. Upgrade to new version	
10. OnRadio	
10.1. Step 1	
10.2. Step 2	
10.3. Step 3	
11. Legal	
11.1. USA	
11.2. UK	
11.3. Germany	
11.4. France	
11.5. Netherlands	
11.6. South Africa	
11.7. Canada	28
11.8. General note	
12. Problems, improvements etc	28
13. Release notes	
14. Credits	
15. Contact and further information	
16. Our other assets	
10. 001 00101 000000	

### Thank you for buying our asset "Radio PRO"!

If you have any questions about this asset, send us an email at <a href="mailto:radio@crosstales.com">radio@crosstales.com</a>. Please don't forget to rate it or write a little review – it would be very much appreciated.

#### 1. Overview

Have you ever wanted to implement **radio stations** but don't want (or can't) pay an horrendous amount of money?

Whenever you like to provide good **sound** from **famous artists** for your games or apps, tune in on one of the uncountable **Internet MP3** and **OGG radio stations** available for **free**.

Thanks to this asset, it is now possible for all Unity developers to listen to high quality sound **without additional charges**.

Alternatively **receive music** streams from your **own server** (e.g. Icecast, VLC Server etc.).

We also implemented a unique **sound visualizer** in the demo scene, which you can modify to your liking.

Our asset "Radio" **receives** all Internet MP3 and OGG radio stations. This is important to know for legal purposes, on which we will inform you later on.

### 2. Features

# 2.1. Radio stations

• Thousands of internet radio stations: test the demo with your favourite channels

- Receive music from your own server (e.g. Icecast, VLC server etc.)
- Performance: very low impact on performance
- **No limits**: does survive changing scenes! The music is not interrupted even during load operations.
- Good start: c more than 500 high-quality radio stations
- MP3 & OGG: Works with any MP3 and OGG settings (e.g. bit rate 32-500kbit/s)
- Read the lyrics of the current track
- Open Spotify with the current track
- Information about the current and upcoming track (title, artist)
- Details like downloaded data, total play time and requests
- History of all played tracks per station
- Save the songs of a station as WAV files
- Tune into **multiple stations** at the same time (and blend between stations)

# 2.2. Flexible & expandable

- Support for loading and saving of user-managed lists
- Configurable via Shoutcast ID, PLS, M3U, XSPF and text files (external / local)
- Easy adaptation and extension opportunities for existing radio stations
- Pre-configured radio station providers for **resources**, **files** and **URLs**. Deliver the radios your way or implement your **own provider** (e.g. for XML, JSON).
- Reads and saves M3U, PLS and XSPF files

#### 2.3. Filter & order

Filter and order (ascending/descending) the radio stations by:

- Name
- URL
- Format
- Station URL
- Bitrate
- Genres
- Rating
- City
- Country
- Language

# 2.4. OnRadio integration

Access the full OnRadio API of the following services:

- Playlist (matching songs/stations for a query)
- Reco2 (matching or similar songs for a given artist)
- Topsongs (top songs of a genre)
- Station
- DARStation (details of the current station)
- SongArt (icon of the current song)

#### Query the songs/stations by:

- Artist
- Title
- Callsign (Name)
- Genre
- City
- Country
- Language

#### 2.5. Documentation & control

- Test all radio stations inside the editor
- Powerful API for maximum control
- Detailed **demo scenes**
- Comprehensive documentation and support
- Full **source code** (including libraries)

# 2.6. Compatibility

- Supports all build platforms (except WebGL and WSA)
- Works with Windows, Mac and Linux editors
- Compatible with Unity 2018.4 2021.1
- Supports AR and VR
- C# delegates and Unity events
- · Works with Online Check
- <u>PlayMaker</u> actions!

# 2.7. Integrations

- <u>Audio Visualizer</u>
- Complete Sound Suite
- <u>PlayMaker</u>
- <u>Visualizer Studio</u>
- Apollo Visualizer Kit
- Rhythm Visualizator
- Volumetric Audio


### 3. Demonstration

The asset comes with many demo scenes to show the main usage.

**Note**: The already existing ratings for the stations are based upon our personal taste, please feel free to adjust them to your liking.


# 3.1. PlayStations

Play radio stations with next and previous.




### 3.2. StationList

We included/linked over 500 existing radio-stations. Use it to order, rate and play stations.



# 3.3. PlayOwnStation

This demo scene shows how to play your own radio station.



# 3.4. 3DAudio

This scene demonstrates 3D positioned audio with 4 different RadioPlayers. Needs the <u>Unity Standard Assets</u>-package.

# 3.5. Loudspeaker


This scene demonstrates 3D positioned audio with one origin RadioPlayer and 4 Loudspeakers.

Needs the **Unity Standard Assets**-package.

# 4. Setup


"Radio PRO" has global settings under "Edit\Preferences..." and under "Tools\Radio PRO\

Configuration...":



### 4.1. Schema


The following graphic explains the relationships between all relevant components:




# 4.2. Single radio-station (RadioPlayer)

There are four ways to use a single radio-station:

- Add the prefab RadioPlayer from Assets/Plugins/crosstales/Radio/Resources/Prefabs to the scene
- 2. Or go to Tools => Radio PRO=> Prefabs => RadioPlayer
- 3. Right-click in the hierarchy-window => Radio PRO => RadioPlayer
- 4. Add it from the Prefabs-tab:





# 4.2.1. Parameter


The following table will explain every parameter in detail:

Parameter	Description
Name	Name of the radio station.
Url	Streaming-URL of the station.
Station	Name of the station.
Genre	Genres of the radio.
Rating	The rating of the radio.
Description	Description for the radio station.
Icon	Icon for the radio station.
Format	Audio format of the stream (MP3 or OGG)
Bitrate	Bitrate in kbit/s.
Chunk Size	Size of the streaming-chunk in kilo-bytes.
Buffer Size	Size of the local buffer in kilo-bytes.
Play On Start	Play the radio on start on/off.
Cache Stream Size	Size of the cache stream in kilo-bytes KB (added to the buffer size).

# 4.3. Multiple radio-stations (RadioSet)

The "RadioSet" can be added in the same way as "RadioPlayer".

Standard-setup:




The important part is the "Providers". There you can add your own "Resource" containing all radios you want to provide with your game or application. You can easily implement your own **provider** (e.g. for XML, JSON) by sub-classing "RadioProvider.cs"!

You can modify the existing radio-stations as you like (edit, add or remove).

# 4.4. SimplePlayer

The "SimplePlayer" can be added in the same way as "RadioPlayer".

It connects a "RadioPlayer" and "RadioSet" and offers functions like "play next station" etc.



## 4.5. Other components

The other components can be added in the same way as "RadioPlayer"

#### 4.5.1. StreamSaver

Allows to save songs from a station as WAV files.

### 4.5.2. SurviveSceneSwitch

Allows any Unity gameobject to survive a scene switch. This is especially useful to keep the music playing while loading a new scene.

### 4.5.3. Loudspeaker

This is useful to use the same player on multiple locations in the game.

#### 4.5.4. CrossFader

Allows to fade between two players.

# 5. Providers


Providers are a collection of radio stations. The main benefit is the extensibility of this concept – we deliver different providers for:

- 1. Unity resources (RadioProviderResource)
- 2. Accessing files on the local machine (RadioProviderURL)
- 3. Accessing files on a web server (RadioProviderURL)
- 4. Accessing stations via Shoutcast-ID ( (RadioProviderShoutcast)
- 5. Load and save of user-based files (RadioProviderUser)

You can easily extend the base classes and build whatever you like (e.g. a provider to access data from XML or JSON).

The providers support text files, M3U, PLS and plain stream URLs.

Providers are used by the "RadioSet":



## 5.1. How-to create your own text resources

A resource must be a text file (typically with the extension "txt"). Every station is a new line inside this file and the format is like that ([] indicates **optional** parameters):

```
Name;Url;DataFormat;AudioFormat;[Station (optional);Genres (optional);Bitrate (in kbit/s, optional);Rating (0-5, optional);Description (optional);ExcludeCodec (optional);ChunkSize (in KB, optional);BufferSize (in KB, optional)]
```

A typical entry looks like that:

```
my radio;http://myradio.fm;stream;mp3;http://myradio.fm;hits;128;3
#disabled;http://someradio.fm;stream;ogg;http://someradio.fm;pop;128;4
```

The file can contain *any number* of radio stations. The hash-sign (#) is used to comment lines.

### 6. API

The asset contains various classes and methods. The most important ones are explained here.

Make sure to **include** the **name space** in the relevant source files:

using Crosstales.Radio;

# 6.1. Players

These are important methods for the different players (RadioPlayer and SimplePlayer).

### 6.1.1. Play

void Play()

Plays the radio-station.

#### 6.1.2. Stop

void Stop()

Stops the playback of the radio-station.

#### 6.1.3. Restart

void Restart()

Restarts the playback of the radio-station.

# 6.2. RadioManager

#### 6.2.1. Next

RadioPlayer Next(bool random = false, bool stopAll = true, bool playImmediately = true)

Next (normal/random) radio from this manager.

#### 6.2.2. Previous

RadioPlayer Previous(bool random = false, bool stopAll = true, bool playImmediately = true)

Previous (normal/random) radio from this manager.

#### 6.2.3. NextStation

RadioStation NextStation(bool random = false)

Previous (normal/random) radio station from this manager.

#### 6.2.4. Previous Station

RadioStation PreviousStation(bool random = false)

Previous (normal/random) radio station from this manager.

#### 6.2.5. StopAll

void StopAll()

Stops the playback of all radio-stations.

# 6.3. RadioProvider

#### 6.3.1. Next

RadioStation Next(bool random = false)

Previous (normal/random) radio station from this manager.

#### 6.3.2. Previous

RadioStation Previous(bool random = false)

Previous (normal/random) radio station from this manager.

### 6.4. Callbacks

There are various callbacks available. Subscribe them in the "Start"-method and unsubscribe in "OnDestroy".

#### 6.4.1. Playback start and end

```
PlaybackStart(RadioStation station);
PlaybackStart OnPlaybackStart;
```

Triggered whenever the playback starts.

```
PlaybackEnd(RadioStation station);
PlaybackEnd OnPlaybackEnd;
```

Triggered whenever the playback ends.

### 6.4.2. Buffering start, end and progress

BufferingStart(RadioStation station);
BufferingStart OnBufferingStart;

Triggered whenever the buffering starts.

```
BufferingEnd(RadioStation station);
BufferingEnd OnBufferingEnd;
```

Triggered whenever the buffering ends.

```
BufferingProgressUpdate(RadioStation station, float progress);
BufferingProgressUpdate OnBufferingProgressUpdate;
```

Triggered whenever the buffering progress changes.

#### 6.4.3. Audio start, end and time

```
AudioStart(RadioStation station);
AudioStart OnAudioStart;
```

Triggered whenever the audio starts.

AudioEnd(RadioStation station);

AudioEnd OnAudioEnd;

Triggered whenever the audio ends.

AudioPlayTimeUpdate(RadioStation station, float playtime); AudioPlayTimeUpdate **OnAudioPlayTimeUpdate**;

Triggered whenever the audio playtime changes.

### 6.4.4. Record change and time

RecordChange(RadioStation station, RecordInfo newRecord)
RecordChange OnRecordChange;

Triggered whenever an audio record changes.

RecordPlayTimeUpdate(RadioStation station, RecordInfo record, float playtime);
RecordPlayTimeUpdate OnRecordPlayTimeUpdate;

Triggered whenever the audio record playtime changes.

#### 6.4.5. Next record change and delay

NextRecordChange(RadioStation station, RecordInfo nextRecord)
NextRecordChange OnNextRecordChange;

Triggered whenever the next record information is available.

NextRecordDelayUpdate(RadioStation station, RecordInfo nextRecord, float delay) NextRecordDelayUpdate OnNextRecordDelayUpdate;

Triggered whenever the next record delay time changes.

### 6.4.6. Errors

ErrorInfo(Model.RadioStation station, string info);
ErrorInfo OnErrorInfo;

Triggered whenever an error occurs.

# 6.4.7. Provider ready

Callback for RadioSet, RadioManager and SimplePlayer.

ProviderReady();

ProviderReady OnProviderReady;

Triggered whenever all providers are ready.

# 6.4.8. Station change

Callback for SimplePlayer.

StationChange(RadioStation newStation);

StationChange OnStationChange;

Triggered whenever an radio station changes.

#### 6.4.9. Example

```
void OnEnable() {
 // Subscribe event listeners
 Radio.OnPlaybackStart += playBackStart;
 Radio.OnPlaybackEnd += playBackEnd;
 Radio.OnAudioPlayTimeUpdate += audioPlayTime;
 Radio.OnBufferingProgressUpdate += bufferingProgress;
}
void OnDisable() {
 // Unsubscribe event listeners
 Radio.OnPlaybackStart -= playBackStart;
 Radio.OnPlaybackEnd -= playBackEnd;
 Radio.OnAudioPlayTimeUpdate -= audioPlayTime;
 Radio.OnBufferingProgressUpdate -= bufferingProgress;
}
private void playBackStart(RadioStation station) {
Debug.Log("Playback started");
}
private void playBackEnd(RadioStation station) {
Debug.Log("Playback ended");
}
private void audioPlayTime(RadioStation station, float playtime) {
Debug.Log("Playtime: " + Helper.FormatSecondsToHourMinSec(playtime));
}
private void bufferingProgress(RadioStation station, float progress) {
 Debug.Log("Buffer: " + progress.ToString("0%"));
}
```

# 6.5. Complete API

Please read the Radio-api.pdf for more details.

# 7. Third-party support (PlayMaker etc.)

"Radio PRO" supports various assets from other publishers. Please import the desired packages from the "Assets/Plugins/crosstales/Radio /3rd party"-folder.

# 8. Verify installation

Check if Radio is installed:

# 9. Upgrade to new version

Follow this steps to upgrade the version of "Radio PRO":

- 1. Update "Radio PRO" to the latest version from the "Unity AssetStore"
- 2. Inside the project in Unity, go to menu "File" => "New Scene"
- 3. Delete the "Assets/Plugins/crosstales/Radio" folder from the Project-view
- 4. Import the latest version downloaded from the "Unity AssetStore"

### 10. OnRadio

OnRad.io has a massive radio station search engine that plugs into Radio PRO providing a wide array of audio to enrich any game play.

There's an infinite way to play music by artist, song title, genres or stations that provide players great audio satisfaction.

OnRad.io is an annual service that maintains a list of 100'000 radio stations that are constantly changing.

As an OnRad.io customer you can rely on our meticulously maintained station list and a unique search engine that allows for searching by song or artist as the songs are played on radio.

All customers receive a unique partner token then will allow for queries that can look up song or station data and get streaming URLs so those stations can be played inside any Unity app using Radio PRO.

There are 3 price tiers for the OnRad.io for Radio PRO based on the number of DAILY API queries desired. To enable OnRad.io service follow these steps:

# 10.1. Step 1

Purchase the desired OnRad.io tier from https://dar.fm/upgrade.php#radiopro

Pro Bronze: \$99.95/year - 10'000 daily API queries (special Radio PRO price \$79.95)

Pro Plus: \$139.95/year - 50'000 daily API queries

Pro Platinum: \$299.95/year - 250'000 daily API queries

#### 10.2. Step 2

Email sales@dar.fm with your receipt number requesting a partner token for Radio PRO.

#### 10.3. Step 3

Insert the partner token received in Step 2 into Radio PRO to enable full access to OnRad.io.

# 11. Legal

Since music copyright is a big issue, we decided to look up on eventual legal ramifications our "Radio" could cause.

According to the GT2b (Gemeinsamer Tarif 2b 2014-2021: Entschädigung für das Weitersenden von Radio- und Fernsehprogrammen und der darin enthaltenen Werke und Leistungen über IP-basierte Netze auf mobile Endgeräte oder auf PC-Bildschirme) which was approved by the "Eidgenössische Schiedskommission für die Verwendung von Urheberrechten und verwandten Schutzrechten" in 2013, it is perfectly legal to receive Internet radio stations, as long as you don't send anything. Since our "Radio" asset functions only as a receiver, it is legal to use it (at least here in Switzerland).

The various internet Radio stations pay copyright bills, they are the ones sending the music. Again, since "Radio" does **NOT SEND** any music but just **RECEIVES** it (including commercials of the various stations), there are no legal ramifications. It's just like listening to Radio stations the "old school" way.

If you are unsure about the legal practices in your country, check up with the music licensing body of your country.

Again: the legal status discussed above is from **Switzerland**, we don't know every country's laws regarding this issue.

The following links to music licensing bodies may be of help:

#### 11.1. USA

www.loudcity.net

www.swcast.com

www.bmi.com

www.ascap.com

www.soundexchange.com

#### 11.2. UK

www.ppluk.com

www.mcps-prs-alliance.co.uk

# 11.3. Germany

www.gema.de

www.gvl.de

#### 11.4. France

www.sacem.fr

#### 11.5. Netherlands

www.bumastemra.nl

#### 11.6. South Africa

www.samro.org.za

#### 11.7. Canada

www.cmrra.ca

#### 11.8. General note

We included the various stations in the demo scenes mainly to show that it works technically and also for fun (we like music and it was interesting to find all these different radio stations).

If you plan on including stations in a game that you release on a commercial basis, we **strongly recommend** that you **contact** the **stations** you want to use yourself.

# 12. Problems, improvements etc.

If you encounter any problems with this asset, just <u>send us an email</u> with a problem description and the invoice number and we will try to solve it.

We will try and make a version for all platforms as well, please bear with us.

# 13. Release notes

See "VERSIONS.txt" under "Assets/Plugins/crosstales/Radio/Documentation" or online: <a href="https://crosstales.com/media/data/assets/radio/VERSIONS.txt">https://crosstales.com/media/data/assets/radio/VERSIONS.txt</a>

# 14. Credits

"Radio PRO" uses modified versions of:

- NAudio 1.7.2
- NLayer 1.1.0
- NVorbis 0.8.4
- UDE

The included radio-stations are mainly provided by:

- <u>1.fm</u>
- SomaFM.com
- Energy

The search is provided by **Spotify**.

The lyrics are provided by AZLyrics.

The querying and art APIs are provided by OnRadio.

We aren't affiliated to those companies.

The icons are based on Font Awesome.

# 15. Contact and further information

crosstales LLC

Schanzeneggstrasse 1

CH-8002 Zürich

Homepage: <a href="https://www.crosstales.com/en/portfolio/radio/">https://www.crosstales.com/en/portfolio/radio/</a>

Email: <a href="mailto:radio@crosstales.com">radio@crosstales.com</a>

AssetStore: https://assetstore.unity.com/lists/crosstales-42213

Forum: <a href="https://forum.unity3d.com/threads/radio-mp3-and-oqq-streaming-">https://forum.unity3d.com/threads/radio-mp3-and-oqq-streaming-</a>

solution.334604/

Documentation: <a href="https://www.crosstales.com/media/data/assets/radio/Radio-doc.pdf">https://www.crosstales.com/media/data/assets/radio/Radio-doc.pdf</a>

API: <a href="https://www.crosstales.com/en/assets/radio/api">https://www.crosstales.com/en/assets/radio/api</a>

Windows-Demo: <a href="https://drive.google.com/file/d/">https://drive.google.com/file/d/</a>

1uvfqDe2dWVGiVjaBqP2mwUvXqZUFIPQP/view?usp=sharing

Mac-Demo: <a href="https://drive.google.com/file/d/1v0-">https://drive.google.com/file/d/1v0-</a>

KA2XikOcat35destgOn8qwoe3xyKS/view?usp=sharing

Linux-Demo: <a href="https://drive.google.com/file/d/">https://drive.google.com/file/d/</a>

1v5VMKx1VrobPtxzRmWuL14yGrpyVreyi/view?usp=sharing

Android-Demo: <a href="https://drive.google.com/file/d/">https://drive.google.com/file/d/</a>

1vA4cTErI7N33djUpw9zeHBso4wR\_OqvX/view?usp=sharing

# 16. Our other assets

3D Skybox PRO  3D Skybox	Those beautiful packages contain professional 8k, HDR, stereoscopic 360° real-world skyboxes for your projects.
Bad Word Filter	The "Bad Word Filter" (aka profanity or obscenity filter) is exactly what the title suggests: a tool to filter swearwords and other "bad sentences".
DJ	DJ is a player for external music-files. It allows a user to play his own sound inside any Unity-app. It can also read ID3-tags.
File Browser	File Browser is a wrapper for native file dialogs on Windows, macOS, Linux and UWP (WSA).
Online Check	You need a reliable solution to check for <b>Internet</b> availability?  Here it is!
RT-Voice	RT-Voice uses the computer's (already implemented) TTS (text-to-speech) voices to turn the written lines into speech and dialogue at run-time! Therefore, all text in your game/app can be spoken out loud to the player.
True Random	True Random can generate "true random" numbers for you and your application. The randomness comes from atmospheric noise, which for many purposes is better than the pseudo-random number algorithms typically used in computer programs.
Turbo Backup	Turbo Backup is the fastest and safest way to backup your Unity project. It only stores the difference between the last backup, this makes it incredible fast.
Turbo Builder	Turbo Builder creates builds for multiple platforms in one click. It works together with <u>Turbo Switch</u> to offer an incredible fast build pipeline.



Turbo Switch is a Unity editor extension to reduce the time for assets to import during platform switches.

We measured speed improvements up to 100x faster than the built-in switch in Unity.