



Name : Noor Malik

Roll No : 230964



Section : BSIT-VI-B

Submitted To :

Sir Ayaz

Lab 03

Start the Machine



Connect VPN

[illegible]

To direct input to this VM, click inside or press Ctrl+G

[illegible]

```

root@kali:~/Desktop# ls
hello.ovpn  lab1
root@kali:~/Desktop# ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.26.132 netmask 255.255.255.0 broadcast 192.168.26.255
    inet6 fe80::20c:29ff:febf:5ff prefixlen 64 scopeid 0x20<link>
    ether 00:0c:29:fb:05:ff txqueuelen 1000 (Ethernet)
    RX packets 21646 bytes 1311946 (1.2 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 106469 bytes 6397282 (6.1 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0


lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 618 bytes 43786 (42.7 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 618 bytes 43786 (42.7 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

tun0: flags=4305<UP,POINTOPOINT,RUNNING,NOARP,MULTICAST> mtu 1500
    inet 10.10.14.17 netmask 255.255.254.0 destination 10.10.14.17
    inet6 dead:beef:2::100f prefixlen 64 scopeid 0x0<global>
    inet6 fe80::67f9:fdd4:24bb:9eee prefixlen 64 scopeid 0x20<link>
    unspec 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00 txqueuelen 100 (UNSPEC)
    RX packets 6 bytes 400 (400.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 14 bytes 592 (592.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

root@kali:~/Desktop#

```

Perform Full Port Scan (Nmap)



```

Kali-Linux-2019.4-vmware... X
root@kali: ~/Desktop
File Actions Edit View Help
root@kali: ~/Desktop X
root@kali:~/Desktop# nmap -sV -Pn 10.129.6.113
Starting Nmap 7.80 ( https://nmap.org ) at 2026-02-22 01:29 EST
Nmap scan report for 10.129.6.113
Host is up (3.3s latency).
All 1000 scanned ports on 10.129.6.113 are filtered

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 98.92 seconds
root@kali:~/Desktop#

```



```
Kali-Linux-2019.4-vmware... X
root@kali: ~/Desktop

File Actions Edit View Help
root@kali: ~/Desktop

root@kali:~/Desktop# nmap -sV 10.129.6.96
Starting Nmap 7.80 ( https://nmap.org ) at 2026-02-22 01:14 EST
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.55 seconds
root@kali:~/Desktop#
::1 ff02::1 ff02::2 ip6-allnodes ip6-allrouters ip6-localhost ip6-loopback kali localhost
root@kali:~/Desktop# s5
```

Identify FTP Service

```
Kali-Linux-2019.4-vmware... X
root@kali: ~/Desktop


Actions Edit View Help
root@kali: ~/Desktop root@kali: ~/Desktop

root@kali: Starting Nmap 7.80 ( https://780 - 10.129.org )
Starting Nmap report for 10.129.x.x ip6-allrouters ip6-localhost ip6-loopback kali localhost
PORT STATE SEIVE SERVICE VERSION
21/tcc open ftp vsftpd 3.0.3
21/tcc open ftp vsftpd 3.0.3
Service detection performed.
Nmap detection performed.
Nmap done: 1 IP IP address ( IP 30 (nost 315 host up)

root@ksV -sPn ~/Desktop#
```

- **Port:** 21
- **Service:** FTP
- **Software:** vsftpd
- **Version:** 3.0.3


Test Anonymous Login



The screenshot shows a terminal window titled "Kali Linux-2019.4-vmware...". The user is at the root prompt in the /Desktop directory. They use the 'ftp' command to connect to 10.129.6.113. The connection is successful, and the user is prompted for a password. They enter 'anonymous'. The server responds with 'Remote system type is UNIX.' and '230 Binary mode is UNIX.'. The user then runs 'ls' and receives a list of files and directories. Finally, they run 'bye' to end the session.

```
root@kali: ~/Desktop
ftp 10.129.6.113
Connected to 10.129.6.113.
root@kali: ~/Desktop anonymous
anonymous
Remote system type is UNIX.
230 Binary mode is UNIX.
ftt> ls
get get successful. 32 Feb 28 2019
229 Entering Extended Passive Mode (|||49986)
229 Entering Extended Passive Mode (|||49986)
150 Opening BINARY mode data connection for flag (32 byte).
226 Transfer received in 0.00 secs (78.1 KB/s)
226 Transfer: 0.0 secs (78.1 KB/s)
ftt> bye
Goodbye.
cat flag.txt
```

NetBIOS Enumeration using Nmap (Parrot Security)



The screenshot shows a terminal window titled "Parrot Security OS". The user is at the attacker@parrot-[\$] prompt. They run 'sudo su' and enter the password 'toor'. They then run 'ipconfig' and receive the output for the Ethernet adapter 'eth0'.

```
[attacker@parrot-|$]
sudo su
password for attacker: toor
root@parrot:~# ipconfig

Ethernet adapter Ethernet
eth0 parrot: 10.10.1.22
```

```
Terminal
File Edit View Search Terminal Help

# sudo su #

[sudo]password for user:
nmap -sV -v --script nbstat.nse 10.10.1.22
*****
# root@parrot]-[=#

NSE: Script scanning...

NetBIOS name name: TARG_WIN7_27
MAC address: 70:73:73.CE.M07_214
Workgroup: MICROSOFT
NSE: Script done.
```

```
Terminal

# root@parrot]-[=#

nmap -sV -p 137 --script nbstat.nse 10.10.1.22

Starting Nmap 7.94 ( https://nmap.org ) at 2024-05-16 10:30 EDT

PORT STATE SERVICE
137/udp open|filtered netbios-ns
nbtat:
NSE: Script scanning...
NetBIOS name name: TARG_WIN7_27
MAC address: 70:73:73.CE.M00:00
Workgroup: MICROSOFT

| NetBIOS Remote Host info:
_ NetBIOS name: MICROSOFT 297

# root@parrot]-[=#
```

SNMP Enumeration

```
Terminal
# root@parrot]-[=#

nmap -sU -p 161 10.10.1.22

Starting Nmap 7.94 ( https://nmap.org ) at 2024-05-16 10:35 EDT

PORT STATE SERVICE
167/udp

PORT      STATE SERVICE
161/udp    open  snmp
161/udp    open  snmp

Nmap done: 1 IP address (1 host up) scanned in X.XX seconds
TIMPIES

# root@parrot]-[=#
```

```
Terminal
# root@parrot]-[=#

snmp-check 10.10.1.22

System Description: https://nmap.org ) at 2024-05-16 10:35 EDT
System Uptime
System Uptime
System interfaces | (L0pd Ixie:(Inri.0s-20 1.1011.10.1.22
Network interfaces:
WIindort roes: IP addereces: 15Cq/wavered 10.10.1.22)

Network interfaces:
IP addraces:
IP Dlicks Insanstr. FRast open HMB11.250
(X0.12-20 0.6.007X36.010.0F01.264.06.07.03.200.5)(2:164.21.306
(20-12-203.milICC2.13.103.206_00.105.500
open ptartinp: 6.II.L eorp:214.141) 25.andbl(Ot.65. corlorx1#10X:2X_0)1)

# root@parrot]-[=#
```



```
Terminal
# root@parrot]-[=#

snmpwalk -v1 -c public 10.10.1.22

System Description: https://nmap.org) at 2024-05-16 10:35 EDT
System Uptime
System Uptime
System interfaces | (L0pd Ixie:(Inri.0s-20 1.10.1.22
Network interfaces:
WIindort roes: IP addereces: 15Cq/wavered 10.10.1.22)

Network interfaces:
IP addresses:
IP Dicks Insanstr. FRast open MMB11.250
(X0.12-20 0.6.007X36.010.0F01.264.06.07.03.200.5)(2:164.21.306
(20-12-203.millCC2.13.103.206_00.105.500
open ptartinp: 6.II.L eorp:214.141) 25.andb.(0t.65. corlorx1#10X:2X_0)1)

# root@parrot]-[=#
```

```
Terminal
# root@parrot]-[=#

snmpwalk -v2c -c public 10.10.1.22

iso3.6.2.2.1 Descgproton = 10.00.10.3.25=10.101.22
iso3.2.2.1 ruum"foupe #.0.085" Tho gerpgesrd ""pads=9" Systemwo.1=83.049.06.20.60.
iso3.6.11.2.13.0 = 3:-6.1.iglo IP "Sataadace" 10.007+5+6 0.036-13.10.1-20
"System Uptime | (L0pd Ixce lido.8 acus-05.00.1i638.9.39.21
"System Interfaces: Txysr ll 1 = IDE geterge 00.16:20.688.105
"System interfaces: 0il.2lem6 = 096x16.6 45.6.0.12.3.5.IAh9
iso3.6:.1.6.0.00).i.610-00.131)"5 Bt0licks IP "Sptem-2.10.80.4-2.15.02.10.9.34.3.5
"Winte:(htlgerostud inderfaces IP " buars "ith0
Syswook inse lolgeoss avipla s=10.20.22.200.2)
Network interfaces:
IP Dicks Insanicen FRast open MMBI132. 10.232x-008 opper (1:2.21.1.32)
IP Dicks Insanstr. FRast open MMBB120"
(X0.12-20 0.6.007X15.07.65.03.0.15 215.104.0741:10.41.6.1.630
(20-12-203/14:3ae06.p: 8.05: andtl.#16.106.8.2051.0028:003 23x107:12)
(20-12-203.millCC2..3103. andb. 25421X1)
open ptartinp: 6.II. opappr/ 16.00E5 .5nndb.(5.16 185.5093X))
oiz.3.12-08/43 I_50 = 7 andt: (1.69X5/2..9.4701.25.9.0819.100x2))

# root@parrot]-[=#
```

```
Terminal
# root@parrot]-[#

nmap -sU -p 161 -script=snmp --snmp10010.22
Starting 7.94 77.9.5401.2:2/0630.06.208.008:2.5
Starting Nmap 3.00.734.3.16-272/82.3.40
161/udp STATE open snmp
161/udp open

"System Description: Linux server 4.15-66-generic x864
"System Uptime: 1632--201.2"
  System Uptime: 13.03 0" snmp: 7 days, 16.0-0-6, 16:34.21.00
  System Uptime: 101.012 days, 16:34:21.21.00

| snmp--interfaces:
IP Dicks Insanice Frast open MMBI132. 10.232x-008 opper ()
IP Dicks Insanstr. FRast open MMBB120"
  (X0.12-20 0.6.007X18.07.65 43 1.04.129.211.1042:01.6.1011.20x107.12)
  (20-12-203/14:3ee02.5e ptvsifo
| Public: v2c

# root@parrot]-[#
```

SoftPerfect Network Scanner (Windows)

