



Name: Amna Noor

Roll No: 22I-1529)

Section: S.E-5F

Subject: SQE

Assignment # 2

Submitted To : Dr Atif Jilani

Report Tables:

Test Case 1: testGetUsername

TestID	1
TestCase Name	testGetUsername
TestCase Description	Verify if the getUsername method returns the correct username.
Class	Employee
Function Being Tested	getUsername
Test Inputs	No inputs (object initialised with "110001")
Expected Output	110001
Actual Output	110001
Fail/Pass Status	Pass

Test Case 2: testGetName

TestID	2
TestCase Name	testGetName
TestCase Description	Verify if the getName method returns the correct name.
Class	Employee
Function Being Tested	testGetName
Test Inputs	No inputs (object initialised with "110001")
Expected Output	Harry Larry
Actual Output	Harry Larry
Fail/Pass Status	Pass

Test Case 3: testGetPosition

TestID	3
Testcase Name	testGetPosition
Testcase Description	Verify if the getPosition method returns the correct position.

Class	Employee
Function Being Tested	getPosition
Test Inputs	No inputs (object initialized with "Admin")
Expected Output	"Admin"
Actual Output	"Admin"
Pass/Fail Status	Pass

Test Case 4: testGetPassword

TestID	4
Testcase Name	testGetPassword
Testcase Description	Verify if the getPassword method returns the correct password.
Class	Employee
Function Being Tested	getPassword
Test Inputs	No inputs (object initialized with "1")
Expected Output	"1"
Actual Output	"1"
Pass/Fail Status	Pass

Test Case 5: testSetPosition

TestID	5
Testcase Name	testSetPosition
Testcase Description	Verify if the setPosition method correctly updates the position.
Class	Employee

Function Being Tested	setPosition
Test Inputs	"Cashier"
Expected Output	Position updated to "Cashier"
Actual Output	Position updated to "Cashier"
Pass/Fail Status	Pass

Test Case 6: testSetPassword

TestID	6
Testcase Name	testSetPassword
Testcase Description	Verify if the setPassword method correctly updates the password.
Class	Employee
Function Being Tested	setPassword
Test Inputs	"12345"
Expected Output	Password updated to "12345"
Actual Output	Password updated to "12345"
Pass/Fail Status	Pass

Test Case 7: testSetName

TestID	7
Testcase Name	testSetName
Testcase Description	Verify if the setName method correctly updates the name.
Class	Employee
Function Being Tested	setName
Test Inputs	"Harry Larry"

Expected Output	Name updated to "Harry Larry"
Actual Output	Name updated to "Harry Larry"
Pass/Fail Status	Pass

Test Case 8: testGetItemID

TestID	8
Testcase Name	testGetItemID
Testcase Description	Verify if the getItemID method returns the correct item ID.
Class	ReturnItem
Function Being Tested	getItemID
Test Inputs	No inputs (object initialized with item ID = 2002)
Expected Output	2002
Actual Output	2002
Pass/Fail Status	Pass

Test Case 9: testGetDays

TestID	9
Testcase Name	testGetDays
Testcase Description	Verify if the getDays method returns the correct number of days.
Class	ReturnItem
Function Being Tested	getDays
Test Inputs	No inputs (object initialized with days = 5)
Expected Output	5
Actual Output	5
Pass/Fail Status	Pass

Test Case 10: testGetItemName

TestID	10
Testcase Name	testGetItemName
Testcase Description	Verify if the getItemName method returns the correct item name.
Class	Item
Function Being Tested	getItemName
Test Inputs	No inputs (object initialized with item name = "Chicked Grilled Sandwich")
Expected Output	"Chicked Grilled Sandwich"
Actual Output	"Chicked Grilled Sandwich"
Pass/Fail Status	Pass

Test Case 11: testGetPrice

TestID	11
Testcase Name	testGetPrice
Testcase Description	Verify if the getPrice method returns the correct price.
Class	Item
Function Being Tested	getPrice
Test Inputs	No inputs (object initialized with price = 0.2f)
Expected Output	0.2f
Actual Output	0.2f
Pass/Fail Status	Pass

Test Case 12: testGetAmount

TestID	12
Testcase Name	testGetAmount
Testcase Description	Verify if the getAmount method returns the correct amount.
Class	Item
Function Being Tested	getAmount
Test Inputs	No inputs (object initialized with amount = 3)
Expected Output	3
Actual Output	3
Pass/Fail Status	Pass

Test Case 13: testUpdateAmount

TestID	13
Testcase Name	testUpdateAmount
Testcase Description	Verify if the updateAmount method correctly updates the amount.
Class	Item
Function Being Tested	updateAmount
Test Inputs	New amount = 20
Expected Output	Amount updated to 20
Actual Output	Amount updated to 20
Pass/Fail Status	Pass

Test Case 14: testGetItemID

TestID	14
Testcase Name	testGetItemID

Testcase Description	Verify if the getItemID method returns the correct item ID.
Class	ReturnItem
Function Being Tested	getItemID
Test Inputs	No inputs (object initialized with item ID = 2002)
Expected Output	2002
Actual Output	2002
Pass/Fail Status	Pass

Test Case 15: testGetItemID

TestID	15
Testcase Name	testGetItemID
Testcase Description	Verify if the getItemID method returns the correct item ID.
Class	Item
Function Being Tested	getItemID
Test Inputs	No inputs (object initialized with item ID = 11001)
Expected Output	11001
Actual Output	11001
Pass/Fail Status	Pass

Test Case 16: testGetEmployeeListValidFile

TestID	16
Testcase Name	testGetEmployeeListValidFile
Testcase Description	Verify if getEmployeeList returns a non-empty employee list when the database file is valid.
Class	EmployeeManagement

Function Being Tested	getEmployeeList
Test Inputs	Valid file path
Expected Output	List of employees is not empty
Actual Output	List of employees is not empty
Pass/Fail Status	Pass

Test Case 17: testAddAdmin

TestID	17
Testcase Name	testAddAdmin
Testcase Description	Verify if an admin is correctly added to the employee list.
Class	EmployeeManagement
Function Being Tested	add
Test Inputs	Name: "Arwa Ahmed", Password: "123", Position: Admin
Expected Output	Employee added with Name: "Arwa Ahmed", Password: "123", Position: "Admin"
Actual Output	Employee added with Name: "Arwa Ahmed", Password: "123", Position: "Admin"
Pass/Fail Status	Pass

Test Case 18: testAddCashier

TestID	18
Testcase Name	testAddCashier
Testcase Description	Verify if a cashier is correctly added to the employee list.
Class	EmployeeManagement
Function Being Tested	add

Test Inputs	Name: "Amna Noor", Password: "456", Position: Cashier
Expected Output	Employee added with Name: "Amna Noor", Password: "456", Position: "Cashier"
Actual Output	Employee added with Name: "Amna Noor", Password: "456", Position: "Cashier"
Pass/Fail Status	Pass

Test Case 19: testUpdateAdmin

TestID	19
Testcase Name	testUpdateAdmin
Testcase Description	Verify if an admin's details are correctly updated.
Class	EmployeeManagement
Function Being Tested	update
Test Inputs	Username: "110002", New Password: "345", New Name: "Iqra Noor", Position: Admin
Expected Output	Employee with username "110002" updated with Name: "Iqra Noor", Password: "345", Position: "Admin"
Actual Output	Employee with username "110002" updated with Name: "Iqra Noor", Password: "345", Position: "Admin"
Pass/Fail Status	Pass

Test Case 20: testUpdateCashier

TestID	20
Testcase Name	testUpdateCashier
Testcase Description	Verify if a cashier's details are correctly updated.
Class	EmployeeManagement
Function Being Tested	update

Test Inputs	Username: "110001", New Password: "789", New Name: "Amna Noor", Position: Cashier
Expected Output	Employee with username "110001" updated with Name: "Amna Noor", Password: "789", Position: "Cashier"
Actual Output	Employee with username "110001" updated with Name: "Amna Noor", Password: "789", Position: "Cashier"
Pass/Fail Status	Pass

Test Case 21: testUpdateWithEmptyFields

TestID	21
Testcase Name	testUpdateWithEmptyFields
Testcase Description	Verify that the original data is retained when updating with empty fields.
Class	EmployeeManagement
Function Being Tested	update
Test Inputs	Username: "110003", New Password: "", New Name: "", Position: ""
Expected Output	Employee with username "110003" retains original details.
Actual Output	Employee with username "110003" retains Password: "lehigh2017", Position: "Admin", Name: "Clayton Watson"
Pass/Fail Status	Pass

Test Case 22: testUpdateByWrongUsername

TestID	22
Testcase Name	testUpdateByWrongUsername
Testcase Description	Verify that updating with an invalid username fails.
Class	EmployeeManagement
Function Being Tested	update

Test Inputs	Username: "11", New Password: "", New Name: "", Position: Admin
Expected Output	Update fails with return value -1
Actual Output	Update fails with return value -1
Pass/Fail Status	Pass

Test Case 23: testUpdateEmployeeByInvalidPosition

TestID	23
Testcase Name	testUpdateEmployeeByInvalidPosition
Testcase Description	Verify that updating with an invalid position fails.
Class	EmployeeManagement
Function Being Tested	update
Test Inputs	Username: "110001", New Password: "hi5", New Name: "Amna Noor", Position: "Manager"
Expected Output	Update fails with return value -2
Actual Output	Update fails with return value -2
Pass/Fail Status	Pass

Test Case 24: testDeleteEmployee

TestID	24
Testcase Name	testDeleteEmployee
Testcase Description	Verify that an employee is correctly deleted.
Class	EmployeeManagement
Function Being Tested	delete
Test Inputs	Username: "110014"

Expected Output	Employee with username "110014" is deleted
Actual Output	Employee with username "110014" is deleted
Pass/Fail Status	Pass

Test Case 25: testDeleteWithNoEmployee

TestID	25
Testcase Name	testDeleteWithNoEmployee
Testcase Description	Verify that deleting an employee with a non-existent username fails.
Class	EmployeeManagement
Function Being Tested	delete
Test Inputs	Username: "89999"
Expected Output	Delete fails, employee does not exist
Actual Output	Delete fails, employee does not exist
Pass/Fail Status	Pass

Test Case 26: testFileNotFoundException

TestID	26
Testcase Name	testFileNotFoundException
Testcase Description	Verify that the system handles file not found exception gracefully.
Class	EmployeeManagement
Function Being Tested	getEmployeeList
Test Inputs	Invalid file path: "nopath/employeeDatabase.txt"
Expected Output	Empty list of employees returned
Actual Output	Empty list of employees returned

Pass/Fail Status	Pass
-------------------------	------

Test Case 27: testGetInstance

TestID	27
Testcase Name	testGetInstance
Testcase Description	Verify that the singleton instance is created and retrieved correctly.
Class	Inventory
Function Being Tested	getInstance
Test Inputs	No inputs
Expected Output	Non-null instance of Inventory
Actual Output	Non-null instance of Inventory
Pass/Fail Status	Pass

Test Case 28: testAccessInventory

TestID	28
Testcase Name	testAccessInventory
Testcase Description	Verify that inventory can be accessed and loaded from a file correctly.
Class	Inventory
Function Being Tested	accessInventory
Test Inputs	File path containing item data: "testInventory"
Expected Output	True, with 2 items loaded
Actual Output	True, with 2 items loaded
Pass/Fail Status	Pass

Test Case 29: testUpdateInventory_NoDatabaseItems

TestID	29
Testcase Name	testUpdateInventory_NoDatabaseItems
Testcase Description	Verify that the database items remain empty when there are no items in the database.
Class	Inventory
Function Being Tested	updateInventory
Test Inputs	Transaction items with one item: Item(1, "Apple", 0.99f, 10)
Expected Output	Empty databaseItem list
Actual Output	Empty databaseItem list
Pass/Fail Status	Pass

Test Case 30: testUpdateInventory_FileNotFound

TestID	30
Testcase Name	testUpdateInventory_FileNotFound
Testcase Description	Verify that the system handles file not found exception gracefully.
Class	Inventory
Function Being Tested	accessInventory
Test Inputs	Invalid file path: "/invalid/path/to/nonExistentDatabase.txt"
Expected Output	"Unable to open file" in console output
Actual Output	"Unable to open file" in console output
Pass/Fail Status	Pass

Test Case 31: testUpdateInventory

TestID	31
Testcase Name	testUpdateInventory

Testcase Description	Verify that the inventory is updated correctly with the given transaction items.
Class	Inventory
Function Being Tested	updateInventory
Test Inputs	Database items with two items and transaction items for both.
Expected Output	Updated amounts: Apple = 90, Banana = 45
Actual Output	Updated amounts: Apple = 90, Banana = 45
Pass/Fail Status	Pass

Test Case 32: testUpdateInventory2

TestID	32
Testcase Name	testUpdateInventory2
Testcase Description	Verify that the inventory updates persist correctly to a file.
Class	Inventory
Function Being Tested	updateInventory
Test Inputs	Transaction items with one item: Item(1, "Apple", 0.99f, 20) and temp file path
Expected Output	Updated inventory data written to file
Actual Output	Updated inventory data written to file
Pass/Fail Status	Pass

Test Case 33: testCheckUserExistingPhone

TestID	33
Testcase Name	testCheckUserExistingPhone
Testcase Description	Verify that a user with an existing phone number can be found.
Class	Management

Function Being Tested	checkUser
Test Inputs	Phone number: 6096515668
Expected Output	true
Actual Output	true
Pass/Fail Status	Pass

Test Case 34: testCheckUserNonExistingPhone

TestID	34
Testcase Name	testCheckUserNonExistingPhone
Testcase Description	Verify that a user with a non-existing phone number cannot be found.
Class	Management
Function Being Tested	checkUser
Test Inputs	Phone number: 1111111111
Expected Output	false
Actual Output	false
Pass/Fail Status	Pass

Test Case 33: testGetLatestReturnDateWithOutstandingReturns

TestID	33
Testcase Name	testGetLatestReturnDateWithOutstandingReturns
Testcase Description	Verify that the latest return date is retrieved correctly when there are outstanding returns.
Class	Management
Function Being Tested	getLatestReturnDate
Test Inputs	Phone number: 883456893

Expected Output	28 items, first item ID = 1001
Actual Output	28 items, first item ID = 1001
Pass/Fail Status	Pass

Test Case 34: testGetLatestReturnDateWithOutstandingReturns2

TestID	34
Testcase Name	testGetLatestReturnDateWithOutstandingReturns2
Testcase Description	Verify that the latest return date is retrieved correctly when there are outstanding returns.
Class	Management
Function Being Tested	getLatestReturnDate
Test Inputs	Phone number: 993456893
Expected Output	56 items, first item ID = 1001
Actual Output	56 items, first item ID = 1001
Pass/Fail Status	Pass

Test Case 35: testGetLatestReturnDateWithNoOutstandingReturns

TestID	35
Testcase Name	testGetLatestReturnDateWithNoOutstandingReturns
Testcase Description	Verify that no outstanding returns are found for a given phone number.
Class	Management
Function Being Tested	getLatestReturnDate
Test Inputs	Phone number: 6096515668
Expected Output	Empty list
Actual Output	Empty list

Pass/Fail Status	Pass
-------------------------	------

Test Case 36: testGetLatestReturnDateNonExistingPhone

TestID	36
Testcase Name	testGetLatestReturnDateNonExistingPhone
Testcase Description	Verify that no outstanding returns are found for a non-existing phone number.
Class	Management
Function Being Tested	getLatestReturnDate
Test Inputs	Phone number: 1111111111
Expected Output	Empty list
Actual Output	Empty list
Pass/Fail Status	Pass

Test Case 37: testCreateUser

TestID	37
Testcase Name	testCreateUser
Testcase Description	Verify that a user can be created with a valid phone number.
Class	Management
Function Being Tested	createUser
Test Inputs	Phone number: 1234567890
Expected Output	true
Actual Output	true
Pass/Fail Status	Pass

Test Case 38: testAddRental

TestID	38
Testcase Name	testAddRental
Testcase Description	Verify that rental items can be added successfully.
Class	Management
Function Being Tested	addRental
Test Inputs	Rental items: Item(1001, "Item A", 29.99f, 10), Item(1002, "Item B", 49.99f, 5), Item(1003, "Item C", 19.99f, 20), Item(1004, "Item D", 15.99f, 30)
Expected Output	Successful addition of rental items
Actual Output	Successful addition of rental items
Pass/Fail Status	Pass

Test Case 39: testUpdateRentalStatusFound

TestID	39
Testcase Name	testUpdateRentalStatusFound
Testcase Description	Verify that rental status is updated successfully for found items.
Class	Management
Function Being Tested	updateRentalStatus
Test Inputs	Return items: ReturnItem(1001, 10), ReturnItem(1002, 5), ReturnItem(1003, 0)
Expected Output	Successful update
Actual Output	Successful update
Pass/Fail Status	Pass

Test Case 40: testUpdateRentalStatusNotFound

TestID	40
Testcase Name	testUpdateRentalStatusNotFound
Testcase Description	Verify that the rental status update is handled correctly when the rental is not found.
Class	Management
Function Being Tested	updateRentalStatus
Test Inputs	Return items: ReturnItem(1010, 10)
Expected Output	No changes made; handles gracefully
Actual Output	No changes made; handles gracefully
Pass/Fail Status	Pass

Test Case 41: testUpdateRentalStatusWrongID

TestID	41
Testcase Name	testUpdateRentalStatusWrongID
Testcase Description	Verify that the rental status update is handled correctly when an invalid ID is provided.
Class	Management
Function Being Tested	updateRentalStatus
Test Inputs	Return items: ReturnItem(1000, 10)
Expected Output	No changes made; handles gracefully
Actual Output	No changes made; handles gracefully
Pass/Fail Status	Pass

Test Case 42: testUpdateRentalStatusReturned

TestID	42
Testcase Name	testUpdateRentalStatusReturned

Testcase Description	Verify that rental status is updated correctly for returned items.
Class	Management
Function Being Tested	updateRentalStatus
Test Inputs	Return items: ReturnItem(1001, 10)
Expected Output	Successful update
Actual Output	Successful update
Pass/Fail Status	Pass

TestID	43
Testcase Name	deleteTemplItemUnmatchedId
Testcase Description	Verify deletion of a temporary item with an unmatched ID
Class	POH
Function Being Tested	deleteTemplItem
Test Inputs	- Added Items: ID 1000, ID 1001 - Attempt to delete ID 1100
Expected Output	No item should be deleted. The transactionItem list remains unchanged.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	44
Testcase Name	deleteTemplItemMatchedId
Testcase Description	Verify deletion of a temporary item with a matched ID.
Class	POH
Function Being Tested	deleteTemplItem

Test Inputs	- Added Items: ID 1000, ID 1001 - Attempt to delete ID 1000
Expected Output	Item with ID 1000 should be removed from the transactionItem list.
Actual Output	Pass
Pass/Fail Status	Pass

TestID	45
Testcase Name	testEndPOSReturnSaleTrue
Testcase Description	Test endPOS method when returnSale is true with existing items.
Class	POH
Function Being Tested	endPOS
Test Inputs	- transactionItem: [Item(1000, "Item A", 5.0F, 2)] - returnSale: true - textFile: "validFilePath.txt"
Expected Output	endPOS should return 0.0 and the file Database/returnSale.txt should exist.
Actual Output	Pass
Pass/Fail Status	Pass

TestID	46
Testcase Name	testEndPOSReturnSaleFalse
Testcase Description	Test endPOS method when returnSale is true but with no items.
Class	POH
Function Being Tested	endPOS
Test Inputs	- transactionItem: [] - returnSale: true - textFile: "validFilePath.txt"

Expected Output	endPOS should return 0.0 and the file Database/returnSale.txt should exist.
Actual Output	Pass
Pass/Fail Status	Pass

TestID	47
Testcase Name	testEndPOSReturnSaleFalseFile
Testcase Description	Test endPOS method with returnSale true but an empty file path.
Class	POH
Function Being Tested	endPOS
Test Inputs	- transactionItem: [Item(1000, "Item A", 5.0F, 2)] - returnSale: true - textFile: ""
Expected Output	endPOS should return 0.0 and the file Database/returnSale.txt should exist despite empty textFile.
Actual Output	Pass
Pass/Fail Status	Pass

TestID	48
Testcase Name	tesretrieveTemp
Testcase Description	Test retrieveTemp method with a specified file path.
Class	POH
Function Being Tested	retrieveTemp
Test Inputs	- transactionItem: [Item(1000, "Item A", 5.0F, 2)] - returnSale: true - textFile: "/Database/userDatabase.txt"
Expected Output	retrieveTemp should correctly process the provided file path and update transactionItem accordingly.

Actual Output	Pass
Pass/Fail Status	Pass

TestID	49
Testcase Name	testStartNew_ValidDatabaseFile
Testcase Description	Verify that startNew returns true for a valid database file.
Class	PointOfSale
Function Being Tested	startNew
Test Inputs	filePath = "Database/itemDatabase.txt"
Expected Output	startNew should return true.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	49
Testcase Name	testStartNew_InvalidDatabaseFile
Testcase Description	Verify that startNew returns false for an invalid database file.
Class	PointOfSale
Function Being Tested	startNew
Test Inputs	filePath = "invalidDatabase.txt"
Expected Output	startNew should return false.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	50
Testcase Name	testEnterItemFoundTrue
Testcase Description	Verify that enterItem returns true when an item is found.

Class	PointOfSale
Function Being Tested	enterItem
Test Inputs	- Item: ID 1000, "Sample Item", 0.9F, 50 - enterItem: ID 1000, quantity 249
Expected Output	enterItem should return true.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	51
Testcase Name	testEnterItemFoundFalse
Testcase Description	Verify that enterItem returns false when an item is not found.
Class	PointOfSale
Function Being Tested	enterItem
Test Inputs	- Item: ID 9, "Sample Item", 0.9F, 50 - enterItem: ID 1000, quantity 249
Expected Output	enterItem should return false.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	52
Testcase Name	testUpdateTotal
Testcase Description	Verify that updateTotal calculates the total price of items correctly.
Class	PointOfSale
Function Being Tested	updateTotal
Test Inputs	- Items: [Item(1000, "Item 1", 10.0F, 2), Item(1001, "Item 2", 5.5F, 3)]
Expected Output	The total price should be 16.5.

Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	53
Testcase Name	testCouponTrue
Testcase Description	Verify that coupon returns true for a valid coupon code.
Class	PointOfSale
Function Being Tested	coupon
Test Inputs	coupon = "C001"
Expected Output	coupon should return true.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	54
Testcase Name	testCreateTemp
Testcase Description	Test that createTemp works correctly with provided inputs.
Class	PointOfSale
Function Being Tested	createTemp
Test Inputs	- ID = 1119 - quantity = 56
Expected Output	createTemp should execute without issues.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	55
Testcase Name	testRemoveItemsFalse

Testcase Description	Verify that removeItems returns false when the item is not found in the cart.
Class	PointOfSale
Function Being Tested	removeItems
Test Inputs	itemID = 1100
Expected Output	removeItems should return false.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	56
Testcase Name	testRemoveItemsTrue
Testcase Description	Verify that removeItems returns true when the item is found and removed from the cart.
Class	PointOfSale
Function Being Tested	removeItems
Test Inputs	- Items: [Item(1000, "Item 1", 10.0F, 2), Item(1001, "Item 2", 5.5F, 3)] - itemID = 1000
Expected Output	removeItems should return true.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	57
Testcase Name	testGetTotal
Testcase Description	Verify that getTotal returns the correct total price.
Class	PointOfSale
Function Being Tested	getTotal

Test Inputs	- Items: [Item(1000, "Item 1", 10.0F, 2), Item(1001, "Item 2", 5.0F, 3)]
Expected Output	getTotal should return 15.0.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	58
Testcase Name	testValidCreditCardValid
Testcase Description	Verify that creditCard returns true for a valid credit card number.
Class	PointOfSale
Function Being Tested	creditCard
Test Inputs	creditCard = "1234567812345678"
Expected Output	creditCard should return true.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	59
Testcase Name	testValidCreditCardInvalid
Testcase Description	Verify that creditCard returns false for an invalid credit card number.
Class	PointOfSale
Function Being Tested	creditCard
Test Inputs	creditCard = "123456781234568"
Expected Output	creditCard should return false.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	60
Testcase Name	testValidCreditCardInvalidIndex9True
Testcase Description	Verify that creditCard returns false for an invalid credit card containing alphabet.
Class	PointOfSale
Function Being Tested	creditCard
Test Inputs	creditCard = "123456781234567A"
Expected Output	creditCard should return false.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	61
Testcase Name	testValidCreditCardInvalidIndex0True
Testcase Description	Verify that creditCard returns false for an invalid credit card containing a special character.
Class	PointOfSale
Function Being Tested	creditCard
Test Inputs	creditCard = "123456781234567."
Expected Output	creditCard should return false.
Actual Output	To be determined
Pass/Fail Status	To be determined

TestID	62
Testcase Name	testLastAddedItem
Testcase Description	Verify that lastAddedItem returns the last item added to the cart.
Class	PointOfSale

Function Being Tested	lastAddedItem
Test Inputs	- Item1: ID 1000, "Item 1", 10.5F, 1 - Item2: ID 1001, "Item 2", 5.75F, 2
Expected Output	lastAddedItem should return item2.
Actual Output	lastAddedItem returned item2.
Pass/Fail Status	Pass

TestID	63
Testcase Name	testGetCart
Testcase Description	Verify that getCart returns the correct list of items in the cart.
Class	PointOfSale
Function Being Tested	getCart
Test Inputs	- Item1: ID 1000, "Item 1", 10.5F, 1 - Item2: ID 1001, "Item 2", 5.75F, 2
Expected Output	getCart should return a list containing item1 and item2.
Actual Output	getCart returned a list containing item1 and item2.
Pass/Fail Status	Pass

TestID	64
Testcase Name	testGetCartSize
Testcase Description	Verify that getCartSize returns the correct number of items in the cart.
Class	PointOfSale
Function Being Tested	getCartSize
Test Inputs	- Item1: ID 1000, "Item 1", 10.5F, 1 - Item2: ID 1001, "Item 2", 5.75F, 2
Expected Output	getCartSize should return 2.

Actual Output	getCartSize returned 2.
Pass/Fail Status	Pass

TestID	65
Testcase Name	testCouponFalse
Testcase Description	Verify that coupon returns false for an invalid coupon code.
Class	PointOfSale
Function Being Tested	coupon
Test Inputs	coupon = "1234"
Expected Output	coupon should return false.
Actual Output	Pass
Pass/Fail Status	Pass

TestID	66
Testcase Name	deleteTempltemUnmatchedId
Testcase Description	Test deleteTempltem with an unmatched ID (1100) to verify that no items are deleted from the transaction list.
Class	POR
Function Being Tested	deleteTempltem
Test Inputs	Transaction items: Item(1000, "Item 1", 10.0F, 2), Item(1001, "Item 2", 5.5F, 3) Delete ID: 1100
Expected Output	No item is deleted.
Actual Output	No item was deleted.
Pass/Fail Status	Pass

TestID	67
Testcase Name	deleteTempltemMatchedId
Testcase Description	Test deleteTempltem with a matched ID (1000) to verify that the correct item is deleted from the transaction list.
Class	POR
Function Being Tested	deleteTempltem
Test Inputs	Transaction items: Item(1000, "Item 1", 10.0F, 2), Item(1001, "Item 2", 5.5F, 3) Delete ID: 1000
Expected Output	Item 1000 is deleted from the transaction list.
Actual Output	Item 1000 was deleted.
Pass/Fail Status	Pass

TestID	68
Testcase Name	testEndPOSReturnSaleTrue
Testcase Description	Test endPOS when returnSale is true, and check if the transaction is processed correctly with a valid file path.
Class	POR
Function Being Tested	endPOS
Test Inputs	Transaction items: Item(1000, "Item A", 5.0F, 2) Return sale: true Text file path: "validFilePath.txt"
Expected Output	Transaction completes with a total of 0, and returnSale.txt file exists.
Actual Output	Transaction completed with a total of 0, and returnSale.txt file exists.
Pass/Fail Status	Pass

TestID	69
Testcase Name	testEndPOSReturnSaleFalse

Testcase Description	Test endPOS when returnSale is false with a valid file path. Verify that the transaction is processed correctly.
Class	POR
Function Being Tested	endPOS
Test Inputs	Transaction items: empty Return sale: true Text file path: "validFilePath.txt"
Expected Output	Transaction completes with a total of 0, and returnSale.txt file exists.
Actual Output	Transaction completed with a total of 0, and returnSale.txt file exists.
Pass/Fail Status	Pass

TestID	70
Testcase Name	testEndPOSReturnSaleFalseFile
Testcase Description	Test endPOS when returnSale is true but with an invalid (empty) file path. Verify that the transaction still processes.
Class	POR
Function Being Tested	endPOS
Test Inputs	Transaction items: Item(1000, "Item A", 5.0F, 2) Return sale: true Text file path: "" (empty)
Expected Output	Transaction completes with a total of 0, and returnSale.txt file exists.
Actual Output	Transaction completed with a total of 0, and returnSale.txt file exists.
Pass/Fail Status	Pass

TestID	71
Testcase Name	testRetrieveTemp
Testcase Description	Test retrieveTemp to verify that transaction items are retrieved from the specified file.
Class	POR

Function Being Tested	retrieveTemp
Test Inputs	Transaction items: Item(1000, "Item A", 5.0F, 2) Text file path: "/Database/userDatabase.txt"
Expected Output	Items are retrieved from the specified file.
Actual Output	Items were retrieved from the file.
Pass/Fail Status	Pass

TestID	72
Testcase Name	deleteTempItemUnmatchedId
Testcase Description	Test deleteTempItem with an unmatched ID (1100) to verify that no items are deleted from the transaction list.
Class	POS
Function Being Tested	deleteTempItem
Test Inputs	Transaction items: Item(1000, "Item 1", 10.0F, 2), Item(1001, "Item 2", 5.5F, 3) Delete ID: 1100
Expected Output	No item is deleted.
Actual Output	No item was deleted.
Pass/Fail Status	Pass

TestID	73
Testcase Name	deleteTempItemMatchedId
Testcase Description	Test deleteTempItem with a matched ID (1000) to verify that the correct item is deleted from the transaction list.
Class	POS
Function Being Tested	deleteTempItem

Test Inputs	Transaction items: Item(1000, "Item 1", 10.0F, 2), Item(1001, "Item 2", 5.5F, 3) Delete ID: 1000
Expected Output	Item 1000 is deleted from the transaction list.
Actual Output	Item 1000 was deleted.
Pass/Fail Status	Pass

TestID	74
Testcase Name	testEndPOSReturnSaleTrue
Testcase Description	Test endPOS when returnSale is true, and check if the transaction is processed correctly with a valid file path.
Class	POS
Function Being Tested	endPOS
Test Inputs	Transaction items: Item(1000, "Item A", 5.0F, 2) Return sale: true Text file path: "validFilePath.txt"
Expected Output	Transaction completes with a total of 0, and returnSale.txt file exists.
Actual Output	Transaction completed with a total of 0, and returnSale.txt file exists.
Pass/Fail Status	Pass

TestID	75
Testcase Name	testEndPOSReturnSaleFalse
Testcase Description	Test endPOS when returnSale is false with a valid file path. Verify that the transaction is processed correctly.
Class	POS
Function Being Tested	endPOS
Test Inputs	Transaction items: empty Return sale: true Text file path: "validFilePath.txt"
Expected Output	Transaction completes with a total of 0, and returnSale.txt file exists.

Actual Output	Transaction completed with a total of 0, and returnSale.txt file exists.
Pass/Fail Status	Pass

TestID	76
Testcase Name	testEndPOSReturnSaleFalseFile
Testcase Description	Test endPOS when returnSale is true but with an invalid (empty) file path. Verify that the transaction still processes.
Class	POS
Function Being Tested	endPOS
Test Inputs	Transaction items: Item(1000, "Item A", 5.0F, 2) Return sale: true Text file path: "" (empty)
Expected Output	Transaction completes with a total of 0, and returnSale.txt file exists.
Actual Output	Transaction completed with a total of 0, and returnSale.txt file exists.
Pass/Fail Status	Pass

TestID	77
Testcase Name	testRetrieveTemp
Testcase Description	Test retrieveTemp to verify that transaction items are retrieved from the specified file.
Class	POS
Function Being Tested	retrieveTemp
Test Inputs	Transaction items: Item(1000, "Item A", 5.0F, 2) Text file path: "/Database/userDatabase.txt"
Expected Output	Items are retrieved from the specified file.
Actual Output	Items were retrieved from the file.
Pass/Fail Status	Pass

TestID	78
Testcase Name	TestcheckTemp
Testcase Description	Test if checkTemp returns true when checking for temporary session.
Class	POSSystem
Function Being Tested	checkTemp
Test Inputs	None
Expected Output	Returns true.
Actual Output	Returns true.
Pass/Fail Status	Pass

TestID	80
Testcase Name	TestcontinueFromTemp
Testcase Description	Test if continueFromTemp returns the correct string ("Return") for a given valid transaction ID.
Class	POSSystem
Function Being Tested	continueFromTemp
Test Inputs	Transaction ID: 1112223334L
Expected Output	Returns "Return".
Actual Output	Returns "Return".
Pass/Fail Status	Pass

TestID	81
Testcase Name	TestlogOut
Testcase Description	Test if logOut successfully logs out a user.
Class	POSSystem

Function Being Tested	logOut
Test Inputs	Username: "Admin"
Expected Output	User logs out successfully.
Actual Output	User logged out successfully.
Pass/Fail Status	Pass

TestID	83
Testcase Name	testLogInValidAdmin
Testcase Description	Test if a valid admin user can log in successfully.
Class	POSSystem
Function Being Tested	logIn
Test Inputs	Username: "110001", Password: "1"
Expected Output	Returns 2 (Admin logged in).
Actual Output	Returns 2 (Admin logged in).
Pass/Fail Status	Pass

TestID	85
Testcase Name	testLogInValidCashier
Testcase Description	Test if a valid cashier user can log in successfully.
Class	POSSystem
Function Being Tested	logIn
Test Inputs	Username: "110002", Password: "lehigh2016"
Expected Output	Returns 1 (Cashier logged in).
Actual Output	Returns 1 (Cashier logged in).
Pass/Fail Status	Pass

TestID	86
Testcase Name	testLogInInvalidPassword
Testcase Description	Test if login fails with an invalid password for a valid user.
Class	POSSystem
Function Being Tested	logIn
Test Inputs	Username: "110003", Password: "wrongPass"
Expected Output	Returns 0 (Login failed).
Actual Output	Returns 0 (Login failed).
Pass/Fail Status	Pass

TestID	87
Testcase Name	testLogInNonExistentUser
Testcase Description	Test if login fails for a non-existent user.
Class	POSSystem
Function Being Tested	logIn
Test Inputs	Username: "999999", Password: "pass"
Expected Output	Returns 0 (Login failed).
Actual Output	Returns 0 (Login failed).
Pass/Fail Status	Pass

TestID	8
Testcase Name	testLogInValidAdminWithWrongPassword
Testcase Description	Test if login fails for a valid admin user with an invalid password.
Class	POSSystem
Function Being Tested	logIn
Test Inputs	Username: "110001", Password: "wrongPassword"

Expected Output	Returns 0 (Login failed).
Actual Output	Returns 0 (Login failed).
Pass/Fail Status	Pass

TestID	89
Testcase Name	testLogInValidCashierWithWrongPassword
Testcase Description	Test if login fails for a valid cashier user with an invalid password.
Class	POSSystem
Function Being Tested	logIn
Test Inputs	Username: "110002", Password: "wrongPassword"
Expected Output	Returns 0 (Login failed).
Actual Output	Returns 0 (Login failed).
Pass/Fail Status	Pass

b) Explanation:

1. 100% Coverage Achieved:

100% coverage was achieved in some classes when their functions were tested. Reasons are as follow:

Reasons:

1. All statements were fully executing
2. All branches were fully executing
3. All Conditions were fully executing

i. Achieved Coverage

For the following reasons, 100% coverage in the POHTest class was achievable:

Extensive Test Cases: Every POH class method was covered by specific test cases that deal with different capabilities, like processing sales refunds and adding and removing products. To make sure that both situations were handled, the deleteTempltem method, for example, was tested for both matched and unmatched item IDs.

Control Flow Coverage: The tests took into consideration several code pathways, including the circumstances in which particular methods might be carried out. We may efficiently validate the results of sales processes, for instance, by using testEndPOSReturnSaleTrue and testEndPOSReturnSaleFalse covering scenarios based on the returnSale boolean flag.

Assertions on Results: To further verify that the implementation is valid, assertions were made not only about the return values of methods but also on the state of the class (e.g., by verifying the existence of log files or the contents of transactionItem).

ii. Gaps in Coverage

Despite the thorough testing, it's possible that some parts of the code didn't reach 100% coverage for the following reasons:

Exception Handling: Some paths go untested if specific POH class methods have exception handling that isn't called during testing. For example, that portion of the code will remain untested if endPOS handles file-not-found exceptions internally without exposing them in a way that can be noticed in tests.

Conditional Logic: If the results depend on outside variables (such as file locations or contents), then certain conditions might not have been thoroughly evaluated. For example, certain branches might not run if specific scenarios required a particular file format or pre-existing data in files that weren't available during tests.

Reliance on Outside Sources

Following are screenshots of where 100% coverage was achieved:

iii. Improvements

To achieve higher coverage, consider the following improvements and additional tests:

- **Mock External Dependencies:** Use mocking frameworks (like Mockito) to simulate interactions with external systems, such as databases or file systems. This would allow for more controlled test scenarios, ensuring all code paths are covered.
- **Increase Exception Testing:** Create tests that deliberately cause exceptions to be thrown, such as providing invalid file paths or corrupted files, to ensure that exception handling logic is fully tested.
- **Edge Cases:** Identify and test edge cases, such as handling empty lists or null values in transaction items, to ensure robustness. For example, testing `deleteTempltem` with an empty `transactionItem` list should be included to verify that it handles such scenarios gracefully.
- **Performance Tests:** While these do not contribute directly to code coverage, performance tests can help identify potential issues under load that unit tests may not reveal, providing a more holistic view of the system's reliability.
- **Broader Input Scenarios:** Introduce tests with a wider variety of input scenarios to ensure that the methods can handle unexpected or extreme values, such as very large item quantities or prices.

Impossible Coverage:

Where test files are beings accessed but functions are overriding the database and deleting then other lines don't execute. Following are some example:

PointOfSale (enterItem (For-loop not because actual database is not returning empty list and we can't change actual database, because databaseitem is doing everything by itself once function called)

POR(Newtemp file not found because it doesn't exist in data base)(Before running again dd temp file in database)



POS(Before running again dd temp file in database)

POSSYSTEM (Check temp (file not found bcz path is inside function))

1. JUnit Test Report

Following are screenshots:

Overall fail/Pass:



2. Coverage Report: Capture

eclipse-workspace - Eclipse IDE

File Edit Navigate Search Project Run Window Help

Project Explorer Console Coverage POHTest.java PointOfSale... PORTest.java userDatabas... employeeDat...

tests (default package)

- EmployeeManagementTest.java
- EmployeeTest.java
- InventoryTest.java
- ItemTest.java
- ManagementTest.java
- POHTest.java
- PointOfSaleTest.java
- PORTest.java
- ReturnItemTest.java
- TestPOSSystem.java

Icon_

JRE System Library [JavaSE-1.8]

JUnit 4

Referenced Libraries

Database

- couponNumber.txt
- employeeDatabase.txt
- employeeLogFile.txt
- Icon_
- itemDatabase.txt
- rentalDatabase.txt
- returnSale.txt
- saleInvoiceRecord.txt
- temp.txt
- temp (1).txt
- temp (2).txt
- temp (3).txt
- userDatabase.txt

Documentation

EmployeeManagementTest (Oct 7, 2024 6:30:18 PM)

Element	Coverage	Covered Lines	Missed Lines	Total Lines
CSE216	9.3 %	188	1,836	2,024
tests	14.9 %	87	498	585
src	7.0 %	101	1,338	1,439
(default package)	7.0 %	101	1,338	1,439
EmployeeManagement.java	80.5 %	91	22	113
EmployeeManagement	80.5 %	91	22	113
update(String, String, String, String)	84.2 %	32	6	38
readFile()	80.0 %	16	4	20
getEmployeeList()	100.0 %	2	0	2
delete(String)	75.0 %	24	8	32
add(String, String, boolean)	75.0 %	12	4	16
EmployeeManagement()	100.0 %	4	0	4
Employee.java	100.0 %	10	0	10
Employee	100.0 %	10	0	10
setPosition(String)	100.0 %	1	0	1
setPassword(String)	100.0 %	1	0	1
setName(String)	100.0 %	1	0	1
getUsername()	100.0 %	1	0	1
getPosition()	100.0 %	1	0	1
getPassword()	100.0 %	1	0	1
getName()	100.0 %	1	0	1
Employee(String, String, String, String)	100.0 %	3	0	3

eclipse-workspace - Eclipse IDE

File Edit Navigate Search Project Run Window Help

Project Explorer Console Coverage POHTest.java PointOfSale... PORTest.java userDatabas... employeeDat...

tests (default package)

- EmployeeManagementTest.java
- EmployeeTest.java
- InventoryTest.java
- ItemTest.java
- ManagementTest.java
- POHTest.java
- PointOfSaleTest.java
- PORTest.java
- ReturnItemTest.java
- TestPOSSystem.java

Icon_

JRE System Library [JavaSE-1.8]

JUnit 4

Referenced Libraries

Database

- couponNumber.txt
- employeeDatabase.txt
- employeeLogFile.txt
- Icon_
- itemDatabase.txt
- rentalDatabase.txt
- returnSale.txt
- saleInvoiceRecord.txt
- temp.txt
- temp (1).txt
- temp (2).txt
- temp (3).txt
- userDatabase.txt

Documentation

EmployeeTest (Oct 7, 2024 6:30:58 PM)

Element	Coverage	Covered Lines	Missed Lines	Total Lines
CSE216	2.2 %	44	1,980	2,024
tests	5.8 %	34	551	585
src	0.7 %	10	1,429	1,439
(default package)	0.7 %	10	1,429	1,439
Employee.java	100.0 %	10	0	10
Employee	100.0 %	10	0	10
setPosition(String)	100.0 %	1	0	1
setPassword(String)	100.0 %	1	0	1
setName(String)	100.0 %	1	0	1
getUsername()	100.0 %	1	0	1
getPosition()	100.0 %	1	0	1
getPassword()	100.0 %	1	0	1
getName()	100.0 %	1	0	1
Employee(String, String, String, String)	100.0 %	3	0	3

eclipse-workspace - Eclipse IDE

File Edit Navigate Search Project Run Window Help

Project Explorer Console Coverage POHTest.java PointOfSale... PORTest.java userDatabas... employeeDat... »14

Icon_

- tests
 - (default package)
 - EmployeeManagementTest.java
 - EmployeeTest.java
 - InventoryTest.java
 - ItemTest.java
 - ManagementTest.java
 - POHTest.java
 - PointOfSaleTest.java
 - PORTest.java
 - POSTest.java
 - ReturnItemTest.java
 - TestPOSSystem.java
 - Icon_
 - JRE System Library [JavaSE-1.8]
 - JUnit 4
 - Referenced Libraries
 - Database
 - couponNumber.txt
 - employeeDatabase.txt
 - employeeLogFile.txt
 - Icon_
 - itemDatabase.txt
 - rentalDatabase.txt
 - returnSale.txt
 - saleInvoiceRecord.txt
 - temp.txt
 - temp (1).txt
 - temp (2).txt
 - temp (3).txt
 - userDatabase.txt
 - Documentation
 - phoenix

InventoryTest (Oct 7, 2024 6:31:26 PM)

Element	Coverage	Covered Lines	Missed Lines	Total Lines
CSE214	6.6 %	133	1,891	2,024
tests	14.5 %	85	500	585
(default package)	14.5 %	85	500	585
InventoryTest.java	100.0 %	85	0	85
InventoryTest	100.0 %	85	0	85
testUpdateInventory2()	100.0 %	24	0	24
testUpdateInventory_NoDatabase	100.0 %	6	0	6
testUpdateInventory_FileNotFound	100.0 %	13	0	13
testUpdateInventory()	100.0 %	11	0	11
testGetInstance()	100.0 %	5	0	5
testAccessInventory()	100.0 %	19	0	19
resetSingleton()	100.0 %	6	0	6
src	3.3 %	48	1,391	1,439
(default package)	3.3 %	48	1,391	1,439
Item.java	100.0 %	8	0	8
Item	100.0 %	8	0	8
InventoryTest.java	88.9 %	40	5	45
Inventory	88.9 %	40	5	45
updateInventory(String, List<Item>)	100.0 %	20	0	20
accessInventory(String, List<Item>)	76.2 %	16	5	21
getInstance()	100.0 %	3	0	3

Type here to search

6:31 PM 10/7/2024

eclipse-workspace - Eclipse IDE

File Edit Navigate Search Project Run Window Help

Project Explorer Console Coverage POHTest.java PointOfSale... PORTest.java userDatabas... employeeDat... »14

Icon_

- tests
 - (default package)
 - EmployeeManagementTest.java
 - EmployeeTest.java
 - InventoryTest.java
 - ItemTest.java
 - ManagementTest.java
 - POHTest.java
 - PointOfSaleTest.java
 - PORTest.java
 - POSTest.java
 - ReturnItemTest.java
 - TestPOSSystem.java
 - Icon_
 - JRE System Library [JavaSE-1.8]
 - JUnit 4
 - Referenced Libraries
 - Database
 - couponNumber.txt
 - employeeDatabase.txt
 - employeeLogFile.txt
 - Icon_
 - itemDatabase.txt
 - rentalDatabase.txt
 - returnSale.txt
 - saleInvoiceRecord.txt
 - temp.txt
 - temp (1).txt
 - temp (2).txt
 - temp (3).txt
 - userDatabase.txt
 - Documentation
 - phoenix

InventoryTest (Oct 7, 2024 6:32:18 PM)

Element	Coverage	Covered Lines	Missed Lines	Total Lines
CSE214	6.6 %	133	1,891	2,024
tests	14.5 %	85	500	585
(default package)	14.5 %	85	500	585
InventoryTest.java	100.0 %	85	0	85
InventoryTest	100.0 %	85	0	85
testUpdateInventory2()	100.0 %	24	0	24
testUpdateInventory_NoDatabase	100.0 %	6	0	6
testUpdateInventory_FileNotFound	100.0 %	13	0	13
testUpdateInventory()	100.0 %	11	0	11
testGetInstance()	100.0 %	5	0	5
testAccessInventory()	100.0 %	19	0	19
resetSingleton()	100.0 %	6	0	6
src	3.3 %	48	1,391	1,439
(default package)	3.3 %	48	1,391	1,439
Item.java	100.0 %	8	0	8
Item	100.0 %	8	0	8
updateAmount(int)	100.0 %	1	0	1
getPrice()	100.0 %	1	0	1
getItemName()	100.0 %	1	0	1
getItemID()	100.0 %	1	0	1
getAmount()	100.0 %	1	0	1
Item(int, String, float, int)	100.0 %	3	0	3
InventoryTest.java	88.9 %	40	5	45

Type here to search

6:32 PM 10/7/2024

eclipse-workspace - Eclipse IDE

File Edit Navigate Search Project Run Window Help

Project Explorer Console Coverage X PointOfSale... ManagementT... PORTest.java userDatabas... employeeDat... "14

Icon...

tests

(default package)

EmployeeManagementTest.java

EmployeeTest.java

InventoryTest.java

ItemTest.java

ManagementTest.java

POHTest.java

PointOfSaleTest.java

PORTest.java

POSTest.java

ReturnItemTest.java

TestPOSSystem.java

Icon...

JRE System Library [JavaSE-1.8]

JUnit 4

Referenced Libraries

Database

couponNumber.txt

employeeDatabase.txt

employeeLogFile.txt

Icon...

itemDatabase.txt

rentalDatabase.txt

returnSale.txt

saleInvoiceRecord.txt

temp.txt

temp (1).txt

temp (2).txt

temp (3).txt

userDatabase.txt

Documentation

changelog

ManagementTest (Oct 7, 2024 6:33:13 PM)

Element	Coverage	Covered Lines	Missed Lines	Total Lines
tests	10.8 %	63	522	585
(default package)	10.8 %	63	522	585
ManagementTest.java	96.9 %	63	2	65
ManagementTest	96.9 %	63	2	65
testUpdateRentalStatusWrongID()	100.0 %	4	0	4
testUpdateRentalStatusReturned()	100.0 %	4	0	4
testUpdateRentalStatusNotFound()	100.0 %	4	0	4
testUpdateRentalStatusFound()	100.0 %	6	0	6
testGetLatestReturnDateWithOuts	100.0 %	5	0	5
testGetLatestReturnDateWithOuts	100.0 %	5	0	5
testGetLatestReturnDateWithNoO	50.0 %	2	2	4
testGetLatestReturnDateNonExisti	100.0 %	4	0	4
testCreateUser()	100.0 %	4	0	4
testCheckUserNonExistingPhone()	100.0 %	4	0	4
testCheckUserExistingPhone()	100.0 %	4	0	4
testAddRental()	100.0 %	7	0	7
setUp()	100.0 %	8	0	8
src	10.7 %	154	1,285	1,439
(default package)	10.7 %	154	1,285	1,439
ReturnItem.java	80.0 %	4	1	5
Management.java	81.6 %	146	33	179
Management	81.6 %	146	33	179
updateRentalStatus(long, List<Ret	81.6 %	40	9	49
getLatestReturnDate(Long)	80.0 %	32	8	40
createUser(Long)	70.0 %	7	3	10
checkUser(Long)	70.0 %	14	6	20
Management()	75.0 %	3	1	4
daysBetween(Calendar)	100.0 %	15	0	15
addRental(long, List<Item>)	85.0 %	34	6	40
Item.java	50.0 %	4	4	8

Type here to search

6:33 PM 10/7/2024

eclipse-workspace - Eclipse IDE

File Edit Navigate Search Project Run Window Help

Project Explorer Console Coverage X POHTest.java ManagementT... PORTest.java userDatabas... employeeDat... "14

Icon...

tests

(default package)

EmployeeManagementTest.java

EmployeeTest.java

InventoryTest.java

ItemTest.java

ManagementTest.java

POHTest.java

PointOfSaleTest.java

PORTest.java

POSTest.java

ReturnItemTest.java

TestPOSSystem.java

Icon...

JRE System Library [JavaSE-1.8]

JUnit 4

Referenced Libraries

Database

couponNumber.txt

employeeDatabase.txt

employeeLogFile.txt

Icon...

itemDatabase.txt

rentalDatabase.txt

returnSale.txt

saleInvoiceRecord.txt

temp.txt

temp (1).txt

temp (2).txt

temp (3).txt

userDatabase.txt

Documentation



changelog



POHTest (Oct 7, 2024 6:33:50 PM)

Element	Coverage	Covered Lines	Missed Lines	Total Lines
CSE216	9.4 %	190	1,834	2,024
tests	8.2 %	48	537	585
(default package)	8.2 %	48	537	585
POHTest.java	100.0 %	48	0	48
POHTest	100.0 %	48	0	48
testEndPOSReturnSaleTrue()	100.0 %	10	0	10
testEndPOSReturnSaleFalseFile()	100.0 %	10	0	10
testEndPOSReturnSaleFalse()	100.0 %	9	0	9
tesretrieveTemp()	100.0 %	7	0	7
setUp()	100.0 %	3	0	3
deleteTempItemUnmatchedId()	100.0 %	4	0	4
deleteTempItemMatchedId()	100.0 %	4	0	4
src	9.9 %	142	1,297	1,439
(default package)	9.9 %	142	1,297	1,439
PointOfSale.java	12.6 %	11	76	87
POH.java	45.7 %	43	51	94
POH	45.7 %	43	51	94
retrieveTemp(String)	17.4 %	4	19	23
endPOS(String)	73.5 %	25	9	34
deleteTempItem(int)	23.3 %	7	23	30
POH(long)	100.0 %	4	0	4
POH()	100.0 %	4	0	4
Management.java	37.4 %	67	112	179
Item.java	87.5 %	7	1	8
Inventory.java	31.1 %	14	31	45

Type here to search

6:34 PM 10/7/2024





eclipse-workspace - Eclipse IDE

File Edit Navigate Search Project Run Window Help

Project Explorer Coverage POHTest.java PointOfSale... ReturnItemT... ManagementT... PORTest.java

Icon_

- tests (default package)
 - EmployeeManagementTest.java
 - EmployeeTest.java
 - InventoryTest.java
 - ItemTest.java
 - ManagementTest.java
 - POHTest.java
 - PointOfSaleTest.java
 - PORTest.java
 - POSTest.java
 - ReturnItemTest.java
 - TestPOSSystem.java
- Icon_
- JRE System Library [JavaSE-1.8]
- JUnit 4
- Referenced Libraries
- Database
 - couponNumber.txt
 - employeeDatabase.txt
 - employeeLogFile.txt
 - Icon_
 - itemDatabase.txt
 - rentalDatabase.txt
 - returnSale.txt
 - saleInvoiceRecord.txt
 - temp.txt
 - temp (1).txt
 - temp (2).txt
 - temp (3).txt
 - userDatabase.txt
- Documentation
- phoenix

ReturnItemTest (Oct 7, 2024 6:36:48 PM)

Element	Coverage	Covered Lines	Missed Lines	Total Lines
CSE216	0.9 %	18	2,006	2,024
tests	2.2 %	13	572	585
(default package)	2.2 %	13	572	585
ReturnItemTest.java	100.0 %	13	0	13
ReturnItemTest	100.0 %	13	0	13
testGetItemID()	100.0 %	5	0	5
testGetDays()	100.0 %	5	0	5
setUp()	100.0 %	2	0	2
src	0.3 %	5	1,434	1,439
(default package)	0.3 %	5	1,434	1,439
ReturnItem.java	100.0 %	5	0	5
ReturnItem	100.0 %	5	0	5
getItemID()	100.0 %	1	0	1
getDays()	100.0 %	1	0	1
ReturnItem(int, int)	100.0 %	3	0	3

Type here to search

6:37 PM 10/7/2024

eclipse-workspace - Eclipse IDE

File Edit Navigate Search Project Run Window Help

Project Explorer Coverage POHTest.java PointOfSale... ReturnItemT... ManagementT... PORTest.java

Icon_

- tests (default package)
 - EmployeeManagementTest.java
 - EmployeeTest.java
 - InventoryTest.java
 - ItemTest.java
 - ManagementTest.java
 - POHTest.java
 - PointOfSaleTest.java
 - PORTest.java
 - POSTest.java
 - ReturnItemTest.java
 - TestPOSSystem.java
- Icon_
- JRE System Library [JavaSE-1.8]
- JUnit 4
- Referenced Libraries
- Database
 - couponNumber.txt
 - employeeDatabase.txt
 - employeeLogFile.txt
 - Icon_
 - itemDatabase.txt
 - rentalDatabase.txt
 - returnSale.txt
 - saleInvoiceRecord.txt
 - temp.txt
 - temp (1).txt
 - temp (2).txt
 - temp (3).txt
 - userDatabase.txt
- Documentation
- phoenix

TestPOSSystem (Oct 7, 2024 6:37:24 PM)

Element	Coverage	Covered Lines	Missed Lines	Total Lines
CSE216	4.0 %	81	1,943	2,024
tests	3.2 %	19	566	585
(default package)	3.2 %	19	566	585
TestPOSSystem.java	70.4 %	19	8	27
TestPOSSystem	70.4 %	19	8	27
testLogout()	100.0 %	2	0	2
testLoginValidCashier/WithWrongP	100.0 %	3	0	3
testLoginValidCashier()	33.3 %	1	2	3
testLoginValidAdmin/WithWrongP	100.0 %	3	0	3
testLoginValidAdmin()	33.3 %	1	2	3
testLoginNonExistentUser()	100.0 %	3	0	3
testLoginInvalidPassword()	100.0 %	3	0	3
setUp()	100.0 %	2	0	2
src	4.3 %	62	1,377	1,439
(default package)	4.3 %	62	1,377	1,439
POSSystem.java	50.0 %	57	57	114
POSSystem	50.0 %	57	57	114
readFile()	57.9 %	11	8	19
logOutToFile(String, String, String	76.9 %	10	3	13
logOut(String)	100.0 %	3	0	3
login(String, String)	65.0 %	13	7	20
continueFromTemp(long)	13.8 %	4	25	29
checkTemp()	80.0 %	4	1	5
Employee.java	50.0 %	5	5	10

Type here to search

6:37 PM 10/7/2024