




SK Capsule Vent and Drain options

Inlet/Outlet Fittings	Luer Lock (SKL)	Bleed Valve (SKV)	M8 Plug (SKP)	Compression (SKP)
1H = 1/8" Hose barbs	XXX			
1NF = 1/8" FNPT	XX			
2C = 1/4" Compression				X
2H = 1/4" to 1/2" Hose barbs, 1/4" Hose barb	XXX			
2HS = 1/4" to 3/8" Hose barbs	XX			
2LF = Large Female Luer Lock fitting	X			
2N = 1/4" MNPT	XXX			
2NF = 1/4" FNPT	XXX			
2Q = 1/4" Male Quick Coupling for Metal latch	XX			
2QF = 1/4" Female Quick Coupling with Metal latch	XX			
2QFP = 1/4" Female Quick Coupling with Plastic latch (three)	XXX			
2QP = 1/4" Male Quick Coupling for Plastic latch	XX			
3C = 3/8" Compression				X
3H = 3/8" Hose Barb	XX			
3HE = 3/8" Hose Barb Elbow	XX			
3NF = 3/8" FNPT	XXX			
4C = 1/2" Compression				X
4H = 1/2" Hose Barb	XX			
4N = 1/2" MNPT	XXX			
4QP = 1/2" Male Quick Coupling for Plastic latch	XX			
MT = 1/2" Tri clamps	XXX			
TC = 1-1/2" Tri clamp	XXX			
Option: Plugged and Cut off Vent and/or Drains				




SKV Series Capsule Fitting Options and Sizes


SKV × × × × 1H




SKV × × × × 2H




SKV × × × × 3H




SKV × × × × 4H




SKV × × × × 2QF




SKV × × × × 2Q




SKV × × × × 2N




SKV × × × × MT




SKV × × × × TC



SKV × × × × 2H2HFB




SKV × × × × 3H3HFB





P/N	Inlet/Outlet	Vent/Drain	Size (2mm)							
			SKV-H(1.5")		SKV-S(2.5")		SKV-L(5")		SKV-K(10")	
			A	B	A	B	A	B	A	B
SKV××××1H	1/8" Hose barbs	Vent Valve	52	95	80	123	137	180	265	308
SKV××××2H	1/4" Hose barbs	Vent Valve	52	112	80	140	137	197	265	325
SKV××××3H	3/8" Hose barbs	Vent Valve	52	120	80	148	137	205	265	333
SKV××××4H	1/2" Hose barbs	Vent Valve	52	127	80	155	137	212	265	340
SKV××××2QF	1/4" Female Quick Coupling	Vent Valve	52	104	80	132	137	189	265	317
SKV××××2Q	1/4" Male Quick Coupling	Vent Valve	52	100	80	128	137	185	265	313
SKV××××2N	1/4" NPT	Vent Valve	52	110	80	138	137	195	265	323
SKV××××MT	0.5" Tri-clamp	Vent Valve	52	98	80	126	137	183	265	311
SKV××××TC	1-1/2" Tri-clamp	Vent Valve	52	110	80	138	137	195	265	323
SKV××××2H2HFB	1/4" Hose barbs	Vent Valve	52	131	80	159	137	216	265	344
SKV××××3H3HFB	3/8" Hose barbs	Vent Valve	52	139	80	167	137	224	265	352







International Filter Products

Revolutionary systems for your industry

ZenPure

SKL××××3H3HFB SKL××××2C SKL××××3C SKL××××4C SKL××××3HE SKL××××2H



P/N	Inlet/Outlet	Vent/Drain	Size (±2mm)							
			SKL-H (1.5")		SKL-S (2.5")		SKL-L (5")		SKL-K (10")	
			A	B	A	B	A	B	A	B
SKL××××1H	1/8" Hose barbs	Female Luer Lock	68	106	98	136	153	190	281	318
SKL××××1NF	1/8" FNPT	Female Luer Lock	68	93	98	123	153	177	281	305
SKL××××1QF	1/8" Female Quick Coupling	Female Luer Lock	68	127	98	157	153	211	281	339
SKL××××2HS	1/4" to 3/8" Hose barbs	Female Luer Lock	68	125	98	155	153	209	281	337
SKL××××2N	1/4" MNPT	Female Luer Lock	68	110	98	140	153	194	281	322
SKL××××2NF	1/4" FNPT	Female Luer Lock	68	93	98	123	153	177	281	305
SKL××××2Q	1/4" Male Quick Coupling	Female Luer Lock	68	105	98	135	153	189	281	317
SKL××××2QF	1/4" Female Quick Coupling	Female Luer Lock	68	131	98	161	153	215	281	343
SKL××××2QP	1/4" Male Quick Coupling-P	Female Luer Lock	68	109	98	139	153	193	281	321
SKL××××3NF	3/8" FNPT	Female Luer Lock	68	110	98	140	153	194	281	320
SKL××××4N	1/2" MNPT	Female Luer Lock	68	123	98	153	153	207	281	335
SKL××××TC	1-1/2" Tri-clamp	Female Luer Lock	68	126	98	156	153	210	281	338
SKL××××MT	0.5" Tri-clamp	Female Luer Lock	68	125	98	155	153	209	281	337
SKL××××4QP	1/2" Male Quick Coupling-P	Female Luer Lock	68	113	98	143	153	197	281	325
SKL××××2LF	2L Female Luer Lock	Female Luer Lock	68	89	98	119	153	173	281	301
SKL××××2QFP	1/4" Female Quick Coupling-P	Female Luer Lock	68	140	98	170	153	224	281	352
SKL××××3H3HFB	3/8" Hose barbs	Female Luer Lock	68	125	98	155	153	209	281	337
SKL××××4H	1/2" Hose barbs	Female Luer Lock	68	131	98	161	153	215	281	343
SKL××××2C	1/4" Compression	1/4" Compression	68	95	98	125	153	179	281	308
SKL××××3C	3/8" Compression	1/4" Compression	68	95	98	125	153	179	281	308
SKL××××4C	1/2" Compression	1/4" Compression	68	101	98	131	153	185	281	314
SKL××××3HE	3/8" Hose barb-elbow	Female Luer Lock	68	102	98	132	153	186	281	315
SKL××××2H	1/4" to 1/2" Hose barbs	Female Luer Lock	68	125	98	155	153	209	281	338
SKL××××3H	3/8" Hose barbs	Female Luer Lock	68	125	98	155	153	209	281	337



International Filter Products

Revolutionary systems for your industry

904 N. Frederic St. Burbank, CA 91505

www.internationalfilterproducts.com

sales@internationalfilterproducts.com

Phone: (818) 841-2702

Fax: (818) 841-2947

