

```

4  int main() {
5      float t[4][3]={{18.2,23.8,20.6},{17.3,25.1,21.5},{15.0,20.6,18.4},{13.4,17.8,15.7}};
6      int i, j, maxi=0, maxj=0, mini=0, minj=0;
7      float avgday=0.0, avgtime=0.0;
8      for (i=0; i<4; i++) {
9          for (j=0; j<3; j++) {
10             printf("%.2f ", t[i][j]);
11             avgday+=t[i][j];
12             if (t[i][j]>t[maxi][maxj])
13                 maxi=i; maxj=j;
14             if (t[i][j]<t[mini][minj])
15                 mini=i; minj=j;
16         }
17         printf("average temp is %.2f", avgday/3);
18         printf("\n");
19         avgday=0;
20     }
21     for (j=0; j<3; j++) {
22         for (i=0; i<4; i++) {
23             avgtime+=t[i][j];
24         }
25         printf("average temp for time section %d is %.2f\n", j+1, avgtime/4);
26         avgtime=0;
27     }
28     printf("highest temp is at day %d, time section %d\n", maxi+1, maxj+1);
29     printf("lowest temp is at day %d, time section %d\n", mini+1, minj+1);

```

問題 輸出 偵錯主控台 終端機 連接埠

```

18.20 23.80 20.60 average temp is 20.87
17.30 25.10 21.50 average temp is 21.30
15.00 20.60 18.40 average temp is 18.00
13.40 17.80 15.70 average temp is 15.63
average temp for time section 1 is 15.98
average temp for time section 2 is 21.83
average temp for time section 3 is 19.05
highest temp is at day 2, time section 2
lowest temp is at day 4, time section 1

```

```

int main() {
    int rgb[3][4][5] = {{247, 67, 32, 187, 240},
                        {122, 41, 21, 16, 154},
                        {52, 35, 79, 21, 93},
                        {27, 22, 35, 154, 75}},
                        {{14, 145, 132, 25, 40},
                        {212, 221, 121, 54, 14},
                        {132, 235, 178, 19, 14},
                        {122, 122, 133, 54, 47}},
                        {{17, 44, 32, 127, 240},
                        {22, 231, 21, 156, 124},
                        {32, 35, 78, 21, 194},
                        {127, 22, 33, 54, 45}}};

    int i, j, k;
    for (i=0; i<3; i++) {
        for (j=0; j<4; j++) {
            for (k=0; k<5; k++) {
                printf("%d ", rgb[i][j][k]);
            }
            printf("\n");
        }
        printf("\n");
    }

    for (i=0; i<4; i++) {
        for (j=0; j<5; j++) {
            rgb[0][i][j] += 30;
            if (rgb[0][i][j] > 255) {
                rgb[0][i][j] = 255;
            }
            printf("%d ", rgb[0][i][j]);
        }
        printf("\n");
    }
    printf("\n");
    for (i=0; i<4; i++) {
        for (j=0; j<5; j++) {
            rgb[1][i][j] -= 30;
            if (rgb[1][i][j] < 0) {
                rgb[1][i][j] = 0;
            }
            printf("%d ", rgb[1][i][j]);
        }
        printf("\n");
    }
    printf("\n");
}

```

```

        {127, 22, 33, 54, 45}}};

int i, j, k;
for (i=0; i<3; i++) {
    for (j=0; j<4; j++) {
        for (k=0; k<5; k++) {
            printf("%d ", rgb[i][j][k]);
        }
        printf("\n");
    }
    printf("\n");
}

for (i=0; i<4; i++) {
    for (j=0; j<5; j++) {
        rgb[0][i][j] += 30;
        if (rgb[0][i][j] > 255) {
            rgb[0][i][j] = 255;
        }
        printf("%d ", rgb[0][i][j]);
    }
    printf("\n");
}
printf("\n");
for (i=0; i<4; i++) {
    for (j=0; j<5; j++) {
        rgb[1][i][j] -= 30;
        if (rgb[1][i][j] < 0) {
            rgb[1][i][j] = 0;
        }
        printf("%d ", rgb[1][i][j]);
    }
    printf("\n");
}
}

```

```

F:\Yuntech\programming class\0430HW\HW9-16.exe
247 67 32 187 240
122 41 21 16 154
52 35 79 21 93
27 22 35 154 75

```

```

14 145 132 25 40
212 221 121 54 14
132 235 178 19 14
122 122 133 54 47

```

```

17 44 32 127 240
22 231 21 156 124
32 35 78 21 194
127 22 33 54 45

```

```

255 97 62 217 255
152 71 51 46 184
255 97 62 217 255
152 71 51 46 184
82 65 109 51 123
57 52 65 184 105

```

```

0 115 102 0 10
182 191 91 24 0
102 205 148 0 0
92 92 103 24 17

```

```

F:\Yuntech\programming class\0430HW>

```

```

1  #include <stdio.h>
2  #include <stdlib.h>
3  void count(int*, int);
4
5  int main() {
6      int arr[7]={23, 234, 67, 93, 63, 674, 7};
7      int n=sizeof(arr)/sizeof(arr[0]);
8      count(arr, n);
9  }
10
11 void count(int arr[], int n) {
12     int i, odd=0, even=0;
13     for (i=0; i<n; i++) {
14         arr[i]&1? odd++: even++;
15     }
16     printf("this array has %d odd numbers\n\t\t\b%d even numbers", odd, even);
17 }

```

問題 輸出 偵錯主控台 終端機 連接埠

```

F:\Yuntech\programming class\0430HW>HW9-20.exe
this array has 5 odd numbers
                2 even numbers
F:\Yuntech\programming class\0430HW>

```

```

programming class > 0430HW > C HW9-22.c > add(int [row][col], int [row][col], int [row][col])

```

```

5  void add(int (*A)[col], int (*B)[col], int (*C)[col]);
6
7  int main() {
8      int i, j;
9      int a[row][col]={17, 29}, {38, 6}, {12, 4}};
10     int b[row][col]={17, 29}, {38, 6}, {12, 4}};
11     int c[row][col]={0};
12     add(a, b, c);
13     for (i=0; i<row; i++) {
14         for (j=0; j<col; j++) {
15             printf("%d ", c[i][j]);
16         }
17         printf("\n");
18     }
19 }
20 void add(int A[row][col], int B[row][col], int C[row][col]) {
21     int i, j;
22     for (i=0; i<row; i++) {
23         for (j=0; j<col; j++) {
24             C[i][j]=A[i][j]+B[i][j];
25         }
26     }
27 }

```

問題 輸出 偵錯主控台 終端機 連接埠

```

F:\Yuntech\programming class\0430HW>HW9-22.exe
34 58
76 12
24 8
F:\Yuntech\programming class\0430HW>

```