SHINTA BELLA NURROHMAH
242410101040
PWEB A

AKTIVITAS MANDIRI 1 - Instalasi & Setup Proyek Laravel

1. Instal XAMPP terbaru, pastikan PHP 8.2+ tersedia (cek: php --version di terminal)





2. Instal Composer dari getcomposer.org, verifikasi dengan: composer --version

```
C:\Users\Lenovo> composer --version
Composer version 2.9.4 2026-01-22 14:08:50
PHP version 8.3.30 (D:\laragon\bin\php\php-8.3.30-Win32-vs16-x64\php.exe)
Run the "diagnose" command to get more detailed diagnostics output.

C:\Users\Lenovo>
```

3. Buat proyek Laravel baru: composer create-project laravel/laravel siak-app

```
PS D:\Pwebsem4.html\bellabouquetwebsite> composer create-project laravel/laravel bella-bouquet
Creating a "laravel/laravel" project at "./bella-bouquet"
Installing laravel/laravel (v13.3.0)
  - Installing laravel/laravel (v13.3.0): Extracting archive
Created project in D:\Pwebsem4.html\bellabouquetwebsite\bella-bouquet
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 107 installs, 0 updates, 0 removals
  - Locking brick/math (0.14.8)
  - Locking carbonphp/carbon-doctrine-types (3.2.0)
  - Locking dflydev/dot-access-data (v3.0.3)
  - Locking doctrine/inflector (2.1.0)
  - Locking doctrine/lexer (3.0.1)
  - Locking dragonmantank/cron-expression (v3.6.0)
  - Locking egulias/email-validator (4.0.4)
  - Locking fakerphp/faker (v1.24.1)
  - Locking filp/whoops (2.18.4)
  - Locking fruitcake/php-cors (v1.4.0)
  - Locking graham-campbell/result-type (v1.1.4)
  - Locking guzzlehttp/guzzle (7.10.0)
  - Locking guzzlehttp/promises (2.3.0)
  - Locking guzzlehttp/psr7 (2.9.0)
```

```
  laravel/tinker ..................................................... DONE
  nesbot/carbon ...................................................... DONE
  nunomaduro/collision ............................................... DONE
  nunomaduro/termwind ................................................ DONE

78 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

   INFO  No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
> @php artisan key:generate --ansi

   INFO  Application key set successfully.

> @php -r "file_exists('database/database.sqlite') || touch('database/database.sqlite');"
> @php artisan migrate --graceful --ansi

   INFO  Preparing database.

   Creating migration table ........................................ 15.98ms DONE

   INFO  Running migrations.

   0001_01_01_000000_create_users_table ........................... 33.23ms DONE
   0001_01_01_000001_create_cache_table ........................... 20.16ms DONE
   0001_01_01_000002_create_jobs_table ............................ 34.93ms DONE

PS D:\Pwebsem4.html\bellabouquetwebsite>
```

4. Buat database baru 'siak_db' di phpMyAdmin





5. Konfigurasi file .env: isi DB_DATABASE, DB_USERNAME, DB_PASSWORD sesuai lokal

```
22
23  DB_CONNECTION=mysql
24  DB_HOST=127.0.0.1
25  DB_PORT=3306
26  DB_DATABASE=bouquet_db
27  DB_USERNAME=root
28  DB_PASSWORD=
```

6. Jalankan: php artisan key:generate

```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS    GITLENS

PS D:\Pwebsem4.html\bellabouquetwebsite\bella-bouquet> php artisan key:generate

  INFO  Application key set successfully.

PS D:\Pwebsem4.html\bellabouquetwebsite\bella-bouquet>
```

7. Jalankan server: php artisan serve - buka http://127.0.0.1:8000 di browser

```
PS D:\Pwebsem4.html\bellabouquetwebsite\bella-bouquet> php artisan serve

  INFO  Server running on [http://127.0.0.1:8000].

  Press Ctrl+C to stop the server
```



8. Eksplorasi struktur folder, buka setiap folder dan pahami fungsinya



9. Jalankan php artisan route:list dan catat route apa saja yang sudah terdaftar
Tips: Gunakan Laragon (laragon.net) sebagai alternatif XAMPP - lebih ringan dan mendukung Laravel secara native dengan virtual host otomatis.

```
PROBLEMS   OUTPUT   DEBUG CONSOLE   TERMINAL   PORTS   GITLENS                    powershell

PS D:\Pwebsem4.html\bellabouquetwebsite\bella-bouquet> php artisan route:list

  GET|HEAD  / ..................................................................... routes/web.php:5
  GET|HEAD  storage/{path} storage.local › vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemSer…
  PUT       storage/{path} storage.local.upload › vendor/laravel/framework/src/Illuminate/Filesystem/Filesy…
  GET|HEAD  up . vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:223

                                                                                  Showing [4] routes

PS D:\Pwebsem4.html\bellabouquetwebsite\bella-bouquet>
```

AKTIVITAS MANDIRI 2 - Membuat Routing & Controller Dashboard

1. Buat Controller DashboardController: php artisan make:controller DashboardController

```
PS D:\Pwebsem4.html\bellabouquetwebsite\bella-bouquet> php artisan make:controller DashboardController

  INFO  Controller [D:\Pwebsem4.html\bellabouquetwebsite\bella-bouquet\app\Http\Controllers\DashboardController.php] created successfull
y.

PS D:\Pwebsem4.html\bellabouquetwebsite\bella-bouquet>
```

```
EXPLORER                                  .env   DashboardController.php U
BELLA-BOUQUET                             app > Http > Controllers > DashboardController.php
  app                                     1  <?php
    Http\Controllers                      2
      Controller.php                  U   3  namespace App\Http\Controllers;
      DashboardController.php         U   4
    Models                                5  use Illuminate\Http\Request;
    Providers                             6
  bootstrap                               7  class DashboardController extends Controller
  config                                  8  {
  database                                9      //
  public                                  10 }
                                          11
```

2. Tambahkan method index() yang mengembalikan view('dashboard') di DashboardController

```php
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;

class DashboardController extends Controller
{
    public function index()
    {
        return view('dashboard');
    }
}
```

3. Daftarkan route di routes/web.php: Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard')

```php
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\DashboardController;
Route::get('/', function () {
    return view('welcome');
});

Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');
```

4. Buat file view sementara resources/views/dashboard.blade.php berisi '<h1>Dashboard SIAK</h1>'

```blade
<h1>dashboard bella-bouquet</h1>
```

5. Akses http://127.0.0.1:8000/dashboard di browser pastikan tampil



6. Buat route /tentang dengan Route::view('/tentang', 'tentang') dan buat view-nya

```php
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\DashboardController;
Route::get('/', function () {
    return view('welcome');
});

Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');

Route::get('/tentang', [DashboardController::class, 'tentang'])->name('tentang');

```

DashboardController.php U | web.php U | tentang.blade.php U

resources > views > tentang.blade.php

```php
<h1>tentang bella-bouquet</h1>

```

DashboardController.php U | web.php U | tentang.blade.php

app > Http > Controllers > DashboardController.php

```php
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;

class DashboardController extends Controller
{
    public function index()
    {
        return view('dashboard');
    }
    public function tentang()
    {
        return view('tentang');
    }
}

```

127.0.0.1:8000/tentang

tentang bella-bouquet

7. Jalankan php artisan route:list amati semua route yang terdaftar

```
PS D:\Pwebsem4.html\bellabouquetwebsite\bella-bouquet> php artisan route:list

  GET|HEAD  / ..................................................................... routes/web.php:5
  GET|HEAD  dashboard ..... dashboard › DashboardController@index
  GET|HEAD  storage/{path} ....... storage.local › vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:111
  PUT       storage/{path} storage.local.upload › vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:119
  GET|HEAD  tentang ..... tentang › DashboardController@tentang
  GET|HEAD  up ........... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:223

                                                                                Showing [6] routes
```

8. Coba buat Route::get('/hitung/{a}/{b}', fn($a, $b) => $a + $b) dan akses /hitung/10/25

DashboardController.php U | web.php U | tentang.blade.php U | dashboard.blade.p

routes > web.php

```php
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\DashboardController;
Route::get('/', function () {
    return view('welcome');
});

Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');

Route::get('/tentang', [DashboardController::class, 'tentang'])->name('tentang');

Route::get('/hitung/{a}/{b}', fn($a, $b) => $a + $b);

```

127.0.0.1:8000/hitung/10/25

35

Tips: Route::view() adalah shortcut untuk route yang hanya menampilkan view tanpa logika. Sangat berguna untuk halaman statis seperti 'Tentang Kami'.