AEGEA®
AEGEAN TECHNOLOGY

Jiangsu Aegean Technology Co., Ltd

Tel: 0086-512-56382825
Fax: 0086-512-58170725
Phone: 0086-18662239001
Website: www.aegeanchina.com
www.aegeachina.com

Add: Aoyang International Building ,Zhangjiagang, Jiangsu,215600,China
Email: info@aegeanchina.com
aegean@aegeantech.com

AEGEA®
AEGEAN TECHNOLOGY

WE ARE DIFFERENT

CHANGE and REBIRTH

TO BE THE BEST HOSPITAL FURNITURE SUPPLIER

NO SURPRISE NO SALE

KEEP MOVING
ALL IN

To be the best hospital furniture supplier

JIANGSU AEGEAN TECHNOLOGY CO.,LTD.

CONTENT

BRAND STORY

AEGEA®
AEGEAN TECHNOLOGY
品 / 牌 / 故 / 事

"AEGEAN"取自文明古国古腊AEGEAN SEA——爱琴海

"海纳百川，有容乃大"希腊爱琴海是海中之最，经历了沧桑的岁月，它依然那样的波澜壮阔令人神往，AEGEA品牌希望能在医疗行业蔚蓝的大海中，收获AEGEAN SEA一样的故事，一样的知名度。

品牌上端的三个"海豚"寓意：AEGEA能携手客户与合作伙伴在蔚蓝的大海中勇往直前自由翱翔。

The word 'AEGEAN'comes from'AEGEAN SEA'in Greek,an ancient civilization.

A sea owes its capacity to its tolerance of small rivers.AEGEAN is the famous sea in Greece,which can still be spectacular and fascinating after undergoing historic changes.Our AEGEAN brand can also gain the same reputation and popularity in Medical Industry just as AEGEAN SEA in the blue ocean.

The three lovely dolphins on our Logo means AEGEAN can go far freely together with our customers and partners in the 'blue ocean'.

在中国，一个连续多年获得全国医疗器械销售额第一的省份–江苏省，诞生了一个渴望将"中国制造"变为"中国创造"的企业——江苏爱琴海科技有限公司

TO BE THE BEST HOSPITAL FURNITURE SUPPLIER

做最好的医疗设备供应商–是每一个江苏爱琴海人的愿景

江苏爱琴海科技有限公司是一家颇具规模的医疗设备企业，公司集医疗设备设计，研发，生产，销售，服务为一体。

公司拥有的"AEGEA"品牌致力于提供医院设备整体解决方案，深受国内外中间商及医院的青睐，同时产品远销德国，英国，罗马尼亚，美国，智利，墨西哥，巴拿马，哥伦比亚，沙特，马来西亚，柬埔寨，泰国等全球150多个国家和地区，同时江苏爱琴海科技与国际知名品牌建立长期OEM合作伙伴关系确保长期的业务增长及技术提升。

江苏爱琴海科技有限公司将秉承"客户第一，员工第二，股东第三"的企业经营理念为医疗行业的明天贡献自己的力量，爱琴海人深信：改变创造未来，未来就是现在！

In China, a province who consecutively won the first sale of medical equipment in China-Jiangsu Province, create a company who commit to change "Made in China" to "Created in China" -Jiangsu Aegean Technology Co.,Ltd

"TO BE THE BEST HOSPITAL FURNITURE SUPPLIER" is everyone's vision in Jiangsu Aegean

Jiangsu Aegean Technology Co.,ltd is a large-scaled multiple enterprise which consists of professional hospital furniture design, research, development, production, sales and service.

The company with "AEGEA" brand, commit to provide the hospital furniture solution,and always favored deeply by domestic distributors and hospitals.At the same time, products are exported to Germany, UK, Romania, USA, Chile, Mexico, Panama, Colombia, Saudi Arabia, Malaysia, Cambodia, Thailand and so on , more than 150 countries and regions. Jiangsu Aegean technology CO. LTD establish long-term OEM partnership with international famous brands to ensure long-term business growth and technology improvement.

AEGEAN will adhere the Enterprise Idealism of Clients first,Staffs second and Shareholders third to devote themselves' strength to a better Medical Industry.

AEGEAN believe: Change create the future,Future is now!

BRAND STORY 品 / 牌 / 文 / 化

企业愿景
做最好的医疗设备供应商

企业经营理念
客户第一，员工第二，股东第三！

无论何时，爱琴海人将铭记：客户第一，员工第二，股东第三，这是企业得以发展的根本。

爱琴海之商道

诚信
爱琴海人，凡事做到严谨，诺不轻许，故不失信于人，说一不二，言出必践。

务实
爱琴海人，"头顶天，脚踏地"踏实地干好每一件小事。

创新
爱琴海人永远不会停留在"过去"！"创新"就从现在做起，势必赢得未来。

高效
爱琴海人相信成功的秘诀是有计划的做好每一件事情。

争先
爱琴海人永远不做追随者，我们始终相信，"要么不做，要么就做引导者！"

Enterprise Vision
To be the best hospital furniture supplier in the world!

Enterprise Idealism
Clients first, Staffs second and Shareholders third.

Members of AEGEAN must remember the concept of "Clients first, Staffs second and Shareholders third" at any time.As it is fundamental to the development of the enterprise.

Business Ways Of AEGEAN

Integrity
AEGEAN never make a promise we can't keep.We will do what we say.

Practicability
AEGEAN will do every little thing practically and realistically.

Innovation
AEGEAN never stay in the past .We have self-confidence and creative ideas.

Efficiency
AEGEAN believe the secret of efficiency is Planning.

Priority
AEGEAN never imitate others.Once we decide to do a thing,we always do it best.

PRODUCTION
DEPARTMENT

AG-BR002C

7功能ICU病床
7-Function ICU Bed

Specification:

1.Electrostatic powder coating for the whole surface,10-part cold rolled steel plate punching bed board,Cold-rolled steel bed frame.

2.Linak Motor from Denmark,three column straight lift system

3.Alarm system

4.4-piece ABS big handrails, ABS detachable headboard and footboard, embedded handrail operator.

5.Electronic weighing system accurate to 0.01kg, with memory function, operate easily

6.CPR board quick release

7.Continue working for 8 hours without battery support

8.Foot-operated brake control system, four 125mm double silent castors

9.ABS shell one time formed dust cover, angle indicator

1. One-button electric CPR

2. One-button reset

3. One-button chair (similar to TV-position)

4. Night light

5.With weighing scale

ISO 13485:2003 CE
www.aegeanchina.com

AEGEA

CPR功能
CPR function,accessible from
both side of the bed

酒红色 Wine red

双面静音脚轮
Double-side silent wheels
with locking

蓝色 Blue

可拆卸ABS床板
4-Part of detachable
ABS bedboard

木纹色 Wooden

进口丹麦电机
Three years warranty
for Linak motor

不锈钢紧固件
All screws are made of
stainless steel

AG-BY003C

5功能电动病床
5-Function Electric ICU Bed

1. Backrest max upward angle: 75°
2. Footrest max upward angle: 45°
3. Height adjust: 480-760mm
4. Trendelenburg:12°
5. Anti-trendelenburg: 12°

尺寸 Size :
2200 × 1100 × 480-780mm

AG-BR001

8功能电动病床
8-Function ICU Bed

尺寸 Size:
2000~2200 × 1020 × 525~965mm

8-功能 8-Functions:		
高度调节 HI-LOW		525~965mm
背板角度调节 Back section adjustable		0~75°
腿板角度调节 Knee section adjustable		0~45°
前倾 Trendelenburg		0~15°
后倾 Anti-Trendelenburg		0~15°
床面延展 Footboard extend function		2000~2200
座椅功能 Chair function		0~30°
CPR功能 CPR function		
选配 Optional Accessory		Weighing scale

AG-BY009

5功能电动病床（称重型）
5-Function ICU Bed (Weighing Type)

尺寸 Size:
2250 × 1050 × 575~815mm

AG-BY009重症监护病床是专门为重症患者设计的具有称重系统精确到0.01公斤功能的多功能电动病床，配有10片式床板，舒适性更佳。嵌入式操作板设计使病人和护士操作更加方便。爱琴海专利设计插头，能够适应各种插座并且适用于多种电源电压。双立柱结构垂直升降无噪音，电机使用寿命更长久。

AG-BY009 ICU bed is designed for intensive care patients with weighing function accurate to 0.01kg. Equipped with 10pcs bedboards, more comfortable for patients to lay on. Embedded operator design more convenient for patients and nurses to operate. AEGEAN patent plug design, can replace all the plug and apply to any voltage. Vertical lift noiseless, extend the life of motor.

5-function: Weighing function
Backrest max upward angle: 75°
Footrest max upward angle: 40°
Height adjustment: 575~815mm
Trendelenburg:12°
Anti-trendelenburg: 12°

AG-BY007

5功能电动病床
5-function Electric Bed

尺寸 Size:
2150 × 1090 × 450~720mm

5-function:
Backrest max upward angle: 75°
Footrest max upward angle: 40°
Height adjustment: 450~720mm
Trendelenburg:12°
Anti-trendelenburg: 12°

AG-BM005

5功能电动病床
5-function Electric Bed

尺寸 Size:
2000 × 970 × 500~750mm

5-function:
Backrest max upward angle: 75°
Footrest max upward angle: 40°
Height adjustment: 500~750mm
Trendelenburg:12°
Anti-trendelenburg: 12°

AG-BY004

5功能电动病床
5-Function ICU Bed

尺寸 Size:
2200 × 1060 × 440~760mm

5-function:
Backrest max upward angle: 75°
Footrest max upward angle: 40°
Height adjustment: 440~760mm
Trendelenburg:12°
Anti-trendelenburg: 12°

AG-MC001

5功能电动护理床
5-Function Electric Nursing Bed

背部调节，腿部调节，前后倾斜，升降调节
可拆卸折叠，方便贮存
5寸脚轮
尺寸：2150×1030×460–860mm
承重170kg
进口林耐克电机

Back section adjustable
Foot section adjustable
High–low 460–860mm
Trendelenburg, anti–trendelenburg
1. Depatchable, foldable. save space when shipping and stocking
2. 125mm dia castors
3. Size: 2150*1030*460–860mm
4. Loading:170kg
5. Four Linak motors from Denmark.

AG-W001

超低位五功能电动护理床
Ultra-low Electric Homecare Bed

可选配件
1、吊臂
2、配套床垫可选：5㎜棕垫+充气防褥床垫
3、护士操作器（带电动CPR）
4、配套床头柜与床边桌
5、可选4寸中控刹车脚轮或者可调节脚垫
6、背板可选透X光电木板背板
7、分段式护栏可选往中间倒、往两边倒、或者六栏式一体护栏

Optional accessories:
1. Lifting pole
2. Optional mattress:5mm coir mattress+inflatable mattress
3. Nurse operator(with electric CPR function)
4. Matching cabinet and over bed table
5. 4–inch central control braking castors or adjustable foot pad
6. Backboard plate with X–ray permeable
7. Segment guardrail in the middle or integrated six bars guardrail

尺寸 Size:
2200×1100×250–650mm

AG-WS001

三功能手动护理床
Three-Function Manual Homecare Bed

尺寸 Size:
2150×1100×350–600mm

walnut color（胡桃木色）

maple color（枫木色）

颜色可选
Colors optional

AG-BMY002

三功能液压床
3-Function Hydraulic Bed

尺寸 Size:
2160 ×970 ×(450 – 700)mm

Backrest controlled by gas spring : 0~75°
Footrest controlled by gas spring : 0~40
Height adjustable controlled by hydraulic :450~700mm

Technical parameters:
1.Frame :cold–rolled steel structure, electro–coating and powder–coating
2.Four – piece carbon steel stamping bed, cold–rolled steel frame
3.American power hydraulic cylinder
4.4 pieces of ABS side handrails，ABS detachable head/foot boards
5.Dynamic loading: 250KG, Static loading: ＞300KG

AG-BY104

三功能手电一体病床
3- Function Manual
and Electric Bed

尺寸 Size:
2200 × 1060 × (440~760)mm

Backrest max upward angle: 75°
Footrest max upward angle: 40°
Height adjustment: 440~760mm

AG-BM005

5功能电动病床
5-Function Electric Hospital Bed

尺寸 Size:
2000x970x(500~750) mm

AG-BMS001

5功能手动病床
5-Function Manual Bed

尺寸 Size:
2160 × 960 × (500~750)mm

AG-BMS002B

3功能手摇床
3-function manual bed(ABS bedboard)

背部抬起0~75°
腿部抬起0~40°
整体上升下降460~760mm

材料说明:
床体表层静电粉末喷涂
四片式ABS床板
六档铝合金护栏，ABS可拆卸床头尾板
304不锈钢可调节输液杆
4个直径125mm双面静音脚轮
所有螺丝均为不锈钢材质
脚踏式中控刹车系统，引流挂钩
动态承重：250Kg
静态承重：>300Kg

Backrest adjustment:0~75°
Footrest adjustment:0~40°
HI~LOW:460~760mm

Technical parameters:
1.Treated by electro-coating and powder-coating.
2.4-part ABS bed boards.
3.6-crank al-alloy handrails, ABS head/foot board.
4.Height adjustable 304 stainless steel IV pole.
5.4 double-side silent wheels(125mm)
6.All the screws made of stainless steel material.
Dynamic load: 250Kg
Static load:> 300Kg

AG-BYS106

2功能手动病床
2-Function Manual Bed

尺寸 Size:
2120 × 1050 × 540mm

A   B

AG-BMS101A

2功能手动病床
2-Function Manual Bed

尺寸(Size):
2130 × 970 × 540mm

AG-BYS203

1功能手动病床
Single Function Manual Bed (Type I)

尺寸 Size:
2130 × 960 × 540mm

功能 Functions:
背板角度调节
Back section adjustable: 0~75°

AG-BYS204

1功能手动病床
Single Function Manual Bed (Type II)

尺寸 Size:
2130 × 960 × 540mm

功能 Functions:
背板角度调节
Back section adjustable: 0~75°

AG-BMS303

平床
Flat Bed

尺寸 Size:
2130 × 960 × 540mm

AG-CB001

1功能手动病床
1-Crank Manual Child bed

技术参数
1. 尺寸：1800×820×500mm
2. 耐用框架：静电喷涂和粉末涂层处理的冷轧钢

功能
背板可调：0-75°

Technical Parameter
1. Overallsize :1800×820×500mm
2. Durable frame: made of cold-rolled steel plate, treated by electro-coating and powder-coating

1-function:
Backrest max upward angle: 0-75°

AG-CB003

儿童床
Flat Child Bed

技术参数
1. 尺寸：1810×900×590mm
2. 耐用框架：静电喷涂和粉末涂层处理的冷轧钢

Technical Parameter
1. Overallsize :1810×900×590mm
2. Durable frame: made of cold-rolled steel plate, treated by electro-coating and powder-coating

AG-CB004

儿童床
Flat Child Bed

1) Overallsize (L*W*H):1210*690*600mm
2) Durable frame: made of cold-rolled steel plate, treated by electro-coating and powder-coating
3) Detachable Steel headboard/footboard with plastic board
4) 2-part Steel bedboards
5) Full length steel handrails
6) Fully tested sturdy contruction capable of taking a maximum user weight of up to 200kg
7) With one ss height adjustable I.V pole, with Drainage hook
8) Four silent wheels with cross brakes

AG-CB014

2功能婴儿床
2- Function Child Bed

Technical Parameter
1. Size: 800×700×1600mm
2. 304 Stainless steel bed frame
3. Footboard with plastic patient name card
4. 4-part cold-rolled steel bedboards
5. Detachable 304 stainless steel handrails
6. Max weight 250Kg
7. Castors with cross braking system
8. Stainess steel retractable IV pole
9. Drainage hook

AG-CB009

医用婴儿车
Baby Crib(Type II)

尺寸 Size:
810×520×940mm

Tilting angle of head from 0 to 12 °
Material:
Steel bed frames with basket
Steel side rails around
ABS tray with mattress
4 castors
Maximum loading capacity: 60kgs

AG-CB011

医用婴儿车
Baby crib

尺寸 Size:
850×500×780-980mm

Technical Parameter
1. Steel frame
2. ABS baby basin
3. ABS tray and base
4. 4 castors with cross brakes
5. Tilting angle of head from 0 to 12 °
6. Height of bed adjustable from 810mm to 930mm
7. Maximum loading capacity: 60kgs

ISO 13485:2003 CE

1. All Aegean hospital beds use Linak Motor.

电机可选 Motor Optional: Linak ,LK ,JC,T–motion

2.Package: wooden or carton

3.OEM medical is avilable

4.Electric Bed 20ft:16pcs 40HQ:55pcs

5. 颜色可选：Color Optional:

蓝色 3005 U	酒红色 Rubine Red u	绿色 331 UP	粉红色 517 U	果绿色 381 U

防褥疮气垫
AG-M001
Anti–decubitus Air Mattress(Bubble)

防褥疮气垫
AG-M002
Anti–decubitus Air Mattress(Stripe)

医用床垫
AG-M004
4–Folding Foam Mattress

医用床垫
AG-M011
Medical Mattress

不锈钢静脉输液架
AG –IVP004 Stainless Steel IV pole

输液架
AG-SS009 IV Stand

输液架
AG-P027 IV Pole

吊 臂
AG-P020 Lifting Pole

10cm

AG-HS001
液压担架车
Hydraulic transport stretcher

尺寸 Size:
2100 × 850 × 600~950mm

材质：
液压泵：美国进口液压泵
钢制框架，铝合金护栏
背板可X-ray
底部罩壳为进口PP材质
配IV Pole

Material：
Pump: American Pump
Steel frame, aluminum alloy handrails
X–ray available back board
Imported PP material bottom platform
With I.V. pole

AG-HS010

电动担架车
Electric Transport Stretcher

尺寸 Size:
1930 × 700 × (630~930)mm

AG-HS021

8轮手术交换车
Exchange Stretcher Trolley For Operation Room

功能：
　　最大程度代替了手术室对接车，速度更快，一车
完成所有繁琐的环节，8轮设计，避免灰尘及细菌接
触手术室地面

Functions:
* Back section adjustable:0~90°
* Height adjustable
* 8 wheels exchange for OT Room

尺寸 Size:
1900 × 640 × 730~940mm

AG-HS003

手术交换车
Conneting Stretcher Trolley
For Operation Room

技术参数：
配PP护栏，输液架

Technical Parameter:
PP handrails,IV pole

功能 Functions:
* HI~LOW: 640~970MM
* Back section adjustable: 0~75°

尺寸 Size:
3650 × 640 × 640~970mm

AG-HS002
手动担架车
Manual Transfer Stretcher

尺寸(Size):
1930×640×(540~840)mm

AG-HS008
液压担架车
Hydraulic Stretcher

尺寸(Size):
1930×700×630/900mm

AG-HS013
手动担架车
Manual Transport Stretcher

尺寸(Size):
1900×630×800mm

AG-HS014
手动担架车
Manual Transport Stretcher

尺寸(Size):
1900×630×600~800mm

AG-OT008
DR专业手术台
DR Professional Operating Table

主要功能:
电动液压控制，四点式自我补偿式刹车系统，平移530mm,升降450mm。床面可形成V形体位100度，反V形体位220度。

Main Usage:
Electric-hydraullic control four point self compensation.

台面尺寸 Dimension of table top：	
长 Overall Length	2100mm
宽 Width	500mm

部件尺寸 Dimension of section：	
头板尺寸 Head section	250×500mm
背板尺寸 Back section	465×500mm
腰桥 Waist section	75×500mm
坐板尺寸 Seat section	630×500mm
腿板 Leg section	600×240mm

搁腿架 Leg support	搁手板 Arm support	缚身带 Strap
麻醉帘 Anaesthesia screen frame	腰架 Waist fixer	肩架 Shoulder fixer

主要技术参数	
台面最低 Min height	700mm
台面最高 Max height	1150mm
升降范围 Adjustment	450mm
前倾 Reversed trendeleburg	≥30°
后倾 Trendeleburg	≥25°
左右倾 Lateral tilt	≥25°
前后平移 Move forward and backward	≥530mm
头板上折 Heed section raised from the horizontal	≥45°
头板下折 Heed section lowered from the horizontal	≥90°
背板上折 Back section raised from the horizontal	≥75°
背板下折 Back section lowered from the horizontal	≥30°
腿板下折 Leg Section lowered from the horizontal	≥90°
腿板外展 Leg section opened	≥90°
腰桥升降 Kidney bridge elevated	≥80mm
升降速度 Lifting speed	4~16mm/s

AG-OT007

高级电动液压手术台
综合豪华手术台 眼科手术
Electric-Hydraulic Operating Table

主要用途：
电动手术台供临床机构手术时使用。

Main Usage:
It can be operated for ophthalmology, gynecology orthopedics clinical all kinds of surgeries.

结构性能：
手术台由机械及电动液压控制系统组成。该产品通过人工按钮操纵，能够满足临床机构手术时所需体位的要求。

Structure :
Operating table consists of two parts: mechanical and electric–hydraulic control system. Depending on manual operation, the product can meet the requirements of posture in clinical operation.

台面尺寸	Dimension of table top	
全长	Overall length	2050mm
宽	Width	550mm

台面分段尺寸	Dimension of section	
头板	Head section	250×500mm
背板	Back section	465×500mm
腰板	Waist section	75×500mm
座板	Seat section	550×500mm
腿板	Leg section	600×240mm

台面高度	Table top from floor	
台面离地最低	Min height	580mm
台面离地最高	Max height	930mm
行程	Adjustment	350mm

台面调节范围	Range of movements	
前倾	Reversed trendelenburg	≥20°
后倾	Trendelenburg	≥15°
左右倾	Lateral tilt	≥15°

台面分段调节最大范围	Adjustment of sections	
头板上折	Head section raised from the horizontal	≥45°
头板下折	Head section lowered from the horizontal	≥90°
背板上折	Back section raised from the horizontal	≥75°
背板下折	Back section lowered from the horizontal	≥30°
腿板下折	Leg section lowered from the horizontal	≥90°
腿板外展	Leg section opened	≥90°
腰板升高（选配）	Kidney bridge elevated(Optional)	≥80mm
床台水平旋转	Bed pan roation	0～360°
水平复零(选配）	Restoring horizontal position(optional)	±2°
升降速度	Lifting speed	4～16mm/s
安全工作载荷	Safe working load	250kg

AG-OT009

高级电动手术台
泌尿科手术台 综合手术台
Electric Operating Table (C-arm)

参数 Specifications：

台面的尺寸 Dimension of table top:

长	Overall length:	2100mm
宽	Width:	500mm
头板	Head section:	250 × 500mm
背板	Back section	545 × 500mm
坐板	Seat section	450 × 500mm
腿板	Leg section	600 × 240mm
腰桥	Kidney bridge	75 × 500mm
脚板	Foot section	180 × 273mm
后倾	Reversed trendelenburg	≥20°
前倾	Trendelenburg	≥15°
横向倾斜	Lateral tilt	≥15°
向后和向前运动	Backward and forward movements	≥400mm

调整部分

头板角度调节	Head section raised from the horizontal	≥45° —≥90°
背板角度调节	Back section raised from the horizontal	≥45°
腰桥	Kidney bridge elevated	≥80mm
腿板下降	Leg section lowered from the horizontal	≥90°
腿部外展	Leg section opened	≥90°

AG-OT012

电动手术台
Electric Operating Table

参数 Specifications：

台面的尺寸
Dimension of table top:

长	Overall length:	2100mm
宽	Width:	480mm

部件尺寸
Dimension of section

头板	Head section	280 × 325mm
背板	Back section	500 × 480mm
坐板	Seat section	530 × 480mm
腿板	Leg section	510 × 236mm
脚板	Foot section	180 × 273mm
腰桥	Kidney bridge	100 × 480mm

从台面至地板距离
Table top from floor

最小高度	Min height	750mm
最大高度	Max height	1000mm
调整	Adjustment	250mm

台面活动范围 Range of movements

台面前倾角度	Reversed trendelenburg	≥20°
台面后倾角度	Trendelenburg	≥15°
台面横向倾角度	Lateral tilt	≥15°
头板转折角度	Head section raised from the horizontal	≥45°
头板后折角度	Head section lowered from the horizontal	≥90°
背板折转角度	Back section raised from the horizontal	≥75°
背板后折角度	Back section lowered from the horizontal	≥30°
腿板下折角度	Leg section lowered from the horizontal	≥90°
腿板打开角度	Leg section opened	≥90°
腰桥	Kidney bridge elevated	≥100mm

AG-OT015

手动液压手术台
Manual Hydraulic Operating Table (C-arm)

参数 Specifications：

台面尺寸 Dimension of table top:

长	Overall length:	2100mm
宽	Width:	500mm
头板	Head section:	250 × 500mm
背板	Back section	465 × 500mm
腰桥	Kidney bridge	75 × 500mm
座板	Seat section	450 × 500mm
腿板	Leg section	600 × 240mm
脚蹬	Foot rest	273 × 180mm
后倾	Reversed trendelenburg	≥15°
前倾	Trendelenburg	≥20°
横向倾斜	Lateral tilt	≥15°
头板	Head section:	≥45° —≥90°
背板	Back section	≥45°
腿板垂直	Leg section–lowered from the horizontal	≥90°
腿板外摆	Leg section–opened	≥90°
前移后移	Backward and forward movements	≥400mm
腰桥	Kidney bridge elevated	≥100mm
承重量	Loading capacity	250kg

AG-OT025

手动液压手术台
Manual Hydraulic Operating Table

参数 Specifications：

|		
长	Overall length:	2050 ± 50mm
宽	Width:	480 ± 20mm
升降高度	Max& min height of the platform	(750 ~ 950) ± 50mm
背板向上折叠	Back board fold upward	≥80°
背板向下折叠	Back board fold downward	≥10°
前倾	Reversed trendeleburg	≥25°
后倾	Trendeleburg	≥25°
左右倾	Leftward and rightward	≥20°
头板向上折叠	Head board fold upward	≥45°
头板折叠向下	Head board fold downward	≥90°
腿板折叠向下	Leg board fold downward	≥90°
腿板可分开	Leg of the board split	≥180°（可拆卸 dischargeable）
腰板可移动	Waist board lifting	≥120mm

AG-45

单臂吊塔
Double Arm Electric Surgical Pendant

Dry pendant(1pc):
1.Horizontal rotation angle≤340°
2.With three layers instrument platform(height can be adjusted)
3.Standard accessory for the gas connecting: Oxygen(1pc), VAC(1pc), Air(1pc)
4.Electrical outlet: 6 pcs(220V 10A)
5.With gas braking system
6.With equipotential ground terminal(2pcs), one drawer
7.With one adjustable stainless steel IV pole and adjusted stainless steel injection pump shelf
Wet pendant(1pc):
1.Horizontal rotation angle ≤ 340 °
2.With two layers instrument platform(height can be adjusted)
3.Standard accessory for the gas connecting: Oxygen(1pc), VAC(1pc), Air(1pc)
4.Electrical outlet: 6 pcs(220V 10A)
5.With equipotential ground terminal(2pcs)
6.With one adjustable stainless steel IV pole and adjustable stainless steel injection pump shelf

AG-40D

多臂吊塔
Double Arm Electric Surgery Pendant

1.Workbench vertical range is 300 mm;Electric power ≤1 kw
2.Horizontal rotation angle≤340° ;
3.Gas terminal standard: Oxygen(1pc),Vacumn(1pc), Air(1pc)
4.electric socket: 8pcs,grounding terminal:2pcs
5.Adjustable stainless steel iv pole and syringe pump support 1set

AG-360S

单臂电动吊塔
Single Arm Electric Hospital Pendant

AG-40H-1S

单臂电动腔镜塔
Single Arm Electric Abdominal Cavity Pendant

Specification:
1 Working platform vertical lift range: 600mm
2 Horizontal rotation angle≤340° ,with gas braking system
3 Loading capacity:100~200KGS
4 Standard accessory for the gas connecting:Oxygen(2pcs),
   VAC(2pcs), Air(1pc), CO_2(1pc)
5 Electrical outlet:8 pcs(220V 10A)
6 With equipotential ground terminal(2pcs), Internet connector
   RJ45(1pc)
8 Surface treatment using high–pressure electrostatic powder
   coating
9 Adjustable stainless steel iv pole and syringe pump support
   1set

AG-58

旋转吊塔
Surgical Rotary Pendant

1 Work bench vertical lift 300MM,motor power ≤1kw,Cross arm lifting,speed 22mm/s
2 Radius of the cross arm ≤1000mm, Horizontal rotation angle≤340°
3 Gas interface standard configuration: 2 oxygen gas, 2 VAC
4 Electrical outlet: 8 pcs
5 equipotential ground terminal 2pcs,net work port RJ45
6 Suspension anesthesia machine
7 Surface treatment using high voltage electrostatic powder coating
8 Adjustable stainless steel iv pole and syringe pump support 1set

AG-350

单臂电动麻醉塔
Single Arm Electric Anesthesia Pendant

1 One pc rotating horizontal arm(length more than 800mm); Horizontal rotation angle≤340°
2 Standard accessory for the gas connecting: Oxygen 2,Vacumn2
3 Electrical outlet:6 pcs
4 With gas braking system, with one drawer, with equipotential ground terminal(2pcs)
5 Adjustable stainless steel iv pole and syringe pump support 1set

AG-20V-1

多功能医疗柱
Multi-Function Medical Column

1 loading capacity:200KG
2 layers: 3pcs(height adjustable); round corner anti-collision design
3 Gas outlet standard: 2 Oxygen 2 vacuum 2 Air
4 Electric sockets:12
5 ground terminal: 4 / internet port:1
6 Adjustable stainless steel iv pole and syringe pump support 1set
7 1 drawer and 2 basket and 2 lighting lamp

AG-HBD002

医用设备带
Bed Head Unit

尺寸 Size：
2000mm × 270mm × 70mm
Head Unit (luxurious) in gas-electric separation design

国标 JIS

德标 DIN

氧气吸入器 Oxygen inspiraton

英标 BS

美标 ANSI

吸引缓冲瓶 Vacumn buffer bottle

AG-LT014B

LED无影灯（双头）
LED shadowless operation（lamp-double）

Illuminance:LED3	≥120,000Lux
Illuminance:LED5	≥160,000Lux
Color temperature	4500±200K
Colour reduction index(Ra)	96
Illuminance depth	1020mm/1150mm
Rated power of bulb	3.2V/1W
Total irradiance:LED3	380W/m²
Total irradiance:LED5	510W/m²
Size of light field	200~350mm
Service life of illuminant	50,000h
Power supply voltage	AC110~240v,50/60Hz
Lowest height of installation	2900mm
Total power consumption	140W
Total LED bulb quantity	294 pcs

AG-LT019 (Double75/55)

LED手术灯(双头75/55)
Operation Lamp

Reflector diameter	750mm	550mm
Center illuminance	40~160klx	40~140klx
Spot diameter(d10)	230mm	150mm
Spot diameter(d50)	160mm	120mm
Light beam depth	700mm	700mm
Color temperature	4200±300k	4200±300k
Color rendering index	Ra>95	Ra>95
Maximum illuminance	Ec<1000W/m2	Ec<1000W/m2

Optional Accessory：Camera, Arm with screen

AG-LT019A(Single55)

LED手术灯(单头55)
Operation Lamp

Reflector diameter	550mm
Center illuminance	40~140klx
Spot diameter(d10)	150mm
Spot diameter(d50)	120mm
Light beam depth	700mm
Color temperature	4200±300k
Color rendering index	Ra>95
Maximum illuminance	Ec<1000W/m2

AG-LT010-1

立式冷光五孔手术无影灯
Operating Lamp

采用从不同位置的光源为焦点来消除阴影,垂直移动安装制动装置,不受手术房间的空间限制,使用安全可靠。

Adopts light sources from different positions for focusing to eliminate shadow from different parts of medical workers. Vertical mobile setup with braking device is not limited by the space of surgical room and is safe and reliable in use.

照度Lx	Illumination Lx	160000≥Ec≥50000
色温K	Color temperature	4000±500
显色指数	Color rendering index	100≥Ra≥85
光束深度	Depth of light bean(mm)	≥500
总幅照度值(工作区域温升≤10℃) The value of the total irradiance (service range for temperature rise ≤10 degree)		<6mW/m² lx
总辐照度(术者头部温升≤2℃) Total irradiance(Temperature rise on the head of patient under surgical operation≤2 degree):		≤600W/m²
功率	Power	110V
灯炮额定电压	Rated voltage of bulb	AC 24V
灯炮额定功率	Rated power of bulb	125W
输入功率	Input power	150VA

AG-LT016
LED检查灯
LED Lamp

AG-LT016B
LED检查灯
LED Lamp

AG-LT019A-1
LED手术灯
LED Surgry Light

AG-AM001麻醉机
Anesthesia Machine

AG-AP001吸引器
Vacuum Suction Machine

AG-D0022高频X射线机(移动X光机)
High Frequency Mobile X-ray machine

AG-HXJ01呼吸机
Portable respirator

AG-DE001除颤仪
Defibrillation apparatus

AG-BZ009 十二道心电图机
12 Lead ECG Machine

AG-D0027洗片机
X-RAY Automatic Processor

AG-D0031吸引器
Vacuum Suction Machine

AG-KL001观片灯
X-ray film lamp

AG-D0033便携式呼吸机
Portable respirator

AG-D0037离心机
Lab centrifuge

AG-BZ013胎心仪
多普勒Fetal doppler

AG-900B注射泵
syringe pump

AG-DRS001高频数字X射线成像系统
High Frequency Digital Radiography System

AG-C101A04

LDR BED(Intelligent)

技术参数:

床 体 尺 寸：长度2350 mm 宽度980mm

床面尺寸：长度1990mm 宽度870mm

病 床 高 度：最低≤490 mm 最高≥890 mm（不含皮垫）

背板上折角度：≥65°

座板上折角度：≥15°

床面后倾角度：≥8°

脚板升降距离：170mm

脚板外摆角度：≥90º

脚板上折角度：≥90º

护栏升降距离：405mm

Bed dimension including bed end and bumper wheel: Length2350 Width980mm

Bed dimension: Length1990mm Width870mm

Bed height: Lowest ≤490 mm Highest≥890mm (exclude the cushion)

Back section turning:≥65°

Seat section turning:≥15°

Trendelenburg:≥8°

Leg section lifting distance:170mm

Footrest swing out:≥90°

Footrest folding:≥90°

Guard rail up/down movement:405mm

Castor dia.:150mm

标准配件   Standard Accessories:

床垫 Bed cushion	1套 (set)
污秽盆 Waste basin	1个(piece)
静脉输液架 IV Pole	1件(piece)
电源线 Power cord	1件(piece)

AG-C101A02B

手动产病床（普通）
Manual LDR BED(Ordinary)

技术参数:

床尺寸包括床,保险杠轮:长2050毫米,宽980毫米

床尺寸:长1815毫米,宽880毫米

高度:580毫米~ 950毫米(排除垫)

背板角度调节:≥70°

后倾: 5° 前倾: 12°

脚轮直径:125毫米

Technical Parameters:

Bed dimension including bed end and bumper wheel: Length 2050mm, width 980mm

Bed dimension: Length 1815mm, width 880mm

Min. & Max. table height: 580mm~950mm(exclude the cushion)

Back section turning: ≥70°

Trendelenburg and reverse trendelenburg: reverse trend≥5° trend≥12°

Leg section telescope: 550mm

Castor Diameter: 125mm

标准配件 Standard Accessories:

腿架 Leg holder	1对（pair）
把手 Grab handle	1对（pair）
脚踏板 Foot rest	1对（pair）
污秽盆 Waste Basin	1个（piece）
防水垫 Water proof cushion	1套（set ）
输液架 I.V. Stand	1个（piece）
新生儿软垫 Cushion for newborn baby	1片（piece）
床垫 Cushion	1套 包括靠背垫、座垫、协助平台垫 (set Including back cushion,seat cushion and assist platform cushion)

AG-S108

妇科检查床
Gynecology exam table

床体尺寸（不包含拉手）：1400×720×880	Bed size(without handrails): 1400*720*880mm
背板上升角度：0~70°	Backrest upward angle: 0~70°
踏脚凳尺寸：500mm长，220mm高	Foot−stool size: 500mm in length, 220mm in height
踏脚凳行程：450mm	Foot−stool stroke: 450mm
辅助台行程：420mm	Auxiliary table stroke: 420mm
脚蹬行程：305mm	Pedal stroke: 305mm
脚蹬外翻角度：15°、30°、45°	Foot pedal swing angle: 15°、30°、45°
最大病人承重：240kg	Maximum loading capacity: 240kg

AG-C101A03

多功能电动产病床 豪华妇科产病床
超低位豪华产病床
LDR BED(Low Starting Position)

技术参数:
床尺寸包括床,保险杠轮:长1930毫米,宽940毫米
床尺寸:长1815毫米,宽780毫米
高度:580毫米~ 860毫米(排除垫)

Bed dimension including bed end and bumper wheel: Length 1930mm, width 940mm
Bed dimension: Length 1815mm, width 780mm
Min. & Max. table height: 580mm~860mm(exclude the cushion)

标准配件 Standard Accessories:			
搁腿架 Leg holder	1对（pair）	Back section turning: ≥60°
污秽盆 Waste basin	1个（piece）	Seat section turning: ≥10°
输液架 I.V. Stand	1个（piece）	Trendelenburg: ≥8°
手控 Hand control	1块（piece）	Leg section up/down movement: 100mm
电源线 Power cord	1根（piece）	Footrest swing out:≥45°
		Footrest folding: ≥45°
		Guard rail up/down movement: 360mm
		Castor Diameter: 150mm

AG-C309

电动妇科椅
Electric Obstetric Bed

主要技术参数：	Main specification:
长：2000mm	Length:2000mm
宽：600mm	Width:600mm
高：550mm	Height；550mm
升降行程 ≥400mm	Adjustment:≥400mm
背板上折 ≥70°	Back section raised from the horizontal:≥70°
背板下折 ≥10°	Back section lowered from the horizontal:≥10°
臀板上折 ≥28°	Seat section raised from the horizontal：≥28°
臀板下折 ≥10°	Seat section lowered from the horizontal:≥10°

配置清单：	Standard Accessory:
主床1	Main bed 1
手持操纵器1	Hand control 1
麻醉屏架1	Anesthesia frame 1
拉手2（带护套）	Handle 2 (with protecting bush)
托腿架2（带垫）	Leg holder 2 (with cushion)
搁臂板2（带垫）	Arm holder 2 （with cushion)
污水盆2（不锈钢）	Filth basin 2 (stainless steel)

AG-S104A

妇科椅（电动液压）
Gynecology Chair(Electric-Hydraulic)

技术参数：
台面尺寸:长1145毫米,宽500毫米
高度:550毫米~970毫米
背板角度调节:8°～50°
座位角度调节:≥25°
扶手外摆:0～90°
脚踏板外摆:≥45°
灯调整角度:60°
电压:50 hz交流220 v
标准配件
扶手1对
腿架1对
脚踏板1对
脚踏开关1件
无影灯一套

主部件为铝
附件和导轨为不锈钢

Technical Parameters
Table top dimension: length 1145mm, width 500mm
Min. & Max. table height: 550mm ~ 970mm
Back section turning: down≥8° up≥50°
Seat section turning: ≥25°
Arm rest swing out:0～90°
Foot rest swing out: ≥45°
Lamp adjust angle: 60°
Power: AC 220V 50HZ

Standard accessories
Arm rest 1 pair
Leg holder 1 pair
Foot rest 1 pair
Foot switch   1 piece
Shadowless lamp 1 set

AG-ECC01

手动检查床
Examination Couch (Back-rest Adjustable)
尺寸 Size: 1810 × 620 × 710mm (L × W × H)

AG-ECCZ1

电动检查床
Electric Examination Couch
尺寸 Size: 1900 × 700 × 480–700mm (L × W × H)

AG-ECC05

检查床
Examination Couch
尺寸 Size: 1800 × 600 × 700mm (L × W × H)

AG-S105C

多功能电动产床
Electric Gynecology Chair

床的尺寸/表面 Dimension of the bed /surface：
总长度 Overall length: 1250 ± 50mm
宽度 Width: 520 ± 20mm

高度 Height：
最高面高度 Max height of table top: 1200mm
最低面高度 Min height of table top: 480mm
座位板高度 Height of seating plate: 520mm

COLOR:

AG-S107

多功能电动产床
Electric Gynecology Chair

高：480mm
升降行程≥590mm
背板上折 5°－75°
臀板翻转角度 0－180°
背臀联动
腿架开关角度0°－30°

Height :480mm
Height adjustment ≥590mm
Backrest adjustment:5°－75°
Seat board turning: 0－180°

Seat Leg section on–off: 0°－30°

调整角度范围 Adjusting Scope of Tabletop：
前倾 Reversed trendelenburg: ≥20°
后倾 Trendelenburg: ≥5°

标配Standard accessories:
主床 Main Bed   1pc
脚踏开关 Foot switch   1pc

AG-ECC15

检查床
Examination Couch
尺寸 Size: 1800 × 600 × 700mm (L × W × H)
最小起订量 MOQ: 5 units

AG-ECC25

电动升降检查床
Electric Lift Massage Table
尺寸 Size: 1950×660×480–900mm (L × W × H)
最小起订量 MOQ: 5 units

AG-ECC24

液压检查床
Hydraulic Examination Couch
尺寸 Size: 1850 × 520 × 460–765mm (L × W × H)
最小起订量 MOQ: 5 units

AG-XD206

多功能电动医疗椅
Electric Medical Chair

技术参数 Technical data

配输液架，餐桌 With IV stand, dinning table
高度可调 Height can be adjustable
尺寸 Size: L1880 × W920 × H1400 ~1640 mm
背板角度调节 Back section:−10° − −80°
腿板角度调节 Leg section:10° − −80°
座位角度调节 Seat segment angle:0° − −30°
前倾和后倾 Trendelenburg/Reverse trendelenburg:12°
最大承重量 Max loading weight :240kgs
三个LINAK电机 Three linak motors
选配：CPR,称重系统 Accessory: CPR, Weighting system

AG-XD107

Electric Blood Donation Chair

产品参数 Specification:

椅面尺寸 Chair dimension: 1700mm(曲线尺寸 Curve length) × 560mm
椅面高度 Height: 570mm(min.)−830mm(max)
头板折转角度 Head section turn: −15° ~ 25°
背板折转角度 Back section lift: −5 ~ 70°
腿板折转角度 Leg section turn: −65 ~ 5°
踏板伸缩距离 Foot support telescopic: 100mm
踏板折转角度 Foot support turn: 0~90°
座板固定角度 Fixed angle of seat section: 5°

搁手板外摆角度 Arm board swing out: 0 ~ 45°
搁手板上下调节距离 Arm board height adjustment: 100mm
搁手板前后移动距离 Arm board slide: 100mm
搁手板上下倾斜调节角度 Arm board declining angle adjustment: −15° ~ 10 °
搁手板面尺寸 Arm board dimension: 450 × 160mm
前后倾斜角度 Trendelenburg and reverse trendelenburg: 0 ~ 12°
扶手凹形弧度 Arm board concave radian: R108

AG-XD205

多功能手动医疗椅
Manual Blood Donation Chair

Seat width：600mm
Seat width, including armrests：880mm
Total length：1880mm
Total weight：70kg
Height：530mm
Caster：dia.100mm
Back cushion：190*490*120mm
Cushion：PU foam
Upholstery：PVC leather
Frame：Q235 steel
Safe maximum load：240kg
Back segment angle：−12°～75°
Trendelenburg：−12°
Leg segment angle：−80°～12°
Color Optional:Green ,blue

AG-XD208B

多功能电动医疗椅
Electric Medical Chair

技术参数
尺寸：1880Lx600Wx530Hmm
背部调节：0°～75°
腿部调节：−80°～0°
脚轮直径：4xφ100mm
面料：PU
重量：85kg
最大承重：200kg
2个LINAK电机

Technical data
1. Size:1880Lx600Wx530Hmm
2. Back Section：0°～75°
3. Leg Section：−80°～0°
4. Size of castors：4xφ100mm
5. Cushion：PU
6. Weight：85kg
7. Max weight：200kg
8. Two LINK Motors

AG-IIR001C UP-grade

高档婴儿培养箱
Infant Incubator

标准配置：
主体（包括透明罩，控制系统，婴儿床，水槽）输液架，储物柜，静音脚轮
Standard configuration:
Main body(including the transparent hood, control system, infant bed, water trough),
I.V.pole, mattress, cabinet, silence castors

可选功能
1. X射线盒式盘   4. LED光疗单元
2. 婴儿体重系统   5. 空气和氧气混合器
3. 电动高度可调   6.双墙罩

Optional parts:
1.X ray cassette Tray   4.LED phototherapy unit
2.baby weight system   5.Air and oxygen blender
3.Electric height adjustable   6.Double wall hood

1.基于微处理器的伺服控温系统
2.LED温度显示屏
3.报警功能：电源故障；温度过高；温度偏差；温度传感器故障；风扇故障
4.＞37℃温度设定
5.键盘锁、防止无意中更改设置
6.导热关闭功能
7.两档位湿度调节
8.双电源开关
9.婴儿床倾斜角度可调
10.推拉式水槽的清洗和加水
11.低噪音风扇，使用寿命长
12.温度偏差和温度调节可在前面板上直接设置
13.静音报警按钮/重置按钮报警
14.六个操作窗口，两侧的操作窗可旋转
15.孵化器内部的空气温度超过40℃时加热器自动断电
16.带四个抽屉柜

1. Microprocessor based servo controlled temperature system
2. Control modes: Air mode and baby skin mode
3. Alarms functions：Power failure; over temperature; temperature deviation;
   temperature sensor failure;fan failure
4. >37°C temperature setting
5. A keypad lock prevent inadvertent changes the setting
6. Humidity is adjustable continuously
7. Heating power displayed on panel
8. A second thermal cut−off function for more safety
9. The infant bed inclination angle is adjustable
10. Trough for pulling and pushing ,which is convenient to add the water and wash
11. Fan with low noise and long life−span
12. Temperature deviation and over temperature could be amended in front panel directly
13. Silence/reset button for alarms
14. six operating windows, two side operating windows can be swiveled
15. Heater is electrically cut−out if air temperature inside incubator exceed 40℃
16. Cabinet with four drawers

AG-IIR001A

婴儿暖箱
Infant Incubator

主要介绍：
1.微处理器控制的温度调节系统
2.LED温度显示屏
3.报警功能：电源故障；温度过高；温度偏差；
   温度传感器故障；风扇故障
4.＞37℃温度设定
5.键盘锁、防止无意中更改设置
6.导热关闭功能
7.两个等级的湿度调节
8.板面显示加热功率
9.倾斜角度可调
10.推拉式水槽的清洗和加水

11.低噪音风扇，使用寿命长
12.温度偏差和温度调节可在前面板上直接设置
13.静音报警按钮/重置按钮报警
14.六个操作窗口，两侧的操作窗可旋转
15.带支架
16.当内部温度超过40℃时，加热电源自动切断

Function features：
1.Temperature displayed by LED
2. Alarm functions: Power failure; Over temperature; Temperature
   deviation;
3.Temperature sensor failure; Fan failure;
4 >37 ℃ temperature setting
5 A keypad lock prevent inadvertent changes the setting
6 A second thermal cut−out function for more safety
7 Humidity by natural airway
8 Heating power displayed on panel
9 The infant bed inclination angle is adjustable

AG-IRW002B
高档婴儿保温台
Top Grade Infant Warmer

标准配置：
主体（包括辐射源，控制系统，婴儿床，支架）X 线暗盒，输液架
皮肤温度传感器，托盘，床垫，透明保护板，脚轮

Standard configuration
Main body (including the radiant source, control system, infant bed, bracket), X-ray cassette, I.V. Pole, skin temperature sensor, tray, mattress, transparent protector, castors.

1.基于微处理器的伺服控温系统
2.微处理器控制单元允许三个设置：预暖，手动和自动
3.报警功能：电源故障；温度偏差；温度传感器故障；温度过高
4.APGAR计时器，记录治疗时间
5.X射线暗盒
6.加热头可水平调节90°
7.婴儿床倾斜角度可调
8.可折叠透明护栏
9.采用防爆微晶石英红外辐射管为它的辐射源，使加热迅速并且寿命长
10.可视听报警
11.第二热切断器功能更加安全
12.温度偏差可在面板上进行修正

Specification:
1. Three modes: pre-warm, manual and automatic
2. The microprocessor-controlled unit allows for three settings: Pre-warm, manual or automatic.
3. Alarm functions for safety includes: Power failure, temperature deviation, Temperature sensor failure, over temperature.
4. APGAR timer to record therapy time
5. Convenient X-ray cassette under infant mattress
6. Heater head can be adjusted ±90 degree horizontally
7. Inclination of infant bed is adjustable
8. Transparent protector folded
9. Adopts anti-explosion micro crystal quartz infrared radiation tube for its radiation source, the heating is quick and life-span is long
10. Alarms are audible and visual
11. A second thermal cut-out function for more safety
12. Skin temperature sensor failure protect function avoid over temperature
13. Temperature deviation can be amended in front panel directly

AG-IRW003
新生儿保温台
Infant Radiant Warmer

1.基于微处理器的伺服控温系统
2.微处理器控制单元允许三个设置：预暖，手动和自动
3.报警功能：电源故障；温度偏差；温度传感器故障；温度过高
4.APGAR计时器，记录治疗时间
5.X射线暗盒
6.加热头可水平调节90°
7.婴儿床倾斜角度可调
8.观察灯角度可调
9.可折叠透明护栏
10.采用防爆微晶石英红外辐射管为它的辐射源，使加热迅速并且寿命长
11.可视听报警
12.第二热切断器功能更加安全
13.温度偏差可在面板上进行修正
14.低压吸引器、氧气供应系统和LED光疗
15.电动调节功能

Brief introduction:
1.Microprocessor based servo controlled temperature system
2.Three modes: pre-warm, manual or automatic
3.Set temperature and skin temperature display separately
4.Special design inclined heater head is more convenience for X rays
5.Anti-explosion micro crystal quartz for radiation source
6.Self-testing function, various failure alarms by audible and visual
7.APGAR timer to record therapy time
8.Convenient X-ray cassette tray under infant mattress
9.Inclination of infant bed is adjustable
10.LED observe light angle is adjustable
11.Adopts anti-explosion micro crystal quartz infrared radiation tube for its radiation source, the heating is quick and life-span is long
12.Alarm functions for safety includes:Power failure,Temperature deviation,Temperature sensor failure,Over temperature.

AG-XB-Y1000
单管道输液泵
Single-channel Infusion Pump

AG-XB-Y1200
双管道输液泵
Double channel Infusion Pump

AG-BZ007
监护仪
Patient Monitor

AG-BZ014
多参数病人监护仪
Multi-parameter Patient Monitor

AG-BZ011
胎儿孕妇监护仪
Fetal monitor

Dimension: 360mm*310mm*120mm
12.1" color LED (0~90° rotation)
Resolution:1024*768 pixels
Type: Rechargeable lithium battery 14.8V/2200mAh
Charge Cycle: ≥500 times

AG-BZ012
胎儿孕妇监护仪
Fetal monitor

Dimension: 320mm*260mm*80mm
10.4" color LED (0~135° rotation)
Resolution:800*600 pixelss
Type: Rechargeable lithium battery 7.4V/2200mAh
Charge Cycle: ≥500 times

AG-BU009
B超机
Laptop ultrasound scanner

Feature:
1. 15-inch LED screen
2. Windows embedded operating system
3. Built-in reporting workstation template (install the printer driver to print reports)
4. Built-in 8G SSD card hard disk
5. Built-in 8000 mA lithium battery (can work 3.5~4 hours)
6. Support each department inspection and measurement (routine examination: abdomen, obstetrics, gynecology, urology, small parts)
7. Reconstruction of three-dimensional features
8. Position marks: 140 kinds
9. With 44 kinds of pseudo-color display
10. Software upgrade: the software can be upgraded through U disk
11 Computer PC platform, built-in reporting workstation, micro-color, 3D reconstruction function

AG-BU005
多普勒扫描仪
Color Doppler Ultrasound System

Feature:
1. 15" LED Screen
2. High Definition image
3. 3D/4D imaging(option)
4. B,M,CF,PWD,PD,PDP,THI,TDI,real-time M,CWD
5. Abundant functions,Multilingual
6. Hardisk,USB storage
7. Color scanning rate:Screan degreen: 85, full color vision
8. Color enhancements function:color Doppler energy,direction speed chart
9. Advanced and convenient direct network real-time image exchange,storage and display
10. Blood flow function

AG-WT006

ABS医疗工作车
ABS Medical Workstation Trolley

Height adjustment range for LCD and worksurface: 400 ± 20mm, Lifting load ≦ 15kg

Worksurface height: 890mm–1290mm

Large, smooth ABS worksurface dimensions:533mm(L) x455mm (W),Proposal Table load≦5kg

Drawer inner dimensions: 379mm(L) x 298.5mm(W)x 84mm(H)

Keyboard tray dimensions: 440mm(L) x 256mm(W)

Mouse tray dimension: 208mm(L) x 200mm(W)

Storage Bin with handle

LCD column dimensions: 386mm(L)x80mm(W)x 64.5mm(H), Height adjustable with the help of internal lift construction.

LCD hanger:height adjustment for LCD pivot is 13cm; 20° tilting for LCD; Applied for ≦22 inch LCD display.

Proposal load ≦10kg

Base: PA6 + ABS cover

Battery and UPS system inside the base; White LEDs provide light over keyboard tray

Front–locking silent casters

AG-MT014A

多功能电脑推车
Computer Trolley

技术参数：

1.整车采用铝塑材质

2.面板，抽屉，车身及托盘等由ABS工程塑料模具注塑成型

3.左右两侧的立柱为铝合金材质

4.整车台面配多功能护栏，车的两侧配置物盒，锐器盒，金属挂篮，开启式垃圾桶

5.两大抽一小抽，抽屉内配活动插片，可自由组合

6.台面以下配笔记本支架（电脑一体机及可充电电池）方便使用医院的管理系统

7.及时查询病人信息

8.中控锁，静音脚轮（两个带刹车）

Technical Parameters

1. Made of high–strength ABS material

2. One–piece ABS plastic top board with arc handle and raised–edge design, covered transparent soft plastic glass

3. With four plastic–steel columns.

4. One small, two big drawers,inner with dividers can be organized easily and freely

5. Dust basket

6. Storage box

7. Disposable holder

8. Four luxurious noiseless casters, two with brakes

Package Size: 780 × 625 × 1170mm

Net Weight: 80kg

Size： 660x520x1440mm

AG-WT007

笔记本电脑车
ABS Medical Workstation Trolley

Notebook computer trolley

Height adjustment range for worksurface:400 ± 20mm,

worksurface height:750mm–1150mm, lifting load ≦15Kg

Large,smooth ABS worksurface dimension:533mm(L) × 455mm(W)

Laptop cabinet dimension:430mm(L) × 346mm(W) × 56.5mm(H)

Applied for ≦15 inch laptop

Optional rotary keyboard tray, keyboard tray,dimension:440mm(L) × 256mm(W)

Mouse tray dimension:208mm(L) × 200mm(W)

Base:PA6 + ABS cover

Silent medical casters

AG-WT002A

多功能电脑推车
Computer Trolley

技术参数：

1.铝合金工作台面，品牌电脑主机及升降系统

2.显示屏，品牌键盘鼠标，高强度无线接收

3.ABS材质主机箱，抽拉键盘托，ABS材质电池仓

4.一体化铝合金底盘，高强度，耐碰撞

5.配高强度静音脚轮，带刹车

Technical Parameter

1. Tabletop is made of ABS material by use of one–time–molding technique

2. Fan–shaped design can add working area

3. Height of tabletop adjustable

4. Host Computer is built in, low power loss, D.C. stabilized source, include network

5. Battery is 12V–18.5V, high power and safe

6. With the space for mouse, scanner, keyboard

7. Fan–shaped chassis walk steadier

8. Four luxurious noiseless casters, two with brakes

Package Size: 560 × 600 × 1100mm

Net Weight:75kg

Size: 500 × 520 × 1330–1500mm

Function: Height adjust: 900–1070mm

DARK GREEN SERIES

设计主题—给医院色彩

AEGEAN产品设计师巧妙使用国际标准潘通色（pantone）GG4004系列

墨绿色编号：7734UP

Designer of AEGEAN clever use Dark Green which is 7734UP in the international standard color of PANTONE GG4004 series.

设计主题—给医院色彩

AEGEAN产品设计理念"简约而不简单"

Design Theme–Give life and vigor to hospital

AEGEAN design philosophy–– 'simple but not easy'

AG-ET001A1

医用急救推车

Emergency Trolley

AG-ET001A1(850mm) 尺寸 Size: 850 × 520 × 950mm

AG-ET001A1(750mm) 尺寸 Size: 750 × 480 × 920mm

AG-GS001

尺寸 Size:940 × 620 × 450mm

AG-GS002

尺寸 Size:940 × 620 × 460mm

AG-GS003

尺寸 Size:940 × 620 × 460mm

AG-GS004

尺寸 Size:950 × 630 × 435mm

AG-GS005

尺寸 Size:970 × 640 × 460mm

AG-GS006

尺寸 Size:970 × 660 × 450mm

AG-GS007

尺寸 Size:910 × 510 × 435mm

AG-GS008

尺寸 Size:950 × 645 × 470mm

AG-GS009

尺寸 Size:950 × 645 × 470mm

AG-GS010

尺寸 Size:910 × 740 × 410mm

AG-MT011A1

双面药车

Medicine Trolley

尺寸 Size: 850 × 520 × 950mm

AG-MT006 医用药车
Medicine Trolley
尺寸 Size: 590 × 470 × 920mm

AG-MT001A1 医用药车
Medicine Trolley
尺寸 Size: 850 × 520 × 950mm

AG-ET007B3 急救推车
Emergency Trolley
尺寸 Size: 720 × 470 × 920mm

AG-AT001A3 麻醉车
Anesthesia Trolley
尺寸 Size: 750 × 480 × 1340mm

AG-NT003A1 治疗车
Nursing Trolley
尺寸 Size: 850 × 520 × 950mm

AG-LPT006B 治疗车
Clinical Trolley
尺寸 Size: 750 × 480 × 1000mm

AG-CHT003 病历夹推车
Patient Record Trolley
尺寸 Size: 750 × 410 × 950mm

AG-MT032 治疗车
Treatment Trolley
尺寸 Size: 620 × 420 × 930mm

AG-UTB09 治疗车
Multi-function Cart
尺寸 Size: 640 × 445 × 1010mm

AG-AC001
陪护椅
Accompany chair
折叠尺寸 Folded size:
620 × 720 × 940mm
展开尺寸 Unfolded size:
620 × 1920mm

AG-AC012
豪华陪护椅
Accompany chair
折叠尺寸 Folded size:
830 × 850 × 420mm
展开尺寸 Unfolded size:
2100 × 850 × 610mm

AG-AC005
豪华陪护椅
Accompany chair
折叠尺寸 Folded size:
650 × 780 × 1020mm
展开尺寸 Unfolded size:
2060 × 650 × 450 mm

AG-AC007
豪华陪护椅
Luxury Accompany Chair
Folded: 800 × 710 × 430 mm
（back section height 980mm）
Unfolded size: 2040 × 710 × 430 mm
Specification: PVC, Powder coating steel ,
soild wooden handrail

AG-TC001
豪华输液椅
Luxury Transfusion Chair
尺寸 size:
770 × 680 × 1080mm

AG-AC006
豪华输液椅
Luxury Transfusion Chair
尺寸 size:
730 × 840 × 1050mm

AG-AC009
陪护椅
Accompany chair
折叠尺寸 Folded size:
660 × 680 × 410mm
展开尺寸 Unfolded size:
1860 × 680 × 400mm

AG-AC011
沙发床
Sofa bed
Unfolded Size:
Length:1920mm,Height:260mm.
Folded Size:
Length:800mm × 1050mm × 790mm,seat height:380mm
Color：Lake blue
Material：Fine linen fabrics, sponges, steel

AG-TC003
输液椅
Infusion Chair
Size:
890 × 830 × 1050mm
Angle adjustable:
110 ~ 160°

AG-BC001 Bedside Locker
尺寸 Size: 480 × 480 × 750mm

AG-BC005 Bedside Locker
尺寸 Size: 475 × 475 × 750mm

AG-BC006C Bedside Locker
尺寸 Size: 480 × 480 × 760mm

AG-BC008 Bedside Locker
尺寸 Size: 510 × 500 × 700mm

AG-BC010 Bedside Locker
尺寸 Size: 460 × 440 × 780mm

AG-BC022 Bedside Locker
尺寸 Size: 500 × 500 × 780mm

AG-BC023 Bedside Locker
尺寸 Size: 500 × 500 × 780mm

AG-BC025 Bedside Locker
尺寸 Size: 600 × 520 × 700mm

AG-NS001 Doctor Stool
尺寸 Size: 400 × 380 × 510mm

AG-NS005B Doctor Stool
Seat Size: 430 × 400mm
Seatback Size: 400 × 300mm

AG-OBT002 Over Bed Table
尺寸 Size: 900 × 450 × 720–1020mm

AG-OBT009 Over Bed Table
尺寸 Size: 900 × 450 × 720–1020mm

AG-OBT012 Over Bed Table
尺寸 Size: 800 × 400 × 800–1110mm

AG-NS004 Patient Chair
尺寸 Size: 268 × 338 × 455mm

AG-SS003 S.S Instrument Cupboard
尺寸 Size: 900 × 400 × 1800mm

AG-SS004 Instrument Cupboard
尺寸 Size: 900 × 400 × 1800mm

AG-SS007 Fan–shape Instrument Trolley
尺寸 Size: 1370 × 400 × 1000mm

AG-SS008 S.S Mayo Cart
尺寸 Size: 660 × 400 × 940–1400mm

AG-KB001 Kick Bucket
尺寸 Size: φ 23/ φ 29 × 24CM

AG-SS013 S.S Dirty Linen Trolley
尺寸 Size: 700 × 500 × 900mm

AG-SS020 Instrument Trolley
尺寸 Szie: 850 × 500 × 950mm

AG-SC001 Bed screen
尺寸 Size: L2000 × H1800mm × W500

AG-SS019B SS Linen Trolley
尺寸 Size: 780 × 570 × 880mm

AG-WAS009 Water Sinks
尺寸 Size: 1300*630 / 450*1800mm

AG-TWC002 Waiting chair
尺寸 Size: 1750 × 680 × 770mm

AG-TWC004 Waiting chair
尺寸 Size: 1910 × 750 × 800mm

AG-SS010A Linen Trolley
尺寸 Size: 900 × 500 × 1050mm

AG-SS032 S.S Flat Cart
尺寸 Size: 850 × 500 × 900mm

AG-SS034 S.S Dressing Cart
尺寸 Size: 380 × 450 × 920mm

AG-SS042 S.S Instrument Trolley
尺寸 Size: 850 × 500 × 900mm

AG–FS008 Double foot steps
尺寸 Size: 410 × 230 × 280mm

AG-SS080 S.S Stack Instrument Trolley
尺寸 Size: 1200 × 600 × 1050mm

AG-SS042D Treatment Trolley
尺寸 Size: 690 × 510 × 880mm

AG-SS066 S.S Oxygen Cylinder Cart
尺寸 Size: 330 × 330 × 1200mm

AEGEAN'S
AFTER SALE SERVICE
产 / 品 / 售 / 后 / 服 / 务

产品质量是爱琴海科技的生命，客户的满意是我们工作重心，老客户返单成为我们衡量产品用户体验的标准。

凡购买爱琴海科技的产品，从产品生产完成并合格认证日期起：

质保期 18个月

产品电机质保期 36个月

产品整体15年内提供售后维护

在质保期内

以上规定时间内非人为因素损坏，我公司提供免费配件支持及技术指导，若客户处于代理商服务区域，将同时享受代理商服务，以方便快捷解决售后问题。

如人为因素造成损害，我公司有偿收取配件成本费用，免费技术指导服务。

在超出质保期后

我公司有偿收取配件成本费用，免费提供技术指导，进行售后服务。

以上未尽事宜请联系爱琴海科技VIP售后服务中心服务人员咨询。

用心服务每一天！

最终解释权归爱琴海科技所有

江苏爱琴海科技有限公司

Quality of products is the life of AEGEAN,customers' satisfaction is our focus of work.Repeat orders from old customers are our standard to measure the user experience.

As long as purchasing AEGEAN products.from the date on finish and certify and certify products.

Warranty:18 months

Warranty for motors:36 months

After-sale service:15 years

In the warranty period

In specified time above,due to non-human factors, the damaged products will receive our free spare parts with technical guidance. If the customer in agent service area, they will have the service from agents in order to solve the after-sale problems soonest.

Beyond the warranty period

We charge the cost of spare parts but provide technical guidance and other after-sale service for free.

Matters not covered above,please consult AEGEAN VIP after-sale center service staff.

Whole-heart service every day!

Final interpretation belongs to AEGEAN

AEGEAN TECHNOLOGY