Intel® Desktop Compatibility Tool

Found 32 Compatible Processor(s) for Board DH87RL

4th Generation Intel® Core™ i7-4771 | Frequency: 3.50 GHz

Cache Graphics Max TDP

8 MB HD 4600 84

Spec # Min. BIOS AA Rev(s)

SR1BW G74240-400 SR1BW G74240-401

4th Generation Intel® Core™ i7-4770T | Frequency: 2.50 GHz

Cache Graphics Max TDP

8 MB HD 4600 45

 Spec #
 Min. BIOS
 AA Rev(s)

 SR14N
 314
 G74240-400

 SR14N
 314
 G74240-401

4th Generation Intel® Core™ i7-4770S | Frequency: 3.10 GHz

Cache Graphics Max TDP

8 MB HD 4600 65

 Spec #
 Min. BIOS
 AA Rev(s)

 SR14H
 314
 G74240-400

 SR14H
 314
 G74240-401

4th Generation Intel® Core™ i7-4770K | Frequency: 3.50 GHz

Cache Graphics Max TDP 8 MB HD 4600 84

Spec #	Min. BIOS	AA Rev(s)
SR147		G74240-400
SR147		G74240-401

4th Generation Intel® Core™ i7-4770 | Frequency: 3.40 GHz

Cache	Graphics	Max TDP
8 MB	HD 4600	84
· · · · ·		
_		
Spec #	Min. BIOS	AA Rev(s)
SR149		G74240-400

SR149

Cache

G74240-401

Max TDP

4th Generation Intel® Core™ i7-4765T | Frequency: 2.00 GHz

Graphics

8 MB	HD 4600	35
Spec #	Min. BIOS	AA Rev(s)
SR14Q	314	G74240-400
SR14Q	314	G74240-401

4th Generation Intel® Core™ i5-4670T | Frequency: 2.30 GHz

Cache	Graphics	Max TDP
6 MB	HD 4600	45
Spec #	Min. BIOS	AA Rev(s)
SR14P	314	G74240-400
SR14P	314	G74240-401

4th Generation Intel® Core™ i5-4670S | Frequency: 3.10 GHz

Cache	Graphics	Max TDP
6 MB	HD 4600	65

Spec #	Min. BIOS	AA Rev(s)
SR14K	314	G74240-400
SR14K	314	G74240-401

4th Generation Intel® Core™ i5-4670K | Frequency: 3.40 GHz More Information

Cache	Graphics	Max TDP
6 MB	HD 4600	84
Spec #	Min. BIOS	AA Rev(s)
SR14A	314	G74240-400

314

G74240-401

4th Generation Intel® Core™ i5-4670 | Frequency: 3.40 GHz More Information

Cache	Graphics	Max TDP
6 MB	HD 4600	84
Spec #	Min. BIOS	AA Rev(s)
SR14D	314	G74240-400
SR14D	314	G74240-401

SR14A

4th Generation Intel® Core™ i5-4570T | Frequency: 2.90 GHz More Information

Cache 4 MB	Graphics HD 4600	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR14R	314	G74240-400
SR14R	314	G74240-401

4th Generation Intel® Core™ i5-4570S | Frequency: 2.90 GHz More Information

Cache	Graphics	Max TDP
6 MB	HD 4600	65

Spec #	Min. BIOS	AA Rev(s)
SR14J	314	G74240-400
SR14J	314	G74240-401

4th Generation Intel® Core™ i5-4570 | Frequency: 3.20 GHz

Cache	Graphics	Max TDP
6 MB	HD 4600	84
Spec #	Min. BIOS	AA Rev(s)
SR14E	314	G74240-400
SR14E	314	G74240-401

4th Generation Intel® Core™ i5-4440S | Frequency: 2.80 GHz

Graphics

Max TDP

6 MB	HD 4600	65
Spec #	Min. BIOS	AA Rev(s)
SR14L	314	G74240-400
SR14L	314	G74240-401

Cache

4th Generation Intel® Core™ i5-4440 | Frequency: 3.10 GHz

Cache	Graphics	Max TDP
6 MB	HD 4600	84
Spec #	Min. BIOS	AA Rev(s)
SR14F	314	G74240-400
SR14F	314	G74240-401

4th Generation Intel® Core™ i5-4430S | Frequency: 2.70 GHz

Cache	Graphics	Max TDP
6 MB	HD 4600	65

Spec #	Min. BIOS	AA Rev(s)
SR14M	314	G74240-400
SR14M	314	G74240-401

4th Generation Intel® Core™ i5-4430 | Frequency: 3.00 GHz

Cache	Graphics	Max TDP
6 MB	HD 4600	84

Spec #	Min. BIOS	AA Rev(s)
SR14G	314	G74240-400
SR14G	314	G74240-401

4th Generation Intel® Core™ i3-4340 | Frequency: 3.60 GHz

Cache	Graphics	Max TDP

4 MB HD 4600 54

Spec # Min. BIOS AA Rev(s)

SR1NL G74240-400 SR1NL G74240-401

4th Generation Intel® Core™ i3-4330 | Frequency: 3.50 GHz More Information

Cache	Graphics	Max TDP
4.140	LID 4000	- 4

4 MB HD 4600 54

Spec # Min. BIOS AA Rev(s)

SR1NM G74240-400 SR1NM G74240-401

4th Generation Intel® Core™ i3-4130T | Frequency: 2.90 GHz

Cache Graphics Max TDP 3 MB HD 4400 35

Spec #	Min. BIOS	AA Rev(s)
SR1NN	314	G74240-400
SR1NN	314	G74240-401

4th Generation Intel® Core™ i3-4130 | Frequency: 3.40 GHz

Cache Graphics Max TDP

3 MB HD 4400 54

Spec # Min. BIOS AA Rev(s)

SR1NP G74240-400 SR1NP G74240-401

Intel® Pentium® G3430 | Frequency: 3.30 GHz

More Information

Cache Graphics Max TDP

3 MB HD Graphics 53

Spec # Min. BIOS AA Rev(s)

SR1CE G74240-400

SR1CE G74240-401

Intel® Pentium® G3420 | Frequency: 3.20 GHz

More Information

Cache Graphics Max TDP

3 MB HD Graphics 53

Spec # Min. BIOS AA Rev(s)

SR1NB G74240-400

SR1NB G74240-401

Intel® Pentium® G3220 | Frequency: 3.00 GHz

More Information

Cache Graphics Max TDP

3 MB HD Graphics 53

Spec #	Min. BIOS	AA Rev(s)
SR1CG		G74240-400
SR1CG		G74240-401

Intel® Celeron® G1830 | Frequency: 2.80 GHz

More Information

Cache	Graphics	Max TDP
2 MB	HD Graphics	53
	•	
Spec #	Min. BIOS	AA Rev(s)
SR1NC	314	G74240-400
SR1NC	314	G74240-401

Intel® Celeron® G1820 | Frequency: 2.70 GHz

More Information

Cache	Graphics	Max TDP
2 MB	HD Graphics	53
Spec #	Min. BIOS	AA Rev(s)
SR1CN	314	G74240-400
SR1RP		G74240-400
SR1CN	314	G74240-401
SR1RP		G74240-401

Intel® Xeon® E3-1280V3 | Frequency: 3.60 GHz

More Information

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR150	314	G74240-400
SR150	314	G74240-401
Add-in graphics card required		

Intel® Xeon® E3-1270V3 | Frequency: 3.50 GHz

More Information

Cache	Graphics	Max TDP
8 MB	No	80
Spec #	Min. BIOS	AA Rev(s)
SR151	314	G74240-400
SR151	314	G74240-401
Add-in graphics card required		

Intel® Xeon® E3-1240V3 | Frequency: 3.40 GHz

More Information

Cache 8 MB	Graphics No	Max TDP 80
Spec#	Min. BIOS	AA Rev(s)
SR152	314	G74240-400
SR152	314	G74240-401
Add-in graphics card required		

Intel® Xeon® E3-1230V3 | Frequency: 3.30 GHz

Cache	Graphics	Max TDP
8 MB	No	80
Spec #	Min. BIOS	AA Rev(s)
SR153	314	G74240-400
SR153	314	G74240-401
Add-in graphics card required		

Intel® Xeon® E3-1230LV3 | Frequency: 1.80 GHz More Information

Cache	Graphics	Max TDP
8 MB	No	25
Spec #	Min. BIOS	AA Rev(s)
SR158	314	G74240-400
SR158	314	G74240-401
Add-in graphics card required		

Intel® Xeon® E3-1220V3 | Frequency: 3.10 GHz More Information

Cache	Graphics	Max TDP
8 MB	No	80
Spec #	Min. BIOS	AA Rev(s)
SR154	314	G74240-400
SR154	314	G74240-401
Add-in graphics card required		