








Temperature controller





Title		
Main.SchDoc		
Size	Number	Revision
A4		
Date:	10. 31. 2020	Sheet of
File:	D:\sajat\Main.SchDoc	Drawn By:








Title		
Power.SchDoc		
Size	Number	Revision
A4		
Date:	10. 31. 2020	Sheet of
File:	D:\saját\...\Power.SchDoc	Drawn By:



Title			TEC power1.SchDoc	
Size	Number		Revision	
A4				
Date:	10. 31. 2020		Sheet	of
File:	D:\saját\...TEC power1.SchDoc		Drawn By:	



Title			TEC power2.SchDoc		
Size A4	Number			Revision	
Date:	10. 31. 2020			Sheet of	
File:	D:\saiät\...TEC power2.SchDoc			Drawn By:	



Comment	Quantity	Designator	LCSC Part #	Footprint	Description	LibRef
100nF		16 C2, C10, C11, C14, C15, C16, C18, C20, C21, C26, C29, C32, C33, C34, C37, C41	C14663	CAPC160X80X90L35N		capacitor
10k		13 R4, R9, R10, R12, R13, R14, R15, R16, R17, R19, R26, R27, R28	C25804	RESC160X80X90L30N		Resistor
22uF		9 C8, C13, C27, C30, C31, C35, C38, C39, C40	C45783	CAPC200X125X110L50N		capacitor
10nF		7 C4, C5, C6, C7, C17, C22, C24	C57112	CAPC160X80X90L35N		capacitor
180		5 R1, R2, R3, R11, R18	C22828	RESC160X80X90L30N		Resistor
1uF		4 C9, C12, C19, C23	C15849	CAPC160X80X90L35N		capacitor
1.8k		4 R5, R6, R7, R8	C4177	RESC160X80X90L30N		Resistor
0.033		2 R20, R22	C127689	RESC200X125X70L40N		Resistor
10uF		2 C28, C36	C15850	CAPC200X125X110L50N		capacitor
19-217/GHC-YR1S2/3T		2 DS1, DS3	C72043	LEDC160X80X60L30N	Green LED	LED
20pf		2 C1, C3	C1648	CAPC160X80X90L35N		capacitor
100uH		2 L1, L2	C333986	INDC320X160X210L60N	Inductor	Inductor
INA226AIDGSR		2 IC2, IC4	C49851	SOP10P50_300X490X110L55X22N	Integrated Circuit	INA226AIDGSR
Switch		2 S1, S2		Tactile switch	Switch	Switch
TWO PADS for TEC		2 P3, P5		TWO PADS		TWO PADS for TEC
#NAME?		1 C25	C249771	PNSC-FP-V-C_V	Aluminum Electrolytic Capacitor, 22 uF, +/- 20%, 25 V, 2-Pin SMD (Size Code C), -55 to 105 degC, RoHS, Tape and Reel	CMP-2000-06213-1
0.01		1 R24	C127689	RESC200X125X70L40N		Resistor
0.1		1 R23	C25334	RESC310X152X65L45N		Resistor
3.3uH		1 L4	C280586	INDM730X660X300L160X290N	Inductor	Inductor
8Mhz		1 Y1	C115962	5032	Crystal Oscillator	XTAL
68uH		1 L3	C169377	INDM1250X1250X800L290X540N	Inductor	Inductor
75k		1 R25	C46216	RESC160X80X90L30N		Resistor
820		1 R21	C23253	RESC160X80X90L30N		Resistor
EC11J0924411		1 U2		EC11J0924411	Rotary encoder	EC11J0924411
FC-2012HRK-620D		1 DS2	C84256	LEDC200X125X110L30N	Red LED	RED LED
LM4041C12IDBZR		1 U4	C133587	DBZ0003A_N	Precision Micropower Shunt Voltage Reference, 0.5% accuracy, 1.2 V, 15 ppm / degC, 12 mA, -40 to 85 degC, 3-pin SOT-23 (DBZ), Green (RoHS & no Sb/Br)	CMP-0366-00994-2
MCP1703AT-3302E/CB		1 U3	C144183	SOT-23A-CB3_M		CMP-0136-00758-1
NTC		1 P4		TWO PADS		TWO PADS for NTC
PADS for BMP		1 P6		FOUR PADS		PADS for BMP
SSD1306 OLED_big		1 Q1		SSD1306 OLED	I2C display	SSD1306 OLED_big
STM32F373CCT6		1 U1	C89403	STM-LQFP48_L	ARM Cortex-M4 32-bit MCU, 256 KB Flash, 32 KB Internal RAM, 36 I/Os, 48-pin LQFP, -40 to 85 degC, Tray	STM32F373CCT6
SWD		1 P1		SWD		SWD port
TPS54201DDCR		1 IC1		SOT95P280X110-6N	Integrated Circuit	TPS54201DDCR_1
TPS565201DDCR		1 IC3		SOT95P280X110-6N	Integrated Circuit	TPS565201DDCR
TWO PADS		1 P2		TWO PADS - medium		TWO PADS