An executable Collins & Stabler (2016): a self-validating derivation driver for minimalist syntax

Norberto Moreno-Quibén
University of Alcalá
norbmor@gmail.com

Abstract

Collins & Stabler (2016) give an axiomatization of minimalist syntax: forty-four definitions, five Chain-based variants and fourteen theorems, stated precisely enough that one can ask whether a given sequence of operations is a derivation. We transcribe it into executable Python and wrap it in a driver that refuses to take a step the definitions do not license, so that a derivation object is a certificate rather than a transcript. Seventeen derivations validate against D14/D38 and theorems T5–T10. The implementation reproduces the paper's central argument mechanically: with the structural notion of finality of D40, remnant movement inside one phase is spelled out correctly, but under the plug-back-in model of Transfer the paper's example (21) is pronounced *how likely John to win you think that John is*, and that derivation still converges. An implementation of the section 12 alternative pronounces it correctly. We also report three things the paper does not: Theorem 4 (the token/Chain correspondence) fails on exhaustively enumerated fragments from three Merge nodes on, under both readings of its garbled locality condition that we tested; the section 12 sketch works under one reading of "W minus those already transferred" and makes successive-cyclic movement underivable under the other; and, with the unordered trigger features the paper assumes, adding selection still admits the [$_{\mathrm{TP}}$ vP [$_{\mathrm{T'}}$ T DP]] orders that section 7 says something else must exclude.

1 What we set out to build

Collins & Stabler (2016) is unusual among formalizations of minimalism in that it is complete enough to be mechanical. It defines lexical items, workspaces, Select, Merge, occurrences, derivations, labels, Transfer and convergence, and it states theorems about them. Our question was whether the axiomatization survives being taken at its word: if one implements exactly what the definitions say, do the paper's derivations go through, do its theorems hold, and what happens where the prose has to do work the definitions do not?

The deliverable is a *self-validating derivation driver*. Each method call constructs the next stage and asserts that the previous stage derives it by one of the clauses of D14/D38 before accepting it:

```
from derivations import LEX
from cs2016 import Derivation, labelled_bracket

d = Derivation(LEX, [LEX.token("fall", 1), LEX.token("John", 2),
                     LEX.token("T_V", 3), LEX.token("Comp", 4)])
d.select("fall", 1).select("John", 2).merge_roots()
d.select_and_merge("T_V", 3)
d.internal_merge(LEX.token("John", 2))
d.select_and_merge("Comp", 4)
print(labelled_bracket(d.root))
# [CP Comp4 [TP John2 [T' T_V3 [VP fall1 <John2>]]]]
```

```
d.transfer() # D38(a): Transfer(CP, CP)
d.check()
```

An illegal move raises an error naming the definition it violates. Selecting outside the lexical array reports D12, merging a trigger-less selector reports D27, and transferring a phase that contains a phase with an untransferred complement reports D38.

Three commitments follow from "transcription, not re-engineering". Every public name is tagged with the number of the definition or theorem it implements. Nothing is enforced that the paper does not state. And where the paper leaves a choice open, the code makes one and marks it `## STIPULATION`.

2 What the transcription buys

Definitions become testable one at a time. The test suite has 55 checks: one per definition cluster, theorem, paper example or finding. A second suite has 21 checks over added constructions. Occurrences are paths (D16–D22), so T1–T3 can be checked on every object built.

Theorems become checkable everywhere. Select shrinks the lexical array and each Merge checks one trigger feature, so the state graph from a lexical array is finite and acyclic. Section 7 walks all 4,072 reachable stages of one array and finds T5, T6, T8 and T9 holding throughout.

Two results fall out rather than being stipulated. The PIC is Theorem 14 and follows from a typing fact. Cyclic-Transfer replaces the complement by a pair that D37 declines to call a syntactic object, and Merge is defined only on syntactic objects. Successive cyclicity is forced in the same indirect way. Without the step to the matrix v* edge, *who* is trapped inside the complement transferred at that phase (Figure 2).

3 Coverage

Table 1 lists what the driver validates. Every derivation satisfies D14/D38, D15, T5, T6, T7, T8 at Select and Merge, T9 and T10. PF and the convergence verdicts are computed by D41–D43 at report time.

4 Remnant movement and the plug-back-in model

The 2016 definition of finality is structural (D40): $A \in \{A, B\}$ is non-final in a phase iff some C in the phase has A as a member and contains $\{A, B\}$. In (20d) the TP has *John* as a member and contains $\{John, \{to, win\}\}$, so *John* is non-final in *both* copies of the moved DegP. One Transfer at (20d) gives *how likely to win John is* (Figure 1a). If Transfer applies at (20c) instead, before the remnant moves, the DegP is inside the transferred TP and cannot move (T14). Both facts are tested.

The paper then argues that this solution does not survive a second phase. The driver confirms this. In (21) the embedded TP has been replaced by its interface pair before the matrix CP is spelled out, so at the matrix level nothing contains $\{John, \{to, win\}\}$ and has *John* as a member. *John* is final again and is pronounced twice: *how likely John to win you think that John is* (Figure 1b). Two further observations are not in the paper:

derivation	source	steps	C-T	PF	CI	SM
`external_merge_6`	(6)/(8), D13	5	0	—	—	—
`internal_merge_7`	(7), D13	4	0	—	—	—
`two_trigger_features_15`	(15)	4	0	—	—	—
`vp_see_chris`	(16)/(17)	3	0	—	—	—
`john_fell`	(18)	9	0	*John fell*	yes	yes
`remnant_movement`	(19)/(20)	16	0	*how likely to win John is*	yes	yes
`remnant_across_phases`	(21)	31	2	*how likely John to win … John is*	yes	yes
`crashing`	D42	14	1	*John see Chris*	**no**	yes
`john_sees_chris`	added	14	1	*John see Chris*	yes	yes
`successive_cyclic_wh`	added	31	3	*who you think John will see*	yes	yes
`john_seems_to_win`	added	13	0	*John seem to win*	yes	yes
`you_wonder_who_john_will_see`	added	29	3	*you wonder who John will see*	yes	yes
`john_gives_mary_flowers`	added	16	1	*John Mary give flowers*	yes	yes
`mary_praises_john`	added	14	1	*Mary praise John*	yes	yes
`mary_not_praise_john`	added	16	1	*Mary not praise John*	yes	yes
`sue_thinks_john_fell`	added	22	2	*Sue think John fell*	yes	yes
`who_does_sue_think_fell`	added	25	2	*who Sue think fell*	yes	yes

Table 1: The derivations the driver validates. "steps" counts Select, Merge and Transfer operations; "C-T" counts Cyclic-Transfer steps. The first four have no Transfer step, so the convergence definitions, which inspect $W_n = \{\langle \mathrm{PHON}, \mathrm{SEM} \rangle\}$, do not apply. The first two use D13 (untriggered) Merge, as section 3 of the paper does. `remnant_across_phases` converges although its PF is wrong (Section 4).

- *The failure is invisible to convergence.* Every step is licensed and the derivation converges at both interfaces (D42–D44), because those definitions inspect features, not the relation between PF and structure.
- *It also arises in one phase.* D38 licenses Cyclic-Transfer at (20d) followed by Transfer(SO,SO). In that derivation the TP is plugged back in before the final spell-out, and the one-phase example comes out as *how likely John to win John is*.

5 The section 12 alternative

Section 12 sketches an NTC-respecting Transfer. Transfer extends two functions PF and LF instead of altering the tree, the transferred objects are their domain, and "the accessible parts of workspace W are given by W minus those already transferred". The formal version is in an appendix that was not published. We implemented the sketch (`NTCDerivation`). It does what the paper says: T8 holds at every Transfer step; D7 suffices, since no transferred pair ever enters the workspace; the PIC holds by an accessibility stipulation; and (21) comes out as *how likely to win you think that John is*. On every derivation in which nothing moves out of a moved phrase, the two models give the same PF and LF (Table 2).

Under-determined: what is subtracted. "W minus those already transferred" can be read per occurrence (an occurrence is inaccessible iff its path passes through a transferred object) or per object (an object is inaccessible iff it is contained in a transferred object). They come apart whenever something has moved to a phase edge. The edge copy is accessible, but the same object also occurs inside the transferred complement. Under the object reading, every derivation in which something moves on from a phase edge is underivable: successive-cyclic wh-movement, the embedded question (whose *who* leaves the embedded v* edge), and (21), the example section 12 was introduced to rescue.




Figure 1: Remnant movement (C&S 2016, (20) and (21)). Both panels are read off validated derivation objects: node labels from D28, daughter order from D41b, angle brackets from D40. **(a)** In one phase, *John*$_1$ is non-final in both copies of the DegP. **(b)** Across two phases under the plug-back-in model, the embedded TP has been replaced by a transferred pair, and *John*$_1$ in the moved DegP is final.

derivation	plug-back-in	section 12, object reading
`remnant_movement`	*how likely to win John is*	*how likely to win John is*
`remnant_across_phases`	*how likely John to win you think…*	not derivable
`successive_cyclic_wh`	*who you think John will see*	not derivable
`you_wonder_who_john_will_see`	*you wonder who John will see*	not derivable
`who_does_sue_think_fell`	*who Sue think fell*	not derivable

Table 2: The rows of `transfer_regime_comparison.csv` where the regimes differ. The section 12 occurrence reading gives the correct string on all of them. Every other derivation is identical under all three regimes.

Under-determined: the stage. D10 makes a stage $\langle \mathrm{LA}, W \rangle$. Section 12 moves Transfer's effect into PF and LF, which the stage does not contain. So a section 12 Transfer step repeats the previous stage, which no clause of D38 licenses, and D42–D44, which require $W_n = \{\langle \mathrm{PHON}, \mathrm{SEM} \rangle\}$, do not apply. The repair is to restate the stage as $\langle \mathrm{LA}, W, \mathrm{PF}, \mathrm{LF} \rangle$, and it shows that section 12 revises the definition of a derivation, not only that of Transfer.

6 Theorem 4: tokens versus Chains

Section 5 defines a Chain-based system without indices, in which a set formed by internal Merge carries the path to the moved item (D7′, D13′–D16′). Theorem 4 asserts a one-to-one, onto, structure-preserving correspondence between token-based objects up to renumbering (excluding merges of renumberings) and Chain-based objects. We enumerated both sets for the lexicon $\{John, see\}$ up to five Merge nodes. Each token object was mapped to the Chain object with the same structure and the image of the same path (Table 3).

D14′(c)	size	tokens	Chains	no image	> 1 image	bijection
our reading	2	7	7	0	0	yes
our reading	3	25	23	2	0	no
our reading	5	703	437	272	6	no
dropped	2	7	7	0	0	yes
dropped	3	25	27	0	2	no
dropped	5	703	1097	0	224	no

Table 3: Token classes against Chain-based objects, by maximal number of Merge nodes (`theorem4_check.csv`). Every Chain object has a token preimage. The failures are token classes with no image, or with several.

The locality condition D14′(c) is misprinted. As written it quantifies over every node of the path above B, including B's mother, so it would block every internal Merge, the paper's own (7′) included. We read it as excluding paths that pass a higher occurrence of B. Under that reading, the token system derives $\{see_2, \{see_3, \{John_1, see_2\}\}\}$, in which a lower token moves across a higher token of the same item, and the Chain system cannot, because there the two *see*s are one object and (c) selects the higher. Remnant configurations fail in the other direction. When an item occurs inside both copies of a moved phrase, neither occurrence c-commands the other, and one token object has two Chain counterparts. Dropping (c) instead lets the Chain system record *which* occurrence of an already-moved item is re-merged, a distinction the paper notes the token system never makes. Under both readings we tested, the natural correspondence fails from three Merge nodes on. The paper's proof is unpublished, so we cannot exclude a different correspondence. But it would have to disregard the paths, which are the point of the Chain-based system.

7 Selection and unordered triggers

Triggered Merge (D27) checks only that Triggers(A) is non-empty and Triggers(B) is empty, never that the trigger matches B. Adding the match and enumerating every complete derivation (D15) from $\{see_1, Chris_2, v^*_3, John_4, T_5, Comp_6\}$ gives Table 4.

Three points. First, the general theorems hold under every rule: they follow from the stage/workspace format of D10 and D14, not from what licenses a Merge. Second, D26 leaves open which trigger feature a Merge checks, and under D27 alone the choice is inert: only the number of remaining triggers matters, and the ranked and unranked policies give identical derivations. Third, once selection is added the choice matters, and the paper assumes trigger features are *unordered*. It then asks what excludes $[_{\mathrm{TP}}$ vP $[_{\mathrm{T}'}$ T DP]] and answers that internal

Merge rule	derivations	objects	stages	PF strings	T5, T6, T8, T9
D27 Triggered Merge	6,267,280	648	4,072	6	all hold
+ selection, ranked	55,968	12	280	6	all hold
+ selection, ranked, EPP needs D	27,984	6	178	4	all hold
+ selection, unranked	171,424	24	448	6	all hold
+ selection, unranked, EPP needs D	85,712	12	304	4	all hold

Table 4: Every complete derivation the array admits under each rule.

Merge of the DP into that position would violate the NTC. For an externally merged DP nothing does. Unranked selection admits twice as many objects as ranked selection. Each of the twelve extra objects has a head whose EPP took a DP as its complement: four are the paper's T configuration, and eight are the same configuration on v*.

8 Smaller stipulations

D38 and the lexical array. The derive-by-Transfer clause of D38 says nothing about LA_{i+1}; read literally, Transfer could change the lexical array arbitrarily. We require it to be unchanged.

"Replacing A" in D36 is read positionally: the complement occurrence is replaced. A phase-head complement with a second occurrence does not arise in our derivations.

Phasehood is enumerated (D35). `is_strong_phase` checks maximality and a Comp or v* label, which is what D35 says. This is the one place where the category inventory is hard-coded. The negated clause of Figure 3 adds a category (Neg) at the cost of one selection feature, and D35 correctly leaves it transparent.




Figure 2: Successive cyclicity is forced, not stipulated. **(a)** The five occurrences of who_1, drawn under the section 12 Transfer, which never modifies the workspace. $John_3$ is the external argument of *see*: it is merged in the embedded Spec,vP and raises to Spec,TP of *will*, and who_1 must pass through the embedded v* edge before that phase's VP is transferred. **(b)** Without the step to the matrix v* edge, who_1 is inside the complement transferred at that phase and the final movement is refused (T14).




Figure 3: A category the axioms do not know. Adding Neg costs three lexical items and no change to any definition; the chunk transferred at the v* phase is identical to the affirmative one. No head movement is formalized, so D41b spells the terminals out in Specifier-Head-Complement order.




Figure 4: An embedded question (added). who_2 moves through the embedded v* edge to the embedded Spec,CP, its only final occurrence (D40), and is pronounced inside the chunk spelled out at the matrix v* phase. $John_4$, the external argument of *see*, is merged in Spec,vP and raises to Spec,TP. Drawn under the section 12 Transfer, so the embedded structure is not folded into transferred chunks.

9 What is absent: Agree and head movement

There is no Agree anywhere in the axiomatization. TransferLF (D39) keeps the whole Sem set of every token, so the crashing derivation (D42) requires a lexical item that is uninterpretable by stipulation. There is no head movement either, which is why *John Mary give flowers* and *Mary not praise John* come out in Specifier-Head-Complement order with no auxiliary. Both are predictions of the axiomatization as stated, and we document them rather than working around them.

10 Reproducibility

The implementation is standard-library Python; only the figure script needs matplotlib.

```
python test_cs2016.py # 55 checks
python test_sentences.py # 21 checks
python derivations.py # -> derivation_report.txt
python sentences.py # -> sentence_report.txt
python tables.py # the three CSV tables
python figures.py # the four figures used here
python figures.py --all # a tree for every derivation
```

The trace files are byte-reproducible under any hash seed, and the figures are drawn from validated derivation objects, so a figure cannot show a structure the axioms did not build.

11 Conclusion

Collins & Stabler's axiomatization survives being taken at its word. The paper's examples derive, its general theorems hold on every reachable stage of the arrays we explored, and the PIC and successive cyclicity emerge from the definitions. The implementation reproduces the paper's own case against the plug-back-in model exactly as the paper states it, and adds that the bad derivation converges. Where the system is under-determined, the gaps are concentrated in the parts the paper marks as sketches or leaves to an appendix: the section 12 alternative, which works under one reading of accessibility and not the other, and Theorem 4, whose locality condition is misprinted and whose natural correspondence fails on small fragments under both readings we tested.

References

[1] Collins, Chris & Edward Stabler (2016). A Formalization of Minimalist Syntax. *Syntax* 19(1): 43–78. DOI 10.1111/synt.12117.

[2] Chomsky, Noam (2000). Minimalist inquiries: the framework. In R. Martin, D. Michaels & J. Uriagereka (eds.), *Step by Step*. Cambridge, MA: MIT Press, 89–155.

[3] Chomsky, Noam (2004). Beyond explanatory adequacy. In A. Belletti (ed.), *Structures and Beyond*. Oxford: Oxford University Press, 104–131.