An executable Collins & Stabler (2016):

a self-validating implementation of a formalization of minimalist syntax

Norberto Moreno-Quibén
University of Alcalá
`norberto.morenoquibe@uah.es`

Abstract

? give an axiomatization of minimalist syntax: forty-four definitions, five Chain-based variants and fourteen theorems, precise enough to decide whether a given sequence of operations is a derivation. We transcribe the axiomatization into Python, one named function per definition and theorem, and wrap it in a driver that refuses any step the definitions do not license; a derivation object can therefore only contain licensed steps. Seventeen derivations, eight from the paper and nine added, validate against the definition of a derivation and against Theorems 5–10, and 76 automated checks pass. The implementation reproduces the paper's argument against the "plug-back-in" model of Transfer: remnant movement inside one phase is spelled out correctly, but the paper's two-phase example (21) is pronounced *how likely John to win you think that John is*, and that derivation still converges. An implementation of the paper's Section 12 alternative pronounces it correctly. We also report three results the paper does not state. Theorem 4, the correspondence between token-based and Chain-based objects, fails on exhaustively enumerated fragments from three Merge nodes on, under both readings of its misprinted locality condition that we tested. The Section 12 sketch works under one reading of "W minus those already transferred" and makes successive-cyclic movement underivable under the other. And with the unordered trigger features the paper assumes, adding selection to Triggered Merge still admits the $[_{\mathrm{TP}}$ vP $[_{\mathrm{T'}}$ T DP$]]$ orders the paper leaves to other constraints.

Keywords: minimalist syntax; formalization; Merge; phases; Transfer; remnant movement; executable specification

1 Introduction

Formal treatments of minimalist syntax usually take one of two routes. One abstracts away from the details of the theory to obtain a grammar formalism with well-understood computational properties, as Minimalist Grammars do (**??**). The other stays close to the theory as syntacticians state it and makes its notions precise. **?** (henceforth C&S) take the second route. They define lexical items, workspaces, Select, Merge, occurrences, derivations, labels, Transfer and convergence, and they state theorems about them, including the Phase Impenetrability Condition (PIC), the No-Tampering Condition (NTC) and the Extension Condition.

The definitions are explicit enough to be run as a program, and this report describes what happens when they are. We implemented them as written and checked whether the paper's derivations go through and whether its theorems hold. Where the prose says more than the definitions, we recorded the choice we had to make.

Section **??** describes the implementation: about 1,600 lines of standard-library Python covering D1–D44, the Chain-based variants D7′ and D13′–D16′, and T1–T14. Each definition and theorem has a function or class tagged with its number. The core is a derivation driver that checks every step against D14/D38 and raises an error naming the definition an illegal step violates (Section **??**). Section **??** lists the derivations it validates. Section **??** confirms the paper's argument that the plug-back-in model of Transfer mishandles remnant movement across phases, and shows that the faulty derivation converges. Section **??** implements the NTC-respecting alternative of the paper's Section 12 and identifies two points the sketch leaves open: which parts of the workspace become inaccessible, and what a stage is. Section **??** checks Theorem 4 exhaustively on bounded fragments, where it fails. Section **??** enumerates all derivations from one lexical array under Triggered Merge with and without selection, and finds the word orders that the paper raises as a problem and leaves open.

Definition and theorem numbers follow the 2016 journal version throughout. We write Dn for Definition n and Tn for Theorem n of C&S. The implementation was first written against the December 2011 manuscript (**?**), which numbers things differently and contains definitions the published version dropped; Appendix **??** records what changed.

2 The axiomatization

This section summarizes the parts of C&S that the results depend on. We paraphrase closely and keep C&S's numbering.

2.1 Lexical items, stages and derivations

A lexical item is a triple $\langle \text{Sem}, \text{Syn}, \text{Phon} \rangle$ (D2); a lexical item token is a pair $\langle \text{LI}, k \rangle$ with an index k (D5); a lexical array is a finite set of tokens (D6). A syntactic object is a token or a set of syntactic objects (D7).

Definition 1 (Stage, Select, Merge; D10, D12, D13)**.** A *stage* is a pair $S = \langle \text{LA}, W \rangle$ of a lexical array and a set of syntactic objects, the *workspace*. If $A \in \text{LA}$ then $\text{Select}(A, S) = \langle \text{LA} - \{A\},\ W \cup \{A\} \rangle$. For distinct syntactic objects A, B, $\text{Merge}(A, B) = \{A, B\}$.

Definition 2 (Derivation; D14)**.** A derivation from lexicon L is a finite sequence of stages $\langle S_1, \dots, S_n \rangle$ with $S_i = \langle \text{LA}_i, W_i \rangle$ such that (i) every token in LA_1 is a token of an item in L; (ii) $W_1 = \{\}$; and (iii) for all $i < n$, either $S_{i+1} = \text{Select}(A, S_i)$ for some $A \in \text{LA}_i$ (*derive-by-Select*), or $\text{LA}_{i+1} = \text{LA}_i$ and for some A, B: (a) $A \in W_i$, (b) A contains B (internal Merge) or W_i immediately contains B (external Merge), and (c) $W_{i+1} = (W_i - \{A, B\}) \cup \{\text{Merge}(A, B)\}$ (*derive-by-Merge*).

Requiring an empty final lexical array and a single root is a separate notion, the object derived (D15). Occurrences are paths from the root (D16–D17), and sisterhood and c-command are defined on them (D18–D22).

2.2 Triggers and labels

Each lexical item carries a set of trigger features (D25). Triggers is any function satisfying three conditions (D26): a token returns all its trigger features; a set $\{B, C\}$ with $\text{Triggers}(B) \neq \{\}$ and $\text{Triggers}(C) = \{\}$ returns $\text{Triggers}(B) - \{\text{TF}\}$ for "a particular one" TF, "determined by B and C"; otherwise it is undefined.

Definition 3 (Triggered Merge; D27)**.** For syntactic objects A, B with $\text{Triggers}(A) \neq \{\}$ and $\text{Triggers}(B) = \{\}$, $\text{Merge}(A, B) = \{A, B\}$.

The label of $\{A, B\}$ is the label of the trigger-bearing member (D28); maximal, minimal and intermediate projections, complements and specifiers are defined from it (D29–D33). C&S state explicitly that trigger features are *not* ordered, and ask what then prevents $[_{\text{TP}}\ \text{vP}\ [_{\text{T}'}\ \text{T DP}]]$, leaving the answer to "other constraints" such as the NTC.

2.3 Transfer

A strong phase is a maximal projection labelled by Comp or by a transitive or unergative v (D35).

Definition 4 (Cyclic-Transfer; D36)**.** For a strong phase SO in a derivable workspace with complement A of its label, Cyclic-Transfer(SO) is obtained from SO by replacing A with $\langle \text{TransferPF}(SO, A),\ \text{TransferLF}(SO, A)\rangle$.

Because the result must feed further Merge, D37 revises D7 so that Cyclic-Transfer(SO) is a syntactic object, though the inserted pair itself is not. The definition of a derivation is extended (D38) with a third clause: *derive-by-Transfer* applies to a strong phase $SO \in W_i$ that contains no other strong phase with an untransferred complement, and replaces it either by Transfer(SO, SO), which ends the derivation, or by Cyclic-Transfer(SO). C&S call this the *plug-back-in* model. The PIC follows as T14, since Merge is defined only on syntactic objects and the inserted pair does not contain any.

Definition 5 (Finality; D40)**.** $A \in \{A, B\}$ is *final* in SO iff there is no C contained in (or equal to) SO such that $A \in C$ and C contains $\{A, B\}$. Otherwise A is non-final in SO.

TransferPF (D41) spells out a token as its Phon; spells out $\{X, Y\}$ as $\text{TransferPF}(X) \frown \text{TransferPF}(Y)$ when both are final and Y is the complement of X or X the specifier of Y; skips a non-final member; and spells out an inserted pair $\langle \text{PHON}, \text{SEM}\rangle$ as PHON. Clause (b) makes specifier–head–complement order universal (**?**). TransferLF (D39) keeps the Sem and index of every token and the set structure. A derivation converges at CI iff the final SEM is interpretable, at SM iff the final PHON is, and converges iff both hold (D42–D44).

2.4 The Chain-based digression and Theorem 4

Section 5 of C&S defines a system without indices, in which a syntactic object is a pair $\langle S, P\rangle$ of a structure and a path (D7′, D16′). Internal Merge records the path to the moved item, subject to a locality condition D14′(c). Theorem 4 asserts a one-to-one, onto, structure-preserving correspondence between token-based objects up to renumbering, $[T(\text{Lex})]$ (excluding merges of renumberings), and Chain-based objects $C(\text{Lex})$. The proof is in an appendix that was not published.

3 Implementation

3.1 Design

The code follows the paper as closely as we could make it. Every definition and theorem has a counterpart tagged with its number, so the two can be read side by side (Table **??**). The code enforces only what the paper states: `triggered_merge`, for instance, has no category-matching check, because D27 checks only that one argument has triggers and the other has none. Where the paper leaves a choice open, the code makes one and marks it `# STIPULATION` (Table **??**).

Lexical items are immutable value objects, and tokens pair an item with an index. Complex syntactic objects are Python `frozenset`s, which gives set identity and extensionality directly; an internally merged object is simply a member of two sets. Occurrences are tuples of objects forming a path from the root (D16). The inserted Transfer pair is a separate type which the predicate `is_syntactic_object` accepts only as a member of a Cyclic-Transfer output, as D37 requires.

Section of C&S	Counterparts in `cs2016.py`
§2 Preliminaries	`UniversalGrammar` (D1), `LexicalItem` (D2), `Lexicon` (D3), `LIToken` (D5), `lexical_array` (D6), `is_syntactic_object` (D7/D37), `contains` (D9)
§3 Workspaces	`Stage` (D10), `select` (D12), `merge` (D13), `is_derivation` (D14), `derived_object` (D15)
§4 Occurrences	`positions` (D16–D17), `are_sisters` (D19), `occ_c_commands` (D22), `theorem1_holds`–`theorem3_holds`
§5 Chains	`ChainSO` (D7$'$), `chain_merge` (D13$'$), `is_chain_derivation` (D14$'$), `theorem4_report` (T4)
§6 Properties	`is_binary_branching` (D24, T5), `satisfies_ntc` (T8), `satisfies_extension` (T9), `satisfies_inclusiveness` (T10)
§7 Labels	`triggers` (D26), `triggered_merge` (D27), `label` (D28), `complement_of` (D32), `specifier_of` (D33)
§8 Transfer	`is_strong_phase` (D35), `cyclic_transfer` (D36), `derives_by_transfer` (D38), `pic_blocks` (T14)
§9–10 Interfaces	`transfer_lf` (D39), `is_final` (D40), `transfer_pf` (D41)
§12 Alternative	`NTCStage`, `is_accessible`, `cyclic_transfer_ntc`, `NTCDerivation`
§13 Convergence	`converges_at_ci` (D42), `converges_at_sm` (D43), `converges` (D44)

Table 1: Excerpt of the definition map. The full map, covering all 115 top-level functions and classes, is in the repository README.

#	Where	Choice made
1	D26(ii)	Which trigger feature is checked: the paper says only "a particular one, determined by B and C". The default checks the lowest-ranked one.
2	D38	The Transfer clause says nothing about LA_{i+1}. We require $\text{LA}_{i+1} = \text{LA}_i$, as in derive-by-Merge.
3	D36	"Replacing A" is read positionally: the complement occurrence is replaced.
4	D14$'$(c)	Read literally, the locality condition blocks every internal Merge, the paper's own (7$'$) included. We read it as "the path does not pass a higher occurrence of B".
5	§12	"W minus those already transferred" is read per occurrence by default; the per-object reading is selectable.
6	display	`LexicalItem.name` and `.cat` exist only for printing.

Table 2: Stipulations. Each is marked `# STIPULATION` in the source.

3.2 Stipulations

Table **??** lists every point at which the implementation had to choose. Stipulation 1 is inert under D27 (Section **??**); stipulation 5 is not (Section **??**).

3.3 The self-validating driver

The `Derivation` class holds a sequence of stages. Each method constructs the next stage and, before accepting it, asserts that the previous stage derives it by one of the clauses of D14/D38. A derivation object therefore cannot contain an unlicensed step. The following derives C&S's example (18), *John fell*, with *John* raising from the complement of unaccusative *fall* to Spec,TP:

```
from derivations import LEX
from cs2016 import Derivation, labelled_bracket

d = Derivation(LEX, [LEX.token("fall", 1), LEX.token("John", 2),
                     LEX.token("T_V", 3), LEX.token("Comp", 4)])
d.select("fall", 1).select("John", 2).merge_roots()
d.select_and_merge("T_V", 3)
d.internal_merge(LEX.token("John", 2))
```

Derivation	Source	Steps	C-T	PF	CI	SM
`external_merge_6`	(6)/(8)	5	0	—	—	—
`internal_merge_7`	(7)	4	0	—	—	—
`two_trigger_features_15`	(15)	4	0	—	—	—
`vp_see_chris`	(16)/(17)	3	0	—	—	—
`john_fell`	(18)	9	0	*John fell*	yes	yes
`remnant_movement`	(19)/(20)	16	0	*how likely to win John is*	yes	yes
`remnant_across_phases`	(21)	31	2	*how likely John to win … John is*	yes	yes
`crashing`	D42	14	1	*John see Chris*	no	yes
`john_sees_chris`	added	14	1	*John see Chris*	yes	yes
`successive_cyclic_wh`	added	31	3	*who you think John will see*	yes	yes
`john_seems_to_win`	added	13	0	*John seem to win*	yes	yes
`you_wonder_who_john_will_see`	added	29	3	*you wonder who John will see*	yes	yes
`john_gives_mary_flowers`	added	16	1	*John Mary give flowers*	yes	yes
`mary_praises_john`	added	14	1	*Mary praise John*	yes	yes
`mary_not_praise_john`	added	16	1	*Mary not praise John*	yes	yes
`sue_thinks_john_fell`	added	22	2	*Sue think John fell*	yes	yes
`who_does_sue_think_fell`	added	25	2	*who Sue think fell*	yes	yes

Table 3: Derivations validated by the driver. *Steps* counts Select, Merge and Transfer operations; *C-T* counts Cyclic-Transfer steps. The first four have no Transfer step, so D42–D44, which inspect $W_n = \{\langle \mathrm{PHON}, \mathrm{SEM} \rangle\}$, do not apply; the first two use untriggered Merge (D13), as Section 3 of C&S does. `crashing` uses a lexical item that is uninterpretable at CI by stipulation.

```
d.select_and_merge("Comp", 4)
print(labelled_bracket(d.root))
# [CP Comp4 [TP John2 [T' T_V3 [VP fall1 <John2>]]]]
d.transfer() # D38(a): Transfer(CP, CP)
d.check()
```

Illegal moves raise with the number of the definition they violate: selecting a token outside the lexical array reports D12; merging a trigger-less selector reports D27; transferring a phase that contains a phase with an untransferred complement reports D38. A second driver, `NTCDerivation`, implements the Section 12 alternative (Section **??**).

3.4 Extensions

`extensions.py` adds two things that are not in C&S, kept separate from the transcription: a *selectional* Merge, in which a trigger feature must match the category of the merged object, with ranked or unranked trigger features; and an enumerator over all complete derivations (D15) from a lexical array. Because Select shrinks the lexical array and every Triggered Merge checks one feature, the state graph from a finite array is finite and acyclic, so exhaustive enumeration terminates.

4 Validation

Two test suites run without third-party dependencies: `test_cs2016.py` has 55 checks, one per definition cluster, theorem, paper example or finding; `test_sentences.py` has 21 checks over added constructions plus a smoke test that draws every derivation. All 76 pass.

Table **??** lists the seventeen derivations the driver validates. Every one satisfies D14/D38 and D15, and Theorems T5 (binary branching), T6 (unique root occurrences), T7 (two occurrences iff internal Merge), T8 (NTC) at Select and Merge, T9 (Extension) and T10 (Inclusiveness). Theorems T1–T3 are checked on every object built. PF and convergence are computed by D41–D44.


Successive-cyclic wh-movement must stop at every strong-phase edge
a
Five occurrences of who₁; only the highest is spelled out
in situ → embedded v* edge → embedded Spec,CP
→ matrix v* edge → matrix Spec,CP
Section 12 Transfer leaves the structure
intact, so every landing site stays visible.
PF = who you think John will see
CP
who₁
C'
C₁₀
TP
you₈
T'
T₉
vP
(who₁)
v'
(you₈)
v'
v*₇
VP
think₆
CP
(who₁)
C'
C₂
TP
John₃
T'
will₄
vP
(who₁)
v'
(John₃)
v'
v*₁₁
VP
see₅
(who₁)
b
Without the matrix v* edge step, who₁ ends up inside
the transferred complement
vP
you₈
v'
v*₇
(think-who-John-will-see)
who₁ is no longer a term of the workspace,
so wh-movement is impossible.

Figure 1: Successive cyclicity is forced. **(a)** The five occurrences of *who*$_1$, drawn under the Section 12 Transfer, which leaves the workspace intact. *John*$_3$ is merged in the embedded Spec,vP and raises to Spec,TP of *will*. **(b)** Without the step to the matrix v* edge, *who*$_1$ is inside the complement transferred at that phase, and the final movement is refused (T14).

The PIC (T14) and successive cyclicity both follow from the definitions; neither is coded separately. The PIC follows from a typing fact: Cyclic-Transfer replaces the complement by a pair that D37 does not count as a syntactic object, and Merge is defined only on syntactic objects. Successive cyclicity is forced in the same indirect way. In `successive_cyclic_wh`, *who* ends with five occurrences (in situ, embedded v* edge, embedded Spec,CP, matrix v* edge, matrix Spec,CP), exactly one of them final. Without the step to the matrix v* edge, Cyclic-Transfer at that vP buries *who* in the transferred VP and the final movement is refused (Figure **??**).

5 Remnant movement and the plug-back-in model

D40 defines finality structurally. In C&S's (20d), the TP has *John* as a member and contains $\{John, \{to, win\}\}$, so *John* is non-final in *both* copies of the moved DegP. A single Transfer at (20d) yields *how likely to win John is* (Figure **??**a). If Transfer applies at (20c) instead, before the remnant moves, the DegP is inside the transferred TP and cannot move (T14). Both facts are tested.

C&S argue that this solution does not survive a second phase, and the driver confirms it. In (21) the embedded TP has been replaced by its interface pair before the matrix CP is spelled out, so at the matrix level nothing contains $\{John, \{to, win\}\}$ while having *John* as a member. *John* is final again and is pronounced twice (Figure **??**b):

> *how likely John to win you think that John is*

Observation 1. *The derivation of (21) under the plug-back-in model is licensed at every step by D38 and converges at both interfaces (D42–D44). The convergence definitions inspect only features, so they cannot detect a string that misrepresents the structure.*


Remnant movement and the plug-back-in model of Transfer
(Collins & Stabler 2016, §11, examples (20) and (21))
a
(20d) One phase: John$_1$ is non-final in both copies of DegP
⟨X⟩ non-final (D40): some C containing {X, Y} also has X as a member
CP
DegP
C'
how$_5$
AP
C$_7$
TP
likely$_4$
TP
John$_1$
T'
⟨John$_1$⟩
T'
is$_6$
⟨DegP⟩
to$_3$
win$_2$
TP has John$_1$ as a member and contains {John$_1$, to win},
so Transfer(CP, CP) yields PF = how likely to win John is
b
(21) Two phases, plug-back-in: the embedded TP is gone, so John$_1$ is final again
⟨...⟩ output of Cyclic-Transfer (D36), not a syntactic object (D37)
CP
DegP
C'
how$_5$
AP
C$_{12}$
TP
likely$_4$
TP
you$_{10}$
T'
John$_1$
T'
T$_{11}$
vP
to$_3$
win$_2$
⟨DegP⟩
v'
⟨you$_{10}$⟩
v'
v*$_9$
⟨think-that-John-is⟩
plug-back-in (D36–D38): PF = how likely John to win you think that John is
section 12 (structure kept): PF = how likely to win you think that John is

Figure 2: Remnant movement, C&S (20) and (21), read off validated derivation objects: node labels from D28, daughter order from D41b, angle brackets (unpronounced) from D40. **(a)** In one phase, *John*$_1$ is non-final in both copies of the DegP. **(b)** Across two phases under the plug-back-in model, the embedded TP has been replaced by a transferred pair, and *John*$_1$ in the moved DegP is final.

Observation 2. *The same failure arises inside a single phase. D38 also licenses Cyclic-Transfer at (20d) followed by* Transfer(SO, SO). *In that derivation the TP is plugged back in before the final spell-out, and (20) comes out as how likely John to win John is.*

Finally, T8 fails at every Cyclic-Transfer step under the plug-back-in model: replacing a complement by a pair alters an object already built. C&S note this as one reason to reject the model; the implementation detects it automatically on every derivation with a Cyclic-Transfer step.

6 The Section 12 alternative

Section 12 of C&S sketches an NTC-respecting Transfer: Transfer leaves the tree unchanged and extends two functions, PF and LF; the transferred objects are their domain; and "the accessible parts of workspace W are given by W minus those already transferred". The formal version was to appear in an appendix that was not published. We implemented the sketch as `NTCDerivation`, and it behaves as C&S describe. T8 holds at every Transfer step. No transferred pair enters the workspace, so D7 suffices and D37 is not needed. The PIC still holds, though now as a consequence of the accessibility condition. Example (21) is pronounced *how likely to win you think that John is.* On every derivation in which nothing moves out of a moved phrase, both models yield the same PF and LF (Table **??**). The sketch is nevertheless under-determined in two respects.

What "W minus those already transferred" removes. Read *per occurrence*, an occurrence is inaccessible iff its path passes through a transferred object. Read *per object*, an object is inaccessible iff it is contained in a transferred object. The two readings come apart whenever something has moved to a phase edge: the edge copy is accessible, but the same object also occurs inside the transferred complement.

Observation 3. *Under the per-object reading, every derivation in which a phrase moves on from a phase edge is underivable. This includes successive-cyclic wh-movement, the embedded question, long subject wh-movement, and (21) itself, the example Section 12 was introduced to rescue (Table* **??***).*

Derivation	Plug-back-in	§12, occurrence	§12, object
`remnant_movement`	*how likely to win John is*	same	same
`remnant_across_phases`	*how likely John to win you...*	*how likely to win you...*	underivable
`successive_cyclic_wh`	*who you think John will see*	same	underivable
`you_wonder_who_john_will_see`	*you wonder who John will see*	same	underivable
`who_does_sue_think_fell`	*who Sue think fell*	same	underivable

Table 4: PF under the three Transfer regimes, for the derivations where they differ or where the difference was expected. The other eight derivations with a Transfer step give identical results under all three.

D14′(c)	Size $\leq$	$\lvert[T(\text{Lex})]\rvert$	$\lvert C(\text{Lex})\rvert$	No image	> 1 image	Bijection
our reading	1	3	3	0	0	yes
our reading	2	7	7	0	0	yes
our reading	3	25	23	2	0	no
our reading	4	123	95	28	0	no
our reading	5	703	437	272	6	no
dropped	1	3	3	0	0	yes
dropped	2	7	7	0	0	yes
dropped	3	25	27	0	2	no
dropped	4	123	155	0	24	no
dropped	5	703	1097	0	224	no

Table 5: Token classes against Chain-based objects, by maximal number of Merge nodes. In every row, every Chain-based object has a token preimage; the failures are token classes with no image or with several.

What a stage is. D10 makes a stage a pair $\langle \text{LA}, W\rangle$. Section 12 moves Transfer's effect into PF and LF, which the stage does not contain. A Section 12 Transfer step therefore repeats the previous stage, which no clause of D38 licenses, and D42–D44, which require $W_n = \{\langle \text{PHON}, \text{SEM}\rangle\}$, do not apply. The repair is to restate the stage as $\langle \text{LA}, W, \text{PF}, \text{LF}\rangle$, which is what `NTCStage` does. Section 12 therefore changes the definition of a derivation as well as the definition of Transfer.

7 Theorem 4: tokens and chains

We enumerated both $[T(\text{Lex})]$ and $C(\text{Lex})$ for the lexicon $\{\mathit{John}, \mathit{see}\}$ up to five Merge nodes, and mapped each token class to the Chain-based object with the same structure and the image of the same path (Table **??**).

With the locality condition. The token system can move a lower token across a higher token of the same lexical item, as in $\{\mathit{see}_2, \{\mathit{see}_3, \{\mathit{John}_1, \mathit{see}_2\}\}\}$, which the driver derives. In the Chain-based system the two *see*s are the same object, and (c) forces the higher one to be chosen, so the token class has no image. Remnant configurations fail in the other direction: when an item sits inside both copies of a moved phrase, neither occurrence c-commands the other, (c) admits both paths, and one token class receives two Chain-based objects.

Without the locality condition. The Chain-based system records *which* occurrence of an already-moved item is re-merged; the token system does not (C&S note that in the token system "the question ... never arises"). One token class then has several images.

Observation 4. *Under each reading of D14′(c) we could construct, the natural correspondence between* $[T(\text{Lex})]$ *and* $C(\text{Lex})$ *is a bijection up to two Merge nodes and fails from three on.*

Merge rule	Derivations	Objects	Stages	PF strings	T5, T6, T8, T9
D27 Triggered Merge	6,267,280	648	4,072	6	hold
+ selection, ranked triggers	55,968	12	280	6	hold
+ selection, ranked, EPP needs D	27,984	6	178	4	hold
+ selection, unranked triggers	171,424	24	448	6	hold
+ selection, unranked, EPP needs D	85,712	12	304	4	hold

Table 6: All complete derivations (D15) from one six-token lexical array, under five Merge rules. *Objects* counts distinct derived objects; *stages* counts distinct reachable stages.

We cannot rule out that the unpublished proof uses a different correspondence. Any such correspondence would have to disregard the paths, which are the information the Chain-based encoding adds.

8 Selection and unordered triggers

Triggered Merge (D27) licenses Merge(A, B) whenever Triggers(A) is non-empty and Triggers(B) is empty; it never asks whether the trigger feature *matches* B. We enumerated every complete derivation from the lexical array

$$\{see_1, Chris_2, v^*_3, John_4, T_5, Comp_6\}$$

under D27 and under selectional variants (Table **??**).

T5, T6, T8 and T9 hold on every reachable stage under all five rules. They follow from the format of stages and workspaces (D10, D14) and do not depend on the condition that licenses a Merge.

Under plain D27, it makes no difference which trigger feature D26 checks, because only the number of remaining triggers matters. The ranked and unranked policies give identical derivations, and a test confirms this.

Once selection is added, the choice does matter, and C&S assume the unranked case. Unranked selection doubles the number of derived objects (24 against 12). In each of the 12 extra objects, a head's EPP feature took a DP as its complement and its selection feature was then satisfied by a specifier. Four contain $[_{\text{TP}}$ vP $[_{\text{T}'}$ T DP$]]$, C&S's own example; eight show the same pattern one phase down, $[_{\text{vP}}$ VP $[_{\text{v}'}$ v* DP$]]$. C&S suggest that the NTC would block such orders. That argument applies to a DP that moves into the complement position; a DP merged there externally is not blocked by anything.

9 Discussion

Agree and head movement. There is no Agree in the axiomatization: D1 lists it, but C&S do not formalize it. Since TransferLF keeps the whole Sem set of every token, the only way to obtain a derivation that crashes at CI is a lexical item that is uninterpretable by stipulation. There is no head movement either, so *John Mary give flowers* and *Mary not praise John* (Figure **??**) come out in specifier–head–complement order without an auxiliary. Both follow from the axioms as stated, and the implementation leaves them as they are.

Extensibility. Adding a category the axioms do not mention costs only lexical entries. Negation (Figure **??**) needs three lexical items and one selection feature and no change to any definition; D35 correctly treats NegP as transparent. The embedded question (Figure **??**) requires nothing beyond an additional Comp. The one place where the category inventory is hard-coded is D35, which enumerates the phase heads.


Mary not praise John (a category the axioms do not know)
CP
C_7
TP
$Mary_4$
T'
T_6
NegP
not_5
vP
$\langle Mary_4 \rangle$
v'
v^*_3
⟨praise-John⟩
PF = Mary not praise John
converges (D44)

Figure 3: *Mary not praise John.* Neg is added with no change to the definitions; the chunk transferred at the v* phase is identical to the affirmative one.


You wonder who John will see (embedded question) — section 12 Transfer
CP
C_{10}
TP
you_8
T'
T_9
vP
$\langle you_8 \rangle$
v'
v^*_7
VP
$wonder_6$
CP
who_2
C'
C_5
TP
$John_4$
T'
$will_3$
vP
$\langle who_2 \rangle$
v'
$\langle John_4 \rangle$
v'
v^*_{11}
VP
see_1
$\langle who_2 \rangle$
PF = you wonder who John will see
section 12 Transfer: structure kept, D42–D44 not applicable

Figure 4: *You wonder who John will see.* who_2 moves through the embedded v* edge to the embedded Spec,CP, its only final occurrence (D40).

Limitations. The exhaustive checks are bounded: Theorem 4 is checked up to five Merge nodes over a two-word lexicon, and the Merge-rule comparison covers one six-token array. A failure on a bounded fragment refutes the theorem as stated, but a pass does not prove a general theorem. The PF column of Table **??** reflects the absence of morphology and head movement in the axioms. It does not indicate errors in the implementation.

10 Related work

Minimalist Grammars (**??**) formalize feature-driven Merge and Move as a grammar formalism with known generative capacity. C&S formalize the theory in the terms syntacticians use, and our implementation keeps those terms. The token-based treatment of copies continues **??** and **?**; the Chain-based alternative relates to **?** and to the treatment of chains in **?**. Phases and the PIC follow **??**, and the plug-back-in model corresponds to the "conservative" reading of Multiple Spell-Out in **?**. The linearization in D41 is LCA-based (**?**). Approaches in which every phrase is a phase (**?**) or in which spell-out is formulated differently (**?**) could be compared within the same driver by replacing D35 or D36.

11 Conclusion

Implemented as written, the C&S definitions derive all of the paper's examples, and Theorems T5–T10 hold on every reachable stage we checked (T8 at Select and Merge steps; under the plug-back-in model it fails at Cyclic-Transfer, as C&S note). The implementation reproduces the paper's argument against the plug-back-in model and shows in addition that the mispronounced derivation of (21) converges. The problems we found are in parts that C&S present as sketches or whose proofs were not published. The Section 12 alternative works only under the per-occurrence reading of accessibility and needs a stage that records PF and LF. The natural correspondence of Theorem 4 fails from three Merge nodes on. The same driver can be used to test other definitions of phases, Transfer or selection against these derivations.

Code and data availability

The code and data are available at `https://github.com/norbmor/minimalist-cs2016`. The implementation is standard-library Python 3; only the figure script requires matplotlib. The following commands reproduce every number and figure in this report:

```
python test_cs2016.py # 55 checks
python test_sentences.py # 21 checks
python derivations.py > derivation_report.txt
python sentences.py > sentence_report.txt
python tables.py # the three CSV tables
python figures.py # the four figures
```

`tables.py` writes the data of Tables ??, ?? and ??; `figures.py` draws Figures ??–??. Trace files are byte-reproducible under any hash seed, and figures are drawn from validated derivation objects, so a figure cannot show a structure the axioms did not build.

References

Noam Chomsky. Minimalist inquiries: The framework. In Roger Martin, David Michaels, and Juan Uriagereka, editors, *Step by Step: Essays on Minimalist Syntax in Honor of Howard Lasnik*, pages 89–155. MIT Press, Cambridge, MA, 2000.

Noam Chomsky. Beyond explanatory adequacy. In Adriana Belletti, editor, *Structures and Beyond: The Cartography of Syntactic Structures, Volume 3*, pages 104–131. Oxford University Press, Oxford, 2004.

Chris Collins. *Local Economy*. MIT Press, Cambridge, MA, 1997.

Chris Collins. Eliminating labels. In Samuel David Epstein and T. Daniel Seely, editors, *Derivation and Explanation in the Minimalist Program*, pages 42–64. Blackwell, Oxford, 2002.

Chris Collins and Edward Stabler. A formalization of minimalist syntax, 2011. Manuscript, New York University and UCLA, December 2011.

Chris Collins and Edward Stabler. A formalization of minimalist syntax. *Syntax*, 19(1):43–78, 2016. doi: 10.1111/synt.12117.

Samuel David Epstein and T. Daniel Seely. *Derivations in Minimalism*. Cambridge University Press, Cambridge, 2006.

Hans-Martin Gärtner. *Generalized Transformations and Beyond: Reflections on Minimalist Syntax*. Akademie Verlag, Berlin, 2002.

Richard S. Kayne. *The Antisymmetry of Syntax*. MIT Press, Cambridge, MA, 1994.

Marcus Kracht. Syntax in chains. *Linguistics and Philosophy*, 24(4):467–529, 2001.

Gereon Müller. On deriving CED effects from the PIC. *Linguistic Inquiry*, 41(1):35–82, 2010.

Jairo Nunes. *Linearization of Chains and Sideward Movement*. MIT Press, Cambridge, MA, 2004.

Edward Stabler. Derivational minimalism. In Christian Retoré, editor, *Logical Aspects of Computational Linguistics (LACL 1996)*, volume 1328 of *Lecture Notes in Computer Science*, pages 68–95, Berlin, 1997. Springer.

Edward Stabler. Computational perspectives on minimalism. In Cedric Boeckx, editor, *The Oxford Handbook of Linguistic Minimalism*, pages 617–643. Oxford University Press, Oxford, 2011.

Juan Uriagereka. Multiple spell-out. In Samuel David Epstein and Norbert Hornstein, editors, *Working Minimalism*, pages 251–282. MIT Press, Cambridge, MA, 1999.

A Changes from the 2011 manuscript

- Numbering changed throughout. For example, Triggers is D27 in 2011 and D26 in 2016; Triggered Merge D28→D27; Label D29→D28; strong phase D38→D35; TransferPF D42→D41; PIC T13→T14; NTC T7→T8.
- D14 is now the definition of a derivation (2011's D14/D22/D23 merged); an empty final lexical array and a single root are D15.
- D35 requires a strong phase to be a maximal projection, and D38 bars Transfer while an embedded phase's complement is untransferred. The implementation checks both; all derivations satisfy them.
- D40 replaced the 2011 c-command definition of finality. This is why the 2011 variants of Cyclic-Transfer and TransferPF for lower copies (D36′, D36″, D42′, D42″) are gone, and why remnant movement within one phase now works with a single Cyclic-Transfer.
- Section 5 (Chains, Theorem 4) is new in 2016.
- The 2016 version states that trigger features are unordered. The implementation's ranking is kept only to name which feature is checked, and is inert under D27 (Section **??**).