LimeAura API Documentation

Overview

This document outlines the REST API endpoints available in the LimeAura platform. All API requests must be authenticated using a Bearer token.

Base URL: `https://api.limeaura.com/api/v1`

Authentication

Login

Authenticates a user and returns an access token.

- **Endpoint:** `POST /auth/login`

- **Body:**

```
{
  "email": "user@example.com",
  "password": "securepassword"
}
```

- **Response:**

```
{
  "accessToken": "jwt_token_string",
  "refreshToken": "refresh_token_string",
  "user": { ... }
}
```

Tasks

List Tasks

Retrieves a paginated list of tasks.

- **Endpoint:** `GET /tasks`

- **Query Parameters:**

  - `page` : Page number (default: 1)

  - `limit` : Items per page (default: 20)

  - `status` : Filter by status (e.g., `todo` , `in_progress`)

- assignee_id : Filter by user ID

- Response:

```
{
  "data": [
    {
      "id": "uuid",
      "title": "Task Title",
      "status": "todo",
      ...
    }
  ],
  "meta": {
    "current_page": 1,
    "total_pages": 5,
    "total_items": 100
  }
}
```

Create Task

Creates a new task.

- **Endpoint:** POST /tasks

- Body:

```
{
  "project_id": "uuid",
  "title": "New Task",
  "priority": "high"
}
```

Update Task

Updates an existing task.

- **Endpoint:** PATCH /tasks/:id

- **Body:** (Partial Task object)

Delete Task

Deletes a task (soft delete).

- **Endpoint:** DELETE /tasks/:id

Projects

Get Project Details

- **Endpoint:** `GET /projects/:id`

Error Handling

The API returns standard HTTP status codes:

- `200` : Success

- `400` : Bad Request (Validation error)

- `401` : Unauthorized (Invalid/missing token)

- `403` : Forbidden (Insufficient permissions)

- `404` : Not Found

- `500` : Internal Server Error

Error Response Format:

```
{
  "errors": [
    {
      "status": 400,
      "code": "validation_error",
      "title": "Invalid Input",
      "detail": "Email is required."
    }
  ]
}
```