Study	Events	Total	Proportion	95%-CI	W(fixed)	W(random)
1	44	180	0.24	[0.18; 0.31]	1.0%	5.1%
2	124	423	0.29	[0.25; 0.34]	2.6%	5.6%
3	200	919	 3 0.22	[0.19; 0.25]	4.7%	5.8%
4	372	1154	0.32	[0.30; 0.35]	7.6%	5.8%
5	46	175		[0.20; 0.33]	1.0%	5.1%
6	80	473	3	[0.14; 0.21]	2.0%	5.5%
7	833	3169	0.26	[0.25; 0.28]	18.5%	5.9%
8	92	730	⊢ 0.13	[0.10; 0.15]	2.4%	5.6%
9	63	264	0.24	[0.19; 0.29]	1.4%	5.3%
10	774	2549	0.30	[0.29; 0.32]	16.3%	5.9%
11	87	231	0.38	[0.31; 0.44]	1.6%	5.4%
12	304	1649	- 0.18	8 [0.17; 0.20]	7.5%	5.8%
13	90	643	- 0.14	[0.11; 0.17]	2.3%	5.6%
14	561	2018	0.28	[0.26; 0.30]	12.2%	5.9%
15	339	700	0.48	[0.45; 0.52]	5.3%	5.8%
16	47	70	0.67	[0.55; 0.78]	0.5%	4.4%
17	247	990	+- } 0.25	[0.22; 0.28]	5.6%	5.8%
18	397	1001	0.40	[0.37; 0.43]	7.2%	5.8%
Fixed effect model		17338	0.28	8 [0.27; 0.28]	100%	
Random effects mode			i i	[0.24; 0.32]		100%
Heterogeneity: I–squared=96.9%, tau–squared=0.1767, p<0.0001						
0.2 0.3 0.4 0.5 0.6 0.7						



