Using dnf

1. Attempt to run the command gnuplot. You should find that it is not installed.

```
[root@centos8srv ~]# dnf search gnuplot
Last metadata expiration check: 1:23:24 ago on Thu 26 Jan 2023 02:18:19 PM EET.
No matches found.
```

2. Search for the plotting packages.

3. Find out more information about the gunuplot package.

```
[root@centos8srv ~]# dnf info gnuplot
Last metadata expiration check: 1:40:14 ago on Thu 26 Jan 2023 02:18:19 PM EET.
Error: No matching Packages to list
[root@centos8srv ~]#
```

4. Install the gnuplot package.

```
root@centos8srv ~]# dnf install gnuplot
Last metadata expiration check: 1:37:14 ago on Thu 26 Jan 2023 02:18:19 PM EET.
No match for argument: gnuplot
Error: Unable to find a match: gnuplot
[root@centos8srv ~]#
```

5. Attempt to remove the gnuplot package, but say no

```
[root@centos8srv ~]# dnf remove gnuplot
No match for argument: gnuplot
No packages marked for removal.
Dependencies resolved.
Nothing to do.
Complete!
```

- 6. How many packages would be removed
- .No packages will be removed
- 7. Attempt to remove the gnuplot-common package but say no

```
[root@centos8srv ~]# dnf remove gnuplot-common
No match for argument: gnuplot-common
No packages marked for removal.
Dependencies resolved.
Nothing to do.
Complete!
[root@centos8srv ~]#
```

- 8. How many packages would be removed
- .No packages will be removed
- 9. Create the file /etc/yum.repos.d/cdrom.repo to enable install from the iso of Red Hat 10. Try to install any package from the new repository

Using rpm

- 11. List all installed packages in your system.
- 12. View the files in the initscripts package
- 13. Get general information about bash rpm.

- 14. Have the files from the pam package changed since it was installed.
- 15. Which installed packages have gnome in their names?
- 16. Install any uninstalled package from RH Enterprise Linux cds.
- 17. Search for software resemble the Photoshop software other than Gimp and install it