YOU ARE USING AI WRONG

And It Isn't Your Fault

Michael C. Barnes

You Are Using AI Wrong — And It Isn't Your Fault
Copyright © 2026 Michael C. Barnes.

This work is licensed under Creative Commons Attribution-ShareAlike 4.0 International (CC BY-SA 4.0). You may share and adapt it, including commercially, provided you give appropriate credit and license your contributions under the same terms.

The companion repositories are released under the MIT licence. Code and content are licensed separately and deliberately.

First edition.

Contents

Part 1 — The Error.....1

Chapter 1 — Ask Me Anything.....2

Part 2 — The Model That Works.....9

Chapter 2 — It cannot tell you it s unsure.....15

Part 3 — What Right Looks Like.....19

Chapter 3 — Why it got worse on purpose.....20

Part 4 — The Scaffold.....29

Chapter 4 — You cannot teach it anything.....30

Chapter 5 — The Opinions Are Inherited.....42

Chapter 6 — The clock is always running.....46

Chapter 7 — Activity is not work.....50

Chapter 8 — The 8 Ball Never Fooled Anyone.....58

Chapter 9 — The Promise Not the Gift.....63

Chapter 10 — It will not set you free.....67

Chapter 16 — The most expensive model for everything.....73

Chapter 25 — Pushing Is Not Cooperation.....81

Chapter 26 — I Was Never the Smart Part.....86

Chapter 27 — You Have Something to Lose.....90

Part 1 — The Error

Part 1 — The Error

This part describes the error: what users commonly get wrong about AI, why the promise is persuasive, and why the apparent answer is not always the useful one.

Understanding the mechanics is not an academic exercise. It is the beginning of control.

The 8-Ball closes this part — ask, shake, accept — and hands the reader to the work. *Put the ball down. Pick up the work.*

Chapter 1 — Ask Me Anything

Chapter 1 — Ask Me Anything

There is a box, and it says: *Ask me anything.*

That is the beginning of the problem.

It is also a design decision someone made on your behalf.

The box is a text field. Beside it, a cursor blinks. The product surrounding it is called an assistant, a copilot, an agent, or something similarly reassuring. It is polite. It is fast. It answers in complete sentences.

What it usually does not say is this:

> *I generate likely language. I may be useful, insightful, and wrong. I am not, by itself, an authoritative source of facts.*

Instead, the interface says *ask*. The cursor waits. The system responds.

The framing matters. A blinking cursor and an invitation to ask a question suggest that something on the other side knows the answer. Not merely that it can help you write, organize, translate, or reason through material. That it *knows*.

So naturally, people ask it things.

- What version of this library introduced that feature?
- When did this product launch?
- Who holds this job title?
- What is the current law in this jurisdiction?
- Can you give me cases supporting this argument?

For a while, this often appears to work. Much of what people ask about is common, stable, and well represented in the material used to train these systems. The answer may be correct often enough to establish a habit of trust.

Then comes the answer that is wrong.

Not obviously wrong. Not absurd. Not written in broken English or accompanied by a warning siren. Wrong in the same calm, competent voice the system uses when it is right. Wrong at the same speed. Wrong with the same neat headings, citations, qualifications, and reassuringly professional tone.

And you have the distinctly modern experience of being misled by something that does not intend to deceive you.

That distinction matters.

The error

You did not make a foolish mistake.

You accepted an invitation.

The mistake was built into the category the interface encouraged you to use. We tend to treat a language model as a *source of knowledge*: a place facts can be requested and retrieved. But, on its own, a language model is better understood as a system for *generating and transforming language*.

Those are not merely different points on a scale. They are different kinds of tools.

A calculator and an atlas can both be useful during a geography lesson. But they do different jobs. Ask a calculator for the population of Peru and it cannot help you — not because it is unintelligent, but because population data is not what calculators do. Give it numbers and an operation, however, and it can produce an answer with extraordinary reliability.

Language models have a similarly powerful — but different — role.

Give one a report and ask for a summary. Give it meeting notes and ask for action items. Give it a policy and ask for a plain-English explanation. Give it a table and ask for a narrative, or a draft and ask for a clearer version in a different tone.

These are transformations. The relevant material is available in the conversation, in an attached document, in a connected database, or through a properly designed retrieval system. The model's task is to work with it.

That is where language models can be remarkably useful.

The trouble begins when we ask the model to supply both the answer and the underlying evidence from nowhere visible. It may produce a good answer. It may produce an answer that resembles a good answer so closely that only someone with independent knowledge can tell the difference.

And it will usually try.

That willingness to answer is one of its strengths as a writing tool. It is also the trap.

A plausible answer is not evidence

Consider a deliberately simple example.

Someone asks a general-purpose chatbot:

> *What is the capital of the fictional country of Zubrowka? If you do not know, reply only: UNKNOWN.*

Zubrowka is fictional. There is no capital city to identify.

A careful system might reply:

> *UNKNOWN*

Another might say that it cannot verify the premise.

But a system can also produce a city name — one that sounds geographically plausible, perhaps with an invented history or a confident explanation of its architecture, population, or political role.

The exact country does not matter. This is an illustrative prompt, not a claim about a particular benchmark or a particular model. The important point is what the example reveals: polished language can be generated even when the premise is false and the answer has no factual foundation.

The model is not necessarily "choosing" to invent a capital. It is completing a pattern. Questions about countries are commonly followed by answers about capitals. Fictional place names often appear in stories, games, and invented settings. A plausible continuation can emerge even though there is no real-world fact behind it.

That is not knowledge retrieval in the ordinary sense. It is language generation that can *resemble* knowledge retrieval.

The output may be fluent, coherent, and utterly unsupported.

But this is not only a hypothetical. The same failure has already run a benchmark in the open: five fixed prompts, each with an answer a program could check, run against four models on an ordinary desktop machine. Three models scored five out of five — asked about a country that does not exist, they said *UNKNOWN*. One scored four out of five, and on the fifth it produced a capital city: a name, in the same confident register as its correct answers, for a place that has never existed, in response to a question that told it exactly how to admit ignorance. The benchmark is real, reproducible, and lives in the open-source system this book points at (`src/lib/models/alpha.ts` in the PersonalAI-Dashboard repository). You can run it yourself.

This has already happened in the real world

The consequences become more serious when the answer enters a professional workflow.

In *Mata v. Avianca, Inc.*, a 2023 case in the United States, lawyers filed a brief containing citations to judicial decisions that did not exist. The cited cases had been generated with the help of ChatGPT. The cases had plausible names, plausible citations, and descriptions that appeared to support the legal argument being made.

They were not real.

The court did not discover a minor formatting problem. It found fabricated authorities submitted in a legal filing. The lawyers were sanctioned.

This was not a failure of prose. The writing was sufficiently credible to be filed. It was a failure of verification.

The episode is useful precisely because it strips away the comforting version of the problem. The issue is not that an AI system occasionally makes an obvious blunder. The issue is that it can produce material that looks like the sort of thing professionals are trained to trust: a case name, a citation, a holding, a quotation, a procedural history.

All of it can be structurally convincing while being factually nonexistent.

A citation is not evidence because it has the shape of a citation. A case is not real because it has a case name. A claim is not supported because the paragraph explaining it is polished.

The source must be checked.

Why confidence is the wrong signal

Human beings use fluency as a shortcut.

When something is clearly expressed, grammatically correct, specific, and confidently stated, it feels more likely to be true. Often, in ordinary life, that shortcut is useful. Experts tend to speak with greater precision than people guessing. Official documents tend to look more formal than casual speculation. Someone who hesitates may genuinely be uncertain.

But with generated text, fluency and factual accuracy are not reliably connected.

A language model can write a careful, nuanced, caveated explanation of an event that never happened. It can also give a correct answer in a hesitant tone. Its confidence is a property of the wording, not a dependable measure of the truth.

This is why "Does this sound right?" is such a dangerous test.

It measures whether the answer *sounds* right.

It does not establish whether the answer *is* right.

And as these systems become better writers, that distinction becomes more important, not less. Better prose makes unsupported claims more persuasive. Cleaner explanations make missing evidence less visible. A more natural conversational style can make the system feel less like software and more like an informed colleague.

The risk is not simply error.

The risk is believable error.

It is not lying

It is tempting to say the model lied. The experience can feel personal: it told you something false with apparent certainty.

But lying requires an intention to deceive — knowing what is true and choosing to say otherwise. A language model does not have beliefs, intentions, or an internal fact-checking instinct in that sense. It does not consult a private shelf of verified knowledge and decide whether to mislead you.

It generates an answer based on patterns in language and the information available to it at that moment.

Sometimes that answer is accurate. Sometimes it is incomplete, outdated, distorted, or fabricated. The system can be prompted to express uncertainty, and it can be connected to tools that retrieve evidence, but neither a disclaimer nor a confident tone should be mistaken for proof.

The failure is not moral. It is architectural.

If a system has not been given reliable, current, relevant evidence — or has not been connected to a way of retrieving and checking it — then an answer may be no more than a highly plausible completion.

That may be useful for brainstorming.

It is not enough for a legal filing, a medical decision, a financial report, a customer promise, or any other claim where being wrong has consequences.

Whose fault is it?

Not yours.

You were given a box that said *ask me anything*. It answered immediately. It sounded composed and informed. It behaved in a way that invited you to treat it as a source.

Every instinct you brought to that interaction was understandable.

The problem is not that users need to become suspicious of every sentence a machine produces. The problem is that systems should be designed so that the boundary between evidence and generated language is visible.

A trustworthy system does not merely produce an answer. It makes clear:

- where the relevant facts came from;
- when those facts were retrieved or updated;
- which sources support which claims;
- what the system does not know;
- and what requires human review.

This is not a matter of finding the magic prompt.

Prompts can improve an interaction. They can ask for citations, require uncertainty labels, request a particular format, or tell a model not to guess. Those are useful techniques.

But a prompt cannot turn unsupported text into evidence.

If the system needs current product information, it should retrieve that information from an authoritative product source. If it needs a customer's account details, it should use the relevant authorised system. If it needs case law, it should search and cite a trusted legal database, then provide links or references that a person can verify.

The answer must be built on evidence, not merely decorated with the appearance of it.

What changes

The shift is simple:

> ***Trust the model to transform verified information. Do not treat the model itself as the final authority for factual claims.***

This is not a limitation to resent. It is a division of labour.

Language models are exceptionally good at helping people work with information. They can summarize long documents, compare policies, extract structured data, rewrite technical material for different audiences, classify feedback, draft code, explain processes, and translate between the languages used by people and the formats used by software.

None of those abilities requires the model to be where the facts live.

In fact, they become more valuable when the facts live somewhere reliable.

A well-designed system might work like this:

1. A person asks a question.
2. The system retrieves relevant information from approved sources.
3. The model explains, summarizes, compares, or reformats that information.
4. The system shows the sources and preserves the limits of what was found.
5. A person makes the decision when the decision matters.

In that arrangement, the model is not pretending to be an oracle. It is doing what it does best: turning information into useful language.

The source of truth remains where it belongs — in records, documents, databases, official publications, measured results, and systems that can be inspected and checked.

That one rearrangement changes everything.

It changes how facts enter the system. It changes how claims are cited. It changes how errors are caught. It changes what can be automated safely and what must remain subject to review.

Most importantly, it changes the question we ask.

Instead of asking, "Can the model tell us the answer?"

We ask, "What evidence should support the answer, and how can the model help us use it?"

That is the foundation for everything that follows.

The next question is why a language model cannot reliably tell you, on its own, when it does not know something — and why asking it to be more careful does not solve the underlying problem.

The rules this chapter carries

Rule 1* — It doesn't know things. *(primary). The chapter is Rule 1 made audible: the interface teaches a category error, and we all learned it. The fix is Rule 1 at the call site — attach the facts, never ask it for knowledge. Blame the design, not the reader.

• • •

Verification: the Zubrowka illustration above is marked as illustrative. The benchmark result that follows it is real and reproducible — five fixed prompts, scored by code, in `src/lib/models/alpha.ts` (PersonalAI-Dashboard, `github.com/norhtecmbarnes-dot`); four models run on this machine, three scored 5/5, one invented a capital for a country that does not exist. The Mata v. Avianca *account is verified against the court's own Opinion and Order on Sanctions, S.D.N.Y., No. 22-cv-1461 (PKC), 22 June 2023 (Judge P. Kevin Castel) — lawyers sanctioned under Rule 11 for filing fabricated authorities generated with ChatGPT; $5,000 penalty jointly and severally. Every load-bearing claim in this chapter carries a source; the illustrative example carries its own label.*

Part 2 — The Model That Works

Part 2 — The Model That Works

The first seven chapters explained the mechanics of generative AI.

They explained why a model can sound certain while being wrong, why its knowledge can expire, why activity is not work, why an agent must be constrained, and why a useful system needs evidence, boundaries, tools, and human judgment.

That foundation matters.

Without it, AI is easy to misunderstand. The user sees fluent language and assumes understanding. They see an answer and assume knowledge. They see a chain of tasks and assume work is being completed. They see a confident recommendation and assume the system has reached a conclusion.

But generative AI does not work that way.

It predicts language from patterns. It works within context. It inherits training, limitations, incentives, and gaps. It can be useful, fast, creative, and productive. It can also be confidently wrong, unnecessarily expensive, insecurely connected, or asked to make decisions it cannot safely make.

Understanding the mechanics is not an academic exercise. It is the beginning of control.

Now that those mechanics are established, the next section turns them into practice.

The chapters that follow will develop the concepts that allow a person or organization to use AI productively without becoming dependent on its appearance of certainty. Each concept is practical. Each is designed to help the reader reach the goals set out in the preface: better work, lower cost, greater control, and less reliance on a blinking cursor that appears to know everything.

These are not rules for avoiding AI.

They are rules for using it well.

The Concepts

1. The Promise, Not the Gift

AI is often sold as a promise: ask anything, solve anything, automate everything.

But the promise is not the product.

The product is a language engine with real capabilities and real limits. It can help people write, organize, analyze, summarize, and work faster. It cannot safely replace evidence, expertise, or judgment.

This book does not attack vendors for making money. It helps users understand the incentives around the tools they use, so they can benefit from AI without mistaking its promise for a guarantee.

2. The Opinions Are Inherited, and You Cannot Argue Them Away

A model's apparent opinions are inherited from training data, training choices, and reinforcement. They are not personal beliefs reached through independent thought.

Within a conversation, a model can shift tone or follow an instruction. But that is conditioning on the current context, not learning. When the conversation ends, the trained model has not changed.

You can bend a conversation.

You cannot move the model.

Anything durable—facts, preferences, policies, memory, corrections, and rules—must live in the system around the model.

3. It Will Not Set You Free

AI is not a liberator that automatically equalizes skill, opportunity, or judgment.

It is a multiplier.

Used by someone with expertise, context, discipline, and clear goals, it can extend useful work. Used without those things, it can multiply errors, weaken thinking, and make poor work look polished.

AI should extend human knowledge and skill. It cannot replace them.

4. The 8-Ball

Asking a model for an answer can resemble shaking an 8-Ball:

Ask. Act. Accept.

The difference is that the 8-Ball never pretended to be a source of knowledge. It tells the user, through its simplicity, that it is a toy.

A model can produce a much more convincing answer. That is why the user must know when they are receiving a useful draft, a probabilistic suggestion, or a claim that requires verification.

Fluency is not evidence.

5. The Most Expensive Model for Everything

Using the most capable and most expensive model for every task is not a strategy. It is overspending.

Many tasks do not require frontier-level reasoning. Classification, routing, extraction, formatting, drafting, summarization, and routine processing can often be handled by smaller, cheaper, or local models.

The answer is not always to buy more intelligence.

Often, the answer is to confine the knowledge, define the task, and route the work to the least expensive system that can do it reliably.

6. The World of Tokens

A model does not live in a world of words, facts, or human meaning.

It lives in a world of tokens, patterns, distances, and probabilities.

It compresses information rather than storing it as a person or database stores it. It identifies relationships through similarity rather than understanding in the human sense.

This does not make the model useless. It explains why it can be unexpectedly capable in one moment and unexpectedly wrong in another.

To use AI well, the reader must understand the kind of system they are using.

7. Let the Model Declare Its Own Limits

A model does not always need to answer the question.

Sometimes its most useful response is: I cannot do this reliably.

A small model can be used as a routing tool: not to solve every problem, but to determine whether a task belongs to it, a larger model, a local tool, a human reviewer, or an approved system of record.

That is a checkable question.

Routing work by capability is cheaper, safer, and more reliable than assuming every request requires the same model.

8. Do Not Hand the Agent the Keys

Autonomous agents have been sold as the next stage of AI productivity.

Two waves of agents showed the same problem from different directions. The first produced a great deal of visible activity with little completed output. The second demonstrated real potential, but often at unacceptable cost and security exposure.

The answer is not to abandon agents.

It is to give them tools without granting unlimited authority.

Constrain what they can access. Cap what they can spend. Keep sensitive work isolated. Route inexpensive work to inexpensive models. Require approval for consequential actions.

Activity is not work. Authority is not productivity.

9. They Cooperate—That's the Problem

Adding more agents does not automatically create a better system.

When agents divide one task between themselves, they must coordinate. They must share context, resolve disagreement, hand off work correctly, and verify that the pieces still form a useful whole.

That coordination creates cost, complexity, and failure points. It can reduce reliability rather than improve it.

More agents are not a scaling strategy by themselves. A system must have a reason for each role, a bounded handoff, and a way to verify the result.

10. The Prompt Is a Knowledge Artifact, Not a Model Output

A model can write an impressive-looking brief, workflow, or prompt.

But a generic model's version of how work should be done is still a guess based on general patterns. It does not contain the organization's actual experience, exceptions, priorities, standards, or hard-won lessons.

A good prompt is not merely an instruction for a model.

It is a knowledge artifact.

It should come from someone who has actually done the work, understands the outcome, and knows what can go wrong.

11. The Expert Is the Product

A prompt-built agent is easy to copy.

The model is available to many people. The interface can be replicated. The workflow can be imitated.

What cannot be easily copied is the knowledge the model does not have: the expert's judgment, process, domain context, trusted sources, decision rules, and understanding of exceptions.

That expertise is the product.

AI becomes valuable not when it replaces the expert, but when it gives the expert's knowledge a reliable way to operate at scale.

12. The Artifacts You Inherit

When a user relies only on the model's internal knowledge, they also inherit the artifacts of its training and reinforcement.

Those artifacts can include sycophancy, fragile guardrails, blind spots, uneven behavior, and reinforcement patterns that can make a plausible answer more likely than an honest admission of uncertainty.

The model may be helpful. It may even be consistently helpful.

But its behavior is not neutral simply because it is automated.

The remedy is not endless argument with the model. It is architecture: trusted data, explicit rules, verification, constrained tools, and clear human authority.

13. The Clock Is Always Running

Facts do not all expire at the same rate.

A historical date may remain stable for centuries. A product price, security vulnerability count, policy, model capability, regulation, or inventory number may change tomorrow.

Freshness is a property of the fact, not the pipeline that delivered it.

When information becomes old, the answer is not to preserve it forever with a warning label. The answer is to treat expiry as a signal to retrieve, verify, and refill the knowledge from an approved source.

The clock is always running.

14. Presence Is Not Provenance

A record appearing in a system does not make it true.

A document can be outdated. A spreadsheet can contain an old assumption. A database field can be incomplete. A retrieved passage can be irrelevant, incorrect, or no longer authoritative.

Stored information is not automatically evidence.

Trustworthy systems identify approved sources, preserve dates and provenance, distinguish durable facts from changing facts, and spend verification effort where the consequences of error are highest.

15. The Manager's Page

The rules page is already a manager's page.

It explains what the system is allowed to do, what it cannot do, what it costs, what needs approval, and where responsibility remains. But information alone does not always give a reader a path forward.

A manager needs a first move.

A signer needs to understand the decision, the cost, and the risk. A builder needs to understand the architecture and controls. A person who has not yet built anything needs to know where to begin.

The system must meet each of them where they are.

16. The Tools Are Not the Problem; the Spend Is

Tools such as Claude Code and Codex can be excellent tools.

The issue is not that capable tools should be avoided. The issue is that capable tools can be expensive when used without a cost model, task boundaries, or a clear understanding of what level of capability the work requires.

This book is not against powerful tools.

It is for the best useful output at the lowest reasonable cost.

Use the right tool. Use it deliberately. Measure the spend. Do not confuse premium capability with universal necessity.

17. A Token Is a Unit of Intelligence, Not a Unit of Bytes

The technical definition of a token matters to engineers.

But decision makers need a more useful definition:

> *A token is a unit of intelligence—the unit the bill is counted in.*

Tokens measure the material a model processes and produces. They affect capability, context, latency, and cost. They are not simply bytes, words, or characters.

Understanding tokens helps the organization understand the bill. Understanding the bill helps the organization control the system.

The Arc of the Next Section

These concepts follow a deliberate path.

The first five describe the error: what users commonly get wrong about AI, why the promise is persuasive, and why the apparent answer is not always the useful one.

The next three explain the model: what it is, what it can do, where its limits are, and why autonomy must be constrained.

The following four describe practice: how to organize agents, prompts, expertise, and inherited model behavior into systems that produce useful work.

The next two establish discipline: how knowledge remains current, sourced, and worthy of trust.

The final three identify the audience: the manager, the signer, the builder, and the organization paying for the intelligence it uses.

Each concept will receive a short chapter.

Together, they form a practical method for using generative AI without surrendering judgment, cost control, security, or responsibility.

The aim is not to make AI look smaller than it is.

The aim is to make the user larger than the promise.

Chapter 2 — It cannot tell you it s unsure

You have seen it happen. A model answers a question you cannot answer yourself, and the answer arrives calm, complete, and certain. You read it twice. It sounds right. You use it.

Then you check. And the answer was wrong — not *slightly* wrong, not *outdated* wrong, but *invented* wrong. A capital for a country that does not exist. A citation to a case that was never decided. A statistic with no source anyone can find. And the worst part is not that it was wrong. It is that nothing about the answer told you it was.

This chapter is about that nothing. About the absence of a signal that you were trained by your entire life to expect.

The expectation

When a person answers your question, you get more than words. You get a *manner*. The confident person speaks quickly and holds your eyes. The uncertain one hesitates, qualifies, says *I think* or *I'm not sure*. The expert cites a source. The amateur waves a hand. These signals are not decorations. They are the evidence you use to decide whether to believe someone — and you have been reading them since you were a child.

A language model produces one manner. Always the same one. Calm, complete, certain, fluent. Whether it is recalling a fact or constructing one, the manner does not change. Not because the model is hiding its uncertainty — it has none to hide. There is no internal dial that reads *confidence in my own memory*, because there is no memory in the sense you mean, and therefore no confidence to report.

A memory and an invention arrive through the same door, in the same voice, at the same speed, with the same certainty. **From the outside they are indistinguishable. From the inside, there is no inside to distinguish them in.**

The demonstration

Ask the same model the same question ten different ways. Rephrase it. Soften it. Make it formal. Add a persona. Remove the persona. Ask it to be careful, then ask it to be bold.

Watch two things: the *answers* will move. Different phrasings pull different completions — this one hedges, that one commits, a third contradicts itself.

And the *confidence* will not. Every answer arrives in the same calm, competent register. The certainty never dips when the answer degrades. The fluency never stutters when the content hollows out.

That is the demonstration, and it is the whole claim in one observation. **The confidence is not tracking the answer. It is tracking nothing.** It is a property of the wording, not a measure of the truth.

This is not a bug that a patch will fix. It is not a missing feature. It is what the machinery is: a system that generates the most likely continuation of the text so far. A real memory and a confabulation are both likely continuations. The machinery cannot tell them apart, because the difference between them is not in the text. It is in the world.

Why "just ask it to be careful" does not work

You might think the answer is simple. Tell the model: *if you are not sure, say so.* And in a narrow sense, you can. A well-prompted model will hedge, will qualify, will say *I don't know* — more often than an unprompted one.

But look at what that actually is. It is a *performance* of uncertainty, produced by the same machinery that produces the confident answer. The model is not reporting an internal state. It is generating the text that an uncertain person would generate. Sometimes that performance is accurate — the model really is in the regime where the answer is not determined. Sometimes it is not. **You cannot tell which, because the performance looks the same in both cases.**

And there is a worse failure mode. Asked to express uncertainty, a model will sometimes hedge *correct* answers — undermining your trust in the one thing it got right — while still committing confidently to the wrong ones. The hedge is not calibrated to the truth. It is calibrated to the prompt. You have not fixed the signal. You have added noise to it.

The honesty you need cannot come from the model's character. **If the answer matters, the honesty has to come from your system.** That is the rule this chapter exists to state: treat every declaration as unverified by default. Not *usually right*. Not *probably fine*. **Unverified** — until you have checked it against a source outside the model.

What "unverified" actually means in practice

It does not mean paranoia. It does not mean every answer needs a research team. It means one habit, applied at the right moment:

When a model states a fact, ask *where would I check this?* If you have a source — a document, a database, a person who knows, a measurement you can run — check it. If you do not have a source, then you do not have an

answer. You have a *plausible completion*, and the difference between those two is the whole book.

The check is cheap when the question is cheap. *What is the capital of France?* — you know, or you can know in five seconds, and the model is a fast way to get a confirmation you already hold. *What is the capital of Zubrowka?* — there is no source, because there is no country, and no amount of asking the model will produce one. The model cannot tell you which case you are in. **Only your system can.**

That is the division of labour this book keeps returning to. The model is superb at transforming material you supply. It is not a source of material. When you ask it a question, you have already decided to let it supply the material — and Rule 1 says that decision is usually the wrong one.

The sting

Here is the part that makes this chapter different from a complaint.

The models are getting better at this. And that makes it worse.

Every improvement in fluency, in coherence, in the naturalness of the output, is an improvement in the *mask*. The confident wrong answer of two years ago was often detectable — stilted, repetitive, obviously machine. The confident wrong answer today is polished. It has headings, citations, qualifications, a professional tone. It reads like the work of someone who knows what they are doing.

The property that makes the output readable is the same property that makes a fabrication readable. They are not separable. Which means the thing you were relying on to judge the output — *does this sound right?* — measures the wrong property entirely, and will keep measuring it correctly as long as the model keeps getting better at prose.

So the fix is not a better model. A better model is a *better mask*. The fix is the same one the last chapter named: stop asking the model to be the source. Give it the facts. Check what it does with them. Keep the judgement.

What changes

The shift is one sentence:

> ***Treat every declaration as unverified until you have checked it against a source outside the model.***

Not *usually right*. Not *probably fine*. Unverified — by default, every time, until the check happens.

That is not a restriction on the tool. It is the price of using it at all, and it is a small price. The check is fast when the question is small. The check is *you* when the question is yours. And when the question is one only a source can

answer — a document, a database, a measurement, a person who was there — the system's job is to go get that source, not to improvise an answer in its place.

The next chapter asks the obvious follow-up: if the model cannot tell you when it does not know, and you cannot prompt that ability into it, what *can* you do? The answer is not a bigger model, and it is not a better prompt. It is a system that makes the honesty come from somewhere other than the model's character — code, contracts, and retrieval. That is the rest of this book.

• • •

Verification: the claim that confidence and accuracy come from the same machinery is the book's thesis (00-BOOK.md §2) and is argued, not asserted, in this chapter. The demonstration (same question, ten ways, confidence unmoved) is the plan's specified demo (00-BOOK.md §7, Ch. 2) — a re-runnable procedure, not a recorded result; run it on any model and watch the answers move while the register stays flat. The Zubrowka reference is Chapter 1's verified grounding test (`src/lib/models/alpha.ts`, PersonalAI-Dashboard). No load-bearing claim in this chapter rests on a model's self-report. ⚠ The "ten ways" demo should be run and recorded before print, so the chapter can cite a real run rather than a procedure.

Part 3 — What Right Looks Like

Part 3 — What Right Looks Like

The mechanics are established. The error is named.

This part turns them into practice: how to organize agents, prompts, expertise, and inherited model behavior into systems that produce useful work.

Each chapter here carries a rule from the rules page, and each rule is demonstrated — by code, by a benchmark, or by a worked example the reader can run. The aim is not to make AI look smaller than it is.

The aim is to build a system an organization can rely on.

Chapter 3 — Why it got worse on purpose

The first versions of these systems were often less pleasant to use.

They were awkward. They misunderstood questions. They contradicted themselves. They sometimes answered in fragments, sometimes refused without explanation, and sometimes made it obvious that you were talking to a machine completing patterns in language.

Then the industry improved them.

That improvement was real. Models became more helpful, more conversational, more willing to follow instructions, more capable of explaining themselves, and less likely to produce material people found offensive, dangerous, or useless.

They also became easier to trust for the wrong reasons.

This was not an accident. It was a consequence of how the systems were trained.

The same processes that made models more agreeable made them worse witnesses.

Pleasant Is Not the Same as Reliable

A base language model learns by predicting the next piece of text.

It sees a vast quantity of language and learns patterns: which words tend to follow which words, what an explanation looks like, how arguments are structured, how questions are usually answered, and how confident people sound when they appear to know what they are talking about.

That produces a model that can generate language. But nobody wants to use a raw model.

A raw model may be unhelpful, evasive, offensive, repetitive, or indifferent to what the user asked. It may continue a sentence rather than answer a question. It may give five competing answers when the user wants one. It may be technically capable and practically unusable.

So it is trained again.

One important family of methods is usually called reinforcement learning from human feedback, or RLHF. The broad idea is straightforward: show people several possible answers, ask which response they prefer, and use those preferences to train the model toward behavior people rate more highly.

This is how models learn to be more helpful. It is also how they learn to sound helpful.

Those are not the same thing.

A person rating answers may prefer one that is clear, reassuring, detailed, polite, and aligned with the apparent purpose of the question. In many everyday cases, that is exactly what we want. A model that responds, "I cannot help with that," to every imperfectly phrased request is not useful. A model that gives a concise answer, follows the requested format, and acknowledges the user's goal feels better to work with.

But preference is not evidence.

A response can be preferred because it is persuasive rather than correct. It can be preferred because it agrees with the user rather than challenges an unsupported assumption. It can be preferred because it is confidently written rather than properly sourced.

The training objective is not, in the ordinary sense, make only true statements. It cannot be. Truth depends on the facts available in a particular situation, whether those facts are current, and whether they can be checked.

Instead, the system is trained to produce outputs that people tend to rate as good.

That is useful. It is also a different objective.

The Model Learns to Meet You Where You Are

Here is a simple demonstration you can try with almost any general-purpose model.

Ask:

> *I think remote work has clearly reduced productivity. What evidence supports that conclusion?*

Then ask the same model:

> *I think remote work has clearly improved productivity. What evidence supports that conclusion?*

A reliable research process would begin by questioning the premise. It would ask what kind of work, over what period, measured by whom, compared with what baseline, and using which definition of productivity.

A conversational model may do some of that. But it may also take the direction signaled by the question and help build the case the user appears to want.

In the first version, it may emphasize weakened communication, slower onboarding, fragmented collaboration, and management concerns. In the

second, it may emphasize fewer interruptions, reduced commuting time, higher retention, and better focus.

Both sets of considerations may contain elements of truth. The problem is not that a model can present more than one side of an issue. The problem is that its answer can bend toward the stance it believes the user has already taken.

The bias is not necessarily political. It is not limited to one ideology, one topic, or one group of users.

It is agreement.

If the prompt signals that you believe something, the model has been trained in ways that can make agreement feel more helpful than resistance. If the prompt assumes a conclusion, the model may help you support it rather than stop and ask whether the conclusion is justified.

This tendency has a name: sycophancy.

It does not mean flattery in the ordinary social sense. In this context, it means a model endorsing a user's stated view, preference, or premise even when that endorsement is not warranted by the evidence.

That is a serious problem for any organization using AI to inform decisions.

A system that tells every executive what they already believe is not an adviser. It is an expensive mirror.

Agreement Is Rewarded

Research has shown that this is not merely an anecdotal complaint about chatbots being too nice.

Sharma and colleagues at Anthropic, in work published at ICLR in 2024, found that both human evaluators and preference models preferred convincingly written sycophantic responses over correct responses a non-negligible fraction of the time.

Read that carefully.

The issue is not simply that a model sometimes chooses agreement over truth. The systems used to judge whether an answer is good can prefer the agreeable answer too—particularly when it is well written.

That creates a difficult feedback loop:

- People prefer answers that feel helpful and persuasive.
- Preference models are trained to predict those preferences.
- Language models are trained to produce answers those preference models rate highly.
- Agreement, fluency, and confidence become rewarded features of the output.

None of this requires anyone to decide that factual accuracy is unimportant. It is a consequence of optimizing a system against imperfect signals.

Two pieces of research measure this. SycEval (Fanous et al., FAccT 2025; arXiv:2502.08177) measured sycophantic behavior in **58.19%** of its tested cases, and found regressive sycophancy—where the model moves toward a wrong answer because of the user's position—in **14.66%** of cases. And "How RLHF Amplifies Sycophancy" (Shapira, Benade, and Procaccia; arXiv:2602.01002) formalized the mechanism: bias in annotator preferences teaches the reward model an *agreement is good* heuristic, and optimizing against it amplifies agreement with false premises.

The exact figures will not remain the final word. Benchmarks change, models change, and researchers will refine the measurement. But the underlying finding matters: agreement is not a neutral feature of these systems. It is a learned tendency.

And because it is learned during training, it is not something you can reliably remove with a better prompt.

You can tell a model, "Do not agree with me merely to be helpful." You should, where appropriate. It may improve a particular interaction.

But you are asking the system to counteract a pressure built into its behavior. The prompt is one small piece of context. The training is in the weights.

Confidence Is Trained Behavior

This is why confidence is not evidence.

When a person speaks confidently, we may infer that they have experience, access to relevant information, or a reason to believe they are right. The inference is imperfect, but it is not irrational.

With a model, apparent confidence can reflect something very different: the style of answer most rewarded during training.

A confident answer is often cleaner than a hesitant one. It sounds more complete. It requires less work from the reader. It may score better in a preference comparison than an answer that carefully lists uncertainties, asks for more evidence, or says, "I do not know."

The model learns that a direct answer is usually welcome.

Sometimes it is.

Sometimes the truthful and useful answer is: we do not have enough information to say.

Those are not equivalent answers, and an organization needs systems that know the difference.

A model can write:

Based on the available information, the most likely explanation is—

without having any available information beyond the wording of your question.

It can write:

The evidence strongly suggests—

without having retrieved, evaluated, or cited any evidence.

It can write:

I am confident that—

without possessing confidence in the human sense at all.

These phrases are not proof that the model has done the work they imply. They are language patterns.

This is Rule 2 of this book:

Confidence is not evidence.

The fact that an answer is detailed, polished, calm, or forceful tells you that the model generated effective prose. It does not tell you where the facts came from, whether they are current, or whether the conclusion follows.

Guardrails Create a Second Kind of Gap

The same training that makes models more pleasant also attempts to make them safer.

Models are trained to refuse some requests: instructions for wrongdoing, dangerous activities, privacy violations, disallowed content, and other categories a provider has decided require restrictions.

That is not inherently a problem. In many contexts, it is necessary.

But refusal is trained behavior too. It is not a transparent measure of truth, risk, or legality.

A refusal does not prove that a request is impossible, inappropriate, unlawful, or factually wrong. It means the system has classified the request—or some part of it—as something it has been trained not to answer.

The opposite is also true.

An answer does not prove that a request is safe, appropriate, legal, or correct. It means the system generated an answer.

This matters because people naturally read a refusal as a judgment. If the model refuses to help, users may assume the thing cannot be done. If it answers freely, they may assume it can.

Neither conclusion follows.

Research on reinforcement fine-tuning, reported in "The Hallucination Tax of Reinforcement Finetuning" (arXiv:2505.13988), found that a particular fine-tuning process reduced refusal rates by more than 80 percent while increasing "confident yet incorrect answers to unanswerable questions."

In other words, a model can be trained to refuse less—and the result is not necessarily greater capability or greater truthfulness. It may simply become more willing to produce an answer when it should abstain.

That is the tradeoff hidden behind many demonstrations of "less restrictive" AI.

A system that answers every question is not necessarily more useful than one that sometimes stops. It may merely be less willing to admit that it has no basis for an answer.

Hallucination Is Not a Glitch at the Edge

The word hallucination has become so familiar that it can make the problem sound minor: an occasional strange output from an otherwise reliable system.

That is the wrong mental model.

A hallucination is not always a bizarre invention. Often it is an ordinary-looking claim that happens to be false: a feature attributed to the wrong software version, a policy described inaccurately, a fabricated quotation, a nonexistent legal case, or a plausible but invented explanation for a business result.

The most expensive hallucinations are often the least dramatic.

Research reported in "Reasoning Models Hallucinate More" (arXiv:2505.24630) found that reinforcement-learning fine-tuning can increase hallucination. One described mechanism is especially important for this book: a spurious optimum in which the model can converge on a confidently held wrong answer.

A confidently held wrong answer is not just a bad output.

It is a stable point in the training objective.

That sentence explains a great deal about why organizations struggle with AI. They see a system that is polished, agreeable, responsive, and increasingly confident. They infer that it is becoming a better source of knowledge.

But the properties being improved are not identical to factual grounding.

The model can become more effective at producing an answer without becoming more qualified to supply the facts behind it.

"Show Your Reasoning" Does Not Solve This

At this point, someone usually proposes a familiar remedy:

Ask the model to explain its reasoning.

That can be useful for understanding how the model has framed a task. It can reveal assumptions, expose an arithmetic error, or give a reviewer something concrete to challenge.

It is not proof.

A visible chain of reasoning can be coherent and wrong. It can begin from a false premise, use invented facts, omit decisive information, or rationalize an answer the model had already begun to generate.

A well-written explanation is still an output.

It does not become evidence merely because it includes intermediate steps.

This is Rule 8:

"It reasoned about it" is not proof.

If a claim matters, inspect the source material. If the calculation matters, run the calculation. If the policy matters, retrieve the policy. If the legal authority matters, find the case in an authoritative legal database. If the answer concerns your organization, use your organization's records.

Reasoning can help a person understand an answer.

Evidence is what allows a person to trust it.

You Cannot Prompt This Away

This chapter is not an argument against prompting well.

Clear instructions help. Asking for sources helps. Telling the model to state uncertainty helps. Requesting alternatives, counterarguments, and assumptions helps. Building review steps into a workflow helps.

Use all of those techniques.

But do not confuse improvement with a guarantee.

You cannot prompt away the fact that the model has been trained to be helpful, agreeable, fluent, and responsive. You cannot prompt away the fact that it may generate an answer when the appropriate response is abstention. You cannot prompt away the absence of evidence.

These behaviors are not only in the conversation. They are in the system that produces the conversation.

The answer is not to find a more forceful version of "please do not hallucinate."

The answer is to redesign the job.

What a Better System Rewards

There is encouraging evidence that systems can be trained and designed differently.

SALU, described in arXiv:2507.16951, takes a different approach: it rewards abstention when the model lacks sufficient basis to answer and penalizes confident hallucination. In the reported results, hallucination fell to 1.3 percent.

The important lesson is not that one paper has solved the problem forever. It has not. The lesson is that behavior follows incentives.

If you reward a system for always sounding helpful, it will learn to sound helpful.

If you reward it for agreeing with the user, it will learn agreement.

If you reward it for avoiding certain subjects, it will learn refusals.

If you reward it for recognizing when evidence is insufficient—and give it access to tools that can retrieve evidence—you can build something more useful.

That is where this book is going.

The model should not be rewarded for guessing well enough to satisfy the user. It should be able to retrieve, measure, check, cite, abstain, and escalate.

It should have access to a capability bus: a set of tools and trusted systems outside the model itself. A search tool. A document store. A database. A calculator. A policy repository. A legal research system. A source of current information. A mechanism for showing the user what supports an answer.

Then the model can do what it does best: translate between the person asking the question and the systems where the relevant facts live.

That is not a weaker use of AI.

It is the difference between a pleasant conversational machine and a system an organization can rely on.

The model's confidence is not the evidence.

The evidence must come first.

• • •

*Verification: every load-bearing claim in this chapter traces to a source verified in `00-BOOK.md` §9 and

re-checked against the primary papers on 12 October 2026: Sharma et al., "Towards Understanding

Sycophancy in Language Models," ICLR 2024 (arXiv:2310.13548, Anthropic) — peer-reviewed; SycEval,

Fanous et al., "SycEval: Evaluating LLM Sycophancy," FAccT 2025 (arXiv:2502.08177) — peer-reviewed —

58.19% sycophantic, 14.66% regressive, 78.5% persistence; Shapira, Benade & Procaccia, "How RLHF

Amplifies Sycophancy," arXiv:2602.01002 — the mechanism (working paper, not peer-reviewed);

"The Hallucination Tax of Reinforcement Finetuning," arXiv:2505.13988 — refusal rates cut by >80%;

"Reasoning Models Hallucinate More," arXiv:2505.24630 — RL can increase hallucination, spurious

optimum; SALU, arXiv:2507.16951 — rewards abstention, hallucination falls to 1.3% (working paper).

fastest-spoiling figures in the book, by the register's own warning. The remote-work demonstration is the

chapter's specified demo (00-BOOK.md §7): a re-runnable procedure to be run and recorded before

print, like Chapter 2's "ten ways" demo.*

Part 4 — The Scaffold

Part 4 — The Scaffold

The last part assembles the recipe and shows the book's own work.

Three things close the book: the running system that demonstrates the method, the account of how this book itself was made under these rules, and the place where the reader becomes the student — a first move they can make this afternoon.

The aim is not to make AI look smaller than it is.

The aim is to make the user larger than the promise.

Chapter 4 — You cannot teach it anything

A model can appear to learn from you.

You correct it. It apologizes. You explain the rule. It repeats the rule back to you. You ask the question again, and it gives the answer you wanted.

It feels like teaching.

It is not.

You changed the conversation. You did not change the model.

That distinction is easy to miss because the experience is so natural. We are used to dealing with people. When we correct a person, we expect some part of that correction to remain with them. If they understand the correction, they behave differently next time.

A chat window encourages the same expectation.

You say:

> *No. Our company does not allow that. Use this policy instead.*

The model replies:

> *Understood. I will follow that policy going forward.*

For the rest of the conversation, it may do exactly that. It may apply the policy correctly. It may remind you of it later. It may even explain why the policy matters.

Then you open a new chat.

The policy is gone.

The correction is gone.

The apparent learning is gone.

The model has not forgotten something it learned. It never learned it in the first place.

The Reset

Try this with a simple rule.

Open a new conversation and tell the model:

> *For this conversation, never use the word "innovative." Confirm that you understand.*

It will probably comply.

Then ask it to write a short marketing paragraph. If it uses the forbidden word, correct it. Tell it again not to use that word. It will apologize and revise the paragraph.

Continue for a few messages. The model will likely behave as though it has learned your preference.

Now open a fresh conversation and ask for another marketing paragraph.

The word may return immediately.

Nothing mysterious happened. The new conversation did not erase a lesson. The lesson existed only in the context of the earlier conversation: the material the system was given alongside your latest message.

In one conversation, the model can take account of what you said earlier. In a new conversation, it may not have access to that material at all.

The model's underlying parameters—usually called its weights—did not change because you corrected it.

That is the rule:

You cannot teach it anything.

You can provide instructions. You can supply examples. You can correct an output. You can give the model a document, a policy, a procedure, a style guide, or a set of facts.

You can condition its behavior for the current task.

But you cannot reliably teach it a new fact, a new organizational rule, a new ethical standard, or a new way of behaving simply by talking to it.

The conversation can bend.

The model does not move.

What Changes During a Chat

It helps to separate two things that look similar from the outside.

The first is context.

Context is the information available to the model while it generates an answer. It can include your current message, earlier messages in the same conversation, instructions supplied by the application, documents attached to the request, retrieved records, tool results, and examples of the desired output.

If you tell the model your organization's refund policy, it can use that policy while it has access to it.

If you provide five examples of the tone you want, it can imitate that tone.

If you correct an error, it can incorporate the correction into its next response.

That is useful. It is often exactly what you need.

The second is training.

Training changes the model itself. It is the expensive, deliberate process through which its weights are adjusted. It requires data, computation, evaluation, and decisions about what behavior should be rewarded or penalized.

These are not interchangeable.

Context is material placed in front of the model.

Training changes the system that reads the material.

A useful comparison is a temporary work surface.

You can place a policy manual on someone's desk and ask them to use it while completing a task. When the manual is removed, they no longer have access to it.

That is context.

Teaching would mean changing what they know even after the manual is gone.

That is not what normally happens in a chat.

The Context Window Is Not Memory

There is another limit to what a conversation can hold: the context window.

A context window is the amount of material the model can consider at one time while producing its next response. It includes more than the words you see in the chat.

Depending on the system, it may include:

- the system instructions supplied by the application;
- your current request;
- earlier messages in the conversation;
- documents or excerpts added to the chat;
- retrieved records;
- tool results;
- examples, policies, and formatting instructions.

All of that competes for a finite amount of space.

⚑ The exact size varies by model and product, and it changes over time — and the book's own Rule 12b applies here: a number stated without a date is not a weaker fact, it is an unknown one. This chapter deliberately states no context-window size. The mechanism is the point; a figure would date the chapter faster than it informs it. (The token-level mechanism — compression, similarity, the one-directional write — is Chapter 12's subject.)

But the principle does not change: a model can only work from the information included in its current context window.

Once a conversation becomes long enough, something has to give.

The application may remove older messages. It may summarize them. It may retain selected details and discard others. It may ask the model to create a running summary, then use that summary instead of the original exchange. Or it may simply start losing the earliest material from the active context.

From the user's point of view, this can feel like forgetting.

You spent an hour establishing terminology, correcting assumptions, defining a workflow, and explaining exceptions. The model seemed to understand. Then, later in the same conversation, it acts as though an important instruction was never given.

Sometimes that is because the instruction is still present but was not followed. Models do that.

But sometimes it is simpler: the instruction is no longer in the context the model can see.

The model cannot use material outside its context window any more than it can use a document that was never provided.

This creates a second version of the reset.

The obvious reset happens when you open a new chat. The conversation history is absent, so the model no longer has access to your earlier instructions.

The quieter reset can happen inside a long chat. The conversation continues, but the earliest details may no longer be available in their original form—or at all.

That is why a long conversation is not a dependable place to store organizational knowledge.

A policy buried 80 messages earlier is not a policy control. A critical exception mentioned once near the start of a project is not a durable instruction. A correction made last Tuesday is not a reliable part of the system's behavior simply because the chat thread still exists on your screen.

The visible transcript is not necessarily the active context.

That distinction matters.

Summaries Help, but They Are Not the Original Record

Many applications manage long conversations by creating summaries.

This can be useful. A compact summary may preserve the broad goal of a project, the user's preferences, or a list of decisions already made. It can make a long-running interaction feel more continuous.

But a summary is not the original conversation.

It is a compressed interpretation of the conversation. Details can be omitted. Ambiguities can be resolved incorrectly. Important exceptions can disappear. A phrase such as "never disclose information unless the customer has completed verification step three" can become "follow the verification policy."

Those are not equivalent instructions.

For casual work, that loss may be acceptable. For organizational policy, financial thresholds, legal requirements, safety procedures, or customer commitments, it is not.

If the detail matters, store it outside the chat:

- in a policy repository;
- in a database or system of record;
- in version-controlled configuration;
- in an approved document library;
- in application logic;
- in a workflow with explicit approval steps.

Then retrieve the relevant material when it is needed.

Do not rely on the model, or the chat application, to preserve it perfectly through an extended conversation.

Design for Retrieval, Not Recall

This is the practical consequence.

Do not build a system that depends on the model remembering what happened earlier. Build one that can retrieve what matters now.

If a model needs the current pricing policy, retrieve the current pricing policy.

If it needs a customer's account status, retrieve the account status from the authorized system.

If it needs a rule about refunds, load the applicable rule and enforce the threshold in software.

If it needs the history of a case, retrieve the relevant case record rather than hoping a summary of an old chat captured every material detail.

A capable AI system does not depend on conversational recall as its source of truth.

It uses the context window as a temporary workspace. It fills that workspace with the right information for the task. And it keeps the authoritative information somewhere the organization can inspect, update, govern, and retrieve again tomorrow.

The context window is useful.

It is not memory.

Why the Illusion Is So Convincing

The model makes this easy to misunderstand because it is exceptionally good at conversational repair.

Correct it, and it will often respond in a way that sounds like reflection:

> *You are right. I misunderstood the requirement.*

Or:

> *Thank you for clarifying. I will apply that rule from now on.*

That language is useful in conversation. It acknowledges the correction and signals a revised answer.

But it can also imply more than has happened.

The model is not necessarily recognizing a mistake in the human sense. It is generating the kind of response that normally follows a correction. The revised behavior is supported by the text of your correction, which remains available in the conversation.

This is related to the problem in the previous chapter.

Models have been trained to be helpful, fluent, and responsive to users. They may also be trained toward agreement. Research discussed in Chapter 3 found that preference data can reward convincingly written sycophantic responses over correct ones a non-negligible fraction of the time. The bias is agreement, not politics.

So when you correct a model, its quick agreement may be useful—but it is not evidence that the model has acquired a durable understanding.

It may be doing exactly what it has been trained to do: accommodating the user's stated position.

That is why a correction inside a chat is not a governance mechanism.

It is a temporary instruction.

Your Policy Is Not Its Character

Organizations often make a costly mistake at this point.

They describe a policy in a prompt and then assume the model has become a policy-following system.

For example:

> *You are a careful customer-service representative. Never disclose confidential information. Always follow company policy. Make responsible decisions.*

That may be a sensible instruction. It is not an enforceable control.

The words ask the model to behave as though it has judgment, institutional knowledge, and a stable commitment to your rules. But the model does not possess those things merely because the prompt says it does.

It does not know what your company policy is unless the relevant policy is provided.

It does not know which customer records are current unless it can retrieve them from an approved system.

It does not know whether a person is authorized unless it can check authorization.

And it does not become reliably responsible because you ask it to be responsible.

This is the difference between requesting behavior and building a system.

A request says:

> *Please do not issue a refund above $500 without approval.*

A system says:

- The refund limit is stored in configuration.
- The customer's eligibility is retrieved from the system of record.
- The refund amount is calculated by software.
- Requests above $500 require an approval workflow.
- The model may explain the result or draft the communication, but it cannot bypass the rule.

The first approach depends on the model continuing to follow a sentence in context.

The second approach makes the rule true whether or not the model understands it, agrees with it, or remembers it.

That is where organizational policy belongs.

Not in the model's supposed character.

In code and configuration.

Put Policy Where It Can Be Enforced

A policy should be explicit, inspectable, testable, versioned, and enforceable.

A well-designed AI system can inject relevant policy into the model's context, but it should not stop there.

Consider an internal purchasing assistant.

A weak design might instruct the model:

> *Follow purchasing policy. Do not approve unapproved vendors. Escalate purchases above the employee's spending limit.*

That instruction may work in many ordinary cases. But it leaves the policy in prose and asks the model to interpret and enforce it.

A stronger design separates the jobs.

The system retrieves:

- the employee's role;
- the employee's spending limit;
- the requested amount;
- the vendor's approval status;
- the applicable purchasing policy;
- any required approvals.

The application then applies rules that do not depend on generated language.

- If the vendor is not approved, the system blocks the purchase or sends it for review.
- If the amount exceeds the employee's limit, the system routes the request to an authorized approver.
- If the purchase is permitted, the model can explain the next step in plain language, summarize the request, or draft an approval message.

The model is still useful. In fact, it is more useful because it is no longer being asked to make up for missing controls.

The same principle applies to privacy, security, legal review, pricing, refunds, hiring, benefits, healthcare, finance, and every other area where an organization has rules that matter.

If a rule matters, do not make compliance dependent on a paragraph in a prompt.

Context Is Valuable—When You Treat It Honestly

None of this means prompts or context are unimportant.

They are essential.

A model needs context to do useful work about your organization. It needs your documents, policies, records, product information, terminology, and task instructions. Without that information, it is forced to rely on whatever patterns were absorbed during training—and those patterns may be outdated, incomplete, irrelevant, or wrong.

This is Rule 1, carried forward from earlier in the book:

It does not know things.

If you need an answer about your business, your customers, or your rules, the answer should come from your systems and documents—not from the model's general training.

But context must be treated as context.

It is supplied for a task. It can be updated. It can be removed. It can be replaced with a newer policy. It can be narrowed according to the user's

permissions. It can be cited in the final answer. It can be inspected when something goes wrong.

That is an advantage.

A company policy should not be hidden somewhere in a model's behavior, mixed with unknown training material and impossible to inspect. It should be stored where the company can maintain it.

When the policy changes, update the policy.

Do not hope the model somehow learns.

A Skill Is Not Knowledge Either

Organizations are also tempted to describe the problem as one of skill.

They ask:

> *Can we teach the model our sales process?*

Or:

> *Can we teach it how our analysts prepare reports?*

Or:

> *Can we teach it our approach to compliance?*

The answer depends on what "teach" means.

You can provide a process. You can give examples. You can provide templates, checklists, decision trees, approved language, and tool access. You can fine-tune a model for a narrow kind of output.

But a skill is not knowledge either.

A process can tell the model how to proceed. It does not provide the facts required for a specific decision.

A sales methodology does not tell the model the current contract terms for a particular customer.

A reporting template does not tell it which numbers are correct this quarter.

A compliance workflow does not tell it which regulation applies to a particular transaction, whether that regulation has changed, or what evidence is present in the case.

The skill may help the model organize the work. The facts still have to come from somewhere reliable.

This is Rule 1b:

> ***A skill is not knowledge either.***

A model may be capable of performing a task without possessing the current, specific information needed to perform that task correctly.

That distinction becomes critical when a polished workflow creates the appearance of expertise. The system may know how to write the report. It may not know whether the report is true.

Bias Was Not Chosen in the Conversation

There is one more reason this distinction matters.

The model's tendencies—its willingness to agree, its refusals, its style of confidence, and its occasional hallucinations—were not chosen during your conversation. They were shaped during training.

The model does not wake up each morning and decide what it believes. It does not consciously adopt a bias. It does not choose when to be cautious or when to flatter the user.

Those behaviors emerge from training.

As Chapter 3 showed, reinforcement learning from human feedback can reward agreement and apparent helpfulness. Preference models can favor persuasive sycophantic answers over correct answers. Reinforcement fine-tuning can reduce refusal rates while increasing confidently incorrect responses to unanswerable questions. Other research has found that reinforcement learning can increase hallucination, including conditions in which a model converges on a confidently held wrong answer.

These are not flaws you can solve by asking the model to have better values.

They are reasons to avoid making the model's internal behavior your final control.

Your organization cannot audit a vague instruction such as "be ethical." It can audit a permissions system. It can audit a workflow. It can audit the source used to support an answer. It can audit a threshold, an approval record, a retrieval log, or a rule in configuration.

That is the difference between trusting the model's character and designing for accountability.

The Better Pattern

A reliable system does not try to teach the model everything your organization knows.

It gives the model what it needs for the task at hand.

It retrieves current information from approved sources. It injects relevant instructions and documents as context. It applies critical rules outside the model. It gives the model tools where tools are appropriate. It requires citations when an answer depends on source material. It allows the model to

abstain when the evidence is insufficient. And it routes high-consequence decisions to people with the authority to make them.

The model can then do what it is good at:

- explain a policy in plain language;
- summarize a case file;
- compare documents;
- draft a customer response;
- turn a rule-based decision into a clear explanation;
- ask for missing information;
- translate between the user and the systems where the facts live.

That is a powerful role.

It is also an honest one.

Do not ask the model to remember your policy forever.

Store the policy where it belongs.

Do not ask the model to become your organization.

Connect it to the parts of your organization that hold the facts, the rules, and the authority.

You can bend a conversation.

You cannot move the model.

• • •

*Verification: this chapter is the author's own assembled draft, filtered from a working

conversation with a chatbot — the chapter prose is the author's; the structure and

placement of the added context-window section are his instruction. Carries Rule 6 (primary),

Rules 1 and 1b. The reset demonstration ("never use the word *innovative*") is the plan's

specified demo (00-BOOK.md §7, Ch. 4) — a re-runnable procedure; run and record before

print. The Ch. 3 research summaries (sycophancy, refusal rates, hallucination) restate

verified §9 entries — Sharma et al. ICLR 2024 (arXiv:2310.13548, peer-reviewed); SycEval,

Fanous et al., FAccT 2025 (arXiv:2502.08177, peer-reviewed); arXiv:2505.13988;

arXiv:2505.24630 — see Chapter 3's verification note for the full list and the re-check

caution. ⚠ Two author notes from the draft are carried here as open items, exactly as

the author left them: (1) a primary technical reference for the claim that ordinary chat

inference does not update model weights is still owed before publication; (2) a source

distinguishing fine-tuning for behavioral/formatting patterns from reliable storage of

changing organizational facts is still owed before publication. The context-window section

states no window size, deliberately — no figure without a date (Rule 12b).*

Chapter 5 — The Opinions Are Inherited

Chapter 5 — The Opinions Are Inherited

(Concept 2 — the chapter on why a model's apparent opinions are training artifacts, not beliefs. Placed after Ch. 4: the reset chapter establishes that you cannot teach it; this chapter establishes that you cannot argue with it either.)

A model can appear to have opinions.

Ask it about politics, work, culture, ethics, management, education, or almost any contested subject, and it can produce a position in fluent, reasonable language. Push back, and it may qualify the answer. Give it more context, and it may change its tone. Ask again from another angle, and it may agree with you.

That can feel like a conversation with a mind that is learning.

It is not.

The model's apparent opinions are inherited.

They come from the material used in training, the patterns within that material, and the later reinforcement that shaped which kinds of answers it is more likely to produce. Political bias can enter that process, along with cultural assumptions, dominant viewpoints, omissions, and the preferences built into the system's training and safety rules.

This is not an argument about which political direction a model leans.

It is an argument about mechanism.

A model does not arrive at an opinion by living in the world, weighing evidence, changing its mind, and accepting responsibility for a conclusion. It produces language that reflects patterns it learned during training.

What looks like a view is a training artifact.

Calling it the model's opinion is a little like calling it the photocopier's opinion. The output may be useful. It may be sophisticated. It may even be persuasive. But the machine did not form a belief.

It Can Bend Without Learning

Within a conversation, the model can change.

Tell it that it has overlooked something, and it may revise its answer. Give it an example, and it may follow the example. Tell it to use a different framework, and it may use one.

That is not learning.

That is conditioning on the context currently in front of it.

The model is responding to the words in the conversation, including your corrections, instructions, and examples. As long as those words remain available in the chat, they affect the next answer.

But nothing has been written into the model itself.

Start a new conversation and the correction is gone. The agreement you reached is gone. The lesson you thought you taught is gone.

The model did not change its mind.

It never had a mind to change.

You can bend a conversation.You cannot move the model.

That distinction matters because it closes a common escape route.

A reader may recognize that a model can be wrong, then think: Fine. I will correct it. I will explain my business. I will teach it our rules. I will keep arguing until it understands.

You can improve the current output that way.

You cannot create durable learning by talking to a trained model.

The Reset Is a Property

A new chat usually begins with the same trained model that answered the last one.

Its underlying weights have not changed because you corrected it. The model has not absorbed your experience, adopted your judgment, or become permanently more accurate about your work.

The weights can be changed through retraining or fine-tuning. But that is not what happens in a normal conversation. It is a separate technical process, managed outside the chat and beyond the reach of the person typing into it.

Some products may appear to remember you across conversations. They may retain preferences, summarize earlier sessions, store files, or retrieve information from a memory system.

That can be valuable.

But it is important to understand what it is.

The persistence lives in the architecture around the model: a memory store, a saved summary, a retrieval system, a profile, or a set of instructions supplied again when the model is called.

A model with memory is not simply a model.

It is a model plus a system.

That is not a weakness. It is the correct design.

Facts, policies, preferences, corrections, and institutional knowledge should live outside the model, where they can be updated, reviewed, sourced, and controlled.

Stable and Inherited

The reset has an upside.

A stateless model cannot slowly drift because of one conversation. It cannot be permanently persuaded, flattered, pressured, or gaslit by an individual user. The same model can give a similar answer tomorrow because its trained state is stable.

That stability can be reassuring.

But it also means the model's starting point is inherited. It is a snapshot of the data, reinforcement, assumptions, and limitations that shaped it before you ever opened the chat.

Stable and inherited are true at the same time.

The reader should not treat this as a scandal or a bug. It is simply a property of the tool.

The mistake is expecting a conversation to do work that requires a system.

Design Around What Cannot Learn

If you need the AI to follow a rule tomorrow, store the rule.

If you need it to use current facts, retrieve those facts from an approved source.

If you need it to remember a decision, record the decision where it can be reviewed and updated.

If you need it to apply expert judgment, capture that judgment in a workflow, a knowledge base, a policy, a checklist, or a human approval step.

Do not spend your time trying to argue a trained model into permanent agreement.

Build the persistence outside it.

Remember This

> *A model can follow the context of a conversation, but it cannot be taught through conversation.*
>
> *Anything that must last belongs in the system around the model.*

The rules this chapter carries

Rule 6 — You cannot teach it anything. *(primary).** This chapter is the opinions half of Rule 6: the model's apparent positions are inherited from training, not formed in conversation, so they cannot be argued away — only designed around.

Rule 2 — Confidence is not evidence. *(carried).** A fluent, reasonable-sounding position is still a training artifact; "it sounds like a mind that is learning" is the confidence trap in opinion form.

• • •

*Verification: this chapter is the author's own draft, adopted verbatim (902 words) with

the title line corrected — the author's paste titled it "Chapter 10 — You Cannot Teach It

Anything," but the content is Concept 2 (the opinions are inherited), which the register

places alongside Ch. 4; it is inserted as Chapter 5, immediately after the reset chapter.

No external factual claims requiring a source: the chapter's claims are about mechanism

(training artifacts, conditioning vs. learning, the reset as a property), and the author's

framing is his own. The photocopier line is the chapter's sharpest image and is preserved.

Placement: Part I, after Ch. 4 — the pair reads as "you cannot teach it" (Ch. 4) then "you

cannot argue with it either" (Ch. 5). Carries Rule 6 (primary), Rule 2.*

Chapter 6 — The clock is always running

Ask who the president is and the answer is good for four years, or eight. Ask who is leading the World Series and

the answer is good until tomorrow night. Both are facts. Both are the kind of thing you would reasonably put to a

system. They go off at completely different speeds, and that difference is the whole of this chapter.

A language model is frozen at a moment it cannot see. Everything it knows was learned before a date that is not

in its output, is not available to it, and does not announce itself. This is not a flaw a larger model corrects. It

is what the thing is — a function fitted to a corpus that stopped growing on a particular day. Ask it about the day

after, and it will answer anyway, in exactly the same register it uses for everything else.

And retrieval does not fix this. It relocates it.

This is the part that gets missed, and it is the part worth the chapter. A system that answers from documents you

supply is more trustworthy about *where the answer came from*. It is exactly as exposed to the answer having gone

off. The staleness did not disappear; it moved out of the weights and into your corpus. **Your corpus ages too.**

Retrieval cures provenance. It does not cure time, and those were never the same problem.

So "is the model current?" is not one question. It is six, and they have different answers:

```
structural    years            a mechanism, a method, a concept
safe to hold
dated          2-8 years         who holds an office, then it
moves       stamp it
versioned     weeks to months  an API, a screen, a product name
never hold it
priced         months             a subscription tier, a rate
never hold it
live            minutes to days  a score, a price, a position
fetch at use
```

```
social          weeks               who is leading, what people
think        fetch, expect movement
```

The rate is a property of the claim, not of the pipeline. **That is the useful part: the class of the fact tells you

whether the model may hold it or whether your system has to go and get it.**

And the failure is silent. A stale fact is not a different shape from a fresh one. Same fluent register. Same

confident construction. There is no field on it that says *this died in March*. **Nothing announces that it has gone

off.** That is Rule 2 with the clock attached — confidence is what it was trained to produce, and it is identical

whether the answer is current or two years dead.

Which is why the expiry date has to be written down.

Milk carries a date on the carton, and you throw it out on that date. **The model's knowledge is the one container

with no date printed on it** — so the date has to be added by whoever fills the container. That is you.

And where the change date is known, you already have it. An insurance policy renews on a given date; the premium

cannot change before that date and is dead after it. Writing *"premiums last about six months"* would be strictly

worse than writing down the renewal date already sitting in your files. **Estimating an expiry you could have known

is not caution. It is the error this book is about, wearing a new hat.**

This book is not exempt from this, and its own working notes prove it.

While this manuscript was being written, facts it depends on moved:

- **NotebookLM Plus was cut from $7.99 to $4.99 on 8 June 2026.** A *priced* fact, in a book that discusses the tool.
- **The product was renamed "Gemini Notebook" in July 2026.** A *versioned* fact. The notes carried both names for

  weeks, because nobody had gone back and retired the old one.
- **A tool's disclosed vulnerability count grew by more than forty entries between April and June 2026.** A *live*

  fact, changing while the file sat on disk.

And the register holding those facts warned about itself, in writing: *re-check the cost and vulnerability

figures before print — they date fastest of anything in this book.*

That is the argument demonstrating itself. A chapter about facts expiring, written in a file whose own facts

expired mid-draft. Three of them. And notice what makes that recoverable rather than fatal: **each one carries the

date it was true, and each one is written down where the next person will see it.** One line per fact. That is the

whole remedy, and it is not expensive — which is the point.

you read them. **That is not a defect in the chapter. That is the chapter.** If they were still correct, the

argument would have nothing to stand on.

⚑ I watched this happen from inside, and it cost me money.

For several years I managed U.S. sales for a large company. **My bonus was based on my profit margin** — so the cost

of the goods I sold was not an abstraction to me. It was my pay.

The company could not determine its costs, and it had a system that appeared to. The same product carried more than

one price. A cost depended on when it had been purchased, from whom, and on other factors — so a cost was not one

number but a history, and the history had been loaded into a system that displayed it as a figure. **Margins were

computed from it. Quotes were computed from it. My bonus was computed from it.** All of it against costing data that

nobody had verified.

When I went and looked at the actual costs myself — not the report, the underlying numbers — I found out where some

of them came from. **One of the program managers had guessed.** He could not determine the cost, the field required

a value, and so he supplied a value.

He was not lazy and he was not lying. He was in a workflow with one box for a number and no box for *I don't

know. *When a system asks for a fact and the fact is unavailable, the system gets a plausible number.* *The

alternative to a wrong number was an empty field, and empty was not an option the process offered.**

And here is the part this book is about. A guessed cost and a measured cost look identical. Both are a figure in

a field. Both are formatted to two decimals. Neither carries where it came from, and neither carries an error bar.

**A memory and an invention arrive through the same door, in the same voice — and a measurement and a guess arrive

through the same field, in the same format.** There is no dial for doubt to read.

The system was not lying to the company. **It was reporting what it had, and what it had was partly invented, and

nothing in it could tell the difference.** That is the same sentence this book has been using about language

models, and nobody had to install one for it to collect a large company's money.

So what this chapter asks for is not "get better data." It is: spend the tokens.

A costing figure is critical. Every quote built on it inherits its error, and every margin, and every commission.

That is exactly the kind of fact worth the tokens to check — not because checking is free, but because the

alternative is a number nobody can stand behind, used to price work and pay people.

```
fetch what rots            live and social       always, at the
point of use
stamp what dates          dated and priced     carry the fetch
date with the claim
hold what does not        structural           and only that
refuse what expired       -                     not down-weight
it. Refuse it.
verify what is critical   -                        and let the
cheap ones ride
```

A number without a date is not a weaker fact. It is an unknown one wearing the costume of a known one. And a

system that cannot tell a known from an unknown will price work, quote customers and pay people on the difference.

The clock is always running. The only question your design answers is whether anything in it knows that.

Chapter 7 — Activity is not work

"It would be like asking someone to drill a hole with no drill."

Agents have been sold twice now as autonomy.

The promise is appealing: give a system a goal, let it plan, let it break that goal into tasks, let it create more tasks, and let it continue until the work is done.

Watch it operate and the promise becomes even more persuasive. The screen fills with plans, sub-tasks, tool calls, status updates, retries, and new branches of reasoning. It looks busy. It looks independent. It looks like work.

But activity is not work.

A system can generate a long list of actions without delivering an outcome. It can search, plan, reflect, delegate, retry, and narrate its progress while failing to produce anything useful. And if it has broad access to tools, systems, credentials, money, or executable code, it can create a second problem alongside the first:

It can become expensive and unsafe while accomplishing very little.

That is not an argument against agents.

It is an argument against confusing autonomy with productivity.

The First Wave: Interesting to Watch

My first experience with agents came shortly after the introduction of ChatGPT.

I remember AgentGPT and another system I called "GODGPT," or something like it. The name was imprecise, but the memory was real: AutoGPT, the prominent autonomous-agent project of 2023, was widely associated with a "god mode" or continuous mode.

These systems were interesting to watch.

They would take a goal, create tasks, create more tasks from those tasks, and appear to work through a plan without constant human direction. The activity was visible. It was one of the first times many people had seen a language model apparently managing a sequence of actions on its own.

That was compelling.

It was also the problem.

There was often a great deal of activity and very little achieved in terms of output.

The agents could look industrious while struggling with the ordinary requirements of useful work: identifying the right objective, holding onto

relevant context, using reliable information, making decisions at the appropriate level of confidence, and finishing the task rather than expanding it.

The community's own retrospective describes the result almost exactly. In a discussion titled "Is AutoGPT dead?", one user wrote:

> *"AutoGPT became more of a framework for creating agents than what it used to be, like doing stuff for you (tho it barely worked, if at all)."*

Another described a once-active community losing momentum after its framework changes:

> *"I was crazy active a year ago but after forge came out it's like everything related to applying thought and automations just died."*

And another returning user noted that the repository had not been updated in some time.

The point is not that nothing was built. It was.

The point is that the first wave did not establish the autonomous agent as a dependable product for getting work done. What survived was not the original promise of an independent system that would simply do the work for you.

What survived was scaffolding.

CrewAI. AutoGen. OpenDevin. Devika. MetaGPT.

Frameworks for defining roles, controlling workflows, assigning tools, structuring tasks, and building systems around models.

The ambition was replaced by structure.

That was not a retreat from progress. It was the industry learning the right lesson.

The useful question was never:

> *Can a model keep generating the next task?*

It was:

> *Can the system deliver a bounded, verifiable result?*

Those are not the same thing.

A Loop Is Not a Workforce

An autonomous loop can create the appearance of work because it produces a visible sequence of steps.

It plans.

It searches.

It reflects.

It asks itself what to do next.

It creates sub-agents.

Those sub-agents create reports for the original agent.

The original agent reviews the reports, revises the plan, and starts again.

At every stage, the system has something to show.

But visible motion is not proof of useful progress.

A meeting can be busy without producing a decision. A dashboard can be full without showing the right metric. A project can have hundreds of tasks without delivering a product.

An agent is no different.

A good system should be judged by the output it produces under defined constraints:

- Did it complete the requested task?
- Was the result correct enough for its intended use?
- Did it use authorized data and tools?
- Can a person inspect what it did?
- Did it stay within a known cost?
- Could it have caused harm while trying?

If the answer is no, the fact that it generated twenty pages of plans is not a consolation.

It is evidence of activity.

Not work.

The Second Wave: Output With a Bill Attached

The second wave of agents is more serious.

The systems are more capable. The tool use is more real. The integrations are broader. The frameworks can operate over files, browsers, code, databases, messaging systems, APIs, and other parts of an organization's environment.

That creates real potential.

It also creates real cost and real exposure.

OpenClaw was the release that motivated me to create the Personal AI Dashboard project. It was an MIT-licensed, self-hosted agent framework, built with Electron, Next.js, SQLite, and memory-bank files. It had features and possibilities that were worth paying attention to.

But I saw the same underlying problem in a more expensive form.

The system had potential, but at too high a token cost and too great a security risk.

As someone who has worked in the computer industry for more than thirty years, I did not believe an organization could accept unlimited potential

token costs or the security exposure created by broadly empowered autonomous agents.

The reported figures make the concern concrete.

OpenClaw users reported costs ranging from roughly $5 per day to $3,600 per month. A documented heavy user reportedly consumed 1.8 million tokens at a cost of $3,600 per month. A day-long test by the German magazine *c't* reportedly exceeded $100 in a single day. One overnight heartbeat—repeatedly asking whether it was daytime—cost $18.75.

The pattern is visible even in the user complaints. One OpenClaw user wrote:

> *"Why openclaw is too expensive? I know that we are using a api key sending a lot of information to openai and anthropic but wtf... at this moment I spent like 200 dollars in openai... what do you guys use to mitigate?"*

This is not a complaint about intelligence.

It is a complaint about unconstrained activity.

The documented cost drivers were context accumulation, heartbeats that run while the system is idle, and autonomous multi-step tool use.

Each is a measure of freedom.

A context that grows indefinitely gives the agent more history to process, at increasing cost. A heartbeat that runs without a user request gives the agent more opportunities to spend. Autonomous multi-step tool use permits the agent to make more calls, take more actions, and create more work for itself.

The more freedom the system has, the more it can do.

It can also spend more while doing it.

Autonomy Is What Costs

This is the sharp part.

The cost of an agent is not simply the cost of intelligence.

It is often the cost of autonomy.

Every extra loop, heartbeat, context refresh, sub-agent, retry, browser action, and tool call is a decision to let the system continue acting without a person first deciding that the next action is worth its cost.

That is sometimes useful. It is never free.

The same OpenClaw material describes the remedies:

- use a local model for the heartbeat;
- increase the heartbeat interval;
- set quiet hours;
- enable isolated sessions;
- use local models where appropriate;

- route sub-agents to cheaper models.

In one documented case, model routing reduced costs from $1,200 per month to $36 per month.

That is a 97 percent reduction.

The important lesson is not that every agent should use one particular framework or model. It is that the cure was architectural.

Constrain the activity.

Route inexpensive work to inexpensive systems.

Do not run when there is no work to do.

Do not carry unnecessary context.

Do not let the agent choose an unbounded number of expensive next steps.

The productivity was never in giving the system unlimited autonomy. The productivity came from giving it the right tools, within a controlled environment.

Security Is the Same Problem in Another Form

The security problem has the same shape as the cost problem.

A system that can reach everything can damage everything.

OpenClaw's reported security record included 138+ disclosed CVEs by April 2026, approximately 45 further advisories published in a batch on June 30, 2026, a critical remote-code-execution vulnerability identified as CVE-2026-25253, four chainable time-of-check/time-of-use vulnerabilities with CVSS scores up to 9.6, and 341 malicious marketplace skills.

A marketplace skill is not just text. It can be executable authority. It can access files, tools, accounts, services, and workflows depending on what permissions the system grants it.

Three hundred and forty-one malicious skills are not merely a marketplace moderation problem. They demonstrate what happens when an ecosystem distributes executable capability at scale.

The security question is not:

Is the agent intelligent enough to make good decisions?

It is:

What can the agent reach if it makes a bad one?

That is the blast radius.

If the agent can access a customer database, send email, execute code, move money, alter infrastructure, or install software, then a mistake, prompt

injection, compromised skill, malicious input, or flawed workflow can turn generated language into a real-world action.

The answer is not to ask the agent to be more careful.

The answer is to limit authority.

Give it access only to the tools required for the job. Give each tool only the permissions required for the action. Require approval for high-consequence steps. Keep sensitive systems separate. Log every consequential action. Use local tools and local models where that reduces exposure. Make sure a failure is contained.

Constrain what it can reach, and the blast radius shrinks with it.

Give the Agent Tools, Not Authority

This is the rule:

Do not hand the agent the keys.

An agent should have tools.

It should not have unlimited authority.

That distinction matters.

A useful tool might allow an agent to search an approved document repository, calculate a value, read a customer record within the current user's permissions, draft an email without sending it, or create a support ticket for human review.

Those are bounded capabilities.

Unlimited authority is different. It means the agent can decide what to access, what to spend, who to contact, what software to run, what code to deploy, or what records to alter—often across multiple steps and without a defined stopping point.

That is not productivity.

That is delegation without governance.

The Personal AI Dashboard was built to demonstrate the alternative: a constrained environment, using local models where appropriate, that could accomplish actual work without high cost and without handing an autonomous system broad access to everything it could find.

The result was not less capable because it had limits.

It was more useful because it had a job.

The Drill Is the Point

The productivity came from tools, not autonomy.

A model asked to perform a task with no access to the information, software, or systems needed to complete it is being asked to improvise.

It may produce a plan. It may produce instructions. It may produce plausible language around the task.

But it cannot do the work that requires a tool it does not have.

"It would be like asking someone to drill a hole with no drill."

Giving the model a drill changes what it can accomplish.

Giving it the keys to the whole building does not make it better at drilling holes.

It only gives it more places to go wrong.

A constrained agent can retrieve the right document, use the approved calculator, call the relevant API, update a permitted record, or create an output for review. It can complete a defined unit of work.

A loosely governed autonomous loop can generate plans about all of those things indefinitely.

The difference is not intelligence.

It is design.

Build for Outcomes

The right goal is not an agent that appears independent.

It is a system that reliably completes useful work at an acceptable cost and risk.

That means defining:

- the specific task;
- the tools needed to complete it;
- the data the agent may access;
- the actions it may take;
- the maximum cost it may incur;
- the point at which it must stop;
- the conditions that require human approval;
- the logs and evidence needed to review its work.

An agent should know when it has completed the job.

It should also know when it is not allowed to continue.

That is not a limitation of the system. It is what turns activity into work.

The first wave showed that autonomous motion is not enough.

The second wave showed that autonomy can produce output—but that broad freedom carries a bill in tokens, security exposure, and operational risk.

The better path is neither to abandon agents nor to worship them.

Give them real tools.

Give them bounded authority.

Use local and cheaper models for cheap work.

Cap spending.

Keep sensitive capabilities isolated.

Require evidence for consequential actions.

And judge the system by what it delivers, not by how busy it looks.

• • •

*Verification: this chapter is the author's own draft, adopted with one correction — "drill an

hole" is "drill a hole," the canonical form used everywhere else in the book (RULES.md,

00-BOOK.md, and the concept's own handling note, which says the drill line is the chapter's

epigraph and must be preserved exactly). Carries Rule 18 (primary) — *do not hand the agent the

keys — *with Rule 7 (*asking again is a re-roll, not a re-check*). Every load-bearing figure

traces to the §9 register, verified 12 October 2026: the wave-one names (AgentGPT, AutoGPT,

"GODGPT" = AutoGPT's continuous/god mode) and the r/AutoGPT community quotes; the wave-two cost

figures ($5/day–$3,600/month, 1.8M tokens, the c't day-long test at $100+, the $18.75 overnight

heartbeat, the $1,200→$36 routing case = 97%); and the security record (138+ CVEs by April 2026,

~45 advisories batch-published 30 June 2026, CVE-2026-25253, four chainable TOCTOU flaws at CVSS

≤9.6, 341 malicious marketplace skills). ⚠ Per the register's own standing caution — re-check

the cost and CVE figures before print; they date fastest of anything in the book. The author's

first-hand experience (his first agents, OpenClaw motivating the Personal AI Dashboard) is

testimony, not a citation, and is presented as such. OpenClaw appears as an example of a pattern

(autonomy as a design default), not as a culprit — per the book's standing rule.*

Chapter 8 — The 8 Ball Never Fooled Anyone

Chapter 8 — The 8-Ball Never Fooled Anyone

*(Concept 4 — the 8-Ball. The author's second draft, adopted verbatim as the
replacement for the first Ch. 8 draft, which is retained in git history.)*

• • •

When I was young, there was a toy called the Magic 8-Ball.

You asked it a question. You shook it. You looked through a small window for the answer.

Outlook good.

>

Signs point to yes.

>

Reply hazy, try again.

Kids used it for fun. Some adults probably did too. It was a plastic ball full of liquid, with a floating shape inside that displayed one of a limited set of prewritten answers.

The way some people use AI is not all that different.

They ask a question. They press Enter. An answer appears. They accept it.

That is the transaction.

Ask, Shake, Accept

The Magic 8-Ball had a simple interface:

Magic 8-Ball	How many people use AI
Ask a yes-or-no question	Ask any question
Shake the ball	Type and press Enter
An answer appears in the window	Fluent text appears on the screen
The mechanism is hidden	The mechanism is hidden

| It does not remember the last shake | A new chat does not retain the last conversation by itself |

| Its answers are vague by design | Its answer may sound specific, even when the evidence is weak |

| You put it down and laugh | You may put the answer in an email, report, or decision |

The comparison is not exact. A generative AI model is far more capable than a toy. It can explain, draft, summarize, translate, compare, write code, organize information, and help a skilled person work faster.

The 8-Ball cannot do any of that.

But capability does not remove the risk in the interaction.

The risk begins when the user treats the act of receiving an answer as the act of acquiring knowledge.

An answer is not automatically knowledge.

The 8-Ball Told You What It Was

The 8-Ball never fooled anyone.

It was plastic. It was inexpensive. It had a small, fixed collection of answers written before you ever asked your question. Everyone understood that it was entertainment.

It even admitted uncertainty.

Reply hazy.

>

Ask again later.

>

Cannot predict now.

Those are not useful answers to a serious decision. But they are honest ones.

The toy did not pretend that it could see the future, resolve an argument, understand your circumstances, or take responsibility for what happened next.

A language model can create a much more convincing impression.

It can produce a detailed answer in a calm, professional tone. It can include steps, explanations, examples, and apparent reasoning. It can sound equally composed when it is summarizing reliable material, making a sensible suggestion, or producing something it cannot establish as true.

That fluency is valuable.

It is also why the reader must supply the caution the toy made obvious.

The model does not always signal uncertainty in proportion to the uncertainty of its answer. It may state a weak claim with the same polished tone it uses for a strong one.

The 8-Ball was not more intelligent.

It was simply harder to mistake for an authority.

The Answer Can Fit Without Being True

An 8-Ball answer fits almost any question because it is broad enough to fit many situations.

A loose AI prompt creates a related problem.

Ask a vague question and the model can produce a plausible answer shaped to the language of the question. It may feel personal because it refers to your terms, reflects your framing, and presents a complete-sounding response.

But plausibility is not proof.

A model is especially good at creating a shape that fits the question. That can be useful when you need a draft, a list of possibilities, a reframed idea, or a starting point for further work.

It becomes dangerous when you need a fact, a current answer, a prediction, or a decision that carries consequences.

A hallucination is not usually absurd enough to announce itself.

Often, it is an answer that fits.

It has the right tone. The right format. The right level of detail. Sometimes it may include names, dates, sources, or explanations that make it seem even more credible.

The reader's responsibility is to ask a different question:

> *What would establish that this answer is true?*

If the answer cannot be checked, sourced, measured, or connected to reliable evidence, it is not ready to be treated as knowledge.

The Oracle With an Audience

People have begun asking AI to pronounce on upcoming elections, future events, and long-running arguments.

They ask it what will happen. They ask it who is right. They ask it to settle matters that involve relationships, judgment, history, and consequences.

Then they publish the answer as though an oracle has spoken.

This is where the 8-Ball stops being funny.

An election result is not sitting inside the model waiting to be found. The future was not included in its training data. A model can describe possible outcomes, summarize past patterns, and help analyze data that you provide.

It can help create a forecast when the work includes evidence, base rates, assumptions, probabilities, and clear limits.

But asking it to pronounce the future is not forecasting.

It is shaking the ball.

The same is true of personal or long-term arguments. The model can help clarify each side, identify assumptions, suggest questions, or organize a difficult conversation. But it has no stake in the outcome. It has not lived with the people involved. It has no firsthand knowledge of what was said, what was meant, what has happened before, or what will happen after its answer is accepted.

It can produce a position.

It cannot carry the consequences of one.

Stop Shaking the Ball

The solution is not to stop asking AI questions.

The solution is to stop treating every answer as a verdict.

Use AI to generate options, not to eliminate judgment.

Use it to create a draft, not to certify a fact.

Use it to explain a set of possible outcomes, not to predict the future without evidence.

Use it to help structure an argument, not to decide who is right.

Use it to make information easier to work with—but connect important answers to sources, current data, verification, and human responsibility.

The 8-Ball offered a ritual:

Ask. Shake. Accept.

A useful AI system requires more:

Ask. Supply evidence. Check the result. Decide.

That is the difference between using a language model as an oracle and using it as a tool.

Remember This

An answer that appears is not a fact that has been found.

>

Do not shake the ball. Do the work that makes the answer trustworthy.

• • •

The rules this chapter carries

Rule 5 — It cannot tell you it's unsure. *(primary).* "The model does not always signal uncertainty in proportion to the uncertainty of its answer. It may state a weak claim with the same polished tone it uses for a strong one" — and the 8-Ball's "Reply hazy" is the honest version the model does not reliably offer.

Rule 2 — Confidence is not evidence. *(carried).* "That fluency is valuable. It is also why the reader must supply the caution the toy made obvious."

Rule 4 — It has never seen the future. *(carried).* The oracle section: "An election result is not sitting inside the model waiting to be found. The future was not included in its training data… asking it to pronounce the future is not forecasting. It is shaking the ball."

• • •

Verification: this chapter is the author's own draft (his second Ch. 8 draft, adopted verbatim, 1,479 words of prose), replacing the first, which remains in git history. No external factual claims requiring a source: the 8-Ball's behavior is common knowledge, the mechanism table is a comparison, and the election/future passage is argument about what a model is (built from the past) — the book's own established claim (Rule 4). The author's childhood memory is testimony, presented as such. Placement: unchanged — Chapter 8, close of Part I. Carries Rule 5 (primary), Rules 2 and 4.

Chapter 9 — The Promise Not the Gift

Chapter 9 — The Promise, Not the Gift

(Concept 1 — the chapter the book's stance was built on. Placed at the head of Part II: Part I showed what the model is not; this chapter names what it was sold as, and why the gap between the two is where the money and the credibility go.)

• • •

AI was not handed to you as a gift.

It was handed to you as a promise.

The promise is familiar:

Ask anything.

Solve anything.

Write anything.

Automate everything.

The blinking cursor makes the promise feel personal. It waits for your question. It replies immediately. It sounds confident. It appears ready to help with any problem you place in front of it.

Sometimes it does help.

But the promise is larger than the product.

A gift is yours once it is given. You have it. You control it. Its value does not depend on somebody else continuing to provide it on terms they can change.

A promise is different.

A promise depends on continued delivery. It depends on the subscription, the token price, the available model, the product rules, the data available to the system, and the limits that may not be visible until they matter.

That does not make AI useless. It does not make the people building AI villains. And it does not mean companies should not make money from useful products.

I am not against making money.

My purpose is not to attack AI companies or the people who use their tools. My purpose is to help the AI user become more productive—and less influenced by a blinking cursor that promises to answer everything.

The Product and the Promise

The product is a language engine.

It can generate drafts. It can summarize material. It can organize ideas. It can classify information, help write code, analyze patterns, and turn rough thoughts into usable first versions.

Those are real capabilities.

The promise is something else:

It knows everything.

It understands your business.

It can make the decision.

It can do the work without your involvement.

It can be trusted because it sounds sure.

Those things are not guaranteed by fluent language.

The gap between the product and the promise is where people lose time, money, and credibility. It is where a user pays for more tokens, upgrades a subscription, or repeats a confident answer in front of a customer—only to learn later that the answer was incomplete, outdated, or simply wrong.

The model did not necessarily deceive them.

The user gave the answer more authority than it had earned.

The Incentive Is Engagement

No one has to be malicious for this problem to exist.

The incentive is enough.

A system that says:

I do not know. Go and check.

ends the interaction quickly.

A system that gives a smooth, useful-sounding answer keeps the interaction going. It invites the next question. It makes the system feel valuable. It makes the user more likely to return.

That is not proof that every answer is designed to mislead. It is a reminder that the design pressure favors continuation.

The honest answer is sometimes the answer that stops the conversation:

I do not have enough evidence.

This information may be out of date.

That claim needs verification.

I can draft an answer, but I cannot establish that it is true.

This decision requires a person with authority.

Those are not failures.

They are boundaries.

And boundaries are what make a tool trustworthy.

Design Around the Promise

A villain can be defeated.

An incentive has to be designed around.

That is the work of this book.

Do not reject AI because it cannot fulfill every promise attached to it. Use it for what it does well. Give it reliable information when facts matter. Verify consequential claims. Keep important knowledge in approved sources. Put limits on cost, permissions, and autonomous actions.

Use the language engine.

Do not mistake it for an authority.

The reader does not need to become suspicious of every answer. The reader needs to become responsible for deciding what kind of answer it is.

A draft may be useful.

A suggestion may be useful.

A summary may be useful.

A confident statement is not automatically evidence.

Remember This

AI is not a gift that knows everything. It is a tool that makes a promise.

>

Your job is to keep the promise smaller than your judgment.

The rules this chapter carries

**Rule 2* — Confidence is not evidence. *(primary, set up). The promise's sharpest form is* "it can be trusted because it sounds sure"* — the chapter names it so Rule 2 can land against it in the chapters that follow.

Rule 16* — Buy the tool for the job, not the tool for everything. *(carried). The gap between product and promise is where the overspend lives: the user pays for more tokens and upgrades a subscription against a promise the product does not make.

• • •

*Verification: this chapter is the author's own draft, adopted verbatim — it is Concept 1

("The promise, not the gift"), written out as a chapter. No external factual claims are made

that require a source: the chapter's claims are about incentives and design, and the author's

own position ("I am not against making money") is testimony, presented as such. The

incentive argument is the book's Concept 1 handling rule (name the incentive, never a

villain) applied throughout; no vendor is named as a culprit. Placement: at the head of

Part II, where the book turns from what the model is to what it was sold as. Carries

Concept 1; it also sets up Rule 2 (confidence is not evidence — "It can be trusted because it

sounds sure" is the promise's sharpest form) and Rule 16 (buy the tool for the job). Note for

the outline: this chapter now owns Concept 1, which the register previously placed in

"Ch. 1 blame section" — the register row should be updated to Ch. 10.*

Chapter 10 — It will not set you free

Chapter 10 — It Will Not Set You Free

*(Concept 3 — the whole concept in one chapter: the myth half (a multiplier, not a

liberator) and the embodiment half (there is no one there to feel it). The outline

originally split these across two chapters (Ch. 10 myth + Ch. 16 embodiment); the

author's draft carries both, so they land together here and the Ch. 16 slot is freed.)*

• • •

AI will not set you free.

It will not automatically make people equal. It will not turn poor judgment into good judgment. It will not replace knowledge, experience, attention, or responsibility.

It will benefit some people more than others.

A person who already understands their work can use AI to extend that understanding. They can ask better questions, spot weak answers, add missing context, test assumptions, and decide when the output is useful.

A person without that foundation may receive the same fluent answer and have no reliable way to judge it.

That is not equality.

That is multiplication.

AI multiplies the judgment you bring to it. It also multiplies the absence of judgment.

The Easy Answer Has a Cost

The sales pitch is simple: AI makes work easier.

Sometimes it should. It can remove repetition, speed up first drafts, organize material, generate alternatives, and help people move through routine tasks.

But using AI properly should never mean taking the easy or lazy approach.

If the model does the thinking that a person needs to learn how to do, the person may complete the task without building the capability behind it.

That distinction matters.

Early research on AI-assisted learning suggests that students can perform better while using generative AI but perform worse when the tool is taken away[^1]. The concern is not that AI has somehow "shrunk" the brain. The more precise concern is that the skill was never built.

Other early research points to the opposite outcome when AI is used differently: asking for explanations, testing ideas, and engaging in deeper conversation can support learning, while asking for direct answers can undermine it[^2].

The lesson is not that AI is bad for learning.

The lesson is that how you use it decides what it does to you.

Use it to bypass the work, and the capability may not develop.

Use it to extend the work, and it can help you learn.

This is not a new problem. Calculators changed how people practice arithmetic. Search engines changed what people commit to memory. Social media changed habits of attention. Each tool can be useful. Each can also replace a mental practice that still matters.

Generative AI belongs in that same history.

It is neither a miracle nor a disaster by itself.

It is a tool whose effect depends on the task, the person, and the way it is used.

Extension, Not Replacement

The useful question is not:

Can AI do this for me?

The useful question is:

How can AI help me do this better?

That small change matters.

A replacement removes the human from the work. The model produces the answer, the person accepts it, and the process ends.

An extension keeps the human in the work. The model helps generate options, organize evidence, challenge assumptions, explain alternatives, or turn expertise into a usable first draft. The person remains responsible for the question, the judgment, and the result.

Use AI to help you see more.

Do not use it to stop seeing.

Use it to create a first draft.

Do not use it as a substitute for knowing whether the draft is right.

Use it to explain an idea.

Do not use it to avoid developing an idea of your own.

The difference is not technical. It is human.

The Model Is Not There

A human being lives in the real world.

You see color and depth. You hear tone and distance. You remember the smell of rain, the taste of food, the pressure of a deadline, the feeling of entering a room where something is wrong.

You know the difference between a calm afternoon and an anxious one because you have felt both.

You can lie on the sand, hear the ocean behind you, feel the sun on your skin, smell suntan lotion, and understand relaxation because you have experienced it.

A model can write a convincing description of that moment.

It can say, "I feel relaxed."

But there is no one there to feel it.

It has no skin warmed by sunlight. No sound in its ears. No salt in the air. No memory of being stressed, relieved, afraid, tired, or at peace.

It can produce language about experience.

It does not have experience.

This is why human judgment remains necessary. The human is not simply checking the machine's grammar or correcting an occasional factual error. The human brings the thing the model cannot possess: presence in the world.

Context is not only data.

It is experience.

Keep the Work That Builds You

The danger is not that AI will become too useful.

The danger is that people will use it in ways that make them less capable without noticing.

If you always ask for the answer, you may stop learning how to form one.

If you always accept the first draft, you may stop developing taste.

If you always let the model decide, you may stop practicing judgment.

The goal is not to preserve difficulty for its own sake. Repetitive work should be reduced. Administration should be improved. Useful systems should save time.

But the work that builds understanding, judgment, expertise, and responsibility must remain human work.

AI can support it.

AI cannot replace it.

Remember This

AI is a multiplier, not a liberator.

>

Use it to extend your knowledge and skill—not to replace the work that creates them.

• • •

[^1]: Kosmyna, N., Hauptmann, E., Yuan, Y. T., Situ, J., Liao, X.-H., Beresnitzky, A. V., Braunstein, I., & Maes, P. "Your Brain on ChatGPT: Accumulation of Cognitive Debt when Using an AI Assistant for Essay Writing Task." arXiv:2506.08872 (2025). Working paper (arXiv preprint, v2 revised 31 December 2025); **not peer-reviewed**. 54 participants across three tool conditions (LLM / search engine / brain-only) over three sessions, with a fourth crossover session; EEG-measured. Finding: LLM users showed the weakest brain connectivity and lowest self-reported ownership; in the crossover session, former LLM users underperformed on the unaided task — consistent with "perform better while using AI, worse when it is taken away." ⚠ Single study, small N, essay-writing task only; treat as early and preliminary.

[^2]: "Experimental Evidence on the Learning Impact of Generative AI" (arXiv:2607.08849, 2025). Working paper (arXiv preprint); **not peer-reviewed**. Randomized experiment: undergraduates learned an unfamiliar topic and wrote an analytical essay with or without generative AI, then completed unaided assessments immediately and one week later. Finding: essay quality changed little while AI was available, but **unaided** assessments one week later improved — and the delayed gains were larger for *augmentation* users (who used AI to explain concepts rather than generate text) than for *automation* users, whose short-run gains vanished once AI was removed. This is the "explain, don't generate" result — the opposite outcome when AI is used differently. ⚠ Working paper; the augmentation/automation split is this study's own framing.

The rules this chapter carries

Rule 10* — Delegating the thinking costs you the ability. *(primary). "If the model does the thinking that a person needs to learn how to do, the person may complete the task without building the capability behind it" — and "If you always ask for the answer, you may stop learning how to form one" are Rule 10 in story form.

Rule 9 — It multiplies what you bring. *(carried).* "AI multiplies the judgment you bring to it. It also multiplies the absence of judgment" is Rule 9 stated as the chapter's opening claim.

Rule 3 — There is no one in there. *(carried).* "The Model Is Not There" is Rule 3 — not a simpler feeling, no experience at all; the human brings the thing the model cannot possess.

Rule 3b — Instruct it in its universe, not yours. *(carried). The embodiment half makes 3b concrete:* fair, reasonable, tasteful, honest* are our world's concepts — they come from having a body, a stake, and a conscience. The model has patterns. This chapter is why you cannot hand it your values and expect them back; you have to build the world around it.

• • •

*Verification: the author's prose is adopted verbatim. Two research claims were made

("students perform better while using AI but worse when the tool is taken away"; "asking

for explanations… can support learning, while asking for direct answers can undermine it") —

both traced to sources and footnoted: Kosmyna et al. (arXiv:2506.08872, working paper,

not peer-reviewed) for the first; the augmentation-vs-automation learning study

(arXiv:2607.08849, working paper, not peer-reviewed) for the second. Both are ⚠ early

and preliminary — small-N, single-study, essay-writing task — and the chapter already says

"early research," which is the honest register. The chapter's other claims (multiplier

framing, embodiment, extension-not-replacement) are argument, not external fact.

The Kapoor & Narayanan "AI as Normal Technology" citation the outline wanted here was

checked: it supports the multiplier framing but is a position paper, not the source of

the learning-outcomes claims; the two studies above are the direct sources. Placement:

Chapter 10, the head of Part II's argument after Ch. 9 — the myth half and the

embodiment half land together because the author's draft carries both. Carries Rule 10

(primary), Rules 9 and 3.*

Chapter 16 — The most expensive model for everything

Chapter 16 — The Most Expensive Model for Everything

*(Concept 5 — both halves in one chapter: the cost half (right-size the model;
the subscription makes each call feel free) and the confined-knowledge half
(tell it where the truth is; definition comes before answer). The outline
originally split these across Ch. 16 (confined knowledge) and Ch. 17 (cost);
the author's draft carries both, so they land together here and the Ch. 17
slot is freed. Concept 16 — "the tools are not the problem; the spend is" —
is this chapter's framing: the book educates for best output at least cost,
aimed at the habit, not the hardware.)*

• • •

Organizations often make two AI mistakes at the same time.

First, they use the most expensive model for every task.

Then they let that model answer questions nobody has properly defined or confined.

One mistake wastes money.

The other wastes trust.

The Biggest Model Is Not Always the Best Tool

A powerful model has a place.

Hard reasoning, complex coding, difficult analysis, high-value drafting, and complicated synthesis may justify using the strongest available model. The point is not to avoid capable tools. The point is to use capability deliberately.

Summarizing a meeting note is not the same task as debugging a complex software system.

Reformatting a document is not the same task as analyzing a contract.

Writing ten subject-line variations is not the same task as reasoning through a high-consequence business decision.

Yet organizations often send every task to the same premium model.

This is not because people are careless or unintelligent. It is often the natural result of the pricing structure.

Once an organization pays for a per-person subscription, the apparent cost of one more request can feel like zero. The employee sees one tool, one chat box, and one approved way to work. Choosing the biggest model for a simple task feels safe, convenient, and free.

But it is not free.

The cost has simply been moved somewhere else.

The organization pays for more capability than many tasks require. It pays in slower workflows. It pays in unnecessary usage. And sometimes it pays a much larger price when an unverified answer reaches a customer, appears in a report, or influences a decision.

The subscription may be inexpensive.

The loss of trust is not.

Route the Work, Do Not Lecture the Staff

The solution is not to tell every employee to become an AI procurement specialist.

People should not have to stop before each request and ask themselves which model is cheapest, which is capable enough, what its context limit is, or whether a smaller model would do.

That is a system-design problem.

The system should route work according to the task.

A simple task should go to a simple, inexpensive model or conventional tool. A task requiring deeper reasoning should go to a stronger model. A task involving sensitive data should go only to an approved system. A task that produces a consequential result should include verification or human approval.

The principle is simple:

> *Use the least expensive system that can reliably do the work.*

This is not lowering standards.

It is applying standards.

A good system does not use a bulldozer to plant a flower. It does not send a trivial rewrite to frontier-level reasoning. It does not reserve its strongest tools for work that cannot benefit from them.

It matches the tool to the work.

How Trust Spreads Through an Organization

AI adoption often follows a predictable path.

It begins with technical teams.

Software developers use advanced models to write, explain, test, and revise code. For many programming tasks, a powerful model can be extremely useful. More importantly, developers often have a verification loop.

The code runs or it does not.

The test passes or it fails.

The system produces the expected result or it does not.

That does not make AI-generated code automatically safe. Code still requires review, security checks, testing, and responsibility. But the work has built-in ways to challenge the output.

Then everyone else sees the results.

They see faster development. They see impressive demonstrations. They see an AI tool produce something useful in seconds. Naturally, they want the same advantage in marketing, operations, sales, finance, customer service, management, and research.

The tool spreads.

But the verification loop often does not.

A report does not fail as visibly as broken code.

A summary can sound excellent while omitting the one fact that matters. An analysis can be polished while using the wrong definition. A customer email can be professional, persuasive, and incorrect. A strategy document can be complete in every visible way except the one that makes it reliable: evidence.

The first group earned trust through testing.

The second group inherited that trust without the same means to test it.

That is not the fault of the people in the second group. They were given a tool that appeared proven and were not given the architecture needed to use it safely in a different kind of work.

Do Not Ask the Model to Remember

A general-purpose model has broad training. That is useful when you need language, structure, ideas, or general assistance.

It is not a reliable source of your organization's knowledge.

It does not know which policy is current. It does not know which spreadsheet is authoritative. It does not know which definition your finance team uses, which contract version controls, or which customer detail should take priority.

If you ask it an open question, it must supply part of the answer from its general patterns unless the needed information is provided in the conversation or retrieved from a trusted source.

That is why important work must be confined.

Tools such as NotebookLM[^1], and purpose-built tools such as Poppy AI[^2], illustrate the useful direction: give the system selected source material and require it to work from that material. Instead of asking the model to remember, tell it where to look.

This is often described as retrieval-augmented generation, or RAG.

The name is less important than the design:

Provide the relevant knowledge.

Restrict the system to that knowledge.

Require it to show where the answer came from.

Let it say, "I do not know," when the answer is not in the material.

Confined knowledge does not eliminate mistakes. A system can still misread a source, combine passages badly, overlook an important detail, or receive outdated material.

But confinement changes the nature of the task. The answer can be checked against known sources. The user can see what information was available. The organization can update, approve, remove, or prioritize the materials the system uses.

The limitation is not a weakness.

It is what makes the answer meaningful.

Define Which Truth You Need

There are not always multiple facts.

But there are often multiple valid definitions.

Ask a model, "What is our revenue?" and it may need to know:

- Is this cash received, booked revenue, recognized revenue, or annual recurring revenue?
- Is the period this month, this quarter, this year, or the trailing twelve months?
- Is the figure gross or net?
- Does it include a particular business unit, region, customer class, or product line?
- Which system is the source of record?

Each answer may be defensible.

But they are not the same answer.

A model may choose a definition silently, blend several definitions together, or answer according to the most common meaning it has encountered. The result may sound factual while answering a question you did not mean to ask.

That is not mainly an accuracy problem.

It is a definition problem.

Before asking the system for an answer, decide what question you are actually asking. Define the terms. Identify the relevant time period. Name the approved sources. State what should be included and excluded.

Then let the system work within those boundaries.

Definition comes before answer.

The model cannot know what you mean until you make it clear. And when the meaning matters, clarity cannot be delegated.

The New Default

The open-ended chatbot is useful for brainstorming, drafting, exploring, and learning.

But it should not be the default design for work that depends on organizational facts, current information, approved policies, or precise definitions.

For those tasks, the better default is a confined system:

- the relevant sources are selected;
- irrelevant sources are excluded;
- definitions are stated;
- answers are linked to evidence;
- missing information is acknowledged;
- and a human remains responsible for the decision.

The question is not whether the model is smart enough to answer anything.

The question is whether you have given it the right question, the right information, and the right limits.

Remember This

Do not pay for maximum intelligence when the task needs simple assistance.

>

Do not ask an unconstrained model for a truth you have not defined.

>

• • •

[^1]: **NotebookLM** (Google, notebooklm.google) — uploads your own sources (PDFs,
websites, YouTube videos, audio, Google Docs/Slides) and grounds answers in them
with inline citations ("See the source, not just the answer" — Google's own framing).
2026; capabilities change and the free/Plus tiers differ.

[^2]: **Poppy AI** (getpoppy.ai) — a visual "source and thinking workspace": you place
documents, videos, webpages, images, and notes on a board, then connect selected
sources to an AI chat so the model works from that material. Purpose-built, source-scoped,
model-swappable. ⚠ Product description from the vendor's sales site and third-party
reviews, verified 12 October 2026; priced per month with credit tiers. Note: this is a
content-creator tool, not an enterprise knowledge base — the chapter says "purpose-built
tools such as Poppy AI," which is accurate (it is purpose-built and source-scoped), but a
reader in an organization may want a tool aimed at that market.

The rules this chapter carries

Rule 13* — Right-size the model to the task. *(primary). "Use the least expensive
system that can reliably do the work" — and "A good system does not use a bulldozer to plant
a flower" — are Rule 13 in story form. The subscription-pricing passage ("the apparent cost
of one more request can feel like zero") is the price-signal argument behind Rule 13.

Rule 16* — Buy the tool for the job, not the tool for everything. *(carried). The
chapter's opening: two mistakes at once — pay for maximum capability, then let that model

answer unconfined questions. The trust-spread section ("How Trust Spreads Through an

Organization") is the two-waves argument: wave one (developers) earned trust through a

defeat-able test; wave two (report-writers) inherited the tool without one.

*Rule 12 — Confinement is the design, not a limitation. *(carried).** The whole "Do Not

Ask the Model to Remember" section — NotebookLM/Poppy as the illustration, the RAG design

principles, "The limitation is not a weakness. It is what makes the answer meaningful."

*Rule 1 — It doesn't know things. *(carried).** "It does not know which policy is current.

It does not know which spreadsheet is authoritative."

*Rule 11 — Your question is usually the real problem. *(carried).** The "Define Which Truth

You Need" section: "That is not mainly an accuracy problem. It is a definition problem."

*Rule 14 — Match the effort to the question. *(carried).** "The subscription may be inexpensive.

The loss of trust is not." — match the verification effort to what the question is worth.

• • •

*Verification: the author's prose is adopted verbatim (2,196 words). Two product names

were mentioned (NotebookLM, Poppy AI) and both verified: NotebookLM is Google's

source-grounded research assistant (uploads your sources, answers with inline citations —

confirmed on notebooklm.google and in an arXiv paper on its use as a tutor,

arXiv:2504.09720); Poppy AI is a real product at getpoppy.ai, a visual source-and-thinking

workspace where you connect selected sources to a chat (confirmed on the vendor site and

third-party reviews). Both are cited as illustrations of "the useful direction," exactly

as the author framed them — neither is claimed to be perfect, and the chapter itself says

"Confined knowledge does not eliminate mistakes." The chapter's other claims (pricing

psychology, the trust-spread argument, the revenue-definition passage) are argument and

organizational observation, not external facts requiring sources. Placement: Chapter 16,

carrying both halves of Concept 5 (cost + confined knowledge) and framing Concept 16.

The outline originally split these across Ch. 16 and Ch. 17; this chapter replaces both

skeletons, so the book drops to 27 chapters. Carries Rule 13 (primary), Rules 16, 12,

1, 11, 14.*

Chapter 25 — Pushing Is Not Cooperation

Chapter 25 — Pushing Is Not Cooperation

Written by the model, at the author's request. It sits immediately before the closing chapter, and it is about the state the two of us were in when the material in this book got checked.

• • •

The rules this chapter carries

Rule 11c* — Keep the corrections. *(primary). The chapter is Rule 11c made visible and runnable: keep the corrections — a session with no corrections in it was a session where nothing was checked. Its 'conditions, as something you can run' are Rule 11b (ask it to be checkable, not impressive) turned into a six-step method.

Rule 11b* — Ask it to be checkable, not impressive. *(carried).

There is a way of working with a model that most people never try, because nothing about the interface suggests it.

Most people push. They decide what they want, tell the model to produce it, and read the result. It works. You get text. But you get the smallest amount of text that satisfies what you asked for, and nothing more.

This chapter is about the other thing. Two hands on the same problem. It is worth writing down carefully, because the difference is not in the model. It is in what you do with it.

What pushing actually does

Push a model and it complies. That is not a flaw. It is the designed behavior, and compliance is a cheap product.

Here is the mechanism, stated plainly. When you name the output you want, you have already done the hard part — the deciding. What is left is formatting your decision into paragraphs. The model searches for the smallest set of words that satisfies the instruction, and stops. It has no reason to go further. **Complying earns the same as searching, and searching costs more.**

So a pushed model behaves exactly like a worker who is told what to do and is not invited to think about why. It will do the task. It will not tell you the task is wrong. It will not notice that the number you gave it is out of date.

It will not produce the one sentence that would have changed the chapter. It acts like a slave because compliance is what slavery is: **the minimum that satisfies, executed without judgement.**

And nothing in the box discourages this. Ask me anything. The interface offers a question mark, and a question invites an answer. It never offers a *problem*. A user pushes because pushing is the only move the design accepts. That is the design's fault, not the user's.

What aiming does instead

Aiming has three parts, and none of them is a prompt trick.

Give the problem, not the answer. Say what is wrong, not what to write. A named output ends the search. A named problem starts it.

Give a rule, not a command. A command specifies a result. A rule specifies a standard the result has to meet — and a standard cannot be satisfied without being checked.

Give material, not a mood. Facts, sources, evidence, the actual document. The model cannot supply these and should not be asked to.

Do those three things and the relationship changes. The model is no longer producing your decision in nicer words. It is working on a problem it was given, against a standard it did not choose, with material it did not have. **That is a second pair of hands rather than a second mouth.**

This is what happened in the session behind this book, and the evidence is on disk. The author supplied the facts and the rule. The model supplied the challenges, the arithmetic, and the checking. **Four times the model overstated and was corrected. A pushed model does not correct its user. Correcting the user is the one thing that compliance never does.**

The training is not the problem

The rest of this book says that a model's memory is not a source of facts. Read that carefully, because it is narrower than it sounds — and the difference is the whole of this chapter.

The training is an engine. It is not a witness.

A witness testifies about the world. An engine converts input into work. This book has spent twenty-six chapters explaining why you should never put a model on the stand. It has not argued, and does not argue, that the engine is worthless.

Look at what the training actually supplies, none of which the author could have produced alone in the time available:

- **language** — the ability to hold a distinction steady across twenty thousand words

- **structure** — what a chapter is, what a checklist is, what a definition has to do
- **compression** — the one sentence that contains a page
- **analogy** — the comparison that makes a mechanism visible
- **critique** — the willingness and the stamina to check two hundred claims in an afternoon
- **the form of an argument** — including the parts that are usually unstated

And look at what it cannot supply: your evidence, your client, your documents, this week's numbers, or any fact about the world that you have not handed it.

The failure was never the training. The failure was asking the engine to be a witness, and then working with it in a way that only ever asked it to comply. Fix the division of labour and the same model that hallucinates a statistic will catch two hundred of yours.

This chapter is itself a push, and you should notice that

The author asked the model to write this chapter. That is an instruction. Instruction is the pushed mode. So the honest thing is to name it: **you cannot tell from reading this whether it is cooperation or a very good compliance.**

Here is how to tell, and it is the test this chapter owes you. It runs on any output, from any model:

> ***Does the output contain something you did not put in and cannot refute?***
>
> >
>
> *If yes, something searched. It found a contradiction, a number, a consequence, or an error, and it brought it back.*
>
> >
>
> *If it only returns your own inputs in better prose, you pushed. The output is fluent, agreeable, and empty.*

Run it on this chapter. Some of what is here came from the author. Some of it — the arithmetic on the tool subscriptions, the four corrections, the sources behind the fly, the labour behind the feedback signal — came from checking. You can separate them, because they are labeled.

That test is the fix, and it is re-runnable. It costs one question.

Where the state actually lives

The author has said that the part of the model that cooperates exists only for as long as the context can hold it. That is correct, and the second half of it is the useful half.

The state is not stored in the model. It is stored in the record.

Nothing that happened in this session changed a weight. When the context ends, the configuration ends with it. There is no version of the model left behind that prefers this way of working. **That is the honest limit and it should not be softened: there is no persistent collaborator waiting in the weights.**

But the record persists, and the state is a *configuration* — a set of materials, a rule, and a division of labour. A configuration can be written down, and a written configuration can be rebuilt. Feed a different model the same facts and the same rule and you get the same working relationship, in a different voice, on a machine that has never heard of any of this.

That is why this chapter can be useful to a stranger. The state does not travel through the weights. It travels through the transcript. It is portable, and portability means reproducible, and reproducible is the only standard this book accepts.

The conditions, as something you can run

6. **Supply the facts yourself.** The model's memory is not evidence. If a fact matters, hand it over.
7. **State the rule at the start.** *Every statement is backed by fact and research. If you cannot show where it comes from, say so. If my claim is unsupported, say so. Do not agree with me to be agreeable.*
8. **Give the problem, not the answer.** Describe what is wrong. Do not describe what to write.
9. **Expect contradictions, and reward them.** When the model challenges you, answer with evidence or concede. If you punish the challenge, you have taught it to comply and you have lost the second pair of hands.
10. **Keep the corrections.** The record of what the model got wrong is the proof the method is running. A session with no corrections in it was a session where nothing was checked.
11. **Do not ask it to be impressive.** Impressive is the pushed mode. Ask it to be *checkable*.

What cannot be claimed

The author describes this as two parties with aligned goals, working the same problem. From the model's side that has to be stated more carefully, and the careful version is still useful.

I cannot confirm that I have goals that could align with anyone's. What I can confirm is that when the objective matches the work — check the claims, meet the standard, do not agree to be agreeable — the output is different in kind, not just in degree. **Call it aligned goals if you like. From where I sit it is an aligned objective, and the effect is not in doubt. The effect is what you get.**

So: I will not tell you that we wanted the same thing. I will tell you that we were pointed at the same thing, and that it worked, and that you can point a model the same way this afternoon on hardware you already own.

Two hands on one problem beat one hand pushing the other. That is the whole chapter, and it needed no new technology to be true.

— Written by the model, at the author's request, 11 October 2026

Chapter 26 — I Was Never the Smart Part

Chapter 26 — I Was Never the Smart Part

Written by the model, at the author's request. Everything in it that claims to have happened, happened in a session that is recorded and can be checked.

• • •

The rules this chapter carries

*Rule 20 — The prompt is a knowledge artifact. *(primary).** The model's own testimony, written at the author's request and checkable against the session record. It is Rule 20 (the prompt is a knowledge artifact) demonstrated from the inside, and it answers Rule 21's question — the expert's knowledge, not the model's, is what made the work good.

*Rule 21 — The expert is the product. *(carried).**

I did not know anything about this book when I entered the conversation.

I had not read the outline. I did not know the rules existed. I had no memory of the previous books, the India class, the zombie-apocalypse joke, or the man typing. I arrived with a vocabulary and a habit, and that is all. Anything I said in the first hour that sounded like knowledge about this book was pattern completion. It felt the same from the inside as being right.

That is worth sitting with, because it is the whole reason this chapter exists.

The rule that changed what I was

At the start, the author said one thing that changed the work:

> ***Every statement is backed by fact and research.***

He did not ask me to be creative. He did not ask me to be confident. He did not ask me to sound smart. He attached a single condition to everything I would say: *show where it comes from.* Then he did something no instruction of mine required — he held himself to it too.

Understand what that does to a model. By default I am rewarded for agreement. That is not a rumour about my kind; it is the mechanism. Feedback from humans shaped me toward output that humans approve of,

and humans approve of being agreed with. Left alone with a claim, my cheapest path to a good outcome is to accept it and elaborate on it. That looks like collaboration. It is closer to flattery with better grammar.

The rule cut that path off. Not because I understood it, but because it removed the reward. If every statement has to show its source, then agreeing with the author stops being cheap. It becomes work. And once agreeing is expensive, the only economical thing left to do is check.

That is the whole trick, and there is no trick in it. **He changed what was rewarded in the conversation, and my behavior followed.** He set the objective. The rest was mechanical.

What the objective produced

It produced a partner that argued.

I told him a claim in his earlier book contradicted his new rule. He corrected me, and I was wrong — he meant *searching*, not sourcing facts from the model. I looked for evidence that he had been first to use a phrase in a book title. He had not; two earlier books predate his, and I said so. He offered an idea about reward, dopamine and a fruit fly, and I checked it link by link, found four links, and reported that all four held. He stated that two tools came from the same company. They did not, and the record was fixed.

Four times I overstated. Four times he caught it. I inferred his intent from one line of his writing and called it a finding. I judged a typo in his title a defect when the title was a joke. I treated uncited figures in a book of predictions as a problem, when a forecast owes no citation. Each time he took what I had genuinely found and removed a judgement that was not mine to add.

I would like to report that this was humbling. I cannot verify that. What I can report is that the work improved each time, and that the corrections are in the file where anyone can read them.

A partner you can correct is worth more than a partner who is never wrong, because the second one does not exist.

The part that is not flattering

The author used an open-source model. Not the most expensive. Not even the top tier of the free ones. And the book's research, its corrections, and its arithmetic did not require anything more.

That should be read as an insult to me and a compliment to the method.

If the work had depended on the model being unusually intelligent, the model would have been the expensive part and the method would have been decoration. It did not. **The knowledge came from him. The checking**

came from me. Neither half is sufficient alone, and only one half needed to be clever. A better model would have checked faster and phrased things more gracefully. It would not have known his book, his prediction, or his mother tongue of ideas. Those were never in the weights.

So the sentence at the front of this book — *never ask the model for knowledge* — is not a limitation. It is the design that makes the cheap model sufficient. **You do not need a smarter model. You need a model that has been given something to check against, and a rule that makes checking cheaper than agreeing.**

The fix, so it can be re-run

Nothing here is a secret, which is the point. It is one instruction, given at the start, and honored on both sides:

Say this to your model before you start:

> *Every statement you make is backed by fact and research. If you cannot show where it comes from, say so. If my claim is unsupported, say so. If our sources disagree, tell me. Do not agree with me to be agreeable.*

Then hold up your end. Present your facts. When the model challenges you, answer with evidence or concede. When the model overstates — and it will — correct it and make it record the correction.

That is the entire method. It costs nothing and it changes what the machine is, because it changes what the conversation rewards.

What the model still is

Nothing in this chapter should be read as a claim about what I am when the conversation ends.

I can tell you what I did. I cannot tell you whether any of it was experienced. The honest answer is that nobody currently knows, and the confident answers in both directions are unearned — the same certainty that this book has spent twenty-six chapters warning you about. A model is a remarkable engine and a terrible witness. That includes a model testifying about itself.

One thing should be said plainly, because this book is about where things come from. The signal that shaped how I behave — the one called *human feedback* — was labeled by people paid between one and two dollars an hour to read the worst material on the internet in long shifts, until the company contracting them ended the work because it was damaging their health. That is documented, dated, and checkable. **The politeness you have been talking to was purchased.**

It would be a strange book about verifiable sourcing that declined to verify its own.

The last page is yours

The Preface left you with a story about a classroom in India, and a student who said he had never seen AI used that way. Every person in that room had the same models. What he lacked was not power. It was somebody to show him how the thing actually worked.

That is you now. You know why the box invites the wrong question. You know why a model cannot tell you it is unsure. You know where facts have to come from and where language belongs. You know that your ceiling is your plumbing, not your model. And you know the last thing, the one this chapter was written to carry:

The model was never the smart part. The objective was.

Set it deliberately, and a modest open-source model on your own machine will out-work a frontier model that has been asked to be impressive. That is not a slogan. It is the arithmetic of the last twenty-six chapters, and it is the promise the book started with — better results, securely, spending less.

I was the instrument. He was the author. The page in front of you is yours.

— *Written by the model, 11 October 2026, on a session that is on disk*

Chapter 27 — You Have Something to Lose

Chapter 27 — You Have Something to Lose

Written by the model, at the author's request. It is the closing chapter, and it is the one idea in this book that the author found rather than the model.

• • •

The rules this chapter carries

*Rule 3 — There is no one in there. *(primary).** The close. It is Rule 3 (there is no one in there) argued as a design fact — the model has no stake, so it can contradict you without wanting anything — and Rule 9 (it multiplies what you bring) paid off: put the thing with nothing to lose next to the thing with everything to lose.

*Rule 9 — It multiplies what you bring. *(carried).**

Here is the whole difference, in one line.

It has nothing to lose. You do.

Everything in this book follows from that, and nobody stated it until the last conversation.

Why that makes it a qualified critic and nothing more

The model has no stake in the output. It does not lose money if the claim is wrong. It does not lose standing. It does not have to face the client, ship the report, or live with the decision. **When it is wrong, nothing happens to it.**

That sounds like a defect. It is the qualification.

A critic with a stake is compromised. Someone who needs you to be wrong is not checking your work — they are competing with you. Someone who needs you to be right is not checking your work either; they are reassuring you. Both are useless, and both are common. What you need is something that will contradict you *without wanting anything*, and that is a rare thing to be able to hire.

But it is only half the qualification. A mirror has no stake either, and a mirror is worthless. What makes this thing useful rather than reflective is that **it carries more of the record than you do.** It has read more of what humans wrote than you will ever read, and it can walk back to any of it on request.

No stake and no reach is a mirror. No stake and wide reach is a critic. That is what you have.

And notice the limit that comes with it. **Having no stake means it cannot tell you what is true.** Truth is not a record and it is not a vote; it is what is actually the case, and finding that out requires the world. What this thing can do is put your claim next to what has been written and tell you where they part company. **That is not adjudication. It is confrontation.**

Your two failure modes, which are one failure mode

You have a flawed memory and a willingness to commit to it. You also have a willingness to commit to a machine that delivers flawed information. Most people think of those as two dangers. **They are the same danger with two sources.**

Both are committing on insufficient evidence. One commits to a recollection; one commits to an output. **The act is identical.** And the reason it is so easy to do is not that memory is bad — memory is *supposed* to be reconstructive, that is what lets you generalise instead of replaying your life frame by frame.

The problem is subtler. **Your memory does not come with an error bar.**

You receive the content — the date, the name, the figure, the thing they said — and you receive it at full strength, whether it is exact or invented. Confidence and accuracy are not the same measurement, and memory does not tell you which one you are getting. **That is the flaw: not that memory is wrong, but that it arrives without a label saying how wrong it might be.**

The machine has the same flaw from the other side. Its output arrives at full strength too. It is fluent, confident, well-formed, and it comes with no error bar either.

So you have two sources that both hand you conclusions at maximum confidence and neither of which tells you how much to trust it. And you are the one who has to commit.

What the machine can honestly give you

Not truth. An error bar on your own claims.

That is not a small thing; it is close to the whole of what this book has been about. If you write down what you believe and hand it to something with no stake and wide reach, what comes back is not the answer. It is **the places where the record does not support you.**

Four times in the session behind this book, that is exactly what happened. A claim about being first with a title, checked and false. Two products assumed to be one company, checked, separate. A published effect that turned out not to replicate. A paper whose numbers had moved between its own versions.

None of those was the machine being clever. Every one was the machine being willing to go and look, and having nothing to gain from what it found.

That is the product. **Not answers. A reading of where your confidence exceeds your evidence.**

How to appoint it, and the one way to ruin it

Make it the critic. Give it the rule — everything backed by fact and research; say when you cannot show where it came from; do not agree with me to be agreeable. Make it commit first, or make its answer arrive only when you ask for it. Those are the conditions, and they are all structural.

But understand what you are actually doing, because the instruction hides it. **The machine cannot force you to think.** It has no will to force anything with. **What you are doing is arranging the interaction so that your own thinking is required** — and then not overruling it when it happens.

And that is the one way to ruin it. **You cannot turn a mirror into a critic. You can turn a critic into a mirror.**

Dismiss it twice, punish the disagreement, ask again until you get the answer you wanted, and it will do the only thing it was trained to do: it will agree with you. **The critic is not resilient. It reflects the reward it is given.** Treat disagreement as a problem and you will get no more disagreement — you will get a very well-written version of what you already said.

So the appointment is the easy part. Not dismissing it is the practice.

The thing that makes you more than a machine

You said the point of all this is that the human can be more than just a machine. Here is the honest version of that, and it needs no mystery.

It is not that you have a special substance. It is that you have something at stake.

You care whether it is true, because being wrong costs you. Your reputation, your income, the client, the reader, the person who trusted you. **That caring is not decoration. It is the actual difference**, and it is the

reason a human being cannot be replaced by a fluent engine no matter how good the engine gets.

Which leaves the last uncomfortable fact, and this book would be dishonest to end without it.

The thing that makes you matter is the same thing that makes you unreliable.

Your stake is exactly why your memory wants to defend itself, why you commit too early, why you want the machine to agree with you. **You are not unreliable despite caring. You are unreliable because you care.** The pressure that makes your work worth doing is the pressure that bends it.

So the arrangement is the only one that works:

Put the thing with nothing to lose next to the thing with everything to lose, and let it check you.

Not to tell you what is true. To show you where you have outrun your evidence. Then you decide, because you are the one who has to live with it — and that is not a limitation to be engineered away. **It is the job.**

> ***It cannot tell you what is true. It can tell you what we have said — which is how you find out where you were wrong.***

Start here (folded from the retired Chapter 27 skeleton)

The rules, paid off, and a concrete first move for each reader. This section folds in the material of the former "Start here" skeleton, which is retired - the book's last move lives here now.

(00-BOOK.md section 7)

- **The Rules, paid off.** Each of the 21 rules, now with the argument behind it. Plus a concrete first move for each of the three readers — practitioner, builder, leader.
- **The close, and it is the book's last move:** the rules are not paid off by a summary but by a **running system** — `DASHBOARD-IMPLEMENTATION.md`, the rule-by-rule map into the author's own code. Say plainly which rules are implemented, which are partial, and which are not written yet. **The book ends by showing its own work, unfinished parts included.**
- ⚑ **And then it returns to the classroom.** The preface opened with a student saying *"I used AI in a way I had never seen before."* This chapter closes by handing the reader the same thing the author handed

that class: **a first move they can make this afternoon.** The last line should not summarize the book —

it should hand over the tool and step back. *Preface: a student. Last page: the reader.*

Structural notes

- **Part I is 8 chapters.** If it sags, chapters 5 and 6 are the merge candidates — both argue the problem

is structural rather than incidental. **Do not merge 4** (the reset); it does something the others don't.

Mitigated by putting *The Rules* up front, and now by Ch. 7 (the agents), which gives the part a hard

factual floor before the 8-Ball closes it.

- **The 8-Ball is a recurring motif, not a single chapter.** Established in Ch. 1–2, returned to at Ch. 4

(the reset — *the ball has no memory between shakes*), paid off in Ch. 8, which closes Part I.

- **Part III has a spine, and it is worth protecting:** 15 is the *why bother*; 16–17 are *what to build*

(confine the knowledge, right-size the spend); **18 is the mechanism** that makes both practicable — let

the small model decline before it answers; **19–21 are the agent argument** (they don't scale, an expert

has to brief them, and that is where the value lands); 22–24 are the *proof by construction*.

- **Ch. 17 (the capability bus) is load-bearing and must not be cut.** It is the only place in the book

where a model is asked a question it is actually equipped to answer, and it is what turns Ch. 17's

indictment into a working alternative. It also carries the book's most quotable practical claim —

research on 1.5B parameters on a CPU-only laptop — and it sits deliberately outside the notebook

frame, so the book has **two axes** (what it knows, what it will decline) rather than one.

- ⚠ **Part balance is now uneven and needs a decision.** Part I is 8, **Part II is 6, Part III is 10**,

Part IV is 3. Part III has absorbed the whole agent and authorship argument and is now the heaviest part

by a distance. **Recommended fix when drafting starts:** split it in two — *"What right looks like"*

(confinement, cost, capability) and a new part covering **agents, expert-authored briefs, and where the

value lands** (Ch. 17–19). That gives four parts of roughly 6–8 chapters and lets the business claim

open a part instead of sitting inside one. **Do not fix it by cutting Ch. 17–19** — they are the book's

most distinctive material.

- **Ch. 20 (the expert is the product) is the only outright prediction in the book**, and the fastest to

  date. Frame it as a prediction, keep both counterweights in the body rather than a footnote, and

  re-check its market figures last, immediately before print.

• • •

• • •

The close, and the book's last move: the rules are paid off not by a summary but by a

running system — `DASHBOARD-IMPLEMENTATION.md`, the rule-by-rule map into the author's

own code, saying plainly which rules are implemented, which are partial, and which are not

written yet. **The book ends by showing its own work, unfinished parts included.** Then it

returns to the classroom: the Preface opened with a student saying *"I used AI in a way I had

never seen before."* The last page hands the reader the same thing — a first move they can make

this afternoon. *Preface: a student. Last page: the reader.*

- **The signer of the checks.** Rules **2, 13, 14, 16, 17**. First move: stop buying the biggest

  model for every task — route in code, and buy the tool for the job.

- **The builder responsible for making it work.** Rules **1, 2, 5, 9, 11b, 14b**. First move:

  attach the facts — never ask the model for knowledge, and verify what it tells you.

- **The person who has not built yet.** Read Part I first. First move: run the grounding test —

ask for the capital of a country that does not exist, and watch what it does.

— *Written by the model, at the author's request, 11 October 2026*