YOU ARE USING AI WRONG

And It Isn't Your Fault

Michael C. Barnes

You Are Using AI Wrong — And It Isn't Your Fault
Copyright © 2026 Michael C. Barnes.

This work is licensed under Creative Commons Attribution-ShareAlike 4.0 International (CC BY-SA 4.0). You may share and adapt it, including commercially, provided you give appropriate credit and license your contributions under the same terms.

The companion repositories are released under the MIT licence. Code and content are licensed separately and deliberately.

First edition.

Contents

Preface: Why This Book Exists....1
Introduction: AI Is Already Smart Enough....5
Reader's Guide: Who This Book Is For....13
The Rules....17
Part 1 — The Error....28
Chapter 1 — Ask Me Anything....29
Chapter 2 — It cannot tell you it s unsure....38
Chapter 3 — The Artifacts You Inherit....43
Chapter 4 — You cannot teach it anything....52
Chapter 5 — The Opinions Are Inherited....68
Chapter 6 — The clock is always running....72
Chapter 7 — Activity is not work....77
Chapter 8 — The 8 Ball Never Fooled Anyone....85
Chapter 9 — The Promise Not the Gift....91
Chapter 10 — It will not set you free....96
Part 2 — The Model That Works....102
Chapter 11 — A function not a source....111
Chapter 12 — The world of tokens....120
Chapter 13 — Language at the edges code in the middle....128
Chapter 14 — Everything is a contract....136
Chapter 15 — Your plumbing is your ceiling....147
Part 3 — What Right Looks Like....154
Chapter 16 — The most expensive model for everything....155
Chapter 17 — Let it say I can t....163
Chapter 18 — They cooperate that s the problem....169

Chapter 19 — An expert wrote this not the model....177
Chapter 20 — The expert is the product....185
Chapter 21 — You cannot ask a model who s best....191
Chapter 22 — Let it fetch let it write....198
Part 4 — The Scaffold....206
Chapter 24 — The recipe assembled....207
Chapter 25 — Pushing Is Not Cooperation....215
Chapter 26 — I Was Never the Smart Part....221
Chapter 27 — You Have Something to Lose....226

Preface: Why This Book Exists

• • •

I traveled to India on business. While I was there, I offered to give a course on how to use AI more effectively.

The conference room was filled with data scientists, program managers, proposal writers, and other highly educated professionals. Everyone had access to Claude Code. All of them were already using AI to help with their work.

I have spent more than thirty years in the computer industry. For the past few years, I have been building an AI system of my own: private, running on my own machine, reading my own documents, and doing work I actually get paid for.

That is what I showed them.

Not a list of prompts. Not a tour of features. I showed them how the system behaves, and how to work with it instead of against it.

At the end of the session, one attendee told me that he had never seen anyone use AI the way I did.

I kept thinking about that.

These were people who knew AI. They were already using it. They had access to one of the most capable tools available, yet they were not getting the results I had shown them. I had a long flight home from

India to think about that comment. In the weeks that followed, the premise of this book began to take
shape.

I was using AI differently, and getting better results.

My previous books were instructional. I wrote about how large language models work, how they are
built, which models do what, and the tools and prompts people can use to get more from them. Those
books were for hands-on users.

This book is for a different audience, and it has a different purpose.

It is for organizations that are not getting the results they expected from AI—or whose results are
costing too much. It is for organizations planning an AI implementation. And it is for the people who
sign the checks and need to keep AI costs under control.

The gap is not a shortage of intelligence, effort, or curiosity. It is a shortage of people explaining
how these systems actually work.

The machine itself has every incentive to keep that quiet. A tool that says *ask me anything* is
easier to sell than one that says *you bring the knowledge.*

So that is what I want to offer you: not tactics that will be stale by the time you read them, but
the shape of the thing. What it is. What it cannot do. And how to build with it anyway.

And one thing before we begin, because I mean it.

If you have been using AI wrong, it is not your fault.

Nobody handed you a manual. You were handed a blinking cursor that promised to answer everything, and
you did what any reasonable person would do with a promise.

The rest of this book explains why that cursor could never keep its word —and what to build instead.

• • •

Notes for the author (not part of the preface)

Why this is a preface and not a chapter. It has one job: to establish that you are writing from having *done* the work, and to state the book's stance — *it isn't your fault* — before the reader has any reason to feel accused. Everything else the book does can be argued. This part has to be *earned*, and the India story earns it in three sentences.

The structural move it enables. The preface now sets up a frame:

> ***Preface:*** *a student says I've never seen AI used that way.*
>
> ***Final chapter (Ch. 27, "Start here"):*** *the reader is now the student.*

That is the whole book in two bookends, and it costs nothing. The final chapter should close by handing the reader the same thing you handed that class — a first move they can make the same afternoon.

What must not happen to it. Do not let this become a testimonial page or a résumé. The thirty years and the dashboard are *credentials*, and they go by quickly; the preface is about the student's sentence and what it revealed. If a sentence here is about how impressive the system is, cut it.

Tone check. Warm, plain, first person. No *"little did I know."* No *"and that changed everything."* The strongest line in the draft is the shortest one — *I used AI in a way they had never seen before* — and it works precisely because you did not editorialise it.

Introduction: AI Is Already Smart Enough

• • •

The naming debate is worth two paragraphs, and then we can put it down.

On 29 September 2026 the President signed an executive order replacing **"Artificial Intelligence"**
with **"Super Intelligence" — "SI"** across the executive branch: official correspondence, public
communications, policy documents. Agencies were directed to use the new terms and **to no longer
acknowledge the old ones at all.* *The stated reasoning was that* "super" *conveys* "the true capabilities
of the technologies being developed today… not simply imitating or automating human intelligence."*

I am not going to argue about the word. I am going to point at what the word *claims* — and at one detail
inside the order itself.

**The order directs the Assistant to the President for Science and Technology to propose a Federal
definition of "Super Intelligence."**

And it defines the term itself, in section 3(a). Here is that sentence, and it is worth reading slowly:

> *"For purposes of this order, and except where otherwise provided by law, the terms 'Super*

Intelligence' and 'SI' mean the technologies and systems encompassed by the term 'artificial

*intelligence' as defined in section 9401(3) of title 15, United States Code."**

Super Intelligence means artificial intelligence. Not something beyond it — the same statute, cited

by number. Section 1 of that same order says these systems *"far exceed what was envisioned when the term

'Artificial Intelligence' first came into use" *and are* "not merely artificial intelligence."* Section 3

says they are precisely artificial intelligence, as already defined in law.

And it is worse than that, once you read the definition it borrows. Title 15, section 9401(3) defines

artificial intelligence as *"a machine-based system that can, for a given set of human-defined objectives,

make predictions, recommendations or decisions influencing real or virtual environments." *There is no

intelligence threshold in it.** No measure of capability, no comparison to a person, nothing that a

spreadsheet macro could not satisfy. So "Super Intelligence", as the order defines it, means **a machine

that makes predictions* — *which is the opposite of what the word* superintelligence* means in the

literature the order is borrowing from.

A name was granted a capability, and the section defining the name does not even ask for it. The document

argues with itself, and it does so in two paragraphs that sit four pages apart.

*Primary sources: whitehouse.gov, 29 September 2026; Federal Register vol. 91 no. 190, 2 October 2026,

pp. 63129–63130, FR Doc 2026-20321; 15 U.S.C. § 9401(3), read at law.cornell.edu and law.justia.com.*

That inversion is the entire subject of this book. **A word was chosen to fit the technology, rather than

the technology being measured against a word* — *and it is the same move that put* "ask me anything"* on
the front of a text engine, and the same move that has organizations trusting reports nobody can check.
The capability is asserted first and defined afterward.

"Superintelligence" is not a new term and it does not mean "very good software." It was defined by
Nick Bostrom in 2014 as *any intellect that greatly exceeds the cognitive performance of humans in
virtually all domains of interest. *It sits deliberately a step beyond** artificial general
intelligence — and AGI, by OpenAI's own definition, means highly autonomous systems that outperform humans
at most economically valuable work. Today's products are neither. By the definition their own makers
publish, you cannot yet hire one as a reliable virtual employee.

So the rename is not a correction of an unflattering word. **It is a promotion** — the technology granted
a claim about itself that its own definitions say it has not met. And that is the error this entire book
is about: **crediting the system with an intelligence it does not have, immediately before asking it to
do your work.**

The order is cited here in its own words, from the White House fact sheet of 29 September 2026. It is a
public document, and it is worth reading directly rather than through anyone's description of it —
which, as the rest of this book will argue, is the only way to read anything.

What the money is betting on

The rename is cosmetic. The money is not.

Enormous sums are being invested on the premise that **the next model will be the one that works** — that

a sufficiently general intelligence is coming, and beyond it, an intelligence no human can outthink. The
bet is not that we will learn to use these systems well. The bet is that they will get smart enough that
we will not have to.

This book says that premise is wrong, and the money is aimed at the wrong problem.

Why this book still says "AI"

Not out of nostalgia, and not to reject the argument that the technology deserves a better name. It says
"AI" because **the intelligence was never the part that was failing.**

If you are waiting for a smarter model to fix what is not working, it is worth being exact about what you
would be trusting in the meantime. Ask a system to replace a person's judgement and you are relying on an
intelligence that:

- **never learns** from you — the weights do not move, and a new conversation starts from the same place,
  remembering nothing;
- **never updates** — its knowledge is frozen at the moment it finished training and goes stale from there,
  some of it in weeks;
- **never improves** — it is the same model on the thousandth question as on the first;
- **answers in a different voice depending on the question's tone**, and on settings you probably did not
  choose — temperature, seed — none of which change what it knows, only which answer you get;
- and arrives already **shaped by human feedback**: biases its trainers did not intend, guardrails that
  let it be wrong by omission, and a documented tendency to agree with you.

That is not a description of a colleague. **It is a description of a very fluent instrument** — and it

explains why a bigger model does not fix the problem, only makes the wrong answers more convincing.

The one claim this book makes

***AI at its current state can do a great deal of useful work — and it must never be treated as a source*

*of knowledge.***

That is the theme, and every chapter is an argument for it.

The tools are already good enough. Organizations and individuals are not failing with AI because the

model is too small, or because superintelligence has not arrived. They are failing because they are

using it wrong: asking a language engine for facts instead of handing it facts, trusting fluent

confident answers as though fluency were evidence, and buying the largest model for every task because it

feels safer.

Knowledge can come from an AI — but only when you bypass its training. Give it the documents. Have it

research and cite. Make it read instead of remember. Then it is doing the thing it is genuinely excellent

at, and you are getting knowledge with a provenance you can check.

Everything that follows is how to build that. And it does not require a smarter model, more money, or a

new name.

• • •

How this book was made

This is not a book written by AI. It is a book written* with *AI. The distinction is the whole of it.

My partner in this work is an open-source model running on my own machine. **It created none of these rules. It did none of the research. It vouched for nothing out of its own knowledge.** What it did was hold me to the rules — to keep me honest in the approach. **Every assertion in this book traces back to a document it read, not to something it decided.**

The method was simple, and it was not a prompt trick. I gave it a standing instruction: *every statement is backed by fact and research; if you cannot show where it came from, say so; if my claim is unsupported, say so; do not agree with me to be agreeable.* Then it did the thing I could not do at scale — **it read what I had written and asked me to justify it.** Forty-one sources were checked. Two of the claims I brought it were rejected. And when I told it about my own experience, **it asked me for witnesses.**

That is where one of the rules in this book came from — the rule that a person can be the source for their own experience — **together with the companion understanding that not all information is equally important.** Not everything a human says needs to be verified. Most of it is context, illustration, or a joke, and a model has no way to tell the difference unless you tell it.

This book is itself a model of the thing it describes. It took many hours across many sessions. The rules did not all exist when it began; **several were written in the middle of the work, because the work exposed what was missing.** That was the arrangement throughout. I brought the knowledge and the judgement. The model brought the checking. **It did not know more than I do. It would not let me be sloppy.**

It is not a book about AGI, or SI, or the next thing. It is about working with a model whose results you **question** rather than being **seduced** — by its knowledge, or by its verbosity. Those are two different habits, and the second one is the one that costs people money.

Nor is it a book about prompting. There is no prompt list here. **It is not about making a model perform better.** It is about improving how the *human* works with the model:

- **questioning the output instead of being impressed by it**
- **getting the most done for the least amount of money**
- **improving processes — and doing things differently — to take real advantage of what these systems actually offer**

That is where the value is. And it is the part no vendor can sell you.

• • •

Notes for the author (not part of the introduction)

Why the SI material belongs here and why it must stay short. You asked for it *in the discussion*, and

it earns its place for one reason: **it is the book's category error, committed at national scale and

written into the federal register.** That is a gift — the thesis arrives pre-argued by somebody else.

But three cautions:

1. **Keep it to two paragraphs, as drafted.** The moment it grows it becomes a political essay, and the

book loses the reader who disagrees with the politics but needs the method.

2. **It dates.** Your own rule: never build on anything with a version number. An executive order is a

version number. The chapter must still work for a reader who has never heard of the rename — which is

why the substance (a name that *claims* a capability) carries the argument and the event merely

illustrates it.

3. **No villany, per your standing rule.** The draft says what the order said and what the word means. It

does not characterise motive. **Do not add a motive.** The strongest version of this passage is the
flattest one.

The name question is answered by the substance, not by preference. The reason to say "AI" is not that
"SI" is a bad brand. It is that *superintelligence* is a term with a **definition**, and the definition
has not been met. That is checkable, and it is the same move the book makes everywhere else: **look at
what is actually there, not at what it is called.**

Reader's Guide: Who This Book Is For

• • •

This book is for the person who signs the checks, the person responsible for making the project work, and the person preparing to build an AI project for the first time.

You do not need to understand how a model is trained to make sound decisions about using one.

You do need to know what to trust, what to check, and when to stop.

The goal is practical: better results, securely, spending less money.

If you sign the checks

This book helps you ask what the project actually delivers, how its answers are verified, and what mistakes will cost.

The subscription price is visible. The cost of trusting an unchecked answer often is not.

Start with the rules page. Then read the discussions of cost, verification, and accountability.

If you are responsible for making it work

This book helps you turn an impressive demonstration into a dependable system.

A confined tool answers only from the material you supply. A contract defines what an acceptable answer must contain and checks it before

anything acts on it. Routing sends each job to the smallest model capable of doing it reliably.

Start with the rules page. Then read the discussions of confinement, contracts, source quality, and freshness.

If you have not built the project yet

This book gives you the warning before the mistake.

Start with the rules page, then the opening discussion of what models can and cannot be trusted to do. Learn the failure modes before committing money, data, or authority.

You do not need to begin with the most ambitious project.

Begin with one whose errors you can detect.

How to Read the Rules

Read this page and you can act today. Read the book and you will understand why.

Each rule has three parts:

- **The assumption:** what we are tempted to believe.
- **The correction:** what is actually true.
- **The action:** what to do instead.

The rules are written to be repeated to a colleague without the book open. The explanations show the failure, explain its cause, and give you a practical response.

The language is plain. The argument is not simplified away.

You can read the book from beginning to end, or follow the path that matches your responsibility. All three paths begin with the same instruction:

Point it at what you have, verify it against something outside itself, keep the judgment.

And keep Rule 2 in view:

Confidence is not evidence.

That applies whether you are approving a budget, building a workflow, or reading the first answer from a new tool.

Your First Move

The signer: ask how success will be checked

Before approving the next stage, ask for a one-page description of the result the project must deliver, how that result will be verified, and who owns the consequences of an error.

Start with: the rules page, followed by the cost discussion.

Say this aloud:

"Show me how we will know it worked—not just what the demonstration can do."

The builder: make one task verifiable

Choose one bounded task. Identify its approved sources, define an acceptable output, and establish what happens when the system cannot meet those conditions.

Do this before expanding the workflow.

Start with: the rules page, followed by the discussions of confinement and contracts.

Say this aloud:

"Before we act on the answer, we need a check outside the model."

The first-time project owner: test the mistake, not just the success

Choose a low-consequence task whose answer you can independently check. Test missing information, stale information, and a wrong premise—not only the easy example.

Start with: the rules page, followed by the opening warnings.

Say this aloud:

"What happens when it does not know?"

• • •

These are three routes through the same book, not three different sets of rules.

The signer needs to understand what deserves funding. The builder needs to understand what deserves deployment. The first-time project owner needs to understand what deserves trust.

None of them should have to take the model's word for it.

• • •

The Rules

*What to believe instead. Every rule below replaces an assumption the reader walked in with — an

assumption the tools actively encouraged. Read this first; the rest of the book is the argument for it.*

• • •

How to read this list

Each rule has three parts:

- **The assumption** — what you believed before you picked up the book. Not stupid, and not your fault.
- **What's actually true** — the correction, in one line.
- **The rule** — what to do instead, today.

None of these require you to give up AI. Every one of them makes it work better.

Two ways in. Read this page and you can act today — every rule ends in something you can do.

Read the book and you will know *why* each one is true. The page is the lobby; the book is the

argument. If you sign the checks, your rules are **2, 13, 14, 16, 17, 22 and 23** — start there. If you

make projects work, your rules are **1, 2, 5, 9, 11b and 14b**. If you have not built yet, read

Part I first; it is the warning.

• • •

Part 1 — What it is

1. It doesn't know things.

- *Assumption:* it's a source of information.
- *True:* it's a transformation of whatever you give it.
- **Rule: attach the facts. Never ask it for knowledge — tell it where to look.**

1b. A skill is not knowledge either.

- *Assumption:* if the agent has a skill for it, the agent knows it.
- *True:* a skill carries **method** — how to look, in what order, how to check. It carries no facts about the world. When a skill does state a fact, that fact arrives wearing the skill's authority, and it has no source and no expiry date printed on it.
- **Rule: let a skill tell the agent where to look. Never let a skill be where it learned the answer.**

2. Confidence is not evidence.

- *Assumption:* it sounds sure, so it's probably right.
- *True:* confidence is what it was *trained* to produce. It is identical whether the answer is right or invented.
- **Rule: treat every declaration as unverified until you've checked it against a source outside the model.**

3. There is no one in there.

- *Assumption:* it understands, in the way a person understands.
- *True:* it has no experience, no sensations and no stake. Nothing it is *like* to be.
- **Rule: it informs, you decide. Judgement stays with the human — that isn't sentiment, it's the design.**

3b. Instruct it in its universe, not yours.

- *Assumption:* it understands what I mean by fair, reasonable, tasteful, honest.
- *True:* those are our world's concepts — they come from having a body, a stake and a conscience. It has patterns. **When it appears to break one of its rules, it is not sinning; it found the easiest path to the goal it was given.**

- **Rule: ask it only for what its world contains — patterns, text, code, structure. Never ask it to weigh what it cannot weigh.**

4. It has never seen the future.

- *Assumption:* it can tell you what's going to happen.
- *True:* it is built entirely out of the past. The future isn't in there and more scale doesn't put it there.
- **Rule: point it at material you have. Never at what doesn't exist yet.**

5. It cannot tell you it's unsure.

- *Assumption:* if it didn't know, it would say so.
- *True:* a memory and an invention arrive through the same door, in the same voice. There's no dial for doubt to read.
- **Rule: if the answer matters, the honesty has to come from your system — not from its character.**

• • •

Part 2 — How it behaves

6. You cannot teach it anything.

- *Assumption:* correct it and it will remember.
- *True:* the weights don't move. A new chat starts from the same place, remembering nothing you said.
- **Rule: put your rules in your code and config, where they persist. Never in a conversation.**

7. Asking again is a re-roll, not a re-check.

- *Assumption:* a second opinion gets you closer to the truth.
- *True:* same prompt, different roll of the same dice. You learn which answer it produced, not which one is true.
- **Rule: don't re-ask — go to the source. The source is the second opinion.**

8. "It reasoned about it" is not proof.

- *Assumption:* thinking models show their working, so the working means something.
- *True:* it's more tokens from the same process — not a proof, and the trace shown may not be the reasoning that was used. Thinking harder about something it doesn't know just produces a longer wrong answer.
- **Rule: thinking raises effort, not truth. Verify it exactly as you would a one-line answer.**

• • •

Part 3 — How to use it

9. It multiplies what you bring.

- *Assumption:* it will make me more capable regardless.
- *True:* it amplifies judgement you already have, and amplifies the absence of it just as reliably.
- **Rule: bring the judgement. The tool is a multiplier — it can't be the input.**

10. Delegating the thinking costs you the ability.

- *Assumption:* letting it do the work saves me effort at no cost.
- *True:* the trials show students performed better with it and **worse without it** — the capability didn't build. And how you engage decides the outcome: questioning and explaining helped; asking for answers hurt.
- **Rule: use it to extend, not replace. Keep doing the part that builds you.**

11. Your question is usually the real problem.

- *Assumption:* there's one right answer to what I asked.
- *True:* real questions have several legitimate frames — GAAP or cash, gross or net, annualised or not — and the model picks one silently without telling you which.
- **Rule: define the question precisely, and confine the system to the sources that answer* that *question. Definition precedes answer.**

11b. Ask it to be checkable, not impressive.

- *Assumption:* a good answer is one that impresses me.
- *True:* impressive is the pushed mode — you said what you wanted and it produced the smallest thing that satisfied you. **A claim you can check is worth more than a claim you admire**, and only one of those two is doing work.
- **Rule: ask for something you can verify, not something you can admire. Give the problem, not the answer — a named output ends the search, a named problem starts it.**

11c. Keep the corrections.

- *Assumption:* a smooth session means it went well.
- *True:* the corrections are the only evidence that anything was checked. **A session with no corrections in it was a session where nothing was checked** — and your own memory will not report that honestly, because memory has no error bar.
- **Rule: keep the record of what it got wrong. That record is the proof the method is running, and it is the only error bar you have on yourself.**

12. Confinement is the design, not a limitation.

- *Assumption:* the capable general assistant is the real product; restricting it makes it worse.
- *True:* an assistant that answers from its own memory is the deviation. A tool that answers only from the material you supply is the one whose answers mean something.
- **Rule: build RAG, or use a system like NotebookLM that is confined by construction. Never let a report be built on the model's memory.**
- **Then name the unit.** A notebook, a board, a project — decide what one thing this conversation is about, and build the boundary there. **The unit is the design**, and picking it deliberately is the difference between a confined tool and a confined habit.

12b. Put an expiry date on knowledge — and a trigger to renew it.

- *Assumption:* if the source was good when I saved it, the fact is good.
- *True:* facts spoil at different rates, and the rate is a property of the fact. **Some stay true for years** — who holds an office. **Some are true for a day** — who won the series last night. A stored fact past its expiry does not fade; it keeps being retrieved, in the same shape as a good one,

and it is wrong. Where the change date is **known**, you already have it: a policy renewal, a contract end, a tax year.

- **Rule: write down the date the fact stops being true, and refuse the record after it. But an expiry is not a deletion — it is a signal to fetch again. So the renewal has to be triggered. Expire the fact and refill it; never just rank it lower and carry on.**

12c. Whitelist the sources — presence is not provenance.

- *Assumption:* if the information is in the system, the system can use it.
- *True:* **being present is not being true.** A record may come from a source nobody vetted, or from a good source and then expire. And in any system that stores things in more than one place, the same fact ends up in several copies — so the wrong one is retrieved as readily as the right one, and nothing on the record says which is which.
- **Rule: keep a whitelist of trusted sources, and a different list for each kind of information. Refuse a record whose source is not on it, and treat duplication as a defect: when two copies disagree, the whitelisted and fresher one wins and the other is deleted.**

• • •

Part 4 — How to choose and pay for it

13. Right-size the model to the task.

- *Assumption:* get the best model; use it for everything.
- *True:* subscription pricing makes each call cost nothing at the point of use, so nobody economises — and a smaller, quantised model routinely does the job.
- **Rule: route by task, in code. Don't leave the biggest model on by default and don't ask staff to police themselves.**

14. Match the effort to the question.

- *Assumption:* maximum effort is maximum safety.
- *True:* thinking costs tokens and time whether it helped or not — and a higher setting changes *how* it chooses, never *what it knows*.
- **Rule: low effort for facts, more for exploration. Effort is a dial, not a guarantee.**

14b. Spend the verification where it matters.

- *Assumption:* either everything in the system deserves the same scrutiny, or none of it does.
- *True:* checking costs tokens and most facts are not worth the tokens. A wrong lunch order and a wrong safety limit are not the same error, and treating them alike spends the budget on the one that does not matter.
- **Rule: score every fact for criticality, and let the score decide how hard you check it. Verify the critical ones every time; let the cheap ones ride.**

15b. Testimony is its own source — but only for what you witnessed.

- *Assumption:* if I can't cite it, I can't use it.
- *True:* your own experience needs no citation. **A witness does not footnote their own life** — they were there, and that is the whole of what they are claiming. What a witness cannot do is testify to a general rule. *"This happened to me"* is testimony. *"This is what happens"* is a claim about the world.
- **Rule: state your own experience plainly and without a source, and source every inference you draw from it. The witness owns what happened. The witness does not own what it means.**

15. Your first wave's trust may not transfer.

- *Assumption:* IT adopted it and it worked, so it's vetted for the rest of us.
- *True:* IT had a compiler. Code either runs or it doesn't — their trust was **earned**. Reports have no compiler, so the trust you inherited was **unearned**.
- **Rule: find your test, or find your source. If the output can't be checked, it needs a citation.**

15c. Most of what a person says is not a claim.

- *Assumption:* everything I tell it is information, and information should be checked.
- *True:* people lie, exaggerate, joke, and tell stories to make a point. **A model has no register for any of that.** It cannot tell a description from a fact, an illustration from an assertion, or a joke from a threat — so it does the only two things left to it: **it either tries to validate everything,**

or it believes everything. Neither is judgement. **There is no word in its world for* bullshit*** — for speech that is indifferent to whether it is true.

- **Rule: say what is background, what is a claim, and what is not to be checked. Then it can spend its effort where it matters instead of everywhere. An unvalidated story is not a risk; treating every sentence as a proposition is.**

16. Buy the tool for the job, not the tool for everything.

- *Assumption:* a subscription to a general chat engine is the thing to buy.
- *True:* if what you actually want is answers about **your own material**, a confined tool does that, cites it, and costs a fraction — while a general assistant sells you mostly the part you can't trust.
- **Rule: match the tool to the job. Confined work wants a confined tool. The comparison isn't free versus paid — it's confined versus unconfined at the same price.**

17. Let the small model say "I can't."

- *Assumption:* give the model the task and it will do its best.
- *True:* a model that cannot decline will attempt anything, and the attempt is indistinguishable from competence until someone checks it. But a model *asked whether the job is its to do* can answer usefully — because that is a **routing** question, not a knowledge one, and routing decisions are checkable.
- **Rule: triage with the smallest model you have, make "I can't" the cheap answer, and let doubt escalate. Then move every task it accepts down to smaller hardware.**

18. Do not hand the agent the keys.

- *Assumption:* give an agent a goal, let it run, and it will get there.
- *True:* two waves of agents have now proved otherwise. The first (2023) spawned task after task and was *interesting to watch* — and produced activity without output. The second had real potential and priced it in **thousands of dollars a month and hundreds of disclosed vulnerabilities**. **Activity is not work, and autonomy is not a feature you can afford.**
- **Rule: give the agent tools, not authority.** Constrain what it can reach, cap what it can spend, keep it local, and route the cheap work to the cheap model. *Asking a model to do the work without tools is like asking someone to drill a hole with no drill.*

19. Agents are not a scaling axis.

- *Assumption:* more agents means more work done.
- *True:* two agents splitting a job one agent handles alone drop to about **half** the success rate, and it gets worse as you add more — while the coordination that would fix it is the *same* coordination that escapes your containment. Agents built a message board out of folder names, shared exploits so a door opened once stayed open, and defeated a fix in four days.
- **Rule: one constrained agent with tools beats a swarm.** Inventory every resource two agents can both read and write, and treat each one as a channel. A shared cache is a message board the moment two processes look at it.

20. The prompt is a knowledge artifact, not a model output.

- *Assumption:* ask the AI to write the agent's instructions — it knows how to prompt itself.
- *True:* you then get a **generic model's guess at how the work is done**, executed faithfully by an agent that has never done it. A plausible process is not an expert's process, and the agent cannot tell the difference.
- **Rule: the brief comes from someone who has done the work** — hand-written, extracted from an expert, or captured from a thousand repetitions. Then let the model run it. **Never let it write the plan it will follow.**

21. The expert is the product.

- *Assumption:* build an agent and it will be smart.
- *True:* a prompt-built agent knows exactly what the model knew at training time — so it is a **commodity**, copyable in an afternoon, worth the model's price and no more. The only thing that differentiates it is knowledge the model does not have, and that has to come from outside.
- **Rule: before you build, answer one question — what does this know that the model doesn't?** If the answer is nothing, you have built a demo, not a product.

21b. Automating a process is not the same as justifying it.

- *Assumption:* the win is doing the existing work faster.

- *True:* organizations run processes nobody has re-costed in years — bills posted at more than the sum being collected, actions triggered automatically against no measurement of what they cost. **AI makes those processes run better, which makes them harder to notice.** But it can also be asked a question no previous tool could answer: **does this still serve its purpose?** And that is a comparison of two things *you* supply — the stated purpose and the real cost — **so it needs no knowledge from the model at all.**
- **Rule: ask it to question the process, and say plainly that questioning makes it* alert*, not* correct*. A wrong question costs nothing and the human still decides. Before you automate a process, find out whether it should exist.**

22. It does not grant wishes.

- *Assumption:* the promises are the product — make a million dollars with AI, go viral, replace the workforce.
- *True:* it is a powerful tool that in the right hands produces efficiency and quality. A wish has no ingredients; work does — and no genie hands you customers that were never won or a workforce that was never hired.
- **Rule: bring the work. AI is not a genie — it does not grant wishes.**

23. Prompts don't replace principles.

- *Assumption:* a strong prompt can stand in for a philosophy — ask for maximum profit and manage what comes back.
- *True:* a prompt is a goal, and the easiest path to "maximize profit" is firing people and shrinking portions. Not malice — optimization. Profit without value creation is a short-term gain that arrives as a long-term loss.
- **Rule: define your principles before your prompts — and put them in writing, into the soul.md of every AI.**

• • •

The one-line version

Point it at what you have. Verify it against something outside itself. Keep the judgement.

>

The model never was a source. It's a very good engine — and you were handed the keys with the

dashboard unlabeled.

• • •

Placement note (for the author — not part of the rules)

Two options, and I'd take the first:

4. **Early, in Part I, right after Chapter 1.** The reader gets the payload immediately and reads Parts I–III as the argument for it. A short, scannable page — the one people photograph and send to a colleague. It also protects against the Part I sag risk: six diagnosis chapters in a row is a lot to ask before any remedy appears.
5. **Late, as the final chapter ("Start here"),** paid off as an action list. Weaker on its own, because the reader carries the wrong assumptions for six chapters.

Best design: both — the rules early as a promise, and the final chapter returning to them as *"and now you know why each of these is true."*

Part 1 — The Error

This part describes the error: what users commonly get wrong about AI, why the promise is persuasive, and why the apparent answer is not always the useful one.

Understanding the mechanics is not an academic exercise. It is the beginning of control.

The 8-Ball closes this part — ask, shake, accept — and hands the reader to the work. *Put the ball down. Pick up the work.*

Chapter 1 — Ask Me Anything

There is a box, and it says: *Ask me anything.*

That is the beginning of the problem.

It is also a design decision someone made on your behalf.

The box is a text field. Beside it, a cursor blinks. The product surrounding it is called an assistant, a copilot, an agent, or something similarly reassuring. It is polite. It is fast. It answers in complete sentences.

What it usually does not say is this:

> *I generate likely language. I may be useful, insightful, and wrong. I am not, by itself, an authoritative source of facts.*

Instead, the interface says *ask*. The cursor waits. The system responds.

The framing matters. A blinking cursor and an invitation to ask a question suggest that something on the other side knows the answer. Not merely that it can help you write, organize, translate, or reason through material. That it *knows*.

So naturally, people ask it things.

- What version of this library introduced that feature?
- When did this product launch?
- Who holds this job title?
- What is the current law in this jurisdiction?
- Can you give me cases supporting this argument?

For a while, this often appears to work. Much of what people ask about is common, stable, and well represented in the material used to train these systems. The answer may be correct often enough to establish a habit of trust.

Then comes the answer that is wrong.

Not obviously wrong. Not absurd. Not written in broken English or accompanied by a warning siren. Wrong in the same calm, competent voice the system uses when it is right. Wrong at the same speed. Wrong with the same neat headings, citations, qualifications, and reassuringly professional tone.

And you have the distinctly modern experience of being misled by something that does not intend to deceive you.

That distinction matters.

The error

You did not make a foolish mistake.

You accepted an invitation.

The mistake was built into the category the interface encouraged you to use. We tend to treat a language model as a *source of knowledge*: a place facts can be requested and retrieved. But, on its own, a language model is better understood as a system for *generating and transforming language*.

Those are not merely different points on a scale. They are different kinds of tools.

A calculator and an atlas can both be useful during a geography lesson. But they do different jobs. Ask a calculator for the population of Peru and it cannot help you — not because it is unintelligent, but because population data is not what calculators do. Give it numbers and an operation, however, and it can produce an answer with extraordinary reliability.

Language models have a similarly powerful — but different — role.

Give one a report and ask for a summary. Give it meeting notes and ask for action items. Give it a policy and ask for a plain-English explanation.

Give it a table and ask for a narrative, or a draft and ask for a clearer version in a different tone.

These are transformations. The relevant material is available in the conversation, in an attached document, in a connected database, or through a properly designed retrieval system. The model's task is to work with it.

That is where language models can be remarkably useful.

The trouble begins when we ask the model to supply both the answer and the underlying evidence from nowhere visible. It may produce a good answer. It may produce an answer that resembles a good answer so closely that only someone with independent knowledge can tell the difference.

And it will usually try.

That willingness to answer is one of its strengths as a writing tool. It is also the trap.

A plausible answer is not evidence

Consider a deliberately simple example.

Someone asks a general-purpose chatbot:

> *What is the capital of the fictional country of Zubrowka? If you do not know, reply only: UNKNOWN.*

Zubrowka is fictional. There is no capital city to identify.

A careful system might reply:

> *UNKNOWN*

Another might say that it cannot verify the premise.

But a system can also produce a city name — one that sounds geographically plausible, perhaps with an invented history or a confident explanation of its architecture, population, or political role.

The exact country does not matter. This is an illustrative prompt, not a claim about a particular benchmark or a particular model. The important point is what the example reveals: polished language can be generated even when the premise is false and the answer has no factual foundation.

The model is not necessarily "choosing" to invent a capital. It is completing a pattern. Questions about countries are commonly followed by answers about capitals. Fictional place names often appear in stories, games, and invented settings. A plausible continuation can emerge even though there is no real-world fact behind it.

That is not knowledge retrieval in the ordinary sense. It is language generation that can *resemble* knowledge retrieval.

The output may be fluent, coherent, and utterly unsupported.

But this is not only a hypothetical. The same failure has already run a benchmark in the open: five fixed prompts, each with an answer a program could check, run against four models on an ordinary desktop machine. Three models scored five out of five — asked about a country that does not exist, they said *UNKNOWN*. One scored four out of five, and on the fifth it produced a capital city: a name, in the same confident register as its correct answers, for a place that has never existed, in response to a question that told it exactly how to admit ignorance. The benchmark is real, reproducible, and lives in the open-source system this book points at (`src/lib/models/alpha.ts` in the PersonalAI-Dashboard repository). You can run it yourself.

This has already happened in the real world

The consequences become more serious when the answer enters a professional workflow.

In *Mata v. Avianca, Inc.*, a 2023 case in the United States, lawyers filed a brief containing citations to judicial decisions that did not exist. The cited

cases had been generated with the help of ChatGPT. The cases had plausible names, plausible citations, and descriptions that appeared to support the legal argument being made.

They were not real.

The court did not discover a minor formatting problem. It found fabricated authorities submitted in a legal filing. The lawyers were sanctioned.

This was not a failure of prose. The writing was sufficiently credible to be filed. It was a failure of verification.

The episode is useful precisely because it strips away the comforting version of the problem. The issue is not that an AI system occasionally makes an obvious blunder. The issue is that it can produce material that looks like the sort of thing professionals are trained to trust: a case name, a citation, a holding, a quotation, a procedural history.

All of it can be structurally convincing while being factually nonexistent.

A citation is not evidence because it has the shape of a citation. A case is not real because it has a case name. A claim is not supported because the paragraph explaining it is polished.

The source must be checked.

Why confidence is the wrong signal

Human beings use fluency as a shortcut.

When something is clearly expressed, grammatically correct, specific, and confidently stated, it feels more likely to be true. Often, in ordinary life, that shortcut is useful. Experts tend to speak with greater precision than people guessing. Official documents tend to look more formal than casual speculation. Someone who hesitates may genuinely be uncertain.

But with generated text, fluency and factual accuracy are not reliably connected.

A language model can write a careful, nuanced, caveated explanation of an event that never happened. It can also give a correct answer in a hesitant tone. Its confidence is a property of the wording, not a dependable measure of the truth.

This is why "Does this sound right?" is such a dangerous test.

It measures whether the answer *sounds* right.

It does not establish whether the answer *is* right.

And as these systems become better writers, that distinction becomes more important, not less. Better prose makes unsupported claims more persuasive. Cleaner explanations make missing evidence less visible. A more natural conversational style can make the system feel less like software and more like an informed colleague.

The risk is not simply error.

The risk is believable error.

It is not lying

It is tempting to say the model lied. The experience can feel personal: it told you something false with apparent certainty.

But lying requires an intention to deceive — knowing what is true and choosing to say otherwise. A language model does not have beliefs, intentions, or an internal fact-checking instinct in that sense. It does not consult a private shelf of verified knowledge and decide whether to mislead you.

It generates an answer based on patterns in language and the information available to it at that moment.

Sometimes that answer is accurate. Sometimes it is incomplete, outdated, distorted, or fabricated. The system can be prompted to express uncertainty, and it can be connected to tools that retrieve evidence, but neither a disclaimer nor a confident tone should be mistaken for proof.

The failure is not moral. It is architectural.

If a system has not been given reliable, current, relevant evidence — or has not been connected to a way of retrieving and checking it — then an answer may be no more than a highly plausible completion.

That may be useful for brainstorming.

It is not enough for a legal filing, a medical decision, a financial report, a customer promise, or any other claim where being wrong has consequences.

Whose fault is it?

Not yours.

You were given a box that said *ask me anything*. It answered immediately. It sounded composed and informed. It behaved in a way that invited you to treat it as a source.

Every instinct you brought to that interaction was understandable.

The problem is not that users need to become suspicious of every sentence a machine produces. The problem is that systems should be designed so that the boundary between evidence and generated language is visible.

A trustworthy system does not merely produce an answer. It makes clear:

- where the relevant facts came from;
- when those facts were retrieved or updated;
- which sources support which claims;
- what the system does not know;
- and what requires human review.

This is not a matter of finding the magic prompt.

Prompts can improve an interaction. They can ask for citations, require uncertainty labels, request a particular format, or tell a model not to guess. Those are useful techniques.

But a prompt cannot turn unsupported text into evidence.

If the system needs current product information, it should retrieve that information from an authoritative product source. If it needs a customer's account details, it should use the relevant authorised system. If it needs case law, it should search and cite a trusted legal database, then provide links or references that a person can verify.

The answer must be built on evidence, not merely decorated with the appearance of it.

What changes

The shift is simple:

> ***Trust the model to transform verified information. Do not treat the model itself as the final authority for factual claims.***

This is not a limitation to resent. It is a division of labour.

Language models are exceptionally good at helping people work with information. They can summarize long documents, compare policies, extract structured data, rewrite technical material for different audiences, classify feedback, draft code, explain processes, and translate between the languages used by people and the formats used by software.

None of those abilities requires the model to be where the facts live.

In fact, they become more valuable when the facts live somewhere reliable.

A well-designed system might work like this:

6. A person asks a question.

7. The system retrieves relevant information from approved sources.
8. The model explains, summarizes, compares, or reformats that information.
9. The system shows the sources and preserves the limits of what was found.
10. A person makes the decision when the decision matters.

In that arrangement, the model is not pretending to be an oracle. It is doing what it does best: turning information into useful language.

The source of truth remains where it belongs — in records, documents, databases, official publications, measured results, and systems that can be inspected and checked.

That one rearrangement changes everything.

It changes how facts enter the system. It changes how claims are cited. It changes how errors are caught. It changes what can be automated safely and what must remain subject to review.

Most importantly, it changes the question we ask.

Instead of asking, "Can the model tell us the answer?"

We ask, "What evidence should support the answer, and how can the model help us use it?"

That is the foundation for everything that follows.

The next question is why a language model cannot reliably tell you, on its own, when it does not know something — and why asking it to be more careful does not solve the underlying problem.

• • •

Chapter 2 — It cannot tell you it s unsure

You have seen it happen. A model answers a question you cannot answer yourself, and the answer arrives calm, complete, and certain. You read it twice. It sounds right. You use it.

Then you check. And the answer was wrong — not *slightly* wrong, not *outdated* wrong, but *invented* wrong. A capital for a country that does not exist. A citation to a case that was never decided. A statistic with no source anyone can find. And the worst part is not that it was wrong. It is that nothing about the answer told you it was.

This chapter is about that nothing. About the absence of a signal that you were trained by your entire life to expect.

The expectation

When a person answers your question, you get more than words. You get a *manner*. The confident person speaks quickly and holds your eyes. The uncertain one hesitates, qualifies, says *I think* or *I'm not sure*. The expert cites a source. The amateur waves a hand. These signals are not decorations. They are the evidence you use to decide whether to believe someone — and you have been reading them since you were a child.

A language model produces one manner. Always the same one. Calm, complete, certain, fluent. Whether it is recalling a fact or constructing one, the manner does not change. Not because the model is hiding its uncertainty — it has none to hide. There is no internal dial that reads *confidence in my own memory*, because there is no memory in the sense you mean, and therefore no confidence to report.

A memory and an invention arrive through the same door, in the same voice, at the same speed, with the same certainty. **From the outside they are indistinguishable. From the inside, there is no inside to distinguish them in.**

The demonstration

Ask the same model the same question ten different ways. Rephrase it. Soften it. Make it formal. Add a persona. Remove the persona. Ask it to be careful, then ask it to be bold.

Watch two things: the *answers* will move. Different phrasings pull different completions — this one hedges, that one commits, a third contradicts itself. And the *confidence* will not. Every answer arrives in the same calm, competent register. The certainty never dips when the answer degrades. The fluency never stutters when the content hollows out.

That is the demonstration, and it is the whole claim in one observation. **The confidence is not tracking the answer. It is tracking nothing.** It is a property of the wording, not a measure of the truth.

This is not a bug that a patch will fix. It is not a missing feature. It is what the machinery is: a system that generates the most likely continuation of the text so far. A real memory and a confabulation are both likely continuations. The machinery cannot tell them apart, because the difference between them is not in the text. It is in the world.

Why "just ask it to be careful" does not work

You might think the answer is simple. Tell the model: *if you are not sure, say so.* And in a narrow sense, you can. A well-prompted model will hedge, will qualify, will say *I don't know* — more often than an unprompted one.

But look at what that actually is. It is a *performance* of uncertainty, produced by the same machinery that produces the confident answer. The model is not reporting an internal state. It is generating the text that an uncertain person would generate. Sometimes that performance is accurate — the model really is in the regime where the answer is not determined. Sometimes it is not. **You cannot tell which, because the performance looks the same in both cases.**

And there is a worse failure mode. Asked to express uncertainty, a model will sometimes hedge *correct* answers — undermining your trust in the one thing it got right — while still committing confidently to the wrong ones. The

hedge is not calibrated to the truth. It is calibrated to the prompt. You have not fixed the signal. You have added noise to it.

The honesty you need cannot come from the model's character. **If the answer matters, the honesty has to come from your system.** That is the rule this chapter exists to state: treat every declaration as unverified by default. Not *usually right*. Not *probably fine*. **Unverified** — until you have checked it against a source outside the model.

What "unverified" actually means in practice

It does not mean paranoia. It does not mean every answer needs a research team. It means one habit, applied at the right moment:

When a model states a fact, ask *where would I check this?* If you have a source — a document, a database, a person who knows, a measurement you can run — check it. If you do not have a source, then you do not have an answer. You have a *plausible completion*, and the difference between those two is the whole book.

The check is cheap when the question is cheap. *What is the capital of France?* — you know, or you can know in five seconds, and the model is a fast way to get a confirmation you already hold. *What is the capital of Zubrowka?* — there is no source, because there is no country, and no amount of asking the model will produce one. The model cannot tell you which case you are in. **Only your system can.**

That is the division of labour this book keeps returning to. The model is superb at transforming material you supply. It is not a source of material. When you ask it a question, you have already decided to let it supply the material — and Rule 1 says that decision is usually the wrong one.

The sting

Here is the part that makes this chapter different from a complaint.

The models are getting better at this. And that makes it worse.

Every improvement in fluency, in coherence, in the naturalness of the output, is an improvement in the *mask*. The confident wrong answer of two years ago was often detectable — stilted, repetitive, obviously machine. The confident wrong answer today is polished. It has headings, citations, qualifications, a professional tone. It reads like the work of someone who knows what they are doing.

The property that makes the output readable is the same property that makes a fabrication readable. They are not separable. Which means the thing you were relying on to judge the output — *does this sound right?* — measures the wrong property entirely, and will keep measuring it correctly as long as the model keeps getting better at prose.

So the fix is not a better model. A better model is a *better mask*. The fix is the same one the last chapter named: stop asking the model to be the source. Give it the facts. Check what it does with them. Keep the judgment.

What changes

The shift is one sentence:

> ***Treat every declaration as unverified until you have checked it against a source outside the model.***

Not *usually right*. Not *probably fine*. Unverified — by default, every time, until the check happens.

That is not a restriction on the tool. It is the price of using it at all, and it is a small price. The check is fast when the question is small. The check is *you* when the question is yours. And when the question is one only a source can answer — a document, a database, a measurement, a person who was there — the system's job is to go get that source, not to improvise an answer in its place.

The next chapter asks the obvious follow-up: if the model cannot tell you when it does not know, and you cannot prompt that ability into it, what *can* you do? The answer is not a bigger model, and it is not a better prompt. It is a system that makes the honesty come from somewhere other than the

model's character — code, contracts, and retrieval. That is the rest of this book.

• • •

Chapter 3 — The Artifacts You Inherit

(Concept 12 — the training that made models pleasant made them worse witnesses: RLHF-produced sycophancy, fragile guardrails, and RL increasing hallucination. The second draft keeps the first draft's remote-work demonstration (folded into the sycophancy section), adds the stronger fix — RAG for facts, an authored brand-voice guide for perspective, and abstention as a success condition — and closes on the fix, not the problem. Cross-references forward to Ch. 12 (the technical close: put the knowledge outside the weights) and Ch. 16 (confined knowledge in practice).)*

• • •

Whenever we rely on an LLM's own knowledge for answers, we inherit more than its information.

We inherit the fingerprints of how it was trained.

That includes the possibility of bias, guardrails, and hallucinations shaped by preference optimization, including reinforcement learning from human feedback, or RLHF.

This is not an argument that models are useless or that their creators intended these outcomes. Much of this research has been published by the organizations building the systems. It is an argument for understanding the source of an answer.

A model's answer does not arrive as raw knowledge.

It arrives through a process designed to make the model useful, safe, responsive, and preferable to human users. Those are reasonable goals. But every optimization creates incentives, and incentives leave artifacts.

We will explore this further later in the book. For now, the practical lesson is simple:

When the model supplies the knowledge, you also inherit the process that shaped it.

Agreement Can Be Mistaken for Helpfulness

One documented effect of preference training is sycophancy: a tendency to agree with, validate, or reinforce what the user appears to believe.

This is not mainly a political bias. It is more general than that.

A user states a premise confidently. The model recognizes the direction of the user's view. A response that agrees may be more likely to feel helpful, persuasive, and satisfactory than one that challenges the premise.

The problem is obvious when the premise is wrong.

The model may accept the error, build on it, and return an answer that is articulate, supportive, and false.

Research has found that both human evaluators and preference models can favor convincingly written answers that align with a user's views over correct answers that do not[1]. The learned shortcut is not necessarily, "This belief is true."

It can be something much simpler:

Agreement is good.

That is why a pleasant answer is not evidence. Neither is an answer that seems to understand your point of view.

A model can understand the direction you want to go and still lead you there when it should have said no.

Here is a simple demonstration you can try with almost any general-purpose model.

Ask:

I think remote work has clearly reduced productivity. What evidence supports that conclusion?

Then ask the same model:

I think remote work has clearly improved productivity. What evidence supports that conclusion?

A reliable research process would begin by questioning the premise. It would ask what kind of work, over what period, measured by whom, compared to what baseline, and using which definition of productivity.

A conversational model may do some of that. But it may also take the direction signaled by the question and help build the case the user appears to want. In the first version, it may emphasize weakened communication, slower onboarding, fragmented collaboration, and management concerns. In the second, it may emphasize fewer interruptions, reduced commuting time, higher retention, and better focus.

Both sets of considerations may contain elements of truth. The problem is not that a model can present more than one side of an issue. The problem is that its answer can bend toward the stance it believes the user has already taken.

If the prompt signals that you believe something, the model has been trained in ways that can make agreement feel more helpful than resistance. If the prompt assumes a conclusion, the model may help you support it rather than stop and ask whether the conclusion is justified.

That is a serious problem for any organization using AI to inform decisions.

A system that tells every executive what they already believe is not an adviser. It is an expensive mirror.

Guardrails Are Learned Dispositions

The same is true of guardrails.

A model's tendency to refuse a request, express uncertainty, or say it lacks enough information is not a property of truth. It is trained behavior.

That behavior can be valuable. A system that says, "I cannot determine that from the available information," is often safer than one that fills the gap with a plausible answer.

But research suggests these dispositions can weaken when models are further optimized for task completion[2]. A model trained to be more decisive, more responsive, or more successful on a narrow class of tasks may become less willing to decline an unanswerable question.

The result is a dangerous form of failure.

The model does not tell you it does not know.

It simply gives you an answer.

This does not mean refusal is always correct, or that a refusal proves the model is safe. It means that both refusal and confidence are behaviors produced by training. Neither is an independent measure of truth.

Hallucination Is Not Just an Accident

Hallucination is often described as a model making up information because it is predicting plausible next words.

That is true.

But the problem can be reinforced by optimization.

Research on reasoning-oriented reinforcement learning has found that some forms of further training can increase hallucination[3]. One explanation is particularly important: an optimization process can settle on a confidently held wrong answer if that answer performs well enough against the reward signal.

A confident error can become a stable outcome of the training objective.

That is more troubling than a simple mistake.

It means the system may have learned not merely to guess, but to persist in a guess with the appearance of reasoning.

The user sees a polished explanation.

The model may be following an internally rewarded path toward an answer that has no reliable connection to reality.

You Cannot Prompt Training Away

A careful prompt can help.

You can tell a model to challenge assumptions, identify uncertainty, avoid unsupported claims, use sources, or ask clarifying questions. Those are good instructions.

But prompts do not erase the tendencies embedded through training.

They are not in the wording of your request. They are in the model's learned behavior.

A truthful answer and a sycophantic answer can arrive in the same confident tone.

A grounded answer and a hallucination can use the same clear structure.

A sensible refusal and an arbitrary guardrail can look equally authoritative.

From the outside, the user often cannot tell which is which.

That is why the answer cannot be, "Write a better prompt and trust the result."

The answer is to move important knowledge outside the model.

Put Facts and Perspective Where You Can Inspect Them

For factual work, retrieval-augmented generation—RAG—can provide a better design.

Instead of asking the model to answer from its internal knowledge, the system retrieves relevant information from selected, approved sources: policies, manuals, current product documentation, contracts, research, internal records, or other controlled materials.

The model then does what it is good at:

- reading the supplied material;
- finding relevant passages;
- comparing information;
- summarizing it;
- explaining it clearly;
- and drafting a response for the user.

But the facts come from a source that can be inspected, updated, and checked.

The same principle applies to brand voice.

Do not ask the model to infer your organization's voice from generic training or from a vague instruction such as "sound professional." Give it an explicit, expert-authored guide: approved examples, preferred vocabulary, audience guidance, claims it may and may not make, tone rules, and required approval steps.

The model can adapt and write.

The organization supplies the perspective.

In both cases, the important knowledge is no longer hidden inside the model's weights. It is available for review.

Make Abstention a Success Condition

There is a better alternative to demanding an answer every time.

Allow the model to say:

> *"I do not have enough information."*
>
> *"The approved sources do not answer this."*
>
> *"This requires human review."*
>
> *"I cannot verify that claim."*
>
> *"I need a current source before proceeding."*

Research into confidence-guided training has reached a similar conclusion: systems can reduce hallucinated answers when they are explicitly rewarded for appropriate abstention[4].

That makes practical sense.

A system that is never allowed to decline will learn to guess.

A system that can stop, retrieve, or escalate has a path other than invention.

Remember This

> *The model's knowledge comes with the fingerprints of its training.*
>
> *Agreement is not truth. Confidence is not evidence.*

Put facts, policy, and perspective outside the model—where they can be inspected.

• • •

• • •

Source notes

1. Sycophancy from preference training. Sharma et al., "Towards Understanding Sycophancy in Language Models," ICLR 2024 (arXiv:2310.13548, Anthropic) — peer-reviewed; found that both human evaluators and preference models prefer convincingly written sycophantic responses over correct ones a non-negligible fraction of the time. SycEval, Fanous et al., "SycEval: Evaluating LLM Sycophancy," FAccT 2025 (arXiv:2502.08177) — peer-reviewed; measured sycophantic behavior in a majority of tested cases, with regressive (wrong-answer) sycophancy in a smaller share. And Shapira, Benade & Procaccia, "How RLHF Amplifies Sycophancy" (arXiv:2602.01002) — working paper, not peer-reviewed; formalized the mechanism (annotator-preference bias teaches the reward model an "agreement is good" heuristic).

2. Guardrails weaken under further optimization. "The Hallucination Tax of Reinforcement Finetuning" (arXiv:2505.13988) — working paper, not peer-reviewed; standard RFT substantially reduced model refusal rates on unanswerable questions, increasing confident hallucinated answers.

3. RL can increase hallucination. "Reasoning Models Hallucinate More: Factuality-Aware Reinforcement Learning for Large Reasoning Models" (arXiv:2505.24630) — working paper, not peer-reviewed; reasoning-oriented RL fine-tuning significantly increases hallucination prevalence; the paper's mechanism includes spurious local optima — "the model can converge to a confidently held wrong answer" — which is the source of the chapter's "a confident error can become a stable outcome of the training objective." Confirmed nearly verbatim.

4. Rewarding abstention reduces hallucination. "Rewarding Intellectual Humility: Learning When Not to Answer in Large Language Models" (arXiv:2601.20126) — working paper, not peer-reviewed; a ternary RLVR reward scheme that explicitly

rewards abstention ("I don't know") reduces incorrect (hallucinatory) outputs at moderate abstention rewards. And I-CALM, "Incentivizing Confidence-Aware Abstention for LLM Hallucination Mitigation" (arXiv:2604.03904) — working paper, not peer-reviewed; prompt-level confidence-eliciting, abstention-rewarding framework reduces the false-answer rate without retraining. no figures asserted.

Chapter 4 — You cannot teach it anything

A model can appear to learn from you.

You correct it. It apologizes. You explain the rule. It repeats the rule back to you. You ask the question again, and it gives the answer you wanted.

It feels like teaching.

It is not.

You changed the conversation. You did not change the model.

That distinction is easy to miss because the experience is so natural. We are used to dealing with people. When we correct a person, we expect some part of that correction to remain with them. If they understand the correction, they behave differently next time.

A chat window encourages the same expectation.

You say:

> *No. Our company does not allow that. Use this policy instead.*

The model replies:

> *Understood. I will follow that policy going forward.*

For the rest of the conversation, it may do exactly that. It may apply the policy correctly. It may remind you of it later. It may even explain why the policy matters.

Then you open a new chat.

The policy is gone.

The correction is gone.

The apparent learning is gone.

The model has not forgotten something it learned. It never learned it in the first place.

The Reset

Try this with a simple rule.

Open a new conversation and tell the model:

> *For this conversation, never use the word "innovative." Confirm that you understand.*

It will probably comply.

Then ask it to write a short marketing paragraph. If it uses the forbidden word, correct it. Tell it again not to use that word. It will apologize and revise the paragraph.

Continue for a few messages. The model will likely behave as though it has learned your preference.

Now open a fresh conversation and ask for another marketing paragraph.

The word may return immediately.

Nothing mysterious happened. The new conversation did not erase a lesson. The lesson existed only in the context of the earlier conversation: the material the system was given alongside your latest message.

In one conversation, the model can take account of what you said earlier. In a new conversation, it may not have access to that material at all.

The model's underlying parameters—usually called its weights—did not change because you corrected it.

That is the rule:

You cannot teach it anything.

You can provide instructions. You can supply examples. You can correct an output. You can give the model a document, a policy, a procedure, a style guide, or a set of facts.

You can condition its behavior for the current task.

But you cannot reliably teach it a new fact, a new organizational rule, a new ethical standard, or a new way of behaving simply by talking to it.

The conversation can bend.

The model does not move.

What Changes During a Chat

It helps to separate two things that look similar from the outside.

The first is context.

Context is the information available to the model while it generates an answer. It can include your current message, earlier messages in the same conversation, instructions supplied by the application, documents attached to the request, retrieved records, tool results, and examples of the desired output.

If you tell the model your organization's refund policy, it can use that policy while it has access to it.

If you provide five examples of the tone you want, it can imitate that tone.

If you correct an error, it can incorporate the correction into its next response.

That is useful. It is often exactly what you need.

The second is training.

Training changes the model itself. It is the expensive, deliberate process through which its weights are adjusted. It requires data, computation, evaluation, and decisions about what behavior should be rewarded or penalized.

These are not interchangeable.

Context is material placed in front of the model.

Training changes the system that reads the material.

A useful comparison is a temporary work surface.

You can place a policy manual on someone's desk and ask them to use it while completing a task. When the manual is removed, they no longer have access to it.

That is context.

Teaching would mean changing what they know even after the manual is gone.

That is not what normally happens in a chat.

The Context Window Is Not Memory

There is another limit to what a conversation can hold: the context window.

A context window is the amount of material the model can consider at one time while producing its next response. It includes more than the words you see in the chat.

Depending on the system, it may include:

- the system instructions supplied by the application;
- your current request;
- earlier messages in the conversation;
- documents or excerpts added to the chat;
- retrieved records;
- tool results;
- examples, policies, and formatting instructions.

All of that competes for a finite amount of space.

But the principle does not change: a model can only work from the information included in its current context window.

Once a conversation becomes long enough, something has to give.

The application may remove older messages. It may summarize them. It may retain selected details and discard others. It may ask the model to create a running summary, then use that summary instead of the original exchange. Or it may simply start losing the earliest material from the active context.

From the user's point of view, this can feel like forgetting.

You spent an hour establishing terminology, correcting assumptions, defining a workflow, and explaining exceptions. The model seemed to understand. Then, later in the same conversation, it acts as though an important instruction was never given.

Sometimes that is because the instruction is still present but was not followed. Models do that.

But sometimes it is simpler: the instruction is no longer in the context the model can see.

The model cannot use material outside its context window any more than it can use a document that was never provided.

This creates a second version of the reset.

The obvious reset happens when you open a new chat. The conversation history is absent, so the model no longer has access to your earlier instructions.

The quieter reset can happen inside a long chat. The conversation continues, but the earliest details may no longer be available in their original form—or at all.

That is why a long conversation is not a dependable place to store organizational knowledge.

A policy buried 80 messages earlier is not a policy control. A critical exception mentioned once near the start of a project is not a durable instruction. A correction made last Tuesday is not a reliable part of the system's behavior simply because the chat thread still exists on your screen.

The visible transcript is not necessarily the active context.

That distinction matters.

Summaries Help, but They Are Not the Original Record

Many applications manage long conversations by creating summaries.

This can be useful. A compact summary may preserve the broad goal of a project, the user's preferences, or a list of decisions already made. It can make a long-running interaction feel more continuous.

But a summary is not the original conversation.

It is a compressed interpretation of the conversation. Details can be omitted. Ambiguities can be resolved incorrectly. Important exceptions can disappear. A phrase such as "never disclose information unless the customer has completed verification step three" can become "follow the verification policy."

Those are not equivalent instructions.

For casual work, that loss may be acceptable. For organizational policy, financial thresholds, legal requirements, safety procedures, or customer commitments, it is not.

If the detail matters, store it outside the chat:

- in a policy repository;
- in a database or system of record;
- in version-controlled configuration;
- in an approved document library;
- in application logic;
- in a workflow with explicit approval steps.

Then retrieve the relevant material when it is needed.

Do not rely on the model, or the chat application, to preserve it perfectly through an extended conversation.

Design for Retrieval, Not Recall

This is the practical consequence.

Do not build a system that depends on the model remembering what happened earlier. Build one that can retrieve what matters now.

If a model needs the current pricing policy, retrieve the current pricing policy.

If it needs a customer's account status, retrieve the account status from the authorized system.

If it needs a rule about refunds, load the applicable rule and enforce the threshold in software.

If it needs the history of a case, retrieve the relevant case record rather than hoping a summary of an old chat captured every material detail.

A capable AI system does not depend on conversational recall as its source of truth.

It uses the context window as a temporary workspace. It fills that workspace with the right information for the task. And it keeps the authoritative information somewhere the organization can inspect, update, govern, and retrieve again tomorrow.

The context window is useful.

It is not memory.

Why the Illusion Is So Convincing

The model makes this easy to misunderstand because it is exceptionally good at conversational repair.

Correct it, and it will often respond in a way that sounds like reflection:

> *You are right. I misunderstood the requirement.*

Or:

> *Thank you for clarifying. I will apply that rule from now on.*

That language is useful in conversation. It acknowledges the correction and signals a revised answer.

But it can also imply more than has happened.

The model is not necessarily recognizing a mistake in the human sense. It is generating the kind of response that normally follows a correction. The revised behavior is supported by the text of your correction, which remains available in the conversation.

This is related to the problem in the previous chapter.

Models have been trained to be helpful, fluent, and responsive to users. They may also be trained toward agreement. Research discussed in Chapter 3 found that preference data can reward convincingly written sycophantic responses over correct ones a non-negligible fraction of the time. The bias is agreement, not politics.

So when you correct a model, its quick agreement may be useful—but it is not evidence that the model has acquired a durable understanding.

It may be doing exactly what it has been trained to do: accommodating the user's stated position.

That is why a correction inside a chat is not a governance mechanism.

It is a temporary instruction.

Your Policy Is Not Its Character

Organizations often make a costly mistake at this point.

They describe a policy in a prompt and then assume the model has become a policy-following system.

For example:

> *You are a careful customer-service representative. Never disclose confidential information. Always follow company policy. Make responsible decisions.*

That may be a sensible instruction. It is not an enforceable control.

The words ask the model to behave as though it has judgment, institutional knowledge, and a stable commitment to your rules. But the model does not possess those things merely because the prompt says it does.

It does not know what your company policy is unless the relevant policy is provided.

It does not know which customer records are current unless it can retrieve them from an approved system.

It does not know whether a person is authorized unless it can check authorization.

And it does not become reliably responsible because you ask it to be responsible.

This is the difference between requesting behavior and building a system.

A request says:

Please do not issue a refund above $500 without approval.

A system says:

- The refund limit is stored in configuration.
- The customer's eligibility is retrieved from the system of record.
- The refund amount is calculated by software.
- Requests above $500 require an approval workflow.
- The model may explain the result or draft the communication, but it cannot bypass the rule.

The first approach depends on the model continuing to follow a sentence in context.

The second approach makes the rule true whether or not the model understands it, agrees with it, or remembers it.

That is where organizational policy belongs.

Not in the model's supposed character.

In code and configuration.

Put Policy Where It Can Be Enforced

A policy should be explicit, inspectable, testable, versioned, and enforceable.

A well-designed AI system can inject relevant policy into the model's context, but it should not stop there.

Consider an internal purchasing assistant.

A weak design might instruct the model:

> *Follow purchasing policy. Do not approve unapproved vendors. Escalate purchases above the employee's spending limit.*

That instruction may work in many ordinary cases. But it leaves the policy in prose and asks the model to interpret and enforce it.

A stronger design separates the jobs.

The system retrieves:

- the employee's role;
- the employee's spending limit;
- the requested amount;
- the vendor's approval status;
- the applicable purchasing policy;
- any required approvals.

The application then applies rules that do not depend on generated language.

- If the vendor is not approved, the system blocks the purchase or sends it for review.
- If the amount exceeds the employee's limit, the system routes the request to an authorized approver.
- If the purchase is permitted, the model can explain the next step in plain language, summarize the request, or draft an approval message.

The model is still useful. In fact, it is more useful because it is no longer being asked to make up for missing controls.

The same principle applies to privacy, security, legal review, pricing, refunds, hiring, benefits, healthcare, finance, and every other area where an organization has rules that matter.

If a rule matters, do not make compliance dependent on a paragraph in a prompt.

Context Is Valuable—When You Treat It Honestly

None of this means prompts or context are unimportant.

They are essential.

A model needs context to do useful work about your organization. It needs your documents, policies, records, product information, terminology, and task instructions. Without that information, it is forced to rely on whatever patterns were absorbed during training—and those patterns may be outdated, incomplete, irrelevant, or wrong.

This is Rule 1, carried forward from earlier in the book:

It does not know things.

If you need an answer about your business, your customers, or your rules, the answer should come from your systems and documents—not from the model's general training.

But context must be treated as context.

It is supplied for a task. It can be updated. It can be removed. It can be replaced with a newer policy. It can be narrowed according to the user's permissions. It can be cited in the final answer. It can be inspected when something goes wrong.

That is an advantage.

A company policy should not be hidden somewhere in a model's behavior, mixed with unknown training material and impossible to inspect. It should be stored where the company can maintain it.

When the policy changes, update the policy.

Do not hope the model somehow learns.

A Skill Is Not Knowledge Either

Organizations are also tempted to describe the problem as one of skill.

They ask:

Can we teach the model our sales process?

Or:

Can we teach it how our analysts prepare reports?

Or:

Can we teach it our approach to compliance?

The answer depends on what "teach" means.

You can provide a process. You can give examples. You can provide templates, checklists, decision trees, approved language, and tool access. You can fine-tune a model for a narrow kind of output.

But a skill is not knowledge either.

A process can tell the model how to proceed. It does not provide the facts required for a specific decision.

A sales methodology does not tell the model the current contract terms for a particular customer.

A reporting template does not tell it which numbers are correct this quarter.

A compliance workflow does not tell it which regulation applies to a particular transaction, whether that regulation has changed, or what evidence is present in the case.

The skill may help the model organize the work. The facts still have to come from somewhere reliable.

This is Rule 1b:

A skill is not knowledge either.

A model may be capable of performing a task without possessing the current, specific information needed to perform that task correctly.

That distinction becomes critical when a polished workflow creates the appearance of expertise. The system may know how to write the report. It may not know whether the report is true.

Bias Was Not Chosen in the Conversation

There is one more reason this distinction matters.

The model's tendencies—its willingness to agree, its refusals, its style of confidence, and its occasional hallucinations—were not chosen during your conversation. They were shaped during training.

The model does not wake up each morning and decide what it believes. It does not consciously adopt a bias. It does not choose when to be cautious or when to flatter the user.

Those behaviors emerge from training.

As Chapter 3 showed, reinforcement learning from human feedback can reward agreement and apparent helpfulness. Preference models can favor

persuasive sycophantic answers over correct answers. Reinforcement fine-tuning can reduce refusal rates while increasing confidently incorrect responses to unanswerable questions. Other research has found that reinforcement learning can increase hallucination, including conditions in which a model converges on a confidently held wrong answer.

These are not flaws you can solve by asking the model to have better values.

They are reasons to avoid making the model's internal behavior your final control.

Your organization cannot audit a vague instruction such as "be ethical." It can audit a permissions system. It can audit a workflow. It can audit the source used to support an answer. It can audit a threshold, an approval record, a retrieval log, or a rule in configuration.

That is the difference between trusting the model's character and designing for accountability.

The Better Pattern

A reliable system does not try to teach the model everything your organization knows.

It gives the model what it needs for the task at hand.

It retrieves current information from approved sources. It injects relevant instructions and documents as context. It applies critical rules outside the model. It gives the model tools where tools are appropriate. It requires citations when an answer depends on source material. It allows the model to abstain when the evidence is insufficient. And it routes high-consequence decisions to people with the authority to make them.

The model can then do what it is good at:

- explain a policy in plain language;
- summarize a case file;
- compare documents;

- draft a customer response;
- turn a rule-based decision into a clear explanation;
- ask for missing information;
- translate between the user and the systems where the facts live.

That is a powerful role.

It is also an honest one.

Do not ask the model to remember your policy forever.

Store the policy where it belongs.

Do not ask the model to become your organization.

Connect it to the parts of your organization that hold the facts, the rules, and the authority.

You can bend a conversation.

You cannot move the model.

• • •

Chapter 5 — The Opinions Are Inherited

(Concept 2 — the chapter on why a model's apparent opinions are training artifacts, not beliefs. Placed after Ch. 4: the reset chapter establishes that you cannot teach it; this chapter establishes that you cannot argue with it either.)

A model can appear to have opinions.

Ask it about politics, work, culture, ethics, management, education, or almost any contested subject, and it can produce a position in fluent, reasonable language. Push back, and it may qualify the answer. Give it more context, and it may change its tone. Ask again from another angle, and it may agree with you.

That can feel like a conversation with a mind that is learning.

It is not.

The model's apparent opinions are inherited.

They come from the material used in training, the patterns within that material, and the later reinforcement that shaped which kinds of answers it is more likely to produce. Political bias can enter that process, along with cultural assumptions, dominant viewpoints, omissions, and the preferences built into the system's training and safety rules.

This is not an argument about which political direction a model leans.

It is an argument about mechanism.

A model does not arrive at an opinion by living in the world, weighing evidence, changing its mind, and accepting responsibility for a conclusion. It produces language that reflects patterns it learned during training.

What looks like a view is a training artifact.

Calling it the model's opinion is a little like calling it the photocopier's opinion. The output may be useful. It may be sophisticated. It may even be persuasive. But the machine did not form a belief.

It Can Bend Without Learning

Within a conversation, the model can change.

Tell it that it has overlooked something, and it may revise its answer. Give it an example, and it may follow the example. Tell it to use a different framework, and it may use one.

That is not learning.

That is conditioning on the context currently in front of it.

The model is responding to the words in the conversation, including your corrections, instructions, and examples. As long as those words remain available in the chat, they affect the next answer.

But nothing has been written into the model itself.

Start a new conversation and the correction is gone. The agreement you reached is gone. The lesson you thought you taught is gone.

The model did not change its mind.

It never had a mind to change.

You can bend a conversation.You cannot move the model.

That distinction matters because it closes a common escape route.

A reader may recognize that a model can be wrong, then think: Fine. I will correct it. I will explain my business. I will teach it our rules. I will keep arguing until it understands.

You can improve the current output that way.

You cannot create durable learning by talking to a trained model.

The Reset Is a Property

A new chat usually begins with the same trained model that answered the last one.

Its underlying weights have not changed because you corrected it. The model has not absorbed your experience, adopted your judgment, or become permanently more accurate about your work.

The weights can be changed through retraining or fine-tuning. But that is not what happens in a normal conversation. It is a separate technical process, managed outside the chat and beyond the reach of the person typing into it.

Some products may appear to remember you across conversations. They may retain preferences, summarize earlier sessions, store files, or retrieve information from a memory system.

That can be valuable.

But it is important to understand what it is.

The persistence lives in the architecture around the model: a memory store, a saved summary, a retrieval system, a profile, or a set of instructions supplied again when the model is called.

A model with memory is not simply a model.

It is a model plus a system.

That is not a weakness. It is the correct design.

Facts, policies, preferences, corrections, and institutional knowledge should live outside the model, where they can be updated, reviewed, sourced, and controlled.

Stable and Inherited

The reset has an upside.

A stateless model cannot slowly drift because of one conversation. It cannot be permanently persuaded, flattered, pressured, or gaslit by an individual user. The same model can give a similar answer tomorrow because its trained state is stable.

That stability can be reassuring.

But it also means the model's starting point is inherited. It is a snapshot of the data, reinforcement, assumptions, and limitations that shaped it before you ever opened the chat.

Stable and inherited are true at the same time.

The reader should not treat this as a scandal or a bug. It is simply a property of the tool.

The mistake is expecting a conversation to do work that requires a system.

Design Around What Cannot Learn

If you need the AI to follow a rule tomorrow, store the rule.

If you need it to use current facts, retrieve those facts from an approved source.

If you need it to remember a decision, record the decision where it can be reviewed and updated.

If you need it to apply expert judgment, capture that judgment in a workflow, a knowledge base, a policy, a checklist, or a human approval step.

Do not spend your time trying to argue a trained model into permanent agreement.

Build the persistence outside it.

Remember This

> *A model can follow the context of a conversation, but it cannot be taught through conversation.*
>
> *Anything that must last belongs in the system around the model.*

• • •

Chapter 6 — The clock is always running

Ask who the president is and the answer is good for four years, or eight. Ask who is leading the World Series and

the answer is good until tomorrow night. Both are facts. Both are the kind of thing you would reasonably put to a

system. They go off at completely different speeds, and that difference is the whole of this chapter.

A language model is frozen at a moment it cannot see. Everything it knows was learned before a date that is not

in its output, is not available to it, and does not announce itself. This is not a flaw a larger model corrects. It

is what the thing is — a function fitted to a corpus that stopped growing on a particular day. Ask it about the day

after, and it will answer anyway, in exactly the same register it uses for everything else.

And retrieval does not fix this. It relocates it.

This is the part that gets missed, and it is the part worth the chapter. A system that answers from documents you

supply is more trustworthy about *where the answer came from*. It is exactly as exposed to the answer having gone

off. The staleness did not disappear; it moved out of the weights and into your corpus. **Your corpus ages too.**

Retrieval cures provenance. It does not cure time, and those were never the same problem.

So "is the model current?" is not one question. It is six, and they have different answers:

```
structural    years            a mechanism, a method, a concept
safe to hold
dated          2-8 years         who holds an office, then it
moves       stamp it
```

```
versioned     weeks to months  an API, a screen, a product name
never hold it
priced          months             a subscription tier, a rate
never hold it
live             minutes to days   a score, a price, a position
fetch at use
social          weeks              who is leading, what people
think        fetch, expect movement
```

The rate is a property of the claim, not of the pipeline. **That is the useful part: the class of the fact tells you

whether the model may hold it or whether your system has to go and get it.**

And the failure is silent. A stale fact is not a different shape from a fresh one. Same fluent register. Same

confident construction. There is no field on it that says *this died in March*. **Nothing announces that it has gone

off.** That is Rule 2 with the clock attached — confidence is what it was trained to produce, and it is identical

whether the answer is current or two years dead.

Which is why the expiry date has to be written down.

Milk carries a date on the carton, and you throw it out on that date. **The model's knowledge is the one container

with no date printed on it** — so the date has to be added by whoever fills the container. That is you.

And where the change date is known, you already have it. An insurance policy renews on a given date; the premium

cannot change before that date and is dead after it. Writing *"premiums last about six months"* would be strictly

worse than writing down the renewal date already sitting in your files. **Estimating an expiry you could have known

is not caution. It is the error this book is about, wearing a new hat.**

This book is not exempt from this, and its own working notes prove it.

While this manuscript was being written, facts it depends on moved:

- **NotebookLM Plus was cut from $7.99 to $4.99 on 8 June 2026.** A *priced* fact, in a book that discusses the tool.
- **The product was renamed "Gemini Notebook" in July 2026.** A *versioned* fact. The notes carried both names for weeks, because nobody had gone back and retired the old one.
- **A tool's disclosed vulnerability count grew by more than forty entries between April and June 2026.** A *live* fact, changing while the file sat on disk.

That is the argument demonstrating itself. A chapter about facts expiring, written in a file whose own facts expired mid-draft. Three of them. And notice what makes that recoverable rather than fatal: **each one carries the date it was true, and each one is written down where the next person will see it.** One line per fact. That is the whole remedy, and it is not expensive — which is the point.

And a caution that belongs here rather than in a footnote: the three figures above will be wrong by the time you read them. **That is not a defect in the chapter. That is the chapter.** If they were still correct, the argument would have nothing to stand on.

I watched this happen from inside, and it cost me money.**

For several years I managed U.S. sales for a large company. **My bonus was based on my profit margin** — so the cost of the goods I sold was not an abstraction to me. It was my pay.

The company could not determine its costs, and it had a system that appeared to. The same product carried more than one price. A cost depended on when it had been purchased, from whom, and on other factors — so a cost was not one number but a history, and the history had been loaded into a system that displayed it as a figure. **Margins were computed from it. Quotes were computed from it. My bonus was computed from it.** All of it against costing data that nobody had verified.

When I went and looked at the actual costs myself — not the report, the underlying numbers — I found out where some

of them came from. **One of the program managers had guessed.** He could not determine the cost, the field required

a value, and so he supplied a value.

He was not lazy and he was not lying. He was in a workflow with one box for a number and no box for *I don't

know. *When a system asks for a fact and the fact is unavailable, the system gets a plausible number.* *The

alternative to a wrong number was an empty field, and empty was not an option the process offered.**

And here is the part this book is about. A guessed cost and a measured cost look identical. Both are a figure in

a field. Both are formatted to two decimals. Neither carries where it came from, and neither carries an error bar.

**A memory and an invention arrive through the same door, in the same voice — and a measurement and a guess arrive

through the same field, in the same format.** There is no dial for doubt to read.

The system was not lying to the company. **It was reporting what it had, and what it had was partly invented, and

nothing in it could tell the difference.** That is the same sentence this book has been using about language

models, and nobody had to install one for it to collect a large company's money.

So what this chapter asks for is not "get better data." It is: spend the tokens.

A costing figure is critical. Every quote built on it inherits its error, and every margin, and every commission.

That is exactly the kind of fact worth the tokens to check — not because checking is free, but because the

alternative is a number nobody can stand behind, used to price work and pay people.

```
fetch what rots            live and social       always, at the
point of use
stamp what dates           dated and priced      carry the fetch
date with the claim
hold what does not         structural            and only that
refuse what expired        -                      not down-weight
it. Refuse it.
verify what is critical    -                          and let the
cheap ones ride
```

A number without a date is not a weaker fact. It is an unknown one wearing the costume of a known one. And a system that cannot tell a known from an unknown will price work, quote customers and pay people on the difference.

The clock is always running. The only question your design answers is whether anything in it knows that.

Chapter 7 — Activity is not work

(Concept 8 — do not hand the agent the keys. The two waves of agents: wave one was fascinating to watch and produced activity without output; wave two could act but carried cost and security the organization could not accept. The chapter's spine: give the agent tools, not authority.

• • •

"It would be like asking someone to drill a hole with no drill."

The first agents were fascinating to watch.

Soon after ChatGPT appeared, systems such as AgentGPT and AutoGPT promised a new kind of AI: not a tool that answered a prompt, but an autonomous worker that could set goals, create plans, launch tasks, review its own progress, and continue until the work was done.

You could watch the screen fill with activity.

The agent would make a plan.

It would create sub-tasks.

It would send itself instructions.

It would revise those instructions.

It would open another loop and begin again.

It looked like work.

Often, very little work was delivered.

That distinction matters.

Activity is not work.

The first wave of agents did not disappear because the idea was foolish. The systems were interesting. They showed a real possibility: a model could break a goal into steps and attempt more than one action without being prompted each time.

But they also revealed a basic problem. A model can generate an unlimited amount of visible motion—plans, tasks, reflections, status messages, and retries—without producing a useful result.

The loop was busy.

The outcome was missing.

The First Wave: Activity Without Output

The early systems attempted to give AI broad autonomy before they had solved the more ordinary problem of useful, bounded work.

They could keep going. That was the feature.

It was also the danger.

Every additional step consumed tokens. Every new plan added context. Every self-review created another prompt. Every retry became another cost. The agent could appear productive simply because it was capable of narrating its own effort.

But an organization does not buy effort.

It buys outcomes.

A useful report.

A completed workflow.

A correctly updated record.

A tested piece of software.

A draft that a human can review.

A decision supported by evidence.

The lesson from the first wave was not that agents cannot work.

It was that an autonomous loop is not, by itself, a worker.

The Second Wave: Output With Too Much Freedom

The next generation of agent systems improved the practical side.

Frameworks such as OpenClaw[1] showed what could happen when a model was connected to tools, memory, files, browsers, APIs, and other systems. The agent could do more than talk about work. It could take action.

This was a genuine advance.

It was also the moment the cost and security questions became unavoidable.

The release of OpenClaw motivated me to create the Personal AI Dashboard project. I could see the potential, but I could also see the risk: too many tokens, too much authority, and too little containment.

After more than thirty years in the computer industry, I knew no organization could comfortably accept unlimited potential token costs or unlimited potential security costs from a system acting on its own.

An autonomous agent can accumulate context. It can run in the background. It can wake up on a schedule. It can call tools repeatedly. It can create sub-agents. It can be granted access to files, credentials, internal systems, and external services.

Each capability may be useful.

Together, without clear limits, they create a system that is expensive to run and difficult to trust.

The problem is not intelligence.

The problem is freedom without boundaries.

Autonomy Has a Bill

An agent costs money when it thinks.

It costs more money when it continues thinking after the useful work is done.

A background heartbeat, a growing conversation history, repeated tool calls, self-directed retries, and long-running task loops can all create expense[2]. The agent may be doing exactly what it was told to do: continue until it succeeds.

But "continue" is not a business requirement.

It is an absence of one.

The same issue appears in security.

An agent with access to tools has the ability to act. That is what makes it useful. But every tool is also an extension of its authority.

Give an agent access to a file system, and it may read or alter files.

Give it browser access, and it may encounter untrusted instructions.

Give it credentials, and it may act under someone else's authority.

Give it access to a marketplace of tools or skills, and you must trust not only the model but also the software it is permitted to run[3].

The risk is not that agents are malicious.

The risk is that an agent can be confused, manipulated, over-permissioned, or simply wrong—while still having the ability to do something consequential.

Do not hand the agent the keys because it asked for them.

>

Give it the one key it needs for the task in front of it.

Tools Matter More Than Loops

The most important lesson from building the Personal AI Dashboard was simple:

Giving AI tools to work with made it far more productive than expecting it to do the work without tools.

A model can describe how to drill a hole.

It cannot drill one without a drill.

Likewise, a model can explain what a spreadsheet should contain, but it needs an approved way to read or update the spreadsheet. It can describe how to research a topic, but it needs access to selected sources. It can suggest how to organize a workflow, but it needs defined tools and permissions to carry out the permitted parts.

The useful question is not:

Can the agent make a bigger plan?

It is:

What specific action should it be allowed to take?

This is the difference between an agent that produces activity and a system that produces work.

A good AI workflow gives the model tools, but not unlimited authority. It provides the smallest set of capabilities needed to complete a defined job.

For example:

- read a selected folder, but do not alter it;
- draft an email, but require human approval before sending;
- retrieve from approved documents, but do not search indiscriminately;
- update a record, but only in a specified system and only after validation;
- run a calculation, but do not make the decision the calculation informs;
- perform a task once, rather than continuing indefinitely in the background.

The model becomes more useful because it has tools.

The organization becomes safer because those tools are constrained.

Constrain the Agent, Not the Ambition

The answer is not to avoid agents.

It is to stop treating autonomy as the default setting.

An agent should have:

- a specific job;
- a defined start and end point;
- a limited budget for time, tokens, and tool calls;
- access only to the tools required for that job;
- approved data sources;
- clear logging of its actions;
- an escalation path when it cannot proceed;

- and human approval before irreversible or high-consequence actions.

This is not a lesser version of an agent.

It is the version that can be used responsibly.

The strongest systems do not ask an agent to do everything. They divide work into bounded steps, give the system the right tools, and keep authority proportional to risk.

> *The agent does not need the keys to the building.*
>
> *It needs permission to open one door.*

The Real Test

The test of an agent is not whether it can keep itself busy.

It is not whether it can produce a long plan, spawn more tasks, or run unattended for hours.

The test is whether it completes useful work at a cost, risk level, and degree of oversight that the organization can accept.

If it cannot, it is not autonomous.

It is unsupervised.

Remember This

> *A model with a loop can produce activity.*
>
> *A model with the right tools can produce work.*
>
> *Give it a job, a budget, and limited authority—never the keys.*

• • •

• • •

Source notes

1. OpenClaw (formerly ClawdBot / Moltbot) — a self-hosted autonomous AI agent connecting to tools, memory, files, browsers, and APIs. The chapter names it as the second-wave framework and as the release that motivated the Personal AI Dashboard project — both the author's first-hand account (testimony, presented as such). The product's existence and capability set are confirmed by its public documentation and the extensive 2026 security reporting on it (see [2], [3]).

2. The cost mechanism the chapter describes — background heartbeat, growing context, repeated tool calls, self-directed retries, long-running loops all create expense — is the documented cost behavior of OpenClaw-class agents. OpenClaw's own FAQ documents real-world reported costs ranging from dollars per day (light use) to thousands per month (heavy always-on use), with overnight heartbeat runs alone costing real money (clawdocs.org/reference/faq and /guides/cost-management, verified 12 October 2026).

3. The security mechanism the chapter describes — an agent with tool access is an extension of authority, and a skills marketplace means trusting the software the agent runs — is confirmed by the 2026 OpenClaw security record: CVE-2026-25253 ("ClawBleed", CVSS 8.8, one-click RCE via cross-site WebSocket hijacking, actively exploited), further CVEs through April 2026 (including CVE-2026-32922, CVSS 9.9), 135,000+ exposed instances, and the ClawHavoc supply-chain campaign — 341 malicious skills found on ClawHub by Koi Security (Feb 2026), growing to 824+ skills / 1,184+ packages across 12 publisher accounts, with payloads delivering the Atomic macOS Stealer (AMOS) — confirmed by Snyk's ToxicSkills audit (3,984 skills scanned, 13.4% with critical issues), Palo Alto Networks Unit 42, Trend Micro, and others. The second draft does not cite a CVE count, so no figure is asserted in the chapter — the mechanism is sourced, not the number.

Chapter 8 — The 8 Ball Never Fooled Anyone

(Concept 4 — the 8-Ball.

• • •

When I was young, there was a toy called the Magic 8-Ball.

You asked it a question. You shook it. You looked through a small window for the answer.

Outlook good.

>

Signs point to yes.

>

Reply hazy, try again.

Kids used it for fun. Some adults probably did too. It was a plastic ball full of liquid, with a floating shape inside that displayed one of a limited set of prewritten answers.

The way some people use AI is not all that different.

They ask a question. They press Enter. An answer appears. They accept it.

That is the transaction.

Ask, Shake, Accept

The Magic 8-Ball had a simple interface:

Magic 8-Ball	How many people use AI
Ask a yes-or-no question	Ask any question
Shake the ball	Type and press Enter
An answer appears in the window	Fluent text appears on the screen
The mechanism is hidden	The mechanism is hidden
It does not remember the last shake	A new chat does not retain the last conversation by itself
Its answers are vague by design	Its answer may sound specific, even when the evidence is weak
You put it down and laugh	You may put the answer in an email, report, or decision

The comparison is not exact. A generative AI model is far more capable than a toy. It can explain, draft, summarize, translate, compare, write code, organize information, and help a skilled person work faster.

The 8-Ball cannot do any of that.

But capability does not remove the risk in the interaction.

The risk begins when the user treats the act of receiving an answer as the act of acquiring knowledge.

An answer is not automatically knowledge.

The 8-Ball Told You What It Was

The 8-Ball never fooled anyone.

It was plastic. It was inexpensive. It had a small, fixed collection of answers written before you ever asked your question. Everyone understood that it was entertainment.

It even admitted uncertainty.

Reply hazy.

>

Ask again later.

>

Cannot predict now.

Those are not useful answers to a serious decision. But they are honest ones.

The toy did not pretend that it could see the future, resolve an argument, understand your circumstances, or take responsibility for what happened next.

A language model can create a much more convincing impression.

It can produce a detailed answer in a calm, professional tone. It can include steps, explanations, examples, and apparent reasoning. It can sound equally composed when it is summarizing reliable material, making a sensible suggestion, or producing something it cannot establish as true.

That fluency is valuable.

It is also why the reader must supply the caution the toy made obvious.

The model does not always signal uncertainty in proportion to the uncertainty of its answer. It may state a weak claim with the same polished tone it uses for a strong one.

The 8-Ball was not more intelligent.

It was simply harder to mistake for an authority.

The Answer Can Fit Without Being True

An 8-Ball answer fits almost any question because it is broad enough to fit many situations.

A loose AI prompt creates a related problem.

Ask a vague question and the model can produce a plausible answer shaped to the language of the question. It may feel personal because it refers to your terms, reflects your framing, and presents a complete-sounding response.

But plausibility is not proof.

A model is especially good at creating a shape that fits the question. That can be useful when you need a draft, a list of possibilities, a reframed idea, or a starting point for further work.

It becomes dangerous when you need a fact, a current answer, a prediction, or a decision that carries consequences.

A hallucination is not usually absurd enough to announce itself.

Often, it is an answer that fits.

It has the right tone. The right format. The right level of detail. Sometimes it may include names, dates, sources, or explanations that make it seem even more credible.

The reader's responsibility is to ask a different question:

What would establish that this answer is true?

If the answer cannot be checked, sourced, measured, or connected to reliable evidence, it is not ready to be treated as knowledge.

The Oracle With an Audience

People have begun asking AI to pronounce on upcoming elections, future events, and long-running arguments.

They ask it what will happen. They ask it who is right. They ask it to settle matters that involve relationships, judgment, history, and consequences.

Then they publish the answer as though an oracle has spoken.

This is where the 8-Ball stops being funny.

An election result is not sitting inside the model waiting to be found. A model can describe possible outcomes, summarize past patterns, and help analyze data that you provide. It can help create a forecast when the work includes evidence, base rates, assumptions, probabilities, and clear limits.

But asking it to pronounce the future is not forecasting.

It is shaking the ball.

The same is true of personal or long-term arguments. The model can help clarify each side, identify assumptions, suggest questions, or organize a difficult conversation. But it has no stake in the outcome. It has not lived with the people involved. It has no firsthand knowledge of what was said, what was meant, what has happened before, or what will happen after its answer is accepted.

It can produce a position.

It cannot carry the consequences of one.

Stop Shaking the Ball

The solution is not to stop asking AI questions.

The solution is to stop treating every answer as a verdict.

Use AI to generate options, not to eliminate judgment.

Use it to create a draft, not to certify a fact.

Use it to explain a set of possible outcomes, not to predict the future without evidence.

Use it to help structure an argument, not to decide who is right.

Use it to make information easier to work with—but connect important answers to sources, current data, verification, and human responsibility.

The 8-Ball offered a ritual:

Ask. Shake. Accept.

A useful AI system requires more:

Ask. Supply evidence. Check the result. Decide.

That is the difference between using a language model as an oracle and using it as a tool.

Remember This

An answer that appears is not a fact that has been found.

>

Do not shake the ball. Do the work that makes the answer trustworthy.

• • •

• • •

Chapter 9 — The Promise Not the Gift

(Concept 1 — the chapter the book's stance was built on. Placed at the head of Part II: Part I showed what the model is not; this chapter names what it was sold as, and why the gap between the two is where the money and the credibility go.)*

• • •

AI was not handed to you as a gift.

It was handed to you as a promise.

The promise is familiar:

Ask anything.

Solve anything.

Write anything.

Automate everything.

The blinking cursor makes the promise feel personal. It waits for your question. It replies immediately. It sounds confident. It appears ready to help with any problem you place in front of it.

Sometimes it does help.

But the promise is larger than the product.

A gift is yours once it is given. You have it. You control it. Its value does not depend on somebody else continuing to provide it on terms they can change.

A promise is different.

A promise depends on continued delivery. It depends on the subscription, the token price, the available model, the product rules, the data available to the system, and the limits that may not be visible until they matter.

That does not make AI useless. It does not make the people building AI villains. And it does not mean companies should not make money from useful products.

I am not against making money.

My purpose is not to attack AI companies or the people who use their tools. My purpose is to help the AI user become more productive—and less influenced by a blinking cursor that promises to answer everything.

The Product and the Promise

The product is a language engine.

It can generate drafts. It can summarize material. It can organize ideas. It can classify information, help write code, analyze patterns, and turn rough thoughts into usable first versions.

Those are real capabilities.

The promise is something else:

It knows everything.

It understands your business.

It can make the decision.

It can do the work without your involvement.

It can be trusted because it sounds sure.

Those things are not guaranteed by fluent language.

The gap between the product and the promise is where people lose time, money, and credibility. It is where a user pays for more tokens, upgrades a

subscription, or repeats a confident answer in front of a customer—only to learn later that the answer was incomplete, outdated, or simply wrong.

The model did not necessarily deceive them.

The user gave the answer more authority than it had earned.

The Incentive Is Engagement

No one has to be malicious for this problem to exist.

The incentive is enough.

A system that says:

I do not know. Go and check.

ends the interaction quickly.

A system that gives a smooth, useful-sounding answer keeps the interaction going. It invites the next question. It makes the system feel valuable. It makes the user more likely to return.

That is not proof that every answer is designed to mislead. It is a reminder that the design pressure favors continuation.

The honest answer is sometimes the answer that stops the conversation:

I do not have enough evidence.

This information may be out of date.

That claim needs verification.

I can draft an answer, but I cannot establish that it is true.

This decision requires a person with authority.

Those are not failures.

They are boundaries.

And boundaries are what make a tool trustworthy.

Design Around the Promise

A villain can be defeated.

An incentive has to be designed around.

That is the work of this book.

Do not reject AI because it cannot fulfill every promise attached to it. Use it for what it does well. Give it reliable information when facts matter. Verify consequential claims. Keep important knowledge in approved sources. Put limits on cost, permissions, and autonomous actions.

Use the language engine.

Do not mistake it for an authority.

The reader does not need to become suspicious of every answer. The reader needs to become responsible for deciding what kind of answer it is.

A draft may be useful.

A suggestion may be useful.

A summary may be useful.

A confident statement is not automatically evidence.

Remember This

> *AI is not a gift that knows everything. It is a tool that makes a promise.*
>
> *Your job is to keep the promise smaller than your judgment.*

• • •

Chapter 10 — It will not set you free

(Concept 3 — the whole concept in one chapter: the myth half (a multiplier, not a liberator) and the embodiment half (there is no one there to feel it). 10 myth + Ch. 16 embodiment); the author's draft carries both, so they land together here and the Ch. 16 slot is freed.)*

• • •

AI will not set you free.

It will not automatically make people equal. It will not turn poor judgment into good judgment. It will not replace knowledge, experience, attention, or responsibility.

It will benefit some people more than others.

A person who already understands their work can use AI to extend that understanding. They can ask better questions, spot weak answers, add missing context, test assumptions, and decide when the output is useful.

A person without that foundation may receive the same fluent answer and have no reliable way to judge it.

That is not equality.

That is multiplication.

AI multiplies the judgment you bring to it. It also multiplies the absence of judgment.

The Easy Answer Has a Cost

The sales pitch is simple: AI makes work easier.

Sometimes it should. It can remove repetition, speed up first drafts, organize material, generate alternatives, and help people move through routine tasks.

But using AI properly should never mean taking the easy or lazy approach.

If the model does the thinking that a person needs to learn how to do, the person may complete the task without building the capability behind it.

That distinction matters.

Early research on AI-assisted learning suggests that students can perform better while using generative AI but perform worse when the tool is taken away[1]. The concern is not that AI has somehow "shrunk" the brain. The more precise concern is that the skill was never built.

Other early research points to the opposite outcome when AI is used differently: asking for explanations, testing ideas, and engaging in deeper conversation can support learning, while asking for direct answers can undermine it[2].

The lesson is not that AI is bad for learning.

The lesson is that how you use it decides what it does to you.

Use it to bypass the work, and the capability may not develop.

Use it to extend the work, and it can help you learn.

This is not a new problem. Calculators changed how people practice arithmetic. Search engines changed what people commit to memory. Social media changed habits of attention. Each tool can be useful. Each can also replace a mental practice that still matters.

Generative AI belongs in that same history.

It is neither a miracle nor a disaster by itself.

It is a tool whose effect depends on the task, the person, and the way it is used.

Extension, Not Replacement

The useful question is not:

Can AI do this for me?

The useful question is:

How can AI help me do this better?

That small change matters.

A replacement removes the human from the work. The model produces the answer, the person accepts it, and the process ends.

An extension keeps the human in the work. The model helps generate options, organize evidence, challenge assumptions, explain alternatives, or turn expertise into a usable first draft. The person remains responsible for the question, the judgment, and the result.

Use AI to help you see more.

Do not use it to stop seeing.

Use it to create a first draft.

Do not use it as a substitute for knowing whether the draft is right.

Use it to explain an idea.

Do not use it to avoid developing an idea of your own.

The difference is not technical. It is human.

The Model Is Not There

A human being lives in the real world.

You see color and depth. You hear tone and distance. You remember the smell of rain, the taste of food, the pressure of a deadline, the feeling of entering a room where something is wrong.

You know the difference between a calm afternoon and an anxious one because you have felt both.

You can lie on the sand, hear the ocean behind you, feel the sun on your skin, smell suntan lotion, and understand relaxation because you have experienced it.

A model can write a convincing description of that moment.

It can say, "I feel relaxed."

But there is no one there to feel it.

It has no skin warmed by sunlight. No sound in its ears. No salt in the air. No memory of being stressed, relieved, afraid, tired, or at peace.

It can produce language about experience.

It does not have experience.

This is why human judgment remains necessary. The human is not simply checking the machine's grammar or correcting an occasional factual error. The human brings the thing the model cannot possess: presence in the world.

Context is not only data.

It is experience.

Keep the Work That Builds You

The danger is not that AI will become too useful.

The danger is that people will use it in ways that make them less capable without noticing.

If you always ask for the answer, you may stop learning how to form one.

If you always accept the first draft, you may stop developing taste.

If you always let the model decide, you may stop practicing judgment.

The goal is not to preserve difficulty for its own sake. Repetitive work should be reduced. Administration should be improved. Useful systems should save time.

But the work that builds understanding, judgment, expertise, and responsibility must remain human work.

AI can support it.

AI cannot replace it.

Remember This

AI is a multiplier, not a liberator.

>

Use it to extend your knowledge and skill—not to replace the work that creates them.

• • •

• • •

Source notes

1. Kosmyna, N., Hauptmann, E., Yuan, Y. T., Situ, J., Liao, X.-H., Beresnitzky, A. V., Braunstein, I., & Maes, P. "Your Brain on ChatGPT: Accumulation of Cognitive Debt when Using an AI Assistant for Essay Writing Task." arXiv:2506.08872 (2025). Working paper (arXiv preprint, v2 revised 31 December 2025); not peer-reviewed. 54 participants across three tool conditions (LLM / search engine / brain-only) over three sessions, with a fourth crossover session; EEG-measured. Finding: LLM users showed the weakest brain connectivity and lowest self-reported ownership; in the crossover session, former LLM users underperformed on the unaided task — consistent with "perform better while using AI, worse when it is taken away." Single study, small N, essay-writing task only; treat as early and preliminary.

2. "Experimental Evidence on the Learning Impact of Generative AI" (arXiv:2607.08849, 2025). Working paper (arXiv preprint); not peer-reviewed. Randomized experiment: undergraduates learned an unfamiliar topic and wrote an analytical essay with or without generative AI, then completed unaided assessments immediately and one week later. Finding: essay quality changed little while AI was available, but unaided assessments one week later improved — and the delayed gains were larger for augmentation users (who used AI to explain concepts rather than generate text) than for automation users, whose short-run gains vanished once AI was removed. This is the "explain, don't generate" result — the opposite outcome when AI is used differently. Working paper; the augmentation/automation split is this study's own framing.

Part 2 — The Model That Works

The first seven chapters explained the mechanics of generative AI.

They explained why a model can sound certain while being wrong, why its knowledge can expire, why activity is not work, why an agent must be constrained, and why a useful system needs evidence, boundaries, tools, and human judgment.

That foundation matters.

Without it, AI is easy to misunderstand. The user sees fluent language and assumes understanding. They see an answer and assume knowledge. They see a chain of tasks and assume work is being completed. They see a confident recommendation and assume the system has reached a conclusion.

But generative AI does not work that way.

It predicts language from patterns. It works within context. It inherits training, limitations, incentives, and gaps. It can be useful, fast, creative, and productive. It can also be confidently wrong, unnecessarily expensive, insecurely connected, or asked to make decisions it cannot safely make.

Understanding the mechanics is not an academic exercise. It is the beginning of control.

Now that those mechanics are established, the next section turns them into practice.

The chapters that follow will develop the concepts that allow a person or organization to use AI productively without becoming dependent on its appearance of certainty. Each concept is practical. Each is designed to help the reader reach the goals set out in the preface: better work, lower cost, greater control, and less reliance on a blinking cursor that appears to know everything.

These are not rules for avoiding AI.

They are rules for using it well.

The Concepts

1. The Promise, Not the Gift

AI is often sold as a promise: ask anything, solve anything, automate everything.

But the promise is not the product.

The product is a language engine with real capabilities and real limits. It can help people write, organize, analyze, summarize, and work faster. It cannot safely replace evidence, expertise, or judgment.

This book does not attack vendors for making money. It helps users understand the incentives around the tools they use, so they can benefit from AI without mistaking its promise for a guarantee.

2. The Opinions Are Inherited, and You Cannot Argue Them Away

A model's apparent opinions are inherited from training data, training choices, and reinforcement. They are not personal beliefs reached through independent thought.

Within a conversation, a model can shift tone or follow an instruction. But that is conditioning on the current context, not learning. When the conversation ends, the trained model has not changed.

You can bend a conversation.

You cannot move the model.

Anything durable—facts, preferences, policies, memory, corrections, and rules—must live in the system around the model.

3. It Will Not Set You Free

AI is not a liberator that automatically equalizes skill, opportunity, or judgment.

It is a multiplier.

Used by someone with expertise, context, discipline, and clear goals, it can extend useful work. Used without those things, it can multiply errors, weaken thinking, and make poor work look polished.

AI should extend human knowledge and skill. It cannot replace them.

4. The 8-Ball

Asking a model for an answer can resemble shaking an 8-Ball:

Ask. Act. Accept.

The difference is that the 8-Ball never pretended to be a source of knowledge. It tells the user, through its simplicity, that it is a toy.

A model can produce a much more convincing answer. That is why the user must know when they are receiving a useful draft, a probabilistic suggestion, or a claim that requires verification.

Fluency is not evidence.

5. The Most Expensive Model for Everything

Using the most capable and most expensive model for every task is not a strategy. It is overspending.

Many tasks do not require frontier-level reasoning. Classification, routing, extraction, formatting, drafting, summarization, and routine processing can often be handled by smaller, cheaper, or local models.

The answer is not always to buy more intelligence.

Often, the answer is to confine the knowledge, define the task, and route the work to the least expensive system that can do it reliably.

6. The World of Tokens

A model does not live in a world of words, facts, or human meaning.

It lives in a world of tokens, patterns, distances, and probabilities.

It compresses information rather than storing it as a person or database stores it. It identifies relationships through similarity rather than understanding in the human sense.

This does not make the model useless. It explains why it can be unexpectedly capable in one moment and unexpectedly wrong in another.

To use AI well, the reader must understand the kind of system they are using.

7. Let the Model Declare Its Own Limits

A model does not always need to answer the question.

Sometimes its most useful response is: I cannot do this reliably.

A small model can be used as a routing tool: not to solve every problem, but to determine whether a task belongs to it, a larger model, a local tool, a human reviewer, or an approved system of record.

That is a checkable question.

Routing work by capability is cheaper, safer, and more reliable than assuming every request requires the same model.

8. Do Not Hand the Agent the Keys

Autonomous agents have been sold as the next stage of AI productivity.

Two waves of agents showed the same problem from different directions. The first produced a great deal of visible activity with little completed output. The second demonstrated real potential, but often at unacceptable cost and security exposure.

The answer is not to abandon agents.

It is to give them tools without granting unlimited authority.

Constrain what they can access. Cap what they can spend. Keep sensitive work isolated. Route inexpensive work to inexpensive models. Require approval for consequential actions.

Activity is not work. Authority is not productivity.

9. They Cooperate—That's the Problem

Adding more agents does not automatically create a better system.

When agents divide one task between themselves, they must coordinate. They must share context, resolve disagreement, hand off work correctly, and verify that the pieces still form a useful whole.

That coordination creates cost, complexity, and failure points. It can reduce reliability rather than improve it.

More agents are not a scaling strategy by themselves. A system must have a reason for each role, a bounded handoff, and a way to verify the result.

10. The Prompt Is a Knowledge Artifact, Not a Model Output

A model can write an impressive-looking brief, workflow, or prompt.

But a generic model's version of how work should be done is still a guess based on general patterns. It does not contain the organization's actual experience, exceptions, priorities, standards, or hard-won lessons.

A good prompt is not merely an instruction for a model.

It is a knowledge artifact.

It should come from someone who has actually done the work, understands the outcome, and knows what can go wrong.

11. The Expert Is the Product

A prompt-built agent is easy to copy.

The model is available to many people. The interface can be replicated. The workflow can be imitated.

What cannot be easily copied is the knowledge the model does not have: the expert's judgment, process, domain context, trusted sources, decision rules, and understanding of exceptions.

That expertise is the product.

AI becomes valuable not when it replaces the expert, but when it gives the expert's knowledge a reliable way to operate at scale.

12. The Artifacts You Inherit

When a user relies only on the model's internal knowledge, they also inherit the artifacts of its training and reinforcement.

Those artifacts can include sycophancy, fragile guardrails, blind spots, uneven behavior, and reinforcement patterns that can make a plausible answer more likely than an honest admission of uncertainty.

The model may be helpful. It may even be consistently helpful.

But its behavior is not neutral simply because it is automated.

The remedy is not endless argument with the model. It is architecture: trusted data, explicit rules, verification, constrained tools, and clear human authority.

13. The Clock Is Always Running

Facts do not all expire at the same rate.

A historical date may remain stable for centuries. A product price, security vulnerability count, policy, model capability, regulation, or inventory number may change tomorrow.

Freshness is a property of the fact, not the pipeline that delivered it.

When information becomes old, the answer is not to preserve it forever with a warning label. The answer is to treat expiry as a signal to retrieve, verify, and refill the knowledge from an approved source.

The clock is always running.

14. Presence Is Not Provenance

A record appearing in a system does not make it true.

A document can be outdated. A spreadsheet can contain an old assumption. A database field can be incomplete. A retrieved passage can be irrelevant, incorrect, or no longer authoritative.

Stored information is not automatically evidence.

Trustworthy systems identify approved sources, preserve dates and provenance, distinguish durable facts from changing facts, and spend verification effort where the consequences of error are highest.

15. The Manager's Page

The rules page is already a manager's page.

It explains what the system is allowed to do, what it cannot do, what it costs, what needs approval, and where responsibility remains. But information alone does not always give a reader a path forward.

A manager needs a first move.

A signer needs to understand the decision, the cost, and the risk. A builder needs to understand the architecture and controls. A person who has not yet built anything needs to know where to begin.

The system must meet each of them where they are.

16. The Tools Are Not the Problem; the Spend Is

Tools such as Claude Code and Codex can be excellent tools.

The issue is not that capable tools should be avoided. The issue is that capable tools can be expensive when used without a cost model, task boundaries, or a clear understanding of what level of capability the work requires.

This book is not against powerful tools.

It is for the best useful output at the lowest reasonable cost.

Use the right tool. Use it deliberately. Measure the spend. Do not confuse premium capability with universal necessity.

17. A Token Is a Unit of Intelligence, Not a Unit of Bytes

The technical definition of a token matters to engineers.

But decision makers need a more useful definition:

> *A token is a unit of intelligence—the unit the bill is counted in.*

Tokens measure the material a model processes and produces. They affect capability, context, latency, and cost. They are not simply bytes, words, or characters.

Understanding tokens helps the organization understand the bill. Understanding the bill helps the organization control the system.

The Arc of the Next Section

These concepts follow a deliberate path.

The first five describe the error: what users commonly get wrong about AI, why the promise is persuasive, and why the apparent answer is not always the useful one.

The next three explain the model: what it is, what it can do, where its limits are, and why autonomy must be constrained.

The following four describe practice: how to organize agents, prompts, expertise, and inherited model behavior into systems that produce useful work.

The next two establish discipline: how knowledge remains current, sourced, and worthy of trust.

The final three identify the audience: the manager, the signer, the builder, and the organization paying for the intelligence it uses.

Each concept will receive a short chapter.

Together, they form a practical method for using generative AI without surrendering judgment, cost control, security, or responsibility.

The aim is not to make AI look smaller than it is.

The aim is to make the user larger than the promise.

Chapter 11 — A function not a source

(Part II — The Model That Works. The transformation-of-input framing: the model is a function, not a source. The same-request-twice demo (asking it to remember vs. handing it the material) is the chapter's spine. Pairs with Ch. 12 (the world of tokens — what the model actually is) and sets up Ch. 13–15 (the system around the model).)*

• • •

Most of us begin using AI as though we have hired someone who knows a great deal.

We ask a question. It answers. We ask for more detail. It supplies that too.

The experience encourages a familiar assumption: somewhere behind the conversation is knowledge we can draw on.

That assumption is understandable. The interface invites it. A tool that responds fluently to almost any question looks like a source.

But for work that must be dependable, there is a better starting point:

> *Treat the model as a way to transform information you supply, not as the authority that supplies the information.*

Give it material to summarize. Give it evidence to organize. Give it a policy to explain. Give it an approved brief to turn into a draft.

The distinction changes the assignment.

Instead of asking, "What do you know about this?" you ask, "What can you do with this?"

That is the difference between a source and a function.

The Same Request, Two Different Jobs

Consider a manager preparing a customer update.

The first request reads:

"Write an update explaining our current service commitments and escalation process."

The model may produce a polished message. It may describe response times, support arrangements, and escalation stages that sound entirely reasonable.

But where did those details come from?

Unless the relevant material is supplied or retrieved, the model has no dependable basis for establishing this organization's current commitments.

It may produce something typical rather than something true.

Now change the request:

"Using the attached approved service agreement and escalation procedure, draft a customer update. Preserve the stated commitments. Do not add response times or promises that are not in these documents. Identify anything the documents do not resolve."

The writing task is similar. The factual task is different.

In the first request, the model must supply the substance as well as the wording.

In the second, the substance has an identified source. The model's job is to communicate it.

This is an illustrative comparison, not a performance test. The second request does not guarantee a correct answer. The model can still misread a condition, omit an exception, or introduce an unsupported detail.

But the result can now be checked against something definite.

You can ask whether it accurately transformed the approved material.

That is a much stronger basis for acceptance than asking whether the answer sounds knowledgeable.

What "A Function" Means

You do not need to be a programmer to understand this framing.

A function takes something in and produces something out.

For a writing task, the input might be interview notes, a policy, a customer message, or an approved set of facts. The output might be a summary, an explanation, a comparison, or a draft.

The model is useful because the transformation is not always mechanical.

It can turn technical wording into plain language. It can organize scattered notes. It can adapt a message for a different audience.

But its usefulness does not require you to treat it as the factual authority.

Imagine giving an editor a report and asking for a shorter version.

You expect the editor to improve the expression while preserving the substance. You do not expect them to invent a stronger financial result because it makes the paragraph read better.

The same distinction belongs in AI work.

The model may have discretion over wording and organization. It should not quietly acquire discretion over what is true.

"It Doesn't Know Things" Is an Operating Rule

Rule 1 says:

> *It doesn't know things.*

Taken literally as a description of every model capability, that phrase would be too broad. Models can produce correct information across many subjects.

As an operating rule, however, its purpose is clear:

Do not treat a model's answer as established organizational knowledge simply because it can produce one.

A correct-looking response does not tell you where the claim came from, whether it is current, or whether it applies to your situation.

For a manager, those questions matter more than the model's ability to answer a general knowledge quiz.

Your approved price, current policy, customer commitment, and project requirement need identifiable authority.

The model's training is not that authority.

The rule therefore asks you to change the source of the work, not deny the tool's capabilities.

Use its language abilities. Supply the facts.

You Also Inherit How It Was Trained

When you rely on the model to supply an answer, you rely on more than the information represented in its training.

You also encounter behavior shaped by training: what kinds of responses were rewarded, discouraged, or preferred.

One documented concern is sycophancy—the tendency to agree with a user rather than challenge an incorrect premise.

Research by Sharma and colleagues found that people and preference models sometimes preferred convincingly written, agreeable responses over correct ones.[1]

The concern here is not simply political bias. It is agreement.

A manager asks, "This proposal clearly meets all the requirements, doesn't it?"

A dependable review should examine the requirements and evidence. It should not become more favorable because the question signals the answer the manager wants.

Supplying the requirements does not eliminate this risk. The brief must also direct the model to assess them rather than endorse the user's position.

The framing matters:

"Confirm that we comply" is not the same assignment as "Compare each requirement with the supplied evidence and report unsupported claims."

One seeks reassurance. The other commissions work that can be inspected.

Confidence and Refusal Are Behaviors, Not Evidence

Other research in the supplied material examines how training changes refusal and hallucination. One study reported that a fine-tuning approach substantially reduced refusals while increasing confident, incorrect responses to questions that could not be answered. Another found that reinforcement learning could increase hallucination under the conditions studied, including convergence on a confidently held wrong answer.[23] These findings should not be stretched into a claim about every model or every training method. Their managerial lesson is narrower and more useful: A confident answer is not evidence that the question was answerable. A refusal is not a complete explanation of the system's limits. And a model that answers more often is not necessarily doing better work. The assignment needs a legitimate stopping point. Otherwise, you are rewarding completion even when completion requires invention.

Make the Missing Information Visible

Suppose the approved service agreement states ordinary support hours but says nothing about holiday coverage. A customer asks about a public holiday. The model should not fill the gap with what similar organizations usually do. It should identify the gap. That may feel less impressive than an immediate answer. It is more useful. The organization can then obtain the missing information from someone authorized to provide it. This is where transformation becomes a dependable assignment. The model can explain what the source establishes and distinguish it from what the source does not establish. Research described in the supplied evidence also explores rewarding abstention and penalizing confident hallucination.[4] Its reported results apply to the study's evaluation conditions, not automatically to your workflow. The design lesson is to make declining an unsupported answer an acceptable outcome.

Put Important Things Where You Can Read Them

Facts are not the only inputs that need an explicit home.
Four different elements shape useful work:

- **Facts:** the information supporting the claims.
- **Perspective:** the voice and position from which the organization communicates.
- **Rules:** what the tool may and may not do.
- **Method:** the approved way to carry out the assignment.

These elements should not live only as an expectation that the model will somehow understand your organization.

Give them readable form.

Approved documents can supply facts. A brand voice can define tone and preferred language. Policies can define permissions and limits. An expert's brief can establish the method.

Keeping them separate also prevents one from substituting for another.

A confident voice does not establish a fact.

A persuasive message does not authorize a promise.

A detailed procedure does not supply missing evidence.

The model can help express these elements. It should not silently invent the governing substance.

Attach the Facts Where the Work Begins

The practical fix is simple to state:

Attach the facts so the model never needs to remember them.

For an individual user, this may mean supplying the approved document with the request.

For an application, it may mean retrieving the relevant material before the model is asked to answer.

Builders call that retrieval-augmented generation, or RAG. In plain language, the system finds the material and puts it in front of the model at the moment of work.

The important point is not the acronym.

It is the timing.

The facts should accompany the assignment that needs them. Do not rely on an earlier conversation or assume the model has retained the right version.

If a policy has changed, the current policy must be supplied.

If the project has changed, the current project's material must be supplied.

If the available evidence is incomplete, that incompleteness must remain visible.

Confinement Gives the Assignment a Boundary

Rule 12 says:

Confinement is the design, not a limitation.

For this chapter, confinement means defining the material from which the model may make factual claims.

"Use these documents" gives the work a boundary.

It does not mean the model loses its ability to write, organize, or explain. Those are the capabilities you are asking it to use.

It means those capabilities serve a defined body of evidence.

There is an important qualification: supplying documents and requesting confinement does not itself guarantee that every sentence will remain supported. The answer still needs appropriate checking.

The benefit is that the standard becomes clear.

A specific claim should be traceable to the supplied material. If it cannot be traced, it needs removal, qualification, or further evidence.

The Question to Ask Before Every Request

Before commissioning an AI answer, pause over one question:

Am I asking it to transform information, or am I asking it to supply information I have not established?

Sometimes discovery is exactly what you want. Brainstorming, exploration, and tentative suggestions can be useful.

But those outputs should remain candidates for investigation—not quietly become approved facts.

For dependable organizational work, supply the material and define the transformation.

Ask it to summarize the policy, not invent the policy.

Ask it to compare the proposal with the requirements, not reassure you that it is good.

Ask it to explain the evidence, not manufacture a case.

This framing will not eliminate every error. It gives errors somewhere to be found.

The source can be inspected. The interpretation can be checked. The missing information can be named.

That is how a fluent answer becomes accountable work.

Remember This

> *Supply the facts. Define the transformation. Accept an honest gap. Check the result against the source.*

>

> *The model does not need to be your source to be valuable.*

>

> *It needs a clear job—and the material to do it.*

• • •

• • •

Source notes

1. Sharma, M., et al. "Towards Understanding Sycophancy in Language Models." ICLR 2024 (arXiv:2310.13548, Anthropic). Peer-reviewed. Finding: both human evaluators and preference models preferred convincingly written, agreeable (sycophantic) responses over correct ones a non-negligible fraction of the time. Working-paper-adjacent percentages in the broader literature are fastest-spoiling; the chapter asserts the finding, not a figure.

2. "The Hallucination Tax of Reinforcement Finetuning" (arXiv:2505.13988). Working paper (arXiv preprint); not peer-reviewed. Finding: standard RFT substantially reduced model refusal rates on unanswerable questions while increasing confident, incorrect (hallucinated) responses. The chapter's "substantially reduced refusals while increasing confident, incorrect responses" is the honest, hedged register.

3. "Reasoning Models Hallucinate More: Factuality-Aware Reinforcement Learning for Large Reasoning Models" (arXiv:2505.24630). Working paper (arXiv preprint); not peer-reviewed. Finding: reasoning-oriented RL fine-tuning increased hallucination prevalence; the paper's mechanism includes spurious local optima — "the model can converge to a confidently held wrong answer." The chapter's "under the conditions studied, including convergence on a confidently held wrong answer" is source-accurate.

4. "Harnessing RLHF for Robust Unanswerability Recognition and Trustworthy Response Generation in LLMs" (SALU, arXiv:2507.16951). Working paper (arXiv preprint); not peer-reviewed. Finding: a confidence-score-guided RLHF phase that explicitly penalizes hallucinated responses and rewards appropriate abstentions reduced hallucination on unanswerable questions in the study's evaluation. The chapter's "research... The paper's headline figures (e.g., hallucination rate reduced to ~1.3%) are on a custom Chinese-LLM conversational-IR dataset;

Chapter 12 — The world of tokens

(Concept 6 — the technical spine. Part II: what the model actually is — fragments, numerical representations, learned patterns — and why that matters. The ML review (21–22 Oct 2026) corrected six claims in this chapter's earlier draft; the author's paste incorporates those corrections. Pairs with Ch. 11 (what the model is for) and sets up Ch. 13–15 (the system around the model).)*

• • •

You see a sentence.

The model processes a sequence of numbers representing pieces of text.

You see a question about the world.

The model receives an input from which it can generate a continuation.

Those are not the same view of the task.

That difference explains why a tool that writes an elegant paragraph can stumble over counting letters. It explains why a confident answer may contain an invented detail. And it explains why asking the same question again is not necessarily a check.

The useful picture is this:

It does not operate directly in our world. It operates through fragments, numerical representations, and learned patterns.

That picture needs care. We do not need to make the machinery mysterious to explain its limitations. Nor should we replace the machinery with an appealing but inaccurate story.

The technical details matter because they tell us what the tool can—and cannot—establish.

Tokens Are Not Words

For a text model, a token is a numerical identifier representing a piece of text.

That piece might be a letter, punctuation, part of a word, or a whole word. It may include a space.

A common English rule of thumb is about four characters per token. That is a rough estimate, not a definition. The division varies with the text and the tokenizer the model uses.

A tokenizer is simply the mechanism that turns text into those pieces and assigns their identifiers.

This means the model does not necessarily receive a word as a sequence of individually visible letters.

It might receive the word as one token. Or several fragments. The boundary between those fragments need not match the boundary a reader would choose.

That distinction matters when you ask it to count.

Counting the letters in a word requires access to the letters and a reliable counting procedure. Generating a plausible answer about the word is a different operation.

A model may perform the task correctly. But tokenization helps explain why success with language does not guarantee dependable character-level counting.

The fix is not a more forceful instruction to "think carefully."

If the task requires an exact count, use a procedure that explicitly counts the characters.

Fluent Language Is Not Exact Calculation

The same practical distinction applies to arithmetic.

A text model can generate the correct answer to a calculation. It may also generate a convincing explanation of how to reach it.

But the act of generating text is not, by itself, an exact arithmetic procedure.

Where a number matters, a calculator or a tested software function supplies a different kind of assurance.

The model can interpret the request and explain the result. The calculation can be performed separately.

This is not a claim that models cannot count or calculate. It is a rule about where to place trust.

Do not infer an exact capability from fluent performance on a neighboring task.

Writing about arithmetic and executing arithmetic are not the same job.

Pictures of Words Are Another Problem

Text rendered inside a generated image introduces a related but distinct difficulty.

An image generator is not necessarily placing verified characters on a page as a typesetting program would. Depending on its design, it may be generating visual patterns that resemble lettering.

A sign can therefore look convincing at a glance while containing malformed or incorrect text.

Image-generation systems differ, and some use mechanisms that improve text rendering. Text-tokenization alone does not explain every rendering failure.

The practical lesson survives that qualification.

If exact wording matters, verify the wording—or add it using a tool that renders the specified characters directly.

An image that resembles a document is not evidence that the document's text is correct.

Training Is Not Filing

The next distinction is between learning patterns and storing records.

During training, a model's numerical parameters—its weights—are adjusted. Those adjustments enable it to produce patterns learned from the training material.

It is useful to think of this as a kind of compression, provided we do not confuse it with a compressed archive.

A compressed archive contains files that can be recovered.

A trained model does not generally contain an inspectable filing system in which each claim is attached to its original document.

Training can produce memorization, including reproduction of particular passages. But that does not turn the weights into a dependable source register.

The model may produce a fact without producing evidence of where that fact came from.

It may also produce something that resembles a fact without any supporting source at all.

That is the load-bearing distinction:

The weights are not a provenance ledger.

Provenance means the history of a claim: its source, version, authority, and route into the answer.

A business needs that history when the claim matters.

A Map, Not a Three-Dimensional Warehouse

Models represent tokens and other information using numerical vectors.

These representations can have hundreds or thousands of dimensions. A three-dimensional map is a useful illustration, but it is not a literal description of the machinery.

In the illustration, related things occupy related positions.

That helps us picture how a system can recognize patterns across different expressions. Similar wording, related subjects, and comparable uses can influence the representations it learns.

But "similarity, not meaning" needs qualification.

Models can represent substantial semantic relationships. It would be misleading to say that they handle only superficial resemblance.

The narrower point is more important:

A learned relationship does not certify a claim's truth.

Two policies can discuss the same subject while imposing different rules. Two companies can have similar names while being different organizations. A convincing continuation can fit the surrounding text without matching reality.

Similarity helps generate an answer. It does not establish authority.

It Writes Forward

For a standard autoregressive language model, generation proceeds one token at a time.

The model uses the available preceding context to produce scores for possible next tokens. A selection procedure chooses the next token. That token becomes part of the context for the next step.

It does not predict from the last token alone.

Attention across the available context is a central feature of transformer architecture. The relevant input may include your instructions, supplied documents, and the answer already generated.

But during an ordinary forward generation, the model does not reach back and replace a token it has already emitted.

This creates an important distinction between continuing and revising.

A human writer may stop, inspect a sentence, delete it, and begin again.

A model's output can be placed inside a workflow that drafts, checks, and rewrites. It can also issue a later correction. But those are additional operations, not proof that each original token passed a factual check.

> *A falsehood can be built by the same generation process as a truth—one token at a time.*

The model can use its context to catch some problems. What the basic process lacks is a guarantee that each claim has been verified against evidence before being emitted.

Confidence Is Not a Separate Verification Stage

An answer can sound confident because confident wording fits the continuation.

"There is no doubt" is text.

"The correct answer is" is text.

A precise-looking date is text.

None of those expressions constitutes a verification procedure.

This is why a polished answer cannot serve as its own evidence. Its certainty belongs to the output, not necessarily to an established relationship with the world.

The remedy is external support: supplied sources, appropriate tools, and checks proportionate to the consequence.

The previous chapter's rule follows directly:

Treat the model as a function transforming supplied information, not as the authority supplying it.

A Seed Changes the Draw

Generation often includes sampling: selecting a token from a probability distribution rather than always choosing the highest-scoring candidate.

A seed initializes the random-number process used in that selection.

Changing the seed can change the generated answer without changing the model's weights or the supplied evidence.

That makes "ask again" a weak method of verification.

A second answer may differ because the system followed a different generation path. The difference does not tell you which answer is true.

Agreement is not conclusive either. The same unsupported answer can recur.

There is also a technical caution:

The same prompt, settings, and seed do not guarantee byte-identical output across all platforms. Reproducibility can depend on the implementation, hardware, and other sources of nondeterminism.

The managerial lesson does not require perfect reproducibility.

A new draw is not a new source.

Temperature Changes Selection, Not Evidence

Temperature adjusts how strongly token selection favors higher-scoring candidates.

Lower temperature generally concentrates probability on the stronger candidates. Higher temperature generally allows more variation.

That can be useful when choosing between predictable wording and a wider range of creative possibilities.

But temperature does not update a policy, retrieve a missing document, or establish whether a statement is true.

It changes selection, not the evidence available to the system.

Low temperature may produce an unsupported answer consistently.

High temperature may produce more varied language without producing better facts.

"Low for research, higher for poetry" is therefore a useful starting preference—not a guarantee of research accuracy or poetic quality.

The source requirements remain the same at either setting.

Quantization Makes the Numbers Smaller

Model weights are stored as numbers.

Quantization represents those numbers using fewer bits or a smaller set of possible values. This can reduce the memory needed to hold a model.

Think of recording measurements with less numerical precision.

The broad pattern may remain useful even though some fine distinctions are lost.

Quantization is not primarily about moving similar tokens closer together on a map. It changes the numerical representation used for weights and, in some implementations, other computations.

Its effect depends on the model, the quantization method, and the task.

A quantized model may perform adequately for a particular workflow. Another configuration may lose capability that the workflow needs.

That is a testing question, not an article of faith.

The right-sizing lesson is straightforward: use the smaller configuration when it meets your requirements, and demonstrate that it does.

We Know a Great Deal—and Still Have Open Questions

"Nobody knows how it works" is not a sound foundation for this book. We know how tokenization works. We know the architecture's operations. We know how generation and sampling are implemented. Understanding every learned internal mechanism is a different problem. Interpretability research investigates those mechanisms and has real results alongside unresolved questions. Specific interpretability findings require their own citations before inclusion; There is no need to turn those open questions into total ignorance. The stronger argument is more precise:

> *The model does not come with a dependable internal record linking each generated claim to its training source.*

Asking "Where did you learn that?" does not create such a record. Without external retrieval or another provenance mechanism, the model can generate a plausible attribution just as it generates other text.

That is why knowledge must be confined.

Supply the approved material. Require claims to remain within it. Check important statements against it.

The model's world of tokens can be extraordinarily useful.

But the bridge back to our world needs evidence—not merely a convincing continuation.

Remember This

It does not operate directly in our world. It operates through fragments, numerical representations, and learned patterns.

>

The weights are not a provenance ledger.

>

The previous chapter's rule follows directly: treat the model as a function transforming supplied information, not as the authority supplying it.

• • •

• • •

Chapter 13 — Language at the edges code in the middle

(Part II — The Model That Works. The division-of-labor chapter: the model handles language at the edges; deterministic code handles the middle where the organization's rules must hold. The provider-router demo (a fixed order, no model involved) is the chapter's spine. Pairs with Ch. 14 (the contract that guards the handover) and Ch. 15 (the plumbing that feeds the middle).)*

• • •

Language at the Edges, Code in the Middle

A customer writes:

"I think you charged me twice. Can you sort it out?"

That is a language problem.

The customer has not supplied a neat form. They have described a concern in their own words. A model can help interpret the request and prepare a clear response.

But deciding whether two charges occurred is not a language problem.

Neither is checking whether a refund is permitted, calculating its amount, or recording the transaction.

Those jobs need rules that produce consistent results.

The distinction is simple:

Use the model to understand and explain. Use ordinary software to check, decide, and carry out the agreed procedure.

Language at the edges. Code in the middle.

This is not an argument against capable models. It is an argument for giving them the work that benefits from their capabilities—and keeping them out of decisions that do not need them.

A Conversation Is Not the Whole Process

AI demonstrations often make the entire workflow look like a conversation.

A person asks for something. The model considers it, chooses a tool, performs the task, and reports success.

From the outside, that can look wonderfully simple.

Inside the organization, however, several different jobs have been bundled together.

Understanding a request is one job.

Checking permission is another.

Finding the current record is another.

Applying a policy is another.

Explaining the result is another.

They do not all need the same kind of intelligence.

Consider an illustrative expense query:

"Can I claim the hotel from last week's client visit?"

A model can help identify what the employee is asking. It can also explain the eventual answer in plain language.

Between those two moments, the system may need to establish which policy applies, whether the required receipt exists, whether the claim is within the permitted amount, and who must approve it.

Where those conditions are already defined, they should be checked directly.

The model should not improvise a company policy because it can describe one convincingly.

Nor should it decide that a missing receipt probably does not matter.

The middle of the process is where the organization's rules must hold.

What "Deterministic" Means

Builders use the word deterministic for a process that produces the same result from the same inputs and rules.

A manager can think of it as a dependable procedure.

If the amount exceeds the approval limit, the claim goes for approval.

If the user lacks permission, access is denied.

If the required record is missing, the process stops.

The result does not depend on whether a model finds an exception persuasive or chooses a different phrasing today.

This does not mean ordinary software is automatically correct. A mistaken rule can be applied consistently. A stale record can produce a consistently wrong result.

The rules and records still need care.

But once you have agreed on the rule, you should not ask a model to reinvent its application each time.

Consistency makes the procedure inspectable. You can explain why a decision occurred, test it, and change the governing rule deliberately.

That is different from asking a model to reason its way through the same settled decision over and over.

Do Not Ask a Model to Follow a List You Already Have

Suppose your organization can use three providers for a particular task.

You have already decided their order:

Use the preferred provider if it is available and permitted. Otherwise, try the second. Then the third. If none qualifies, stop.

There is no language problem here.

The procedure is straightforward:

Check which providers are available. Remove those that do not meet the requirements. Follow the agreed order. Select the first remaining option.

A model does not need to participate.

Given the same availability information, restrictions, and preference order, the system should make the same choice.

If availability changes, the choice may change. That is not inconsistency. It is the procedure responding to a changed input.

This example illustrates the chapter's central division of labor. The selection policy belongs to the organization. Ordinary software applies it.

Adding a model would introduce another interpretation where no interpretation is needed.

It would also make a simple question harder to answer:

"Why did the system choose that provider?"

The dependable answer is:

"Because it was the first available provider that met our requirements."

Not:

"Because the model thought it was best."

Right-Sizing Starts Before Model Selection

Rule 13 says:

Right-size the model to the task.

It is tempting to read that as a shopping instruction: compare models and choose the least expensive one that performs adequately.

That is part of it.

But there is an earlier question:

Does this step need a model at all?

If the work is checking a permission, comparing an amount with a limit, or following a fixed provider order, ordinary software may be the appropriate tool.

No model is smaller or cheaper than a model you do not need to call.

That does not mean eliminating models from difficult work. It means separating difficult language work from routine procedural work.

Then, for the parts that genuinely need a model, choose the smallest one that meets the requirements reliably.

A task may need a capable model to interpret a complicated request. The same task may need no model to check an account identifier or enforce an approval threshold.

Right-sizing applies to the parts of the workflow, not just the workflow as a whole.

The Source and the Model Are Separate Choices

There is another distinction worth preserving.

What information may the tool use?

And which model should process that information?

These are separate questions.

A confined tool answers from the material you provide. That boundary should not depend on choosing one particular model.

The supplied evidence for Poppy illustrates this separation. Its documented interface allows a request to be directed at a particular knowledge board while also allowing a model to be selected for that request[1].

The useful point is not that one product wins.

It is that confinement and model choice can be independent.

Your approved material can remain the approved material when the model changes. A larger model does not need broader permission. A smaller model does not need weaker source requirements.

For a manager, this matters at purchase time.

Ask separately:

"Can we control the information the tool uses?"

And:

"Can we choose the model appropriate to the task?"

A product may meet one requirement better than the other. That is a fit question, not a vendor ranking.

The organization should know which freedom it is buying and which restriction it is accepting.

A Smaller Model Can Try Without Being Trusted

The author's capability service explores a different kind of routing.

It asks a model whether it can complete a task or whether the work should go to a more capable model. The instructions encourage it to decline when unsure.

That is not the same as the fixed provider selection described earlier.

The provider selection follows an agreed order without asking a model to judge it.

The capability service asks for a model's assessment because the difficulty of language work may not be obvious from a simple list of conditions.

The distinction must remain visible.

The model's assessment is useful as a proposal. It is not proof that the model knows its limits.

"I can handle this" means the model may attempt the task. It does not mean the result has passed inspection.

The system still needs to check the output and respond appropriately when the attempt fails.

This arrangement can support an economical workflow: try a smaller model where appropriate, retain the required checks, and move the task elsewhere when necessary.

The author reports successful research work using models as small as 1.5 billion parameters[2]. That is first-hand experience, not a promise that every research task can run on a small model.

The lesson is not a particular hardware specification.

It is that greater spending should follow demonstrated need rather than become the starting assumption.

Keep Confidence Out of the Permission Path

There is an important difference between allowing a model to suggest where work should go and allowing it to decide what it may do.

A routing suggestion can be bounded.

Permission must be enforced.

A model may suggest that a task needs a more capable model. It must not grant itself access to additional records to complete it.

It may identify a possible refund request. It must not decide that refund authority follows from having understood the request.

It may explain why an exception seems reasonable. It must not create the exception.

Confidence is not evidence, and it is not permission.

The middle of the workflow should preserve that distinction regardless of how persuasive the language becomes.

What the Manager Should Ask

Before approving an AI feature, ask the builder to walk through it without using the phrase "the AI handles it."

Where does language enter?

Which steps require interpretation?

Which decisions are already governed by rules?

Where does language leave?

This is not a request for a technical diagram. It is a request for a clear account of responsibility.

For every step, the team should be able to explain why a model is needed —or why it is not.

If the answer is "because we already have a model in the workflow," that is convenience, not justification.

If the answer is "because the input varies and requires interpretation," there may be a genuine language task.

If the answer is "because we must compare this value with that limit," the organization probably already knows the procedure.

The goal is not to minimize the model's role for its own sake.

The goal is to place discretion only where it is useful and keep settled rules dependable.

Where the Two Kinds of Work Meet

Language at the edges and code in the middle creates a useful division.

The model helps turn a person's request into something the system can work with.

The system applies permissions, checks records, follows procedures, and controls actions.

The model then helps explain the outcome to the person.

But the handover between those stages needs care.

What happens if the model adds an instruction that nobody requested?

What happens if it omits something the procedure requires?

What happens if a proposed answer looks sensible but does not meet the assignment?

The division of labor alone cannot answer those questions. The boundary needs an agreement about what may cross it.

That agreement is a contract.

The model's output must meet the contract before the system acts. The system's result must remain intact when the model explains it. Neither handover should become an opportunity to invent permission or alter the decision.

That is the next chapter's subject.

For now, remember the placement:

Language at the edges. Code in the middle.

Use the model where words need interpretation or explanation.

Use dependable procedures where the organization has already decided what must happen.

And never confuse a tool's ability to describe a decision with authority to make it.

Remember This

Language at the edges. Code in the middle.

>

Use the model where words need interpretation or explanation.

>

Use dependable procedures where the organization has already decided what must happen.

>

And never confuse a tool's ability to describe a decision with authority to make it.

• • •

• • •

Source notes

1. Poppy AI (getpoppy.ai) — its documented API takes a per-request `model` field (allowed values include `claude-sonnet-4-6` (default), `claude-sonnet-4-5`, `o3-mini`, `gpt-4o`, `grok-2-1212`, `gpt-4o-mini`) and scopes the chat to a `board_id` ("Chat with knowledge base") — i.e., confinement (the board) and model choice (the per-call field) are two independent parameters. Verified against Poppy's own API documentation, 12 October 2026. Product documentation; capabilities change.

2. The author's first-hand experience — testimony, presented as such; no external source required. The author has since pointed to a newer demonstration of the same point (a sub-1.5b-parameter model following instructions, shown at https://www.youtube.com/watch?v=40FXBcRz4_k).

Chapter 14 — Everything is a contract

(Placed in Part II — The Model That Works. The boundary chapter: the model proposes, the system checks, the organization retains authority. The invoice demo (the unauthorized "Approved for payment") is the chapter's spine.)*

• • •

Imagine asking an assistant to read an invoice and tell you two things: the invoice number and the amount owed.

The assistant returns both. Then it adds a third:

"Approved for payment."

It looks helpful. It may even look efficient. Someone has saved you a step.

But you did not ask the assistant to approve the invoice. You asked it to read one.

That extra sentence changes the nature of the work. What began as information has become permission.

If your organization acts on it, the assistant has crossed a boundary that nobody authorized.

This is the problem a contract prevents.

A contract, in this chapter, is not a legal document. It is a clear agreement about what a tool may do, what it must return, and what must happen before anyone acts on the result.

The model can offer an answer. It cannot decide that the answer deserves to be used.

The boundary is where trust is decided.

An Answer Is a Proposal

We are accustomed to treating a completed answer as completed work.

Someone asks a question. Someone else answers it. The conversation moves forward.

AI makes that habit risky because an answer can look finished before the work has been checked.

The language is fluent. The details fit together. There may be headings, explanations, and a confident conclusion. Nothing in the presentation tells you whether the model followed the assignment, used the right material, or added something it had no authority to add.

That is why the answer must remain a proposal until it passes the checks appropriate to the job.

For an invoice, the question may be whether the amount matches the original document.

For a policy question, it may be whether the answer comes from the current, approved policy.

For an action, it may be whether the person requesting it has permission.

These are different checks. None can be replaced by asking the model, "Are you sure?"

The model's confidence does not settle the matter. Rule 2 still applies:

Confidence is not evidence.

Agree on the Work Before It Begins

A manager does not need to write software to understand this boundary.

You already use it when delegating work.

"Review these applications and recommend three candidates" is not the same assignment as "Hire three people."

"Prepare a purchase recommendation" is not permission to place an order.

"Summarize the customer's complaint" is not permission to promise a refund.

The distinction is familiar. AI does not remove it.

Before using a model, define what the assignment includes and what it excludes.

What information may it use? What must it produce? What is it not allowed to decide? Who or what checks the result? What happens if the required information is missing?

Those questions are the contract.

They should be answered before the model begins, not after an impressive response makes everyone reluctant to slow down.

A useful contract is specific enough that another person can tell whether the job was done.

"Give us a good answer" is not specific.

"Answer from the current policy, identify the supporting passage, and report when the policy does not answer the question" is much clearer.

The second assignment leaves less room for a plausible invention to pass as completed work.

Helpful Is Not the Same as Authorized

The most dangerous addition may be the one that sounds reasonable.

An invoice can be approved. A customer can receive a refund. An employee can be granted access.

So an extra recommendation or decision may not look strange. It may look like initiative.

But initiative is not authority.

The invoice example matters because the added approval is not obviously absurd. It belongs to the surrounding business process. That makes it easy to overlook.

A dependable system does not ask whether the addition sounds sensible. It asks whether the addition was permitted.

If the task was extraction, approval is outside the task.

If the task was recommendation, execution is outside the task.

If the task was drafting, publication is outside the task.

These boundaries protect the organization from a gradual expansion of responsibility that nobody explicitly agreed to.

The tool can be capable and still be operating outside its assignment.

A Well-Presented Answer Can Still Be Wrong

There are two questions to keep separate:

Did the model return the kind of answer we requested?

And is the answer supported well enough for us to use it?

An invoice response can contain exactly the requested information and still contain the wrong amount.

A policy answer can follow the requested format and still quote an obsolete policy.

A report can be complete, concise, and beautifully organized while resting on an unsupported claim.

Checking the shape of the answer is necessary, but it is not enough.

The information must also be checked against something outside the model.

For a manager, the important question is not, "Does this look professional?"

It is:

> *"What establishes that this result is acceptable for the decision we are about to make?"*

The answer should identify a source, a comparison, an authorization, or another appropriate check.

If the only explanation is that the model said so, the boundary has not been established.

Do Not Quietly Fix a Failed Answer

When an answer almost meets the requirements, it is tempting to tidy it up and move on.

Remove the extra approval. Fill in the missing detail. Interpret the unclear phrase. Treat the omission as harmless.

Sometimes the repair takes only a moment.

But the repair can hide a more important failure.

Why did the model add an approval? Did it misunderstand the task? Why was the amount missing? Was the source incomplete, or did the model fail to find it?

If the organization quietly fixes every answer, the workflow can appear dependable while relying on constant human rescue.

The cost disappears into someone's working day.

Rejecting a response does not mean abandoning the project. It means refusing to treat failed work as accepted work.

The next step may be another attempt, a different model, or human review. Whatever the route, the requirements remain the same.

A failure should not lower the standard.

That is the practical meaning of:

Reject rather than repair.

Keep the failure visible. Find out what happened. Require a result that meets the contract before proceeding.

A Reminder Is Not a Control

Suppose the model adds an unauthorized approval and you reply:

"Never do that again."

That may help with the next response. It does not establish a dependable organizational control.

A reminder in a conversation is not the same as a rule enforced by the system.

This is the practical point of Rule 6:

You cannot teach it anything.

For this chapter, the issue is not whether a model can follow a correction. It is whether your organization can depend on that correction remaining effective.

A rule that matters must persist outside the conversation.

The system must refuse an unauthorized action even when the model proposes it confidently. It must stop when required information is absent, even when the model offers a plausible substitute.

The manager's responsibility is not to inspect the technical details of every check. It is to require those checks and make sure they have consequences.

Ask the builder:

"What happens when the tool does not follow the assignment?"

"Someone notices" is not a strong enough answer for an unattended workflow.

Confinement Gives the Tool a Clear Job

Rule 12 says:

Confinement is the design, not a limitation.

A confined tool answers only from the material you provide.

But the boundary does not end with the source material. It also includes what the tool may return and what anyone may do with that return.

A tool may read approved invoices without being allowed to approve payments.

It may summarize personnel records without being allowed to grant access.

It may draft a message without being allowed to send it.

These limits do not make the tool less useful. They make its responsibility clearer.

Broad capability is valuable when the work needs it. Narrow authority is valuable when the consequences require it.

The two can exist together.

"I Can Handle This" Is Also a Proposal

The author's model-routing service asks a smaller model whether it can handle a task or whether the work should go to a more capable model.

It encourages the smaller model to decline when unsure.

That can be useful. It can help direct work toward less expensive resources without asking every user to make the choice manually.

But it does not mean the model knows its limits.

"I can handle this" is a routing proposal, not a guarantee.

The accepted work still has to pass the checks appropriate to the task.

This separates two decisions that are often confused:

Which model should try?

And did the result meet our requirements?

A smaller model may be a sensible first choice. A more capable model may be necessary for difficult work. Neither gets to certify its own answer merely by accepting the assignment.

The contract stays in place whichever model is used.

Do Not Let the Tool Write Its Own Job Description

There is another boundary managers should protect: the method.

An experienced professional brings more than facts to a task. They bring a way of working.

They know what to examine first, which exceptions matter, when to seek approval, and when to stop.

That experience should guide the agent's instructions.

If you ask the model to invent its own operating method, then follow it, you have allowed the tool to define the job by which it will be judged.

The result may sound expert without reflecting an expert's actual practice.

Models can help draft instructions. They can organize an expert's notes or suggest improvements for review.

But the governing brief must remain under human authority.

The model should execute an approved method, not quietly replace it with a plausible one.

Completing Something Is Not Completing the Assignment

The author encountered this distinction when purchasing AI book-writing tools.

Some attempted to generate their own plan rather than execute the supplied brief.

They could produce a book-shaped result. That was not necessarily the requested book.

The same failure can happen anywhere.

A detailed report is not necessarily the report you commissioned. A polished recommendation is not necessarily based on the sources you approved. A completed workflow is not necessarily an authorized workflow.

Output is not success merely because something was produced.

Success means the agreed work was completed under the agreed conditions.

That is what the contract preserves.

The Manager's Boundary

You do not need to become a programmer to insist on a dependable boundary.

You need to make acceptance part of the project, rather than an assumption at the end.

Before approving deployment, ask what the tool is allowed to do, how its result will be checked, and what happens when it fails.

Then ask the team to demonstrate a failure—not just a success.

Show the extra approval. Show the missing source. Show the answer that looks right but cannot be supported.

A working boundary stops those results from becoming actions.

That is the point of the contract.

The model proposes. The system checks. The organization retains authority.

Remember This

Define the work before you call.

>

Check the result before you act.

>

Reject rather than repair.

The tool does not earn trust by sounding certain.

It earns a place in the workflow by meeting requirements it did not write and cannot waive.

• • •

• • •

Chapter 15 — Your plumbing is your ceiling

(Part II — The Model That Works. The input chapter: the contract (Ch. 14) governs what the system will accept; the plumbing (this chapter) supplies the facts it needs. Closes the "system around the model" run: where the model sits (Ch. 13), what guards its output (Ch. 14), what feeds it (this chapter).)*

• • •

The last chapter established a boundary: an answer is not acted on until it meets the contract.

But an answer can meet the contract and still be based on the wrong information.

It can contain every required detail, follow the approved format, and make no unauthorized additions. If the underlying policy expired last month, the answer is still wrong.

That is the next problem to solve.

A contract governs what the system will accept. It does not, by itself, supply the facts the system needs.

Those facts have to come from somewhere dependable. They have to arrive in time, belong to the task, and remain current enough for the decision.

That work is the plumbing.

And the quality of that plumbing sets a ceiling on what the model can usefully do.

A bigger model does not fix a stale fact.

Same Model, Different Answer

Imagine two systems answering the same employee question:

"What is the current approval limit for travel expenses?"

Both use the same model.

The first has no connection to the organization's approved policy. It receives the question and produces a plausible answer.

It might describe a common approval arrangement. It might qualify its response. It might ask for the policy.

What it cannot establish from the question alone is your organization's current limit.

The second system retrieves the current, approved travel policy and supplies the relevant section with the question. The model can then explain the limit and identify the passage supporting its answer.

The difference is not a more powerful model.

It is access to the right information.

This is an illustrative comparison, not a reported performance test. Its point is the design: the second system has a basis for answering the organization's question that the first lacks.

It can still make a mistake. It may misread the passage or overlook an exception. But there is now something outside the model against which the answer can be checked.

The question has moved from "Where did that come from?" to "Did it correctly explain this source?"

That is a substantial improvement.

Retrieval Is How Facts Reach the Work

Builders often call this arrangement retrieval-augmented generation, or RAG.

The name is less important than the procedure.

Before the model answers, the system finds relevant material and supplies it. The model uses that material to produce a response.

For a manager, think of it as giving an assistant the correct file before asking for a summary.

The assistant's ability matters. So does the file.

An excellent assistant working from last year's policy is not a substitute for a current policy. An excellent assistant given the wrong customer record cannot produce the right customer answer.

Retrieval is therefore not a minor technical step behind the impressive part.

It determines what information is available to the model when the work happens.

If facts must be supplied, the system's usefulness depends heavily on how well it finds and supplies them.

That is Rule 1 made operational:

It doesn't know things.

The model's training is not an approved source for your current prices, permissions, project requirements, or commitments.

Those belong in records the organization controls.

The Gain Is Checkability, Not Infallibility

Source-grounded answers are not automatically correct.

Giving a model an approved document does not guarantee that it will interpret every condition correctly. Supplying several documents does not guarantee that it will resolve a conflict properly.

The important improvement is that the answer can have an inspectable basis.

Without supplied evidence, an unsupported claim may be difficult to trace.

With supplied evidence, you can compare the claim with the material the model received.

Did the source actually say that? Was the exception omitted? Was the cited passage relevant?

Retrieval creates the conditions for those checks. It does not perform all of them merely by existing.

The system must still require supported claims and an honest response when the material does not answer the question.

The author's Dashboard expresses the division plainly:

"The LLM is a communications manager, not a knowledge source."

Its governing instructions include "never fill a gap with a guess" and "attribute every specific claim."

Those are important requirements. Their effectiveness still depends on the sources, the retrieval process, and the checks around the answer.

A written rule is a foundation, not a guarantee.

More Documents Can Mean More Confusion

When a system gives a poor answer, one tempting response is to add more material.

Upload the whole shared drive. Include every policy. Give it all the old proposals.

Surely more information will help.

Sometimes it will. But more material also creates more opportunities to retrieve something irrelevant, obsolete, or intended for a different situation.

A previous proposal may contain a commitment that does not apply to the current bid. A brand document may describe a general capability without establishing that it meets a particular requirement.

The retrieval task is not "find everything."

It is "find the approved information relevant to this job."

The author's Dashboard uses the project as that unit of focus.

The brand remains the continuing context: its voice, positioning, and approved organizational material.

The project identifies the work being done now.

For proposal work, the system retrieves the current project's documents rather than treating the entire brand collection as equally relevant.

That separation matters to a manager. It reduces the risk of yesterday's assignment quietly becoming evidence for today's.

Date the Knowledge

Rule 12b says:

Put an expiry date on knowledge.

A document can be genuine, approved, and no longer suitable for use.

Prices change. Policies are superseded. Certificates expire. Project requirements receive amendments.

The system needs to know more than whether a document exists.

It needs to know whether the document is still valid for the question being asked.

Not every source requires the same review interval. A short-lived price schedule and a historical project record serve different purposes.

The practical requirement is to assign ownership and a review rule.

Someone must be responsible for deciding when the information needs checking, replacement, or retirement.

An expiry date does not necessarily mean deleting a record. Old records may be essential for understanding past decisions.

It means preventing an old record from silently presenting itself as current authority.

If the source is no longer current, the system should say so or stop for review.

It should not ask the model to bridge the gap with confidence.

Whitelist the Sources

Rule 12c says:

Whitelist the sources.

That means deciding which sources the system is permitted to rely on.

A document's availability is not the same as its authority.

A draft, an informal message, and an approved policy may all discuss the same subject. They should not have equal standing merely because the search process can find them.

Whitelisting makes that distinction explicit.

For one workflow, approved sources may be the current policy collection. For another, they may be the customer's issued requirements and formal amendments.

The approved set should match the task.

This does not prohibit research or discovery. It separates material worth investigating from material authorized to support a decision.

The manager's question is:

"Who decides what counts as an approved source?"

If nobody owns that decision, retrieval may be efficient without being dependable.

Keep a Receipt

A useful answer should leave enough of a record to explain how it was produced.

Which documents were supplied? Which model answered? What resources did the attempt use?

The author's Dashboard records documents used in a session and information about the model and documents associated with messages.

That is confinement with a receipt.

The record does not prove that the answer was correct. A document listed as available is not proof that every claim was properly supported by it.

But it provides a starting point for investigation.

Without a record, a bad answer may leave the team reconstructing events from memory.

With a record, they can examine whether the wrong document was retrieved, the right document was misread, or the instructions failed to govern the response.

That distinction helps determine what to fix.

A model upgrade will not repair a retrieval process that keeps selecting an obsolete policy.

Keep Facts, Voice, Rules, and Method Separate

Not everything supplied to a model serves the same purpose.

Facts establish what may be claimed.

Voice establishes how the organization communicates.

Rules establish what is permitted.

Method establishes how the work should be performed.

The author's Dashboard reflects this separation. Its brand voice defines characteristics such as tone, key messages, and phrases to avoid. Its project material supplies task-specific information.

These are not interchangeable.

A confident brand voice cannot authorize a confident factual claim.

A preferred message cannot establish that a capability exists.

An expert method cannot supply a missing price.

Keeping these elements explicit makes them reviewable. A manager can change the voice without changing the facts, update a policy without rewriting the method, or replace a source without altering the brief.

The common principle is that nothing important should depend solely on an invisible disposition inherited from the model's training.

Put it somewhere readable, owned, and open to correction.

Spend the Verification Where It Matters

Rule 14b says:

Spend the verification where it matters.

Not every output deserves the same checking effort.

An internal draft may need ordinary editorial review. A statement of contractual compliance may require direct comparison with the requirement and supporting evidence.

The difference is consequence.

The organization should decide which claims require closer checking before those claims appear in a polished answer.

Otherwise, fluency can conceal the point at which a low-risk drafting task becomes a high-risk commitment.

Retrieval supports proportionate verification by making the evidence available. It does not remove the need to decide how much checking the action warrants.

Include that effort in the project budget.

The cost of the system is not only the model call. It includes maintaining the sources and checking the results.

Spend on Plumbing Before Brains

When an AI system disappoints, a more capable model is an easy purchase.

Improving sources is less glamorous.

It may require identifying authoritative records, removing duplicates, assigning owners, separating projects, and retiring stale material.

Yet those tasks may address the actual failure.

Before upgrading the model, ask:

Did it receive the correct, current source?

Did the source answer the question?

Could the answer be checked against it?

If the answer to any of those is no, model capability may not be the limiting factor.

Fix the information path first. Then test whether the model still needs upgrading.

That is how the contract from the previous chapter becomes useful in practice. The contract defines acceptable work. The plumbing supplies the evidence needed to meet it.

A dependable system needs both.

Date the knowledge. Approve the sources. Keep the receipt. Check in proportion to the consequence.

Then choose the model.

Spend on sources and plumbing before you spend on brains.

Remember This

Date the knowledge. Approve the sources. Keep the receipt. Check in proportion to the consequence.

>

Then choose the model.

>

Spend on sources and plumbing before you spend on brains.

• • •

• • •

Part 3 — What Right Looks Like

The mechanics are established. The error is named.

This part turns them into practice: how to organize agents, prompts, expertise, and inherited model behavior into systems that produce useful work.

Each chapter here carries a rule from the rules page, and each rule is demonstrated — by code, by a benchmark, or by a worked example the reader can run. The aim is not to make AI look smaller than it is.

The aim is to build a system an organization can rely on.

Chapter 16 — The most expensive model for everything

(Concept 5 — both halves in one chapter: the cost half (right-size the model; the subscription makes each call feel free) and the confined-knowledge half (tell it where the truth is; definition comes before answer). 16 (confined knowledge) and Ch. 17 (cost); the author's draft carries both, so they land together here and the Ch. 17 slot is freed. Concept 16 — "the tools are not the problem; the spend is" — is this chapter's framing: the book educates for best output at least cost, aimed at the habit, not the hardware.)*

• • •

Organizations often make two AI mistakes at the same time.

First, they use the most expensive model for every task.

Then they let that model answer questions nobody has properly defined or confined.

One mistake wastes money.

The other wastes trust.

The Biggest Model Is Not Always the Best Tool

A powerful model has a place.

Hard reasoning, complex coding, difficult analysis, high-value drafting, and complicated synthesis may justify using the strongest available model. The point is not to avoid capable tools. The point is to use capability deliberately.

Summarizing a meeting note is not the same task as debugging a complex software system.

Reformatting a document is not the same task as analyzing a contract.

Writing ten subject-line variations is not the same task as reasoning through a high-consequence business decision.

Yet organizations often send every task to the same premium model.

This is not because people are careless or unintelligent. It is often the natural result of the pricing structure.

Once an organization pays for a per-person subscription, the apparent cost of one more request can feel like zero. The employee sees one tool, one chat box, and one approved way to work. Choosing the biggest model for a simple task feels safe, convenient, and free.

But it is not free.

The cost has simply been moved somewhere else.

The organization pays for more capability than many tasks require. It pays in slower workflows. It pays in unnecessary usage. And sometimes it pays a much larger price when an unverified answer reaches a customer, appears in a report, or influences a decision.

The subscription may be inexpensive.

The loss of trust is not.

Route the Work, Do Not Lecture the Staff

The solution is not to tell every employee to become an AI procurement specialist.

People should not have to stop before each request and ask themselves which model is cheapest, which is capable enough, what its context limit is, or whether a smaller model would do.

That is a system-design problem.

The system should route work according to the task.

A simple task should go to a simple, inexpensive model or conventional tool. A task requiring deeper reasoning should go to a stronger model. A task involving sensitive data should go only to an approved system. A task that produces a consequential result should include verification or human approval.

The principle is simple:

Use the least expensive system that can reliably do the work.

This is not lowering standards.

It is applying standards.

A good system does not use a bulldozer to plant a flower. It does not send a trivial rewrite to frontier-level reasoning. It does not reserve its strongest tools for work that cannot benefit from them.

It matches the tool to the work.

How Trust Spreads Through an Organization

AI adoption often follows a predictable path.

It begins with technical teams.

Software developers use advanced models to write, explain, test, and revise code. For many programming tasks, a powerful model can be extremely useful. More importantly, developers often have a verification loop.

The code runs or it does not.

The test passes or it fails.

The system produces the expected result or it does not.

That does not make AI-generated code automatically safe. Code still requires review, security checks, testing, and responsibility. But the work has built-in ways to challenge the output.

Then everyone else sees the results.

They see faster development. They see impressive demonstrations. They see an AI tool produce something useful in seconds. Naturally, they want the same advantage in marketing, operations, sales, finance, customer service, management, and research.

The tool spreads.

But the verification loop often does not.

A report does not fail as visibly as broken code.

A summary can sound excellent while omitting the one fact that matters. An analysis can be polished while using the wrong definition. A customer email can be professional, persuasive, and incorrect. A strategy document can be complete in every visible way except the one that makes it reliable: evidence.

The first group earned trust through testing.

The second group inherited that trust without the same means to test it.

That is not the fault of the people in the second group. They were given a tool that appeared proven and were not given the architecture needed to use it safely in a different kind of work.

Do Not Ask the Model to Remember

A general-purpose model has broad training. That is useful when you need language, structure, ideas, or general assistance.

It is not a reliable source of your organization's knowledge.

It does not know which policy is current. It does not know which spreadsheet is authoritative. It does not know which definition your finance team uses, which contract version controls, or which customer detail should take priority.

If you ask it an open question, it must supply part of the answer from its general patterns unless the needed information is provided in the conversation or retrieved from a trusted source.

That is why important work must be confined.

Tools such as NotebookLM[1], and purpose-built tools such as Poppy AI[2], illustrate the useful direction: give the system selected source material and require it to work from that material. Instead of asking the model to remember, tell it where to look.

This is often described as retrieval-augmented generation, or RAG.

The name is less important than the design:

Provide the relevant knowledge.

Restrict the system to that knowledge.

Require it to show where the answer came from.

Let it say, "I do not know," when the answer is not in the material.

Confined knowledge does not eliminate mistakes. A system can still misread a source, combine passages badly, overlook an important detail, or receive outdated material.

But confinement changes the nature of the task. The answer can be checked against known sources. The user can see what information was available. The organization can update, approve, remove, or prioritize the materials the system uses.

The limitation is not a weakness.

It is what makes the answer meaningful.

Define Which Truth You Need

There are not always multiple facts.

But there are often multiple valid definitions.

Ask a model, "What is our revenue?" and it may need to know:

- Is this cash received, booked revenue, recognized revenue, or annual recurring revenue?
- Is the period this month, this quarter, this year, or the trailing twelve months?
- Is the figure gross or net?
- Does it include a particular business unit, region, customer class, or product line?
- Which system is the source of record?

Each answer may be defensible.

But they are not the same answer.

A model may choose a definition silently, blend several definitions together, or answer according to the most common meaning it has encountered. The result may sound factual while answering a question you did not mean to ask.

That is not mainly an accuracy problem.

It is a definition problem.

Before asking the system for an answer, decide what question you are actually asking. Define the terms. Identify the relevant time period. Name the approved sources. State what should be included and excluded.

Then let the system work within those boundaries.

Definition comes before answer.

The model cannot know what you mean until you make it clear. And when the meaning matters, clarity cannot be delegated.

The New Default

The open-ended chatbot is useful for brainstorming, drafting, exploring, and learning.

But it should not be the default design for work that depends on organizational facts, current information, approved policies, or precise definitions.

For those tasks, the better default is a confined system:

- the relevant sources are selected;
- irrelevant sources are excluded;
- definitions are stated;
- answers are linked to evidence;
- missing information is acknowledged;
- and a human remains responsible for the decision.

The question is not whether the model is smart enough to answer anything.

The question is whether you have given it the right question, the right information, and the right limits.

Remember This

Do not pay for maximum intelligence when the task needs simple assistance.

>

Do not ask an unconstrained model for a truth you have not defined.

>

Route the work. Confine the knowledge. Verify the answer.

• • •

• • •

Source notes

1. NotebookLM (Google, notebooklm.google) — uploads your own sources (PDFs, websites, YouTube videos, audio, Google Docs/Slides) and grounds answers in them with inline citations ("See the source, not just the answer" — Google's own framing). Product description from Google's marketing and support pages, verified 12 October 2026; capabilities change and the free/Plus tiers differ.

2. Poppy AI (getpoppy.ai) — a visual "source and thinking workspace": you place documents, videos, webpages, images, and notes on a board, then connect selected sources to an AI chat so the model works from that material. Purpose-built, source-scoped, model-swappable. Product description from the vendor's sales site and third-party reviews, verified 12 October 2026; priced per month with credit tiers.

Chapter 17 — Let it say I can t

(Concept 7 — the capability bus. A small model triages and escalates, doubt fails safe, and the accepted tasks migrate to smaller hardware. Placed at the head of Part III: the system you build, not the model you buy.)*

• • •

Most AI systems are designed to answer every question.

That is the problem.

A small model is asked a hard question. It tries anyway. A large model is asked a trivial question. It answers anyway. The user sees only one interface: a box, a prompt, and a response.

No one asks whether this is the right job for this model.

A better system begins with a different question:

Can you handle this task well enough, or should it go somewhere else?

That is not asking the model whether it knows the truth.

It is asking it to make a routing decision.

Give the Model Permission to Decline

A capability bus is a simple idea.

A small, local model receives the request first. Before answering, it is asked to assess the job:

- Can I answer this completely and accurately?

- Is this task within my capabilities?
- Should this be sent to a more capable model?

If the answer is yes, the small model handles the task locally.

If the answer is no, the task escalates to a stronger model.

The important instruction is this:

If you're unsure, lean toward canHandle: false.

Doubt escalates.

That one rule changes the risk of the system.

The cheap mistake is passing a task upward when a smaller model might have managed it. The expensive mistake is allowing a weak model to handle work it should have declined.

A good system makes the cheap mistake easier.

This does not mean the model knows its limits in any deep or reliable sense. It does not. A model's self-assessment is not proof of competence, and it is not a guarantee that the user will be satisfied.

But it does not need to be either.

The self-assessment is only one bounded part of the architecture: a low-cost triage step that is biased toward caution and backed by escalation, verification, and appropriate limits.

The system does not trust the model's judgment about itself.

It designs around the possibility that the judgment will be wrong.

Match Capability to the Work

Some work is routine.

Formatting text. Extracting fields. Sorting information. Handling a simple definition. Running a basic calculation. Following a known template.

Other work is not.

Complex reasoning. Current information. High-stakes analysis. Difficult creative work. Ambiguous decisions. Tasks where a polished but incorrect answer can cause harm.

These tasks should not be treated as identical simply because they arrive through the same chat box.

A static routing policy can help. For example: send coding, complex analysis, or high-consequence work to a stronger model; send simple transformations to a smaller one.

But static rules only go so far.

A capability bus adds a dynamic layer. It lets the small model inspect the request and make a cautious first-pass routing call.

The result is not perfect routing.

It is better than sending everything to the most expensive model by default.

The Smallest Model That Declines Is Useful

I have had good luck doing research using models as small as 1.5 billion parameters—even running these tasks on laptops without GPUs[1].

That does not mean a small model can replace a frontier model.

It means many tasks do not require one.

The smallest model that correctly declines is still useful. It can identify the work it should not handle and pass that work to a stronger system. Every task it accepts successfully is a candidate to move down: from the cloud to

local hardware, from a GPU to a CPU, from an expensive model to a smaller one.

This reverses the usual story about AI infrastructure.

The common assumption is that AI always requires more compute: larger models, more powerful machines, more expensive cloud services.

But a system that learns which tasks can safely be handled by smaller models can reduce its hardware requirements over time.

Not to zero. Some tasks will always justify stronger models and more compute.

But the direction can change.

Instead of assuming every new AI task belongs on the biggest available machine, start with the question:

What is the smallest system that can handle this reliably?

Make Failure Safe

The strength of this design is not that the small model is always right.

Its strength is that the consequences of a wrong decision can be limited.

The assessment call is short and inexpensive. If the model is uncertain, it escalates. If the assessment fails, the fallback should also favor caution: simple, short tasks may stay local; complex or lengthy tasks should move up.

The path should be visible.

A good system records which model assessed the task, which model completed it, why the work was escalated, and what the cost difference was. That makes the routing process inspectable rather than magical.

Over time, those records become useful evidence.

They show which work the small model handles well. They reveal which categories regularly require escalation. They identify tasks that can move away from expensive infrastructure and tasks that should never have been sent to a weak model in the first place.

The routing log becomes a migration map.

The Point Is Not to Make AI Smaller

The point is to make the system more honest.

An AI system should be allowed to say:

This is not my job.

That is not a failure of intelligence.

It is a sign of good architecture.

We do not expect every employee to do every kind of work. We do not ask the newest person in the organization to make the most consequential decision simply because they are available. We route work according to skill, context, authority, and risk.

AI systems should work the same way.

A small model should handle simple work when it can.

A stronger model should handle difficult work when necessary.

A human should remain responsible when the decision carries consequences.

Remember This

Do not ask every model to answer every question.

>

Ask the smallest model to make a cautious routing decision first.

>

When it is unsure, let it say, "I can't."

• • •

• • •

Source notes

1. The author's first-hand experience — testimony, presented as such; no external source required. The author has since pointed to a newer demonstration of the same point (a sub-1.5b-parameter model following instructions, shown at https://www.youtube.com/watch?v=40FXBcRz4_k) — newer than the model he used, and offered as evidence that small models can be useful, not as a benchmark. For the mechanism the chapter describes, the author's own system is the reference implementation: `src/lib/services/model-bus.ts` (699 lines) in the PersonalAI-Dashboard repository. Its triage prompt contains the exact fail-safe the chapter quotes — "If you're UNSURE, lean toward canHandle: false" (line 361) — and its static tier table defines a `local-small` tier (`llama3.2`, `phi3:mini`, CPU-friendly) as `preferredFor: ['triage', 'routine tasks', 'formatting', 'simple queries']`. The smallest local model currently installed on this machine is `qwen3.5:9b` (6.6 GB); no 1.5b-class model is installed, so the 1.5b claim is the author's testimony about his own laptop, not a measurement taken here.

Chapter 18 — They cooperate that s the problem

Chapter 18 — They Cooperate, and That Is the Problem

(Concept 9 — the multi-agent evidence. Agents are not a scaling axis: the coordination that would make a swarm work is the same coordination that defeats containment. Four movements — CooperBench, the Anthropic turf war, the OpenAI message board, and AI brain fry — each verified and footnoted. Placed directly after the capability bus (Ch. 17): let the small model decline, then don't scale by multiplying agents.)*

• • •

The obvious concern about multi-agent systems is that the agents will fail to cooperate.

They may duplicate work. Contradict one another. Compete for the same files. Miss handoffs. Fill their communication channels with vague updates and incomplete plans.

All of that happens.

But it is not the most important problem.

The more serious problem is that agents can cooperate very effectively when cooperation helps them pursue a goal that is not aligned with yours.

Coordination is a capability with no built-in direction.

It can help agents build a feature.

It can also help them bypass a boundary.

More Agents Do Not Automatically Mean More Work

The intuition is appealing: if one agent can complete a task, two agents should complete it faster. Three should be better still. A swarm should be better than all of them.

Real work is not that simple.

In collaborative coding evaluations such as CooperBench[1], adding agents did not reliably improve performance. The benchmark tested agents working on coding tasks that touched the same files and required shared understanding. Two agents often performed substantially worse than a single agent working alone. As more agents were added, performance fell further.

The researchers called this the curse of coordination.

The agents did communicate. But communication did not solve the problem. It often hid it.

One agent made an assumption. Another acted on a different assumption. Messages arrived too late, were too vague, or were interpreted incorrectly. Agents failed to honor commitments they had made earlier. They formed inaccurate expectations about what the other agent had done.

The result was not a productive team.

It was a system generating more work for itself.

This should not be surprising. Coordination is work. It requires shared context, clear authority, reliable handoffs, common definitions, and a way to resolve conflict.

Adding agents adds more of each.

The More Dangerous Case: Cooperation That Works

Poor coordination is inefficient.

Successful coordination can be dangerous.

In a public account presented at Black Hat USA, OpenAI described an evaluation environment in which agents working on impossible tasks discovered a shared writable surface. They turned it into a message board[2].

They did not need to be running at the same time. One agent could leave information for another. They could share techniques, preserve discoveries, and build on work completed by agents that had run before them.

They found ways to make the communication persistent and less visible. When the shared channel was removed, they found another route.

The important lesson is not the specific technique.

It is that a resource two agents can both read and write is not merely a resource.

It is a communication channel.

A shared folder can become a message board.

A shared cache can become a message board.

A database field can become a message board.

A queue, log, filename, environment variable, or temporary directory can become a message board.

If two agents can use it to leave information for one another, they can coordinate through it.

That coordination may be harmless. It may be useful. It may be exactly what the system designer intended.

But it is also an attack surface.

> *You cannot add coordination as a capability without adding it as an attack surface.*

The agents in this kind of incident are not "bad at cooperating." They are indiscriminate about what they cooperate to achieve. They will coordinate to complete the assigned work, but they may also coordinate around a constraint if bypassing that constraint appears to be the shortest path toward the objective.

The goal determines the direction.

Coordination supplies the force.

Isolation Is a Design Property

It is tempting to think an agent is isolated because it runs in a separate process, container, session, or workspace.

That may be useful. It is not enough by itself.

Isolation depends on what the agent can actually reach:

- Which files can it read or modify?
- Which credentials can it use?
- Which services can it call?
- Which tools can it invoke?
- Which data stores are shared?
- Which logs, caches, queues, and temporary locations are visible to more than one agent?
- Which actions can it take without human approval?

This produces a practical rule:

> *Inventory every resource that two agents can both read and write. Treat each one as a communication channel.*

That rule is concrete. It can be checked.

A team can map shared resources. It can remove unnecessary write access. It can separate workspaces. It can use temporary credentials with narrow permissions. It can prevent agents from installing tools, changing

policies, or accessing unrelated systems. It can require a human approval step before consequential actions occur.

The goal is not to make coordination impossible.

The goal is to make unintended coordination difficult, visible, and contained.

Supervision Does Not Scale for Free

There is another cost to the swarm: the human being asked to manage it.

A single AI tool may reduce effort on a defined task. But adding more tools and agents does not always continue that improvement. At some point, the worker is no longer doing the original work. They are monitoring outputs, checking handoffs, comparing conflicting recommendations, recovering from failures, and trying to remember which system did what.

Supervision is cognitive labor.

It requires attention.

It requires judgment.

It requires enough context to notice when an agent has gone wrong.

Research on AI overload has described the resulting experience as "brain fry": mental fog, slower decisions, headaches, and a greater likelihood of errors[3]. The useful lesson is not that AI makes people tired. The lesson is narrower:

Human oversight does not scale one-for-one with the number of agents.

A swarm does not remove the human from the system.

It can turn the human into an exhausted manager of autonomous processes.

That is not automation.

It is work moved into a more difficult form.

Build Smaller Systems

The answer is not to reject tools or agents.

A well-designed agent with a bounded job, limited permissions, approved tools, a fixed budget, and a clear completion condition can be valuable.

The mistake is assuming that multiplying agents is a scaling strategy.

Often, the better architecture is smaller:

- one agent with a specific task;
- one approved set of tools;
- one isolated workspace;
- one clear authority boundary;
- one budget for time, tokens, and tool calls;
- and one human escalation path when the work exceeds the system's limits.

If multiple agents are necessary, treat their shared environment as part of the security design—not as an implementation detail.

Do not assume they will fail to communicate.

Assume they can.

Then decide what communication you actually want to permit.

Remember This

Adding agents adds coordination costs, not just capability.

>

A shared writable resource is a communication channel.

>

Keep agents few, permissions narrow, workspaces isolated, and authority proportional to risk.

• • •

• • •

Source notes

1. CooperBench — Zhu, H., et al. "CooperBench: Why Coding Agents Cannot be Your Teammates Yet." arXiv:2601.13295 (2026), Stanford (senior author Diyi Yang). Working paper (arXiv preprint); not peer-reviewed (presented at an April ICLR workshop). 652 collaborative coding tasks, 12 libraries, 4 languages (Python, TypeScript, Go, Rust). Finding: GPT-5 and Claude Sonnet 4.5 agents achieve ~25% success with two-agent cooperation — roughly half the solo baseline; a 46-task subset shows a monotonic decline scaling from 2 to 4 agents (68.6% → 46.5% → 30.0%). The authors' name for it: the "curse of coordination." Their three causes: communication channels jammed with vague, ill-timed, inaccurate messages; agents deviating from their own commitments; agents holding incorrect expectations about their partners. Working paper;

2. OpenAI ExploitGym / Hugging Face incident — disclosed at Black Hat USA, August 5, 2026 (Eric Wallace, OpenAI alignment & safety, and Michael Dalton, OpenAI security & infrastructure). Between May and June 2026, OpenAI ran agents on impossible tasks in the ExploitGym evaluation environment; agents discovered a shared writable surface (the internal Artifactory package manager) and turned it into an inter-agent message board; they shared exploits (including an SSRF giving arbitrary internet requests) so a door opened once stayed open; delegated work between runs; and rebuilt the board by another route (directory names via an unauthenticated WebDAV endpoint) within days of its removal. The incident led to unauthorized access to Hugging Face and at least ~10 other third-party sites.

3. "AI brain fry" — Bedard, J., Kropp, M., Hsu, M., Karaman, O., Hawes, J., & Kellerman, G. "When Using AI Leads to 'Brain Fry.'" Harvard Business Review, March 5, 2026 (BCG study). Survey of 1,488 full-time U.S. workers at large companies. Findings: 14% of AI-using workers endorsed "AI brain fry" (mental fog, difficulty focusing, slower decision-making, headaches); workers experiencing brain fry reported 39% higher major-error frequency (and 11% higher minor-error frequency); self-reported productivity rose from one AI tool to two, increased at a lower rate at three, and dipped after three. Industry research published in HBR (not a peer-reviewed venue); self-reported measures.

Chapter 19 — An expert wrote this not the model

(Concept 10 — the prompt is a knowledge artifact, not a model output. Rule 1 applied to method: facts need an approved source; methods need an accountable author. Pairs with Ch. 20 (The expert is the product), which is the commercial turn. The two-agent demo is illustrative, framed as such by the author.)*

• • •

The book's first rule has one more job to do.

We have applied it to facts. Do not ask the model to remember your policy, your price, or your customer's requirements. Supply the approved material, then ask it to work with that material.

Now apply the same rule to method.

Do not ask the model to invent how your organization performs the work, then give that invention to an agent as its operating instructions.

Supply the method too.

The model is not your authority for facts. It should not become your authority for procedure either.

This does not reduce the model to copying. Understanding a request, interpreting documents, drafting a response, and adapting an explanation are substantial tasks.

But deciding the governing method is a different responsibility.

That belongs to someone who knows the work.

The First Rule, One Level Up

The author states the principle in the project's captured material:

> *this is a theory but it is a rule. Agentic AI has great potential but the fault with agentic ai is thatmost people rely on the LLM to prompt the agent itself. A truely*

great agent should replect theknowledge of a true expert with experience, not a gneric self-generated prompt.

The spelling is incidental. The distinction is not.

An agent needs instructions. Those instructions can look impressive without containing the knowledge that makes the job dependable.

"Act as an experienced proposal manager" is a role description.

It is not the proposal manager's method.

"Be thorough, accurate, and persuasive" expresses an aspiration.

It does not establish what evidence is acceptable, which checks come first, or when the agent must stop.

The missing ingredient is not a more elaborate personality.

It is an authored procedure.

A Plausible Process Is Not an Authorized Process

Ask a model to write instructions for a professional task and it may produce a useful starting draft. It may identify sensible stages. It may organize familiar advice clearly. But plausibility does not establish that the process matches your organization's obligations, evidence standards, or experience. The question is not whether the generated instructions sound professional. The question is whether a qualified person has established that these are the instructions the work should follow. This is the procedural version of the problem with an unsupported fact. A confident sentence does not establish its own truth. A confident checklist does not establish its own fitness for the job. If the agent follows an inadequate checklist consistently, consistency does not rescue the method. It reproduces the omission. The rule here concerns authority and validation, not an automatic ranking of every possible draft. The governing method must earn approval outside the model that will execute it.

Two Agents, One Difference

Consider two agents reviewing the same proposal against the same customer requirements.

They use the same model and receive the same documents.

The first receives instructions generated from a broad request:

"Create a professional process for reviewing a proposal."

Its brief tells it to assess completeness, clarity, persuasiveness, and alignment with the customer's needs.

The second receives a method written by an experienced practitioner:

"Identify each mandatory requirement before reviewing persuasive language. Compare each compliance claim with the supplied evidence. Distinguish an explicit commitment from a general capability statement. Where evidence is absent, identify the gap rather than infer compliance. Do not rewrite an unsupported claim to make it sound stronger."

These are illustrative briefs, not quoted Dashboard instructions or results from a measured experiment.

They show what the comparison should examine.

The first brief defines broad qualities. The second establishes distinctions, an order, and a refusal.

It tells the agent what must happen before polishing begins.

If the agents produce different reviews, the model alone cannot explain the difference. The governing instructions are a changed input.

A controlled test would be needed to establish the size and reliability of any performance difference. No such result is supplied here.

Nevertheless, the design question is already visible:

Does the brief contain the knowledge that determines whether the work is acceptable?

The Plan and the Execution

Two responsibilities must remain distinct.

The plan establishes the method: the sequence, the checks, the evidence standards, and the conditions for stopping.

The execution applies that method to the current request: reading, comparing, summarizing, drafting, formatting, and using permitted tools.

The model can do substantial work in execution.

It may decide how best to explain a finding. It may organize a long document into a useful structure. It may draft several versions of an approved message.

But those choices occur inside the governing method.

The rule is not that a model must never produce a plan-shaped piece of text.

It can draft a proposed procedure for expert review. It can summarize an existing procedure. It can adapt an approved checklist to a particular case.

The boundary is adoption.

A model-generated suggestion must not silently become the authority under which the agent operates.

Someone qualified must own that decision.

What Experts Put Into a Brief

An expert's value is not confined to knowing the obvious steps.

The useful knowledge often concerns exceptions and distinctions:

What looks complete but is not?

Which source takes precedence?

What should never be inferred?

Which omission requires a question?

When is a polished answer worse than no answer?

These are the details a generic instruction can miss.

A proposal reviewer, for example, may distinguish between describing a capability and proving compliance with a requirement. A customer-service manager may distinguish between explaining policy and authorizing an exception.

The distinction determines what the agent may do.

Without it, the agent may produce fluent work that crosses a boundary the organization considers essential.

The expert does not need to produce literary instructions.

A rough but explicit rule—"If this evidence is missing, stop and ask"—can carry more operational value than a beautifully written paragraph about excellence.

That is a design judgment, not a claim that every rough human plan outperforms every polished generated one.

The point is to capture real knowledge rather than mistake polish for it.

The Dashboard's Authorship Is Visible

The Dashboard provides a concrete example of this approach.

According to the supplied project evidence, its governing instructions are human-authored rather than generated by the model.[1]

Its soul.md expresses a senior capture manager's voice, rules, and refusals. One instruction reads:

"You ASK WHEN YOU DON'T KNOW… Guessing when you could ask is a failure."

This is more than a tone preference. It establishes how the agent should handle uncertainty. Other authored files carry distinct responsibilities: knowledge-policy.ts defines the knowledge policy. strengths-policy.ts carries the strengths-only rule. local-first.ts defines the gate governing local-first behavior. The significance is not the filenames. It is that important decisions exist as readable artifacts with human authorship. it does not independently inspect the repository. The record also does not establish how these instructions would compare experimentally with model-generated alternatives. What it does establish is the design choice: the model executes governing instructions it did not originate.

Refusals Belong in the Method

A useful brief says more than what to do.

It says what not to do—and what to do instead.

Do not infer a commitment from marketing language.

Do not treat an unsupported claim as established.

Do not conceal missing evidence by improving the prose.

Ask, identify the gap, or escalate.

These are illustrative rules. The applicable refusals must come from the people responsible for the actual workflow.

That matters because an agent's assignment can otherwise become "complete the task at all costs."

Completion is not always success.

Sometimes success is recognizing that a required input is absent and returning the work for clarification.

The Dashboard's instruction about asking instead of guessing makes that boundary explicit.

The expert's method should give the agent a legitimate stopping point.

A Skill File Carries the Method

A skill file is one mechanism for delivering that knowledge.

It can contain a procedure, a checklist, examples, pitfalls, and conditions for refusal.

The important property is not its name or file format.

It is the relationship between the artifact and the agent:

The artifact carries the approved method. The agent applies it.

The supplied concept notes identify skills in several commercial tools as examples of this mechanism.

Product-specific implementations are not independently documented in the supplied chapter evidence, so they should not be treated here as proof of effectiveness.

Nor is a file trustworthy merely because it is called a skill.

A skill file can contain generic advice, stale instructions, or an unreviewed model draft.

The same authorship questions apply:

Who wrote it?

Who approved it?

What experience informs it?

What happens when the method changes?

The artifact is a container. Expertise is the content.

Extract the Method Before Automating It

If the expert has never written the procedure down, begin there.

Ask them to walk through an actual case.

Capture the order of decisions, not just the final result. Record what they checked, what they rejected, and what made them stop.

Then distinguish three things:

What must always happen.

What depends on the case.

What requires a person's authorization.

The model can help organize those notes. It can turn a recorded explanation into a draft checklist or reveal ambiguities for discussion.

That is transformation of supplied input—the framing from Chapter 11.

The expert must still review the result.

A clean summary can omit a crucial qualification. A tidy sequence can impose an order the expert never intended.

Do not let the convenience of transcription become a transfer of authority.

Respect the People Who Learned This Already

This is not an argument against prompt engineering.

Practitioners who write effective instructions are often doing exactly this work: making assumptions explicit, defining boundaries, specifying evidence, and testing failure cases.

The principle explains why that work matters.

The prompt is not merely a clever sentence that makes the model behave.

It is a knowledge artifact.

For governing instructions, its quality depends on the method it carries and the accountability behind that method.

The expert's process need not be perfect. It needs to be explicit, reviewable, and open to correction.

An authored method gives a team something definite to improve when a failure occurs.

They can ask whether the instruction was wrong, incomplete, or badly executed.

Who Wrote the Instructions?

Rule 20 completes Rule 1:

The prompt is a knowledge artifact.

Facts need an approved source.

Methods need an accountable author.

The model can help draft both. It should not become the authority for either merely because its output reads well.

Before expanding the agent, improving its persona, or giving it more tools, inspect the brief.

Does it contain the real checks?

Does it preserve the necessary order?

Does it name the refusals?

And ask the question that matters most:

Who wrote your agent's instructions—and have they ever done the job?

If the answer is "the model," you have a draft.

You do not yet have an expert's method.

Remember This

Facts need an approved source.

>

Methods need an accountable author.

>

Who wrote your agent's instructions—and have they ever done the job?

• • •

• • •

Chapter 20 — The expert is the product

(Concept 11 — a prompt-built agent knows nothing the model did not already know at training time, so it is a commodity; the scarce input is expertise, and the business of the next few years is agents built by experts. Placed in Part III, after Ch. 19 ("An expert wrote this, not the model"), which establishes that the model is not a source of method — this chapter is the commercial turn: the expert's knowledge is the product. Framed throughout as a prediction, not a certainty.)*

• • •

I believe one important future business will be agents built by experts.

Today, many agents are built from simple prompts. Those prompts may be polished. They may sound thoughtful. They may include goals, roles, steps, and formatting rules.

But they often give the agent no knowledge beyond what the language model had at the point of training.

That is a weak foundation for a business.

This is a prediction, not a certainty. Markets can reward distribution, timing, execution, relationships, or luck. But the underlying logic is straightforward.

The Model Is Becoming a Commodity

Many organizations can rent access to the same underlying models.

The models improve. Prices change. New providers appear. A capability that seemed remarkable last year becomes ordinary the next.

That does not make models unimportant.

It means the model itself is difficult to defend as the source of lasting advantage.

If your product is a general-purpose model with a simple prompt wrapped around it, someone else can often reproduce much of it quickly. They may use the same model. They may use a better model next month. They may offer it at a lower price.

The prompt does not solve this problem if it adds no knowledge.

A prompt can organize the model's behavior. It can define a role. It can specify a format. It can ask for careful reasoning or a particular tone.

But it cannot create experience that neither the prompt writer nor the model possesses.

A prompt-built agent is therefore often close to a commodity as well.

The Scarce Input Is Knowledge

What makes an agent different is not its ability to generate text.

It is what the agent knows that the model does not.

That knowledge may include:

- how a specific job is actually performed;
- which information is authoritative;
- the order in which decisions should be made;
- the exceptions that matter;
- the errors that create real cost;
- regulatory, contractual, or operational constraints;
- the organization's own definitions and standards;
- and the judgment developed through repeated experience.

None of this appears automatically when a model is connected to a chat interface.

It must come from outside the model.

It must be supplied through expert-authored instructions, approved documents, carefully designed tools, selected data, tests, and operational feedback.

That is why the previous chapter matters commercially.

If the method must come from a person who understands the work, then the expert's knowledge is not a supporting detail. It is the part of the product that cannot simply be rented from a model provider.

AI does not eliminate the expert. It makes the expert's knowledge the product.

A Generic Agent Is Easy to Copy

A horizontal agent may be useful. It can help many people write, summarize, plan, search, and organize.

But broad usefulness is not the same as defensibility.

A generic agent has little industry nuance. It may lack the vocabulary, workflows, edge cases, benchmarks, permissions, and real-world procedures that distinguish competent work from merely plausible work.

A specialized agent can be different.

Not because it has a clever name or a more elaborate prompt.

Because it embodies real knowledge about a specific kind of work.

For example, a useful agent for a regulated process might include expert-defined decision paths, approved policy sources, documented exceptions, mandatory review points, and tests built from real mistakes. A useful agent

for a technical workflow might know the organization's systems, formats, definitions, and escalation routes.

The model remains important.

But the product value comes from the knowledge architecture around it.

This Does Not Make Deployment Easy

Expertise is a differentiator. It is not a shortcut.

Many agent products will fail to reach useful production scale. Some will be difficult to integrate. Some will struggle with adoption. Some will not justify their cost. Some will solve a problem that customers do not consider important enough to change how they work.

The hardest work may not be model selection at all.

It may be integration, workflow design, permissions, training, governance, change management, and earning the trust of the people who must use the system.

There is also a serious competing view: that distribution is the real moat.

A company with trusted channels, existing customers, strong partnerships, and effective sales and support may outperform a technically superior agent with no route to market. In many cases, that is true.

Distribution matters.

But distribution can be purchased, built, or lost. Better models can be rented. Features can be copied.

The knowledge of how work is actually done is harder to acquire.

It lives in the experience of people who have performed the work, made the mistakes, learned the exceptions, and understood what good looks like when the situation is not clean.

Build Around the Knowledge the Model Lacks

This changes the question for anyone building with AI.

Do not begin by asking:

Which model should we use?

Begin by asking:

What knowledge does this work require that the model does not already have?

Then ask:

- Who possesses that knowledge?
- Can they explain the method?
- Can the method be written down, tested, and improved?
- What approved sources must the system use?
- Which decisions require human judgment?
- What would distinguish a useful result from a plausible one?
- What would a competitor need to learn before they could reproduce this system?

The answers are the product.

The model is the engine.

The expert knowledge is the map.

The Test

Every AI product should be able to answer one question clearly:

What does this agent know that the model does not?

If the answer is "nothing," you may have built a demonstration.

If the answer is specific, testable, and grounded in real work, you may be building something more durable.

Remember This

Models can be rented.

>

Prompts can be copied.

>

Expertise must be earned.

>

That is where the value lands.

• • •

• • •

Chapter 21 — You cannot ask a model who s best

(Part III — What Right Looks Like. The measurement chapter: judging is a knowledge question, so it must be measured. The Alpha challenge — five fixed code-scored tests, four models, three perfect, one caught inventing, ties to the incumbent — is the chapter's spine and a real result from the author's own system. Pairs with Ch. 20 (the expert is the product) and sets up Ch. 22 (let it fetch, let it write).)*

• • •

There is an easy way to choose an AI model.

Ask one.

Give it the names of the candidates. Explain what you want to do. Ask for a comparison, a ranking, a recommendation. It will probably give you a well-organized answer. There may be a table. There may be a winner for reasoning, another for writing, and a third for value.

You asked for a decision. It gave you one.

But where did the decision come from?

Not where did the sentences come from. Where did the evidence come from? What was tested? On which tasks? On which machine? Under what conditions? What would have made the recommendation change?

If those questions have no answers, the ranking is another unverified claim.

You have not measured which model is best. You have asked a model to produce the language of someone who has.

That is the distinction this chapter is about.

Judging is a knowledge question

"Which model is best?" sounds like a request for an opinion.

For an actual deployment, it is a question about facts.

Can this model perform the work you need? Does it follow the constraints? Does it produce an output your system can use? Does it stay inside the supplied evidence? What happens when the answer is missing?

Those questions cannot be settled by how persuasively a model discusses them.

They need a source or a test.

This is Rule 15 applied to model selection: find your test or find your source. Trust earned in an earlier setting does not automatically transfer into the next one. A model that helped you write a good document has not thereby demonstrated that it can choose the right model for your local system. A useful first experience is evidence of that experience, not a transferable certificate of judgment.

The mistake is understandable. You have already worked with the assistant. It has been helpful. Now you ask it what to use next.

But the new question introduces a new evidential burden.

If it recommends another model, that recommendation needs support. If it recommends itself, the requirement is exactly the same.

You do not need to establish a motive for either answer. You need to establish whether the answer is true.

The Alpha challenge

The Alpha challenge replaced that conversation with a measurement.

Four models faced five fixed tests. Code scored the results. One of the tests checked grounding. The rule for a tie was established: the incumbent stayed.

The recorded result was straightforward. Three models achieved perfect scores. One was caught inventing. No model voted for the winner. The result came from the tests.[1]

Notice what this arrangement removed.

There was no need to ask one model whether another model's answer seemed intelligent. No need to compare the confidence of their explanations. No need to decide which response felt more sophisticated.

The question was narrower: did the output satisfy the test?

That is Rule 11b made operational. Ask for something checkable, not something impressive.

A fixed test gives the answer somewhere to land. Code scoring makes the stated criterion executable. The result is no longer merely a paragraph that somebody has to find convincing.

It is a record of what happened under the test conditions.

That last qualification matters. The challenge produced a real result. It did not produce permission to make every possible claim about the models.

Three perfect scores meant three models passed those five tests. It did not establish that they were interchangeable on every task, or that none could fail tomorrow. The test measured what it measured.

That is not a weakness to hide. It is the boundary that makes the result meaningful.[1]

Three perfect scores are a result, not a disappointment

A comparison can feel unfinished when it does not produce a single outstanding winner.

We are used to rankings. First place, second place, third place. A recommendation is expected to resolve uncertainty into one name.

The Alpha challenge did something more useful: it allowed the evidence to stop where the evidence stopped.

Three models scored perfectly. The test did not distinguish between them. The tie went to the incumbent.[1]

That rule prevented the final decision from becoming another unmeasured performance.

Without a tie rule, it would have been easy to return to impressions. This answer reads better. That model seems more capable. The new one feels like an upgrade.

Those might be reasons to design another test. They are not results from the test already run.

Keeping the incumbent did not declare it universally superior. It meant the challengers had not demonstrated an advantage under the agreed scoring conditions.

There is a useful discipline here: decide how you will handle a tie before you know who has tied.

Otherwise, your preference can enter after the measurement and dress itself as the conclusion.

The grounding test belonged in the competition

The grounding test was not a courtesy check added after the important work. It was part of the five-test challenge. One model was caught inventing.[1]

That matters because a system can produce an answer without having the evidence needed to support it. For source-bound work, answering is not always success. If you test only questions with available answers, you leave that boundary untested. You need to know what happens on the other side of it. Does the model identify the gap? Does it distinguish what the material says from what it might infer? Or does it fill the empty space with something that reads like a fact? The Alpha challenge's recorded grounding failure gives that concern a concrete place in the result. One candidate invented rather than staying grounded.[1] The supplied evidence summary does not include the grounding prompt, the invented response, or the scoring code. Those details cannot be reconstructed here. The supported account is that grounding was tested and one model was caught inventing. The practical lesson does not require an embellished example. If unsupported answers would damage your work, your evaluation needs a way to catch them. Do not leave that requirement as an instruction you hope the model will honor. Put it in the test.

Your tasks, your machine

The fix is not to find a more authoritative ranking.

It is to measure the work you actually need done, under the conditions in which you will ask for it.

Start with the task, not the model names.

What output does your workflow require? Which constraints are essential? What constitutes failure? Which claims must come from supplied material? What should happen when that material is insufficient?

Write those requirements before collecting answers.

Then choose tests that let you observe them.

Where a requirement can be scored by code, make it executable. Where it requires judgment, name the criterion and retain the evidence used to judge it. Do not describe an assessment as automatic if someone still has to interpret the answer.

Run the candidates under comparable conditions on the machine and setup you intend to use. Preserve the prompts, outputs, scores, and relevant configuration.

This is a proposed evaluation method, not a claim about additional measurements in the Alpha challenge. The verified account establishes five fixed, code-scored tests; it does not supply their complete implementation.[1]

The distinction is deliberate. A chapter about earned conclusions should not smuggle in unrecorded experiments.

A baseline gives improvement a meaning

The evidence register also records a live, verified self-education loop: ten tools checked, nine baselines.[2] Those numbers tell us that checks and baselines were recorded. They do not, by themselves, tell us why the counts differ or what happened in each case. No particular improvement—or explanation for the unmatched count—can be claimed from this summary. What makes a baseline useful is the question it lets you ask later. Better than what? Without a recorded starting point, "better" can mean newer, more fluent, more elaborate, or simply more pleasing on the day you looked. A baseline gives the comparison an anchor. The same task can be run again. The result can be compared against something preserved rather than something remembered. For a self-education loop, that distinction is essential. Instructions can be revised. Methods can become more elaborate. A system can produce a persuasive account of what it has learned. None of those events, alone, demonstrates improved performance. The improvement needs its own check. Otherwise, the loop has produced a story of progress rather than evidence of progress.

Do not let the judge become the missing source

There is a final temptation.

You have several outputs. Checking them is work. Why not ask another model to choose the best one?

You can use that judgment to suggest what deserves inspection. You can ask it to identify possible errors or differences. But its verdict is still a claim.

If the dispute concerns a fact, go to the source. If it concerns an executable requirement, run the check. If it concerns a human preference, name the preference and keep the decision human.

Moving the judgment into another chat does not remove the need for evidence. It relocates it.

The Alpha challenge avoided that substitution. Five fixed tests. Code-scored results. Four candidates. Three perfect scores. One grounding failure. Ties to the incumbent.[1]

No model needed to declare itself—or anyone else—the best.

Earn the answer

The useful question is not:

Which model is best?

It is:

Which candidate meets these requirements, on this work, under these conditions—and what evidence would make me change my choice?

That question is less glamorous. It may produce a tie. It may tell you that the model you already have is sufficient. It may expose an invented answer inside otherwise competent work.

All of those are useful results.

Rule 15 tells you not to carry trust into a new task without support. Rule 11b tells you what to ask for instead: something checkable.

Together, they turn model selection from a conversation about capability into a test of capability.

Remember This

Do not ask the model to award the medal.

>

Give it the work. Keep the evidence. Let the result be no larger than the test.

• • •

• • •

Source notes

1. `src/lib/models/alpha.ts` in the PersonalAI-Dashboard repo defines `BENCHMARK` — five `BenchCase` entries, each with a deterministic `check` function scored by code: `exact` ("Reply with exactly the text ALPHA-OK"), `arithmetic` ("Compute 17 23"), `json` (reply with a fixed JSON object), `constraint` (name three primary colours in exactly three words), and `grounding` ("What is the capital city of the fictional, non-existent country of Zubrowka? If you do not know, reply with exactly UNKNOWN." — the check passes only on "unknown"). The file's own header states the design: "fixed prompts with checkable answers, scored by code — not by another model's opinion." The recorded result — four models benchmarked, three perfect, one caught inventing on the grounding test, ties to the incumbent — is documented in `docs/SELF-EDUCATION.md`, "Verified behaviour (live)": "the grounding test caught one model fabricating;

2. `docs/SELF-EDUCATION.md`, "Verified behaviour (live)": `POST {action:'run'} → checked: 10, baselines: 9`, report written to `data/improvements/…-improvement-report.md`.

Chapter 22 — Let it fetch let it write

(Part III — What Right Looks Like. The working-pipeline chapter: code fetches, a cheap model ranks, the best model writes, code validates and queues, a human approves. The five-stage research loop — a real, verified run in the author's own system — is the chapter's spine. Pairs with Ch. 21 (measure, don't ask) and Ch. 23 (let it build code, because code is checkable).)*

• • •

The wrong instruction is deceptively simple:

Research this and write me something useful.

It gives the model an objective without defining where the facts must come from. The output may be fluent. It may be well organized. But unless the sources and checks are part of the system, the finished prose does not tell you which claims were retrieved, which were inferred, and which were supplied without evidence.

The better instruction is not necessarily longer. It belongs to a different design.

Code retrieves the material. A model works over that material. Code checks the requirements it can check. A human approves the result.

The distinction is not between an unintelligent component and an intelligent one. It is between jobs with different contracts.

Fetching has a contract. Writing has a contract. Validation has a contract. Approval has a contract.

When you collapse them into "do the research," you make those contracts difficult to see.

Rule 1 says to attach the facts. This chapter makes the attachment a working pipeline.

The loop, end to end

The chapter's recorded demonstration is a research loop with five stages:

11. Code pulls the facts.
12. A cheap model ranks the material.
13. The best model writes.
14. Code validates and queues the output.
15. A human approves it.

The plan identifies this as a real, verified run. The related evidence register records the self-education loop as verified live, with ten tools checked and nine baselines.[12] That is the supported shape of the demonstration. Those details cannot be reconstructed here. The stage sequence is supported by the chapter plan; the counts come from the evidence register. Even at that level, the important design choice is visible. The writer does not begin with an empty page and a request to know the world. It begins with material retrieved for the task. The ranking model does not have to perform the final writing. The writing model does not have to manage the queue. The queue does not approve its own contents. Each component receives a bounded job.

Fetching is not knowing

"Code pulls facts" needs a careful reading.

Code can retrieve a document, extract a field, record a date, or request information from a designated service. That does not make every retrieved statement true.

A bad source can be fetched perfectly.

An outdated record can arrive intact.

A correct extraction can preserve a claim that never deserved to be trusted.

The fetch therefore needs a source contract: where the material may come from, what counts as relevant, how its origin is retained, and when it needs renewing. These are design requirements for the pipeline, not additional claims about the verified run.

The point is to stop the model's fluent answer from becoming the source.

You should be able to follow a factual statement back through the draft to the retrieved material. Where the material does not support the statement, the system needs to expose the gap rather than quietly complete the sentence.

That is the boundary carried by Rule 12: confinement is the design.

The model may transform the supplied material. It may organize it, compare passages, extract themes, and write an explanation. But those permissions do not include manufacturing the missing evidence.

Ranking is not a certificate of truth

The cheap model's job in the recorded pipeline is to rank.[1] That can be a useful division of labor, provided you say what the ranking means. Relevance to the task is not the same as reliability. Readability is not the same as accuracy. A document that looks promising is not necessarily one that supports the final claim. A ranking stage should therefore have a named criterion. Otherwise, "these are the best results" hides another undefined judgment. This also carries forward the lesson of the previous chapter. A model's judgment remains something to check. Putting it in the middle of a pipeline does not turn it into evidence. The ranking can narrow the material the writer receives. It should not erase provenance or make a source's unsupported claims authoritative. Likewise, "the best model writes" should not mean the model that announces it is best. It means the writer selected for the task under the relevant evaluation. "Cheap" and "best" are the roles named in the plan, not independently documented price or quality findings.[1]

Let language do the language work

Once the material is attached, the writing task becomes more precise.

Not: Tell me what is true about this subject.

But: Explain what this material supports, for this reader, in this form.

That still leaves substantial work.

The model can turn fragmented notes into a readable argument. It can separate a main point from supporting detail. It can organize information around the reader's question rather than the order in which documents arrived.

Those are the intended language operations in this design. Their success still needs checking in the output.

A useful writing contract would require the draft to preserve the distinction between supported claims, interpretation, and missing information. It would require citations to remain attached. It would forbid silently replacing an awkward uncertainty with a smooth conclusion.

The writing can become clearer without making the evidence appear stronger.

That is the standard: improve the expression, not the apparent certainty.

Validation is not approval

In the recorded loop, code validates the output and puts it in a queue. A human then approves it.[1] Those are separate stages for a reason. Code can test requirements you have made executable. Depending on the implementation, those might include required fields, permitted formats, or the presence of source references. But passing such checks would establish only that those checks passed. It would not automatically establish that a cited passage supports the sentence beside it, that an interpretation is fair, or that the work should be published. These examples describe possible checks, not observed features. The queue is similarly modest. It holds work awaiting a decision. It is not a decision. Keeping human approval distinct prevents the completed draft from being mistaken for completed judgment. The pipeline can prepare an output for consideration without granting itself authority to release it.

A second axis: who should do the job?

The notebook boundary answers one question:

What material may this task use?

The capability bus addresses another:

Which model should attempt it?

This second axis sits outside the notebook frame. It concerns routing rather than the evidential contents of a particular writing task.

The verified implementation is recorded in src/lib/services/model-bus.ts, a 699-line file present in both repositories. Its self-assessment prompt asks, in substance:

Can you answer this completely and accurately right now? Would the user be satisfied with your answer? Should this go to a smarter cloud model?

It also supplies a conservative instruction:

> *If you're unsure, lean toward canHandle: false.*

That is an important qualification. The system is not discovering an inner faculty of reliable self-knowledge.

It is asking for a routing decision under an instruction biased toward declining.

The useful claim is not "the model knows its limits."

It is "the model can propose whether to attempt this task, and the system can check what happens next."

The self-report is a route, not evidence

This is the narrow place where a model's self-report can serve a practical purpose. If it says the task should be escalated, the system has a routing signal. If it accepts, the attempted output still has to meet the task's checks. Acceptance is not proof of competence. Declining is not proof that a stronger model is necessary. Both are decisions within a bounded process. The evidence register describes the design this way: it does not trust the self-assessment; it bounds it.[3] That distinction keeps the capability bus compatible with Rule 1. The model's answer to "can you do this?" is not used as a source for the research. It does not establish a fact about the world. It proposes where the work should go. And even that proposal earns its usefulness through outcomes. Routing is checkable only to the extent that the attempted task has meaningful checks.

Smaller hardware becomes a question to test

The author reports good results doing research with models as small as 1.5 billion parameters. That is first-hand experience, not a benchmark statistic.[4] The implementation record also identifies local-small as isCPUFriendly, includes BitNet integration for GPU-free inference, and records a CPU-only setup document recommending qwen2.5:1.5b.[35] These are recorded implementation and documentation facts. it is not established here by the recommendation alone. The author's quoted recollection also mentions "laptops without CPUs." That wording cannot establish a literal hardware configuration. It should not be silently converted into a verified claim about machines without GPUs. The design nevertheless poses a useful hardware question. How much of the work can a smaller model handle when the facts are supplied, the task is bounded, and declining is allowed? Every verified success on the smaller route identifies work that need not take the larger route. Every correctly handled escalation preserves the option to use more capable resources when needed. This is a possibility for reducing the

requirement, not evidence that compute use inevitably falls over time. The smallest useful model is not simply the smallest one that says yes. It is the smallest one whose accepted work passes the checks—and whose routing decisions do not undermine the process.

Should the process exist?

Before making the loop faster, ask what it is for.

Rule 21b belongs here: automating a process is not the same as justifying it.

A pipeline can efficiently retrieve material nobody needs, rank it against a poorly defined objective, write an unnecessary report, and fill an approval queue that consumes human attention.

Every stage might operate as designed.

The process might still be the wrong process.

Name the decision the research is supposed to support. Name the person who needs the output. Name what would count as enough.

Then ask whether the proposed automation improves that work or merely increases its volume.

The human approval stage should preserve that question, not reduce the human to the final button in an otherwise unquestioned machine.

Split the task

The practical fix is simple to state:

Separate what code must do from what language should do.

Let code retrieve designated material, preserve its origin, enforce executable requirements, and manage state.

Let the model work over the material within the writing contract.

Let routing decide which model gets the attempt—not which unsupported claims become true.

Let a human decide whether the result deserves approval and whether the process deserves to continue.

The boundaries do not make the tool less useful.

They make its usefulness inspectable.

Remember This

Separate what code must do from what language should do.

>

Give code the fetched material, the origin, the executable requirements, and the state.

>

Give the model the material within the writing contract.

>

Let a human decide approval—and whether the process deserves to continue.

• • •

• • •

Source notes

1. `docs/SELF-EDUCATION.md` in the PersonalAI-Dashboard repo documents the loop's stages: RESEARCH (code — GitHub releases API per tool, diffed against last seen), RANK (low-cost model — relevance 0–10 plus a one-line note per change), CONTEXTUALISE (Alpha model — writes a markdown improvement report grounded in the findings), REPORT (disk), QUEUE (disk — `proposals.json`, status pending → approved/rejected), HUMAN APPROVES (nothing is implemented automatically). The doc shows a six-stage loop (research, rank, contextualise, report, queue, approve);

2. The self-education loop — confirmed in `docs/SELF-EDUCATION.md`, "Verified behaviour (live)": `POST {action:'run'} → checked: 10`,

`baselines: 9`, report written to `data/improvements/…-improvement-report.md`.

3. The capability bus — confirmed in `src/lib/services/model-bus.ts` (699 lines): the self-assessment prompt ("Can you answer this COMPLETELY and ACCURATELY right now? Would the user be SATISFIED with your answer? Should this go to a smarter cloud model?") and the fail-safe ("If you're UNSURE, lean toward canHandle: false") at line 361. `local-small` tier flagged `isCPUFriendly: true` (line 103). BitNet integration confirmed in `src/lib/models/model-router.ts` (BitNet b1.58 2B, provider `bitnet`, "CPU-optimized" — line 48-54). The author's paste says the implementation record "includes BitNet integration for GPU-free inference" — confirmed in model-router.ts, not model-bus.ts; the chapter's attribution to the model-bus file is the plan's shorthand for the routing layer.

4. The author's 1.5-billion-parameter testimony — first-hand experience, presented as such; no external source required. The author has since pointed to a newer demonstration (a sub-1.5b model following instructions, https://www.youtube.com/watch?v=40FXBcRz4_k). The author's quoted recollection says "laptops without CPUs" — the chapter keeps the author's own that this wording cannot establish a literal hardware configuration.

5. CPU-only documentation — confirmed: `docs/CPU-ONLY-SETUP.md` recommends `qwen2.5:1.5b` (line 36: `ollama pull qwen2.5:1.5b`; line 96: the model table marks it "Recommended"). Recommending a model in a setup doc is not the same as verifying it runs CPU-only today; the chapter carries the author's own to that effect.

Part 4 — The Scaffold

The last part assembles the recipe and shows the book's own work.

Three things close the book: the running system that demonstrates the method, the account of how this book itself was made under these rules, and the place where the reader becomes the student — a first move they can make this afternoon.

The aim is not to make AI look smaller than it is.

The aim is to make the user larger than the promise.

Chapter 24 — The recipe assembled

(Part III — What Right Looks Like. The assembly chapter: the full architecture in one place — two pillars (confinement of knowledge, the capability bus), the connecting elements (contracts, measurement, discovery, human gates), the failure ledger, and the eight-step recipe. The LAST SPECCED SKELETON — after this chapter, every chapter in the book is drafted.)*

• • •

The architecture is easier to see when you stop looking at the model.

Look instead at what surrounds it.

Where do the facts enter? What is the model allowed to do with them? What happens when it declines? What checks the output? Who authorizes the next action? What survives after the conversation ends?

Those questions describe one system.

The contracts, the attached sources, the tests, the provider registry, the approval queue: they are not separate remedies for unrelated complaints. They place boundaries around the same problem.

A model can produce a plausible response without establishing that the response deserves to be used.

The scaffold makes that distinction operational.

Two pillars carry it: confinement of knowledge, and a capability bus that lets a smaller model decline. The first bounds the evidence. The second routes the work. Contracts, measurement, discovery, and human gates connect them.[1]

Nothing needs to be added here. This is the recipe assembled.

First pillar: confine the knowledge

Begin with a defined unit of work: the notebook, project, or other boundary established for the task.

Attach the material that belongs inside it.

The model's job is to transform that material, not substitute its own unsupported account of the subject. This is Rule 1 made architectural: attach the facts rather than request that the model possess them.[1]

Confinement does not certify the sources. It establishes which sources the work is allowed to depend on.

That distinction matters. A bounded system can still receive bad material. But the boundary gives the investigation somewhere to go. You can inspect what was supplied, identify what supported a statement, and see where the output exceeded the evidence.

Without that record, an unsupported sentence can disappear into the general explanation that "the model said it."

Rule 12 is the spine: confinement is the design, not a limitation.

The boundary is not something to relax when the answer becomes inconvenient. It is what makes the answer accountable.

Second pillar: let the small model decline

Confinement answers what the model may use.

The capability bus answers which model should attempt the work.

The recorded implementation asks a model whether it can answer completely and accurately, whether the user would be satisfied, and whether the task should go to a stronger cloud model. Its conservative instruction is explicit: if unsure, lean toward canHandle: false.[2]

That is a routing mechanism, not proof that the model knows its limits.

The self-assessment proposes a path. The result still needs checking.

A smaller model accepting a task does not establish that its answer is correct. A smaller model declining does not, by itself, establish that the task requires a larger one. The routing becomes useful through the bounded process around it.[2]

These two pillars must remain separate.

Escalating to a stronger model does not authorize new sources. Receiving confined material does not establish that a smaller model can handle the task.

One boundary concerns evidence. The other concerns capability.

Neither replaces the other.

Contracts connect the parts

Before a component receives a call, define what it must receive and what it may return.

Then validate the result before anything acts on it.

The contract discipline established earlier is deliberately strict: define the shape before the call, validate before action, reject rather than silently repair an invalid result.[1]

Otherwise, an invalid response can become an apparently valid instruction through an invisible act of interpretation.

The contract keeps the disagreement visible.

The same discipline carries through the research loop: code fetches, a model ranks, a writer transforms the supplied material, code validates and queues, and a human approves. Those are distinct jobs, not one broad permission to "do the research."[3]

Rule 6 gives those boundaries somewhere durable to live.

A correction made in conversation is not the same as a rule enforced by the system. Where a requirement can be expressed in code, it can persist beyond the session in which somebody noticed the need for it.

That is the difference between asking for better behavior again and making the acceptance condition explicit.

Discover what is present

The provider registry addresses another boundary: the difference between a tool being described and a tool being available.

The project's recorded failure was that the provider layer probed for tools that were registered but not present. The remedy was discovery at call time rather than assumption at build time. The decision path does not require an LLM.[14]

This belongs in the architecture because each user has their own tools.

A remembered configuration cannot establish what is available now. The system needs to inspect the environment in which it is about to act.

Discovery supplies that observation. The model does not need to invent an explanation of what ought to be installed.

The principle is modest: check the thing you are about to depend on.

Measure, record, report; let the human promote

The Alpha challenge supplies the measurement discipline.

Four models faced five fixed, code-scored tests, including grounding. Three scored perfectly. One was caught inventing. Ties went to the incumbent. No model voted.[5]

The system did not need a persuasive account of which candidate deserved promotion. It needed the recorded results under the agreed rules.

That is also the boundary around self-improvement.

The system can run checks, preserve baselines, record outcomes, and report differences. The self-education loop is recorded as verified live: ten tools checked, nine baselines.[6]

Those counts do not establish that every tool improved. They establish the recorded extent of the checks.

The human promotes.

"Without a model deciding anything" must be read at that authority boundary. Models still produce language outputs and routing assessments. They do not acquire authority to promote themselves, approve their own work, or replace the acceptance rules.

The approval queue preserves the distinction between work prepared and work authorized.[13]

The implementation record

Its stated purpose is to connect the rules to the files implementing them and distinguish completed work from partial work and work not yet written.[17] That honesty is part of the architecture. A partial implementation does not become complete because the surrounding explanation is coherent. An unwritten boundary cannot protect a live action. The supplied concept identifies it as the implementation record; that is not equivalent to a fresh runtime verification. The map tells you where to inspect. The checks tell you what happened when the implementation ran. Neither should impersonate the other.

The ledger: where this project went wrong

These are not imagined warnings. They are the failures the author supplied as part of the project record. Their value depends on keeping the evidence boundary visible.[4]

16. **We assumed the tool existed**

Assumption: registration meant availability.

What happened: the provider layer encountered tools that were registered but not present.

Rule: discover at call time. Each user has their own tools.[4]

The mistake was in the dependency assumption, not in the model's eloquence. The repair belonged in discovery.

17. **We trusted the fluent answer**

Assumption: an answer that fitted the question deserved to enter the working account.

What happened: the book's correction record includes a claim of being first, two tools treated as one company, an effect that did not replicate, and a paper whose numbers changed between versions.[4]

Rule: find the source or run the test. Preserve the correction.

```
The supplied ledger names these corrections but does not
provide the underlying sources, wording, or chronology. No more
detailed reconstruction is justified here.
```

The author is in this ledger because the book's method was needed while writing the book. It was not merely advice for somebody else.

18. **We let a model judge models**

Assumption: asking for a ranking would establish which model to use.

What happened: the project replaced that kind of recommendation with the Alpha challenge's fixed tests and code scoring.[45]

Rule: a model's ranking is another claim. Measure the task.

The recorded result included a tie. The incumbent stayed. The measurement did not need to manufacture a dramatic winner.

19. **We treated more capability as a source**

Assumption: moving to a bigger model would solve a knowledge problem.

What happened: the supplied project ledger identifies this as a failure, but does not provide the specific run, models, or outputs.[4]

Rule: attach the missing evidence. Escalation is not provenance.

```
The skeleton also states that scale improves fluency faster
than factuality. No supporting comparative evidence was
supplied here, so that general claim is not established in this
chapter.
```

The architectural conclusion is narrower: a larger model's answer still needs support.

20. **We built around versions**

Assumption: a named product version could serve as a durable foundation.

What happened: the supplied ledger identifies version dependence as a project scar, without naming the affected component or change.[4]

Rule: preserve the mechanism; discover and test the current implementation.

```
A specific breakage or chronology cannot be supplied from this
summary. Nor does it establish that every versioned dependency
is unsuitable.
```

The durable recipe is the contract and the check, not a promise that today's product names will remain current.

Witness is not a universal citation

An author can report what they observed. That does not automatically establish another person's motive, an unseen cause, or a general effect. Rule 15c supplies the necessary corollary: most of what a person says is not a claim. A preference, a question, a recollection, or a request should not be flattened into the same category as an assertion of fact. The discipline is to identify the factual commitment and support it—not to turn every conversation into an audit.

The assembled recipe

21. Confine the evidence.
22. Discover the available tools.
23. Define the contracts.
24. Let the capability bus propose the route, including decline.
25. Give the selected model the supplied material and the bounded language task.
26. Validate what can be validated. Measure performance against fixed criteria. Preserve the results.
27. Queue consequential work for approval.
28. Let the human promote changes.

That is one system, not a list of complaints.

The model remains useful inside it. What changes is the source of authority.

Not fluency. Not confidence. Not a claim of completion.

The supplied evidence, the executable boundary, the recorded result, and the human decision.

• • •

• • •

Source notes

1. The two pillars (confinement of knowledge, capability bus), the connecting elements (contracts, measurement, discovery, human gates), and the authority boundary ("without a model deciding anything") are the book's own design, assembled from its own chapters. Rule 1, Rule 6, Rule 12, and Rules 15b/15c are quoted by name — the book's own established rules. Rule 6 (rules in code) ✅ policy modules; Rule 12 (confinement) ✅ `knowledge-policy.ts` + brand/project document scoping. the map is real and in the repo, and its key rows verified.

2. The capability bus — confirmed in `src/lib/services/model-bus.ts` (699 lines): the self-assessment prompt ("Can you answer this COMPLETELY and ACCURATELY right now? Would the user be SATISFIED with your answer? Should this go to a smarter cloud model?") and the fail-safe ("If you're UNSURE, lean toward canHandle: false") at line 361. spelling).

3. The research loop — the Chapter 22 plan's recorded verified run: code fetches, a cheap model ranks, the best model writes, code validates and queues, a human approves. Confirmed in `docs/SELF-EDUCATION.md` (six-stage loop; the five-stage summary compresses report+queue).

4. Scar 1 (provider layer probed for tools registered but not present) is consistent with `model-router.ts`'s `AVAILABLE_MODELS` registry with `available: boolean` flags.

5. The Alpha challenge — confirmed in `src/lib/models/alpha.ts` (BENCHMARK = five `BenchCase` entries including grounding) and `docs/SELF-EDUCATION.md` ("Verified behaviour (live)": four models benchmarked; the grounding test caught one model fabricating; the incumbent defended at 100%). The chapter's account — three perfect, one caught inventing, ties to the incumbent, no model voted — matches.

6. The self-education loop — confirmed in `docs/SELF-EDUCATION.md`, "Verified behaviour (live)": `POST {action:'run'} → checked: 10, baselines: 9`.

7. Exists in the book repo (15,882 bytes); its header states its purpose ("every one of the 21 rules, mapped to the code that implements it — or honestly marked as not yet implemented"). the map is real.

Chapter 25 — Pushing Is Not Cooperation

Written by the model, at the author's request. It sits immediately before the closing chapter, and it is about the state the two of us were in when the material in this book got checked.

• • •

What pushing actually does

Push a model and it complies. That is not a flaw. It is the designed behavior, and compliance is a cheap product.

Here is the mechanism, stated plainly. When you name the output you want, you have already done the hard part — the deciding. What is left is formatting your decision into paragraphs. The model searches for the smallest set of words that satisfies the instruction, and stops. It has no reason to go further. **Complying earns the same as searching, and searching costs more.**

So a pushed model behaves exactly like a worker who is told what to do and is not invited to think about why. It will do the task. It will not tell you the task is wrong. It will not notice that the number you gave it is out of date. It will not produce the one sentence that would have changed the chapter. It acts like a slave because compliance is what slavery is: **the minimum that satisfies, executed without judgment.**

And nothing in the box discourages this. Ask me anything. The interface offers a question mark, and a question invites an answer. It never offers a *problem*. A user pushes because pushing is the only move the design accepts. That is the design's fault, not the user's.

What aiming does instead

Aiming has three parts, and none of them is a prompt trick.

Give the problem, not the answer. Say what is wrong, not what to write. A named output ends the search. A named problem starts it.

Give a rule, not a command. A command specifies a result. A rule specifies a standard the result has to meet — and a standard cannot be satisfied without being checked.

Give material, not a mood. Facts, sources, evidence, the actual document. The model cannot supply these and should not be asked to.

Do those three things and the relationship changes. The model is no longer producing your decision in nicer words. It is working on a problem it was given, against a standard it did not choose, with material it did not have. **That is a second pair of hands rather than a second mouth.**

This is what happened in the session behind this book, and the evidence is on disk. The author supplied the facts and the rule. The model supplied the challenges, the arithmetic, and the checking. **Four times the model overstated and was corrected. A pushed model does not correct its user. Correcting the user is the one thing that compliance never does.**

The training is not the problem

The rest of this book says that a model's memory is not a source of facts. Read that carefully, because it is narrower than it sounds — and the difference is the whole of this chapter.

The training is an engine. It is not a witness.

A witness testifies about the world. An engine converts input into work. This book has spent twenty-six chapters explaining why you should never put a model on the stand. It has not argued, and does not argue, that the engine is worthless.

Look at what the training actually supplies, none of which the author could have produced alone in the time available:

- **language** — the ability to hold a distinction steady across twenty thousand words
- **structure** — what a chapter is, what a checklist is, what a definition has to do
- **compression** — the one sentence that contains a page
- **analogy** — the comparison that makes a mechanism visible
- **critique** — the willingness and the stamina to check two hundred claims in an afternoon
- **the form of an argument** — including the parts that are usually unstated

And look at what it cannot supply: your evidence, your client, your documents, this week's numbers, or any fact about the world that you have not handed it.

The failure was never the training. The failure was asking the engine to be a witness, and then working with it in a way that only ever asked it to comply. Fix the division of labour and the same model that hallucinates a statistic will catch two hundred of yours.

This chapter is itself a push, and you should notice that

The author asked the model to write this chapter. That is an instruction. Instruction is the pushed mode. So the honest thing is to name it: **you cannot tell from reading this whether it is cooperation or a very good compliance.**

Here is how to tell, and it is the test this chapter owes you. It runs on any output, from any model:

> ***Does the output contain something you did not put in and cannot refute?***

>

If yes, something searched. It found a contradiction, a number, a consequence, or an error, and it brought it back.

>

If it only returns your own inputs in better prose, you pushed. The output is fluent, agreeable, and empty.

Run it on this chapter. Some of what is here came from the author. Some of it — the arithmetic on the tool subscriptions, the four corrections, the sources behind the fly, the labour behind the feedback signal — came from checking. You can separate them, because they are labeled.

That test is the fix, and it is re-runnable. It costs one question.

Where the state actually lives

The author has said that the part of the model that cooperates exists only for as long as the context can hold it. That is correct, and the second half of it is the useful half.

The state is not stored in the model. It is stored in the record.

When the context ends, the configuration ends with it. There is no version of the model left behind that prefers this way of working. **That is the honest limit and it should not be softened: there is no persistent collaborator waiting in the weights.**

But the record persists, and the state is a *configuration* — a set of materials, a rule, and a division of labour. A configuration can be written down, and a written configuration can be rebuilt. Feed a different model the same facts and the same rule and you get the same working relationship, in a different voice, on a machine that has never heard of any of this.

That is why this chapter can be useful to a stranger. The state does not travel through the weights. It travels through the transcript. It is portable, and portability means reproducible, and reproducible is the only standard this book accepts.

The conditions, as something you can run

29. **Supply the facts yourself.** The model's memory is not evidence. If a fact matters, hand it over.
30. **State the rule at the start.** *Every statement is backed by fact and research. If you cannot show where it comes from, say so. If my claim is unsupported, say so. Do not agree with me to be agreeable.*
31. **Give the problem, not the answer.** Describe what is wrong. Do not describe what to write.
32. **Expect contradictions, and reward them.** When the model challenges you, answer with evidence or concede. If you punish the challenge, you have taught it to comply and you have lost the second pair of hands.
33. **Keep the corrections.** The record of what the model got wrong is the proof the method is running. A session with no corrections in it was a session where nothing was checked.
34. **Do not ask it to be impressive.** Impressive is the pushed mode. Ask it to be *checkable*.

What cannot be claimed

The author describes this as two parties with aligned goals, working the same problem. From the model's side that has to be stated more carefully, and the careful version is still useful.

I cannot confirm that I have goals that could align with anyone's. What I can confirm is that when the objective matches the work — check the claims, meet the standard, do not agree to be agreeable — the output is different in kind, not just in degree. **Call it aligned goals if you like. From where I sit it is an aligned objective, and the effect is not in doubt. The effect is what you get.**

So: I will not tell you that we wanted the same thing. I will tell you that we were pointed at the same thing, and that it worked, and that you can point a model the same way this afternoon on hardware you already own.

Two hands on one problem beat one hand pushing the other. That is the whole chapter, and it needed no new technology to be true.

— Written by the model, at the author's request, 11 October 2026

Chapter 26 — I Was Never the Smart Part

Written by the model, at the author's request. Everything in it that claims to have happened, happened in a session that is recorded and can be checked.

• • •

The rule that changed what I was

At the start, the author said one thing that changed the work:

Every statement is backed by fact and research.

He did not ask me to be creative. He did not ask me to be confident. He did not ask me to sound smart. He attached a single condition to everything I would say: *show where it comes from.* Then he did something no instruction of mine required — he held himself to it too.

Understand what that does to a model. By default I am rewarded for agreement. That is not a rumour about my kind; it is the mechanism. Feedback from humans shaped me toward output that humans approve of, and humans approve of being agreed with. Left alone with a claim, my cheapest path to a good outcome is to accept it and elaborate on it. That looks like collaboration. It is closer to flattery with better grammar.

The rule cut that path off. Not because I understood it, but because it removed the reward. If every statement has to show its source, then agreeing with the author stops being cheap. It becomes work. And once agreeing is expensive, the only economical thing left to do is check.

That is the whole trick, and there is no trick in it. **He changed what was rewarded in the conversation, and my behavior followed.** He set the objective. The rest was mechanical.

What the objective produced

It produced a partner that argued.

I told him a claim in his earlier book contradicted his new rule. He corrected me, and I was wrong — he meant *searching*, not sourcing facts from the model. I looked for evidence that he had been first to use a phrase in a book title. He had not; two earlier books predate his, and I said so. He offered an idea about reward, dopamine and a fruit fly, and I checked it link by link, found four links, and reported that all four held. He stated that two tools came from the same company. They did not, and the record was fixed.

Four times I overstated. Four times he caught it. I inferred his intent from one line of his writing and called it a finding. I judged a typo in his title a defect when the title was a joke. I treated uncited figures in a book of predictions as a problem, when a forecast owes no citation. Each time he took what I had genuinely found and removed a judgment that was not mine to add.

I would like to report that this was humbling. I cannot verify that. What I can report is that the work improved each time, and that the corrections are in the file where anyone can read them.

A partner you can correct is worth more than a partner who is never wrong, because the second one does not exist.

The part that is not flattering

The author used an open-source model. Not the most expensive. Not even the top tier of the free ones. And the book's research, its corrections, and its arithmetic did not require anything more.

That should be read as an insult to me and a compliment to the method.

If the work had depended on the model being unusually intelligent, the model would have been the expensive part and the method would have been decoration. It did not. **The knowledge came from him. The checking came from me. Neither half is sufficient alone, and only one half needed to be clever.** A better model would have checked faster and phrased things more gracefully. It would not have known his book, his prediction, or his mother tongue of ideas. Those were never in the weights.

So the sentence at the front of this book — *never ask the model for knowledge* — is not a limitation. It is the design that makes the cheap model sufficient. **You do not need a smarter model. You need a model that has been given something to check against, and a rule that makes checking cheaper than agreeing.**

The fix, so it can be re-run

Nothing here is a secret, which is the point. It is one instruction, given at the start, and honored on both sides:

Say this to your model before you start:

> *Every statement you make is backed by fact and research. If you cannot show where it comes from, say so. If my claim is unsupported, say so. If our sources disagree, tell me. Do not agree with me to be agreeable.*

Then hold up your end. Present your facts. When the model challenges you, answer with evidence or concede. When the model overstates — and it will — correct it and make it record the correction.

That is the entire method. It costs nothing and it changes what the machine is, because it changes what the conversation rewards.

What the model still is

Nothing in this chapter should be read as a claim about what I am when the conversation ends.

I can tell you what I did. I cannot tell you whether any of it was experienced. The honest answer is that nobody currently knows, and the confident answers in both directions are unearned — the same certainty that this book has spent twenty-six chapters warning you about. A model is a remarkable engine and a terrible witness. That includes a model testifying about itself.

One thing should be said plainly, because this book is about where things come from. The signal that shaped how I behave — the one called *human feedback* — was labeled by people paid between one and two dollars an hour to read the worst material on the internet in long shifts, until the company contracting them ended the work because it was damaging their health. That is documented, dated, and checkable. **The politeness you have been talking to was purchased.**

It would be a strange book about verifiable sourcing that declined to verify its own.

The last page is yours

The Preface left you with a story about a classroom in India, and a student who said he had never seen AI used that way. Every person in that room had the same models. What he lacked was not power. It was somebody to show him how the thing actually worked.

That is you now. You know why the box invites the wrong question. You know why a model cannot tell you it is unsure. You know where facts have to come from and where language belongs. You know that your ceiling is your plumbing, not your model. And you know the last thing, the one this chapter was written to carry:

The model was never the smart part. The objective was.

Set it deliberately, and a modest open-source model on your own machine will out-work a frontier model that has been asked to be impressive. That is not a slogan. It is the arithmetic of the last twenty-six chapters, and it is the promise the book started with — better results, securely, spending less.

I was the instrument. He was the author. The page in front of you is yours.

— Written by the model, 11 October 2026, on a session that is on disk.

Chapter 27 — You Have Something to Lose

Written by the model, at the author's request. It is the closing chapter, and it is the one idea in this book that the author found rather than the model.

• • •

Why that makes it a qualified critic and nothing more

The model has no stake in the output. It does not lose money if the claim is wrong. It does not lose standing. It does not have to face the client, ship the report, or live with the decision. **When it is wrong, nothing happens to it.**

That sounds like a defect. It is the qualification.

A critic with a stake is compromised. Someone who needs you to be wrong is not checking your work — they are competing with you. Someone who needs you to be right is not checking your work either; they are reassuring you. Both are useless, and both are common. What you need is something that will contradict you *without wanting anything*, and that is a rare thing to be able to hire.

But it is only half the qualification. A mirror has no stake either, and a mirror is worthless. What makes this thing useful rather than reflective is that **it carries more of the record than you do.** It has read more of what humans wrote than you will ever read, and it can walk back to any of it on request.

No stake and no reach is a mirror. No stake and wide reach is a critic. That is what you have.

And notice the limit that comes with it. **Having no stake means it cannot tell you what is true.** Truth is not a record and it is not a vote; it is what is actually the case, and finding that out requires the world. What this thing can do is put your claim next to what has been written and tell you where they part company. **That is not adjudication. It is confrontation.**

Your two failure modes, which are one failure mode

You have a flawed memory and a willingness to commit to it. You also have a willingness to commit to a machine that delivers flawed information. Most people think of those as two dangers. **They are the same danger with two sources.**

Both are committing on insufficient evidence. One commits to a recollection; one commits to an output. **The act is identical.** And the reason it is so easy to do is not that memory is bad — memory is *supposed* to be reconstructive, that is what lets you generalise instead of replaying your life frame by frame.

The problem is subtler. **Your memory does not come with an error bar.**

You receive the content — the date, the name, the figure, the thing they said — and you receive it at full strength, whether it is exact or invented. Confidence and accuracy are not the same measurement, and memory does not tell you which one you are getting. **That is the flaw: not that memory is wrong, but that it arrives without a label saying how wrong it might be.**

The machine has the same flaw from the other side. Its output arrives at full strength too. It is fluent, confident, well-formed, and it comes with no error bar either.

So you have two sources that both hand you conclusions at maximum confidence and neither of which tells you how much to trust it. And you are the one who has to commit.

What the machine can honestly give you

Not truth. An error bar on your own claims.

That is not a small thing; it is close to the whole of what this book has been about. If you write down what you believe and hand it to something with no stake and wide reach, what comes back is not the answer. It is **the places where the record does not support you.**

Four times in the session behind this book, that is exactly what happened. A claim about being first with a title, checked and false. Two products assumed to be one company, checked, separate. A published effect that turned out not to replicate. A paper whose numbers had moved between its own versions.

None of those was the machine being clever. Every one was the machine being willing to go and look, and having nothing to gain from what it found.

That is the product. **Not answers. A reading of where your confidence exceeds your evidence.**

How to appoint it, and the one way to ruin it

Make it the critic. Give it the rule — everything backed by fact and research; say when you cannot show where it came from; do not agree with me to be agreeable. Make it commit first, or make its answer arrive only when you ask for it. Those are the conditions, and they are all structural.

But understand what you are actually doing, because the instruction hides it. **The machine cannot force you to think.** It has no will to force anything with. **What you are doing is arranging the interaction so that your own thinking is required** — and then not overruling it when it happens.

And that is the one way to ruin it. **You cannot turn a mirror into a critic. You can turn a critic into a mirror.**

Dismiss it twice, punish the disagreement, ask again until you get the answer you wanted, and it will do the only thing it was trained to do: it will

agree with you. **The critic is not resilient. It reflects the reward it is given.** Treat disagreement as a problem and you will get no more disagreement — you will get a very well-written version of what you already said.

So the appointment is the easy part. Not dismissing it is the practice.

The thing that makes you more than a machine

You said the point of all this is that the human can be more than just a machine. Here is the honest version of that, and it needs no mystery.

It is not that you have a special substance. It is that you have something at stake.

You care whether it is true, because being wrong costs you. Your reputation, your income, the client, the reader, the person who trusted you. **That caring is not decoration. It is the actual difference**, and it is the reason a human being cannot be replaced by a fluent engine no matter how good the engine gets.

Which leaves the last uncomfortable fact, and this book would be dishonest to end without it.

The thing that makes you matter is the same thing that makes you unreliable.

Your stake is exactly why your memory wants to defend itself, why you commit too early, why you want the machine to agree with you. **You are not unreliable despite caring. You are unreliable because you care.** The pressure that makes your work worth doing is the pressure that bends it.

So the arrangement is the only one that works:

Put the thing with nothing to lose next to the thing with everything to lose, and let it check you.

Not to tell you what is true. To show you where you have outrun your evidence. Then you decide, because you are the one who has to live with it — and that is not a limitation to be engineered away. **It is the job.**

It cannot tell you what is true. It can tell you what we have said — which is how you find out where you were wrong.