

**INTERTANKO CHARTERING QUESTIONNAIRE 88 - OIL**
**Version 5**

|                                |                                                                                      |                                                                                                                                                                                                                                            |               |
|--------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>1.</b>                      | <b>GENERAL INFORMATION</b>                                                           |                                                                                                                                                                                                                                            |               |
| 1.1                            | Date updated:                                                                        | 05-APR-2021                                                                                                                                                                                                                                |               |
| 1.2                            | Vessel's name (IMO number):                                                          | Aquarius Star (9196618)                                                                                                                                                                                                                    |               |
| 1.3                            | Vessel's previous name(s) and date(s) of change:                                     | Aquarius Star (Mar 13,2019)<br>VL Sakura (Oct 09, 2018)<br>Seaways Sakura (May 06, 2017)<br>Overseas Sakura (Mar 27, 2006)<br>SAKURA 1 (Jul 30, 2001)<br>BERGE SAKURA                                                                      |               |
| 1.4                            | Date delivered/Builder (where built):                                                | Mar 28, 2001/Hitachi Zosen Corp, Ariake Works                                                                                                                                                                                              |               |
| 1.5                            | Flag/Port of Registry:                                                               | Thailand/Bangkok                                                                                                                                                                                                                           |               |
| 1.6                            | Call sign/MMSI:                                                                      | HSB7121/567581000                                                                                                                                                                                                                          |               |
| 1.7                            | Vessel's contact details (satcom/fax/email etc.):                                    | Tel: 0088167774145<br>Email:<br><a href="mailto:aquariusstar.master@nathalin.com(local)">aquariusstar.master@nathalin.com(local)</a><br><a href="mailto:aquariusstar@arionmail.com(oceaneoing)">aquariusstar@arionmail.com(oceaneoing)</a> |               |
| 1.8                            | Type of vessel (as described in Form A or Form B Q1.11 of the IOPPC):                | Moored Oil Storage Tanker for service at Tanjung Pelepas Anchorage(Malaysia)                                                                                                                                                               |               |
| 1.9                            | Type of hull:                                                                        | Double Hull                                                                                                                                                                                                                                |               |
| <b>Ownership and Operation</b> |                                                                                      |                                                                                                                                                                                                                                            |               |
| 1.10                           | Registered owner - Full style:                                                       | PRIMA MARINE PUBLIC COMPANY LIMITED<br>80 Bangna-Trad 30 Debaratna Rd., Bangna-Tai, Bangna,<br>Bangkok 10260, Thailand<br>Tel: Not Applicable<br>Fax: Not Applicable<br>Telex: Not Applicable<br>Email: Not Applicable                     |               |
| 1.11                           | Technical operator - Full style:                                                     | Nathalin Shipping Pte. Ltd.,<br>6 Temasek Boulevard<br>#32-03 Suntec Tower Four Singapore 038986<br>Tel: +65 6361 0389<br>Fax: +65 6361 0377<br>Email: safetysg@nathalin.com<br>Company IMO#: 5672475                                      |               |
| 1.12                           | Commercial operator - Full style:                                                    | Nathalin Shipping Pte Ltd<br>6 Temasek Boulevard<br>#32-03 Suntec Tower Four Singapore 038986<br>Tel: +65 6361 0389<br>Fax: +65 6361 0377<br>Email: operationsg@nathalin.com                                                               |               |
| 1.13                           | Disponent owner - Full style:                                                        | N/A                                                                                                                                                                                                                                        |               |
| <b>Insurance</b>               |                                                                                      |                                                                                                                                                                                                                                            |               |
| 1.14                           | P & I Club - Full Style:                                                             | GARD P & I (Bermuda) Ltd<br>Singapore Branch<br>72 Anson road<br>#13-02 Anson house<br>Singapore 079911<br>Singapore                                                                                                                       |               |
| 1.15                           | P & I Club pollution liability coverage/expiration date:                             | 1,000,000,000 US\$                                                                                                                                                                                                                         | Feb 20, 2022  |
| 1.16                           | Hull & Machinery insured by - Full Style:<br>(Specify broker or leading underwriter) | Marsh (Singapore) Pte Ltd.<br>8 Marina View, #09-02<br>Asia Square Tower 1, Singapore 018960<br>Tel: 65 6922 8388<br>Fax: 65 6333 8380                                                                                                     |               |
| 1.17                           | Hull & Machinery insured value/expiration date:                                      | 20,239,425 US\$                                                                                                                                                                                                                            | Sept 20, 2021 |

| Classification       |                                                                                                                                             |              |                                                                                                                                              |                          |                          |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|
| 1.18                 | Classification society:                                                                                                                     |              | LR LLOYD'S REGISTER                                                                                                                          |                          |                          |
| 1.19                 | Class notation:                                                                                                                             |              | *100AT,Moored Oil Storage Tanker for service at Tanjung Pelepas (Malaysia),LI*IWS<br>*LMC IGS,UMS<br>Descriptive notes: ShipRight (SCM,VECS) |                          |                          |
| 1.20                 | Is the vessel subject to any conditions of class, class extensions, outstanding memorandums or class recommendations? If yes, give details: |              | No<br>N/A                                                                                                                                    |                          |                          |
| 1.21                 | If classification society changed, name of previous and date of change:                                                                     |              | Registro Italiano Navale, Mar 13, 2019                                                                                                       |                          |                          |
| 1.22                 | Does the vessel have ice class? If yes, state what level:                                                                                   |              | No, N/A                                                                                                                                      |                          |                          |
| 1.23                 | Date/place of last dry-dock:                                                                                                                |              | 12 Apr, 2019/Guang Zhou, China                                                                                                               |                          |                          |
| 1.24                 | Date next dry dock due/next annual survey due:                                                                                              |              | Apr 06,2024                                                                                                                                  | Jun 14, 2021             |                          |
| 1.25                 | Date of last special survey/next special survey due:                                                                                        |              | Apr 07,2019                                                                                                                                  | Apr 06,2024              |                          |
| 1.26                 | If ship has Condition Assessment Program (CAP), what is the latest overall rating:                                                          |              | Yes, 1                                                                                                                                       |                          |                          |
| Dimensions           |                                                                                                                                             |              |                                                                                                                                              |                          |                          |
| 1.27                 | Length overall (LOA):                                                                                                                       |              | 332.95 Metres                                                                                                                                |                          |                          |
| 1.28                 | Length between perpendiculars (LBP):                                                                                                        |              | 320.00 Metres                                                                                                                                |                          |                          |
| 1.29                 | Extreme breadth (Beam):                                                                                                                     |              | 60.00 Metres                                                                                                                                 |                          |                          |
| 1.30                 | Moulded depth:                                                                                                                              |              | 29.55 Metres                                                                                                                                 |                          |                          |
| 1.31                 | Keel to masthead (KTM)/ Keel to masthead (KTM) in collapsed condition, if applicable:                                                       |              | 69.13 Metres                                                                                                                                 |                          |                          |
| 1.32                 | Distance bridge front to center of manifold:                                                                                                |              | 116.40 Metres                                                                                                                                |                          |                          |
| 1.33                 | Bow to center manifold (BCM)/Stern to center manifold (SCM):                                                                                |              | 164.25 Metres                                                                                                                                | 168.68 Metres            |                          |
| 1.34                 | Parallel body distances                                                                                                                     | Lightship    | Normal Ballast                                                                                                                               | Summer Dwt               |                          |
|                      | Forward to mid-point manifold:                                                                                                              | 43.25 Metres | 83.00 Metres                                                                                                                                 | 85.25 Metres             |                          |
|                      | Aft to mid-point manifold:                                                                                                                  | 38.75 Metres | 62.00 Metres                                                                                                                                 | 88.75 Metres             |                          |
|                      | Parallel body length:                                                                                                                       | 82 Metres    | 145 Metres                                                                                                                                   | 174 Metres               |                          |
| Tonnages             |                                                                                                                                             |              |                                                                                                                                              |                          |                          |
| 1.35                 | Net Tonnage:                                                                                                                                |              | 95,799.00                                                                                                                                    |                          |                          |
| 1.36                 | Gross Tonnage/Reduced Gross Tonnage (if applicable):                                                                                        |              | 159,397.00                                                                                                                                   | 124,701                  |                          |
| 1.37                 | Suez Canal Tonnage - Gross (SCGT)/Net (SCNT):                                                                                               |              | 161,580.90                                                                                                                                   | 151,294.98               |                          |
| 1.38                 | Panama Canal Net Tonnage (PCNT):                                                                                                            |              | 0                                                                                                                                            |                          |                          |
| Loadline Information |                                                                                                                                             |              |                                                                                                                                              |                          |                          |
| 1.39                 | Loadline                                                                                                                                    | Freeboard    | Draft                                                                                                                                        | Deadweight               | Displacement             |
|                      | Summer:                                                                                                                                     | 8.47 Metres  | 21.13 Metres                                                                                                                                 | 298,641.00 Metric Tonnes | 339,136.00 Metric Tonnes |
|                      | Winter:                                                                                                                                     | 8.91 Metres  | 20.69 Metres                                                                                                                                 | 290,685.00 Metric Tonnes | 331,180.00 Metric Tonnes |
|                      | Tropical:                                                                                                                                   | 8.03 Metres  | 21.57 Metres                                                                                                                                 | 306,623.00 Metric Tonnes | 347,118.00 Metric Tonnes |
|                      | Lightship:                                                                                                                                  | 19.63 Metres | 3.13 Metres                                                                                                                                  | -                        | 40,495.00 Metric Tonnes  |
|                      | Normal Ballast Condition:                                                                                                                   | 20.58 Metres | 8.97 Metres                                                                                                                                  | 91,159.00 Metric Tonnes  | 131,654.00 Metric Tonnes |
|                      | Segregated Ballast Condition:                                                                                                               | 19.75 Metres | 9.80 Metres                                                                                                                                  | 104,360.00 Metric Tonnes | 144,855.00 Metric Tonnes |
| 1.40                 | FWA/TPC at summer draft:                                                                                                                    |              | 468.00 Millimetres                                                                                                                           | 181.00 Metric Tonnes     |                          |
| 1.41                 | Does vessel have multiple SDWT? If yes, please provide all assigned loadlines:                                                              |              | Yes<br>DWT:298641mts; DWT:279986mts; DWT:259997mts                                                                                           |                          |                          |
| 1.42                 | Constant (excluding fresh water):                                                                                                           |              |                                                                                                                                              |                          |                          |
| 1.43                 | What is the company guidelines for Under Keel Clearance (UKC) for this vessel?                                                              |              | Open Sea: At least 20% of static deepest draft (never less than 2.0m).                                                                       |                          |                          |

|      |                                                            |                                                                                                                                                                                                                                    |                |
|------|------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|      |                                                            | <u>Coasting/ Fairway or River Passage/ Pilotage/ Moored to SPM-SBM-CBM:</u><br>At least 10% of static deepest draft (never less than 1.5m).<br><u>Moored at Berth:</u> At least 5% of static deepest draft (never less than 0.5m). |                |
| 1.44 | What is the max height of mast above waterline (air draft) | Full Mast                                                                                                                                                                                                                          | Collapsed Mast |
|      | Summer deadweight:                                         | 48 Metres                                                                                                                                                                                                                          | 0 Metres       |
|      | Normal ballast:                                            | 57.96 Metres                                                                                                                                                                                                                       | 0 Metres       |
|      | Lightship:                                                 | 66 Metres                                                                                                                                                                                                                          | 0 Metres       |

| 2.   | CERTIFICATES                                                                   | Issued         | Last Annual    | Last Intermediate | Expires        |
|------|--------------------------------------------------------------------------------|----------------|----------------|-------------------|----------------|
| 2.1  | Safety Equipment Certificate (SEC):                                            | OCT 03, 2020   | Jun 15, 2020   |                   | Apr 06, 2024   |
| 2.2  | Safety Radio Certificate (SRC):                                                | OCT 03, 2020   | Jun 15, 2020   |                   | Apr 06, 2024   |
| 2.3  | Safety Construction Certificate (SCC):                                         | OCT 03, 2020   | Jun 15, 2020   |                   | Apr 06, 2024   |
| 2.4  | International Loadline Certificate (ILC):                                      | OCT 03, 2020   | Jun 15, 2020   |                   | Apr 06, 2024   |
| 2.5  | International Oil Pollution Prevention Certificate (IOPPC):                    | OCT 03, 2020   |                |                   | Oct 14, 2025   |
| 2.6  | International Ship Security Certificate (ISSC):                                | Aug 28, 2019   | Not Applicable | Not Applicable    | Aug 27, 2024   |
| 2.7  | Maritime Labour Certificate (MLC):                                             | Aug 28, 2019   | N/A            | Not Applicable    | Aug 27, 2024   |
| 2.8  | ISM Safety Management Certificate (SMC):                                       | Aug 28, 2019   | Not Applicable | Not Applicable    | Aug 27, 2024   |
| 2.9  | Document of Compliance (DOC):                                                  | Oct 20, 2017   | Nov 03, 2020   | Not Applicable    | Oct 01, 2022   |
| 2.10 | USCG Certificate of Compliance (USCGCOC):                                      | NA             | NA             | NA                | NA             |
| 2.11 | Civil Liability Convention (CLC) 1992 Certificate:                             | JAN-25, 2021   | N/A            | N/A               | Feb 20, 2022   |
| 2.12 | Civil Liability for Bunker Oil Pollution Damage Convention (CLBC) Certificate: | JAN-25, 2021   | N/A            | N/A               | Feb 20, 2022   |
| 2.13 | Liability for the Removal of Wrecks Certificate (WRC):                         | JAN-25, 2021   | N/A            | N/A               | Feb 20, 2022   |
| 2.14 | U.S. Certificate of Financial Responsibility (COFR):                           | NA             | N/A            | N/A               | NA             |
| 2.15 | Certificate of Class (COC):                                                    | OCT 03, 2020   | Jun 15, 2020   |                   | Apr 06, 2024   |
| 2.16 | International Sewage Pollution Prevention Certificate (ISPPC):                 | OCT 03, 2020   | N/A            | N/A               | Apr 06, 2024   |
| 2.17 | Certificate of Fitness (COF):                                                  | Not Applicable | Not Applicable | Not Applicable    | Not Applicable |
| 2.18 | International Energy Efficiency Certificate (IEEC):                            | Apr 12, 2019   | N/A            | N/A               | N/A            |
| 2.19 | International Air Pollution Prevention Certificate (IAPPC):                    | OCT 03, 2020   | Jun 15, 2020   |                   | Apr 06, 2024   |

#### Documentation

|      |                                                                                                                                    |     |
|------|------------------------------------------------------------------------------------------------------------------------------------|-----|
| 2.20 | Owner warrant that vessel is member of ITOPF and will remain so for the entire duration of this voyage/contract:                   | Yes |
| 2.21 | Does vessel have in place a Drug and Alcohol Policy complying with OCIMF guidelines for Control of Drugs and Alcohol Onboard Ship? | Yes |
| 2.22 | Is the ITF Special Agreement on board (if applicable)?                                                                             | N/A |
| 2.23 | ITF Blue Card expiry date (if applicable):                                                                                         | N/A |

| 3.  | CREW                                                           |                                                                                                         |
|-----|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| 3.1 | Nationality of Master:                                         | Chinese                                                                                                 |
| 3.2 | Number and nationality of Officers:                            | 10<br>Chinese, Thai, Bangladeshi                                                                        |
| 3.3 | Number and nationality of Crew:                                | 16<br>Thai / Bangladesh / Chinese / Myanmar/Filipinos                                                   |
| 3.4 | What is the common working language onboard:                   | English                                                                                                 |
| 3.5 | Do officers speak and understand English?                      | Yes                                                                                                     |
| 3.6 | If Officers/ratings employed by a manning agency - Full style: | Officers:<br>Tel: Tel: +65 6361-0395<br>Fax: Fax: +65 6361-0377<br>Email: Email: crewingsg@nathalin.com |

Ratings:  
 Tel: Tel: +65 6361-0395  
 Fax: Fax: +65 6361-0377  
 Email: Email: crewingsg@nathalin.com

|           |                                                                                                                                       |    |  |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------|----|--|
| <b>4.</b> | <b>FOR USA CALLS</b>                                                                                                                  |    |  |
| 4.1       | Has the vessel Operator submitted a Vessel Spill Response Plan to the US Coast Guard which has been approved by official USCG letter? | NO |  |
| 4.2       | Qualified individual (QI) - Full style:                                                                                               | NA |  |
| 4.3       | Oil Spill Response Organization (OSRO) - Full style:                                                                                  | NA |  |
| 4.4       | Salvage and Marine Firefighting Services (SMFF) - Full Style:                                                                         | NA |  |

|           |                                                                                                                                          |                                            |  |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|--|
| <b>5.</b> | <b>SAFETY/HELICOPTER</b>                                                                                                                 |                                            |  |
| 5.1       | Is the vessel operated under a Quality Management System? If Yes, what type of system? (ISO9001 or IMO Resolution A.741(18) as amended): | Yes<br>IMO Resolution A.741(18) as amended |  |
| 5.2       | Can the ship comply with the ICS Helicopter Guidelines?                                                                                  | Yes                                        |  |
| 5.2.1     | If Yes, state whether winching or landing area provided:                                                                                 | Landing                                    |  |
| 5.2.2     | If Yes, what is the diameter of the circle provided:                                                                                     | 20.00 Metres                               |  |

|           |                       |        |           |                                                  |        |
|-----------|-----------------------|--------|-----------|--------------------------------------------------|--------|
| <b>6.</b> | <b>COATING/ANODES</b> |        |           |                                                  |        |
| 6.1       | Tank Coating          | Coated | Type      | To What Extent                                   | Anodes |
|           | Cargo tanks:          | Yes    | TAR EPOXY | bottom - 1 meter up, top -2 meters down          | No     |
|           | Ballast tanks:        | Yes    | TAR EPOXY | WHOLE                                            | Yes    |
|           | Slop tanks:           | Yes    | TAR EPOXY | Partially coated under deck and over tank bottom | No     |

|           |                   |     |                           |                       |                       |
|-----------|-------------------|-----|---------------------------|-----------------------|-----------------------|
| <b>7.</b> | <b>BALLAST</b>    |     |                           |                       |                       |
| 7.1       | Pumps             | No. | Type                      | Capacity              | At What Head (sg=1.0) |
|           | Ballast Pumps:    | 2   | Centrifugal               | 4,000 Cu. Metres/Hour | 35 Metres             |
|           | Ballast Eductors: | 2   | Single-Flow Liquid driven | 400 Cu. Metres/Hour   | 7 Metres              |

|                       |                                                                                            |                                                                                                                                                             |                    |
|-----------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| 8.                    | CARGO                                                                                      |                                                                                                                                                             |                    |
| Double Hull Vessels   |                                                                                            |                                                                                                                                                             |                    |
| 8.1                   | Is vessel fitted with centerline bulkhead in all cargo tanks? If Yes, solid or perforated: | No,                                                                                                                                                         |                    |
| Cargo Tank Capacities |                                                                                            |                                                                                                                                                             |                    |
| 8.2                   | Number of cargo tanks and total cubic capacity (98%):                                      | 15                                                                                                                                                          | 323,967 Cu. Metres |
| 8.2.1                 | Capacity (98%) of each natural segregation with double valve (specify tanks):              | Seg#1: 102919 m3 (1 wing - 3 center - 4 wing)<br>Seg#2: 98597 m3 (2 wing - 4 center - 5 wing)<br>Seg#3: 122451 m3 (1 center - 2 center - 3 wing - 5 center) |                    |
| 8.2.2                 | IMO class (Oil/Chemical Ship Type 1, 2 or 3):                                              | N/A                                                                                                                                                         |                    |
| 8.3                   | Number of slop tanks and total cubic capacity (98%):                                       | 2                                                                                                                                                           | 7,856 Cu. Metres   |
| 8.3.1                 | Specify segregations which slops tanks belong to and their capacity with double valve:     | Segregation no. 1                                                                                                                                           |                    |
| 8.3.2                 | Residual/retention oil tank(s) capacity (98%), if applicable:                              | NA                                                                                                                                                          |                    |
| SBT Vessels           |                                                                                            |                                                                                                                                                             |                    |

|                                             |                                                                                                                              |                                                                                                                                                                                 |                           |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
| 8.3.3                                       | What is total SBT capacity and percentage of SDWT vessel can maintain?                                                       | 109,135.00 Cu. Metres                                                                                                                                                           | 37.80 %                   |
| 8.3.4                                       | Does vessel meet the requirements of MARPOL Annex I Reg 18.2:                                                                | Yes                                                                                                                                                                             |                           |
| <b>Cargo Handling and Pumping Systems</b>   |                                                                                                                              |                                                                                                                                                                                 |                           |
| 8.4                                         | How many grades/products can vessel load/discharge with double valve segregation:                                            | Nil                                                                                                                                                                             |                           |
| 8.5                                         | Are there any cargo tank filling restrictions?<br>If yes, specify number of slack tanks, max s.g., ullage restrictions etc.: | No                                                                                                                                                                              |                           |
| 8.6                                         | Max loading rate for homogenous cargo                                                                                        | With VECS                                                                                                                                                                       | Without VECS              |
|                                             | Loaded per manifold connection:                                                                                              |                                                                                                                                                                                 | 8,000 Cu. Metres/Hour     |
|                                             | Loaded simultaneously through all manifolds:                                                                                 |                                                                                                                                                                                 | 16,500.00 Cu. Metres/Hour |
| <b>Cargo Control Room</b>                   |                                                                                                                              |                                                                                                                                                                                 |                           |
| 8.7                                         | Is ship fitted with a Cargo Control Room (CCR)?                                                                              | Yes                                                                                                                                                                             |                           |
| 8.8                                         | Can tank innage/ullage be read from the CCR?                                                                                 | Yes                                                                                                                                                                             |                           |
| <b>Gauging and Sampling</b>                 |                                                                                                                              |                                                                                                                                                                                 |                           |
| 8.9                                         | Is gauging system certified and calibrated? If no, specify which ones are not calibrated:                                    | Yes,                                                                                                                                                                            |                           |
|                                             | What type of fixed closed tank gauging system is fitted:                                                                     | Metric tape                                                                                                                                                                     |                           |
|                                             | Are high level alarms fitted to the cargo tanks? If Yes, indicate whether to all tanks or partial:                           | Yes, All                                                                                                                                                                        |                           |
| 8.9.1                                       | Can cargo be transferred under closed loading conditions in accordance with ISGOTT 11.1.6.6?                                 | Yes                                                                                                                                                                             |                           |
| 8.9.2                                       | Are cargo tanks fitted with multipoint gauging? If yes, specify type and locations:                                          | No                                                                                                                                                                              |                           |
| 8.10                                        | Number of portable gauging units (example- MMC) on board:                                                                    | 2                                                                                                                                                                               |                           |
| <b>Vapor Emission Control System (VECS)</b> |                                                                                                                              |                                                                                                                                                                                 |                           |
| 8.11                                        | Is a vapour return system (VRS) fitted?                                                                                      | Yes                                                                                                                                                                             |                           |
| 8.12                                        | Number/size of VECS manifolds (per side):                                                                                    | 2                                                                                                                                                                               | 400 Millimetres           |
| 8.13                                        | Number/size/type of VECS reducers:                                                                                           | 4 x 16"<br>2 x 12"                                                                                                                                                              |                           |
| <b>Venting</b>                              |                                                                                                                              |                                                                                                                                                                                 |                           |
| 8.14                                        | State what type of venting system is fitted:                                                                                 | Individual P/V; Common Single Mast Riser                                                                                                                                        |                           |
| <b>Cargo Manifolds and Reducers</b>         |                                                                                                                              |                                                                                                                                                                                 |                           |
| 8.15                                        | Total number/size of cargo manifold connections on each side:                                                                | 4/508.00 Millimetres                                                                                                                                                            |                           |
| 8.16                                        | What type of valves are fitted at manifold:                                                                                  | Butterfly                                                                                                                                                                       |                           |
| 8.17                                        | What is the material/rating of the manifold:                                                                                 | carbon steel/                                                                                                                                                                   |                           |
| 8.17.1                                      | Does vessel comply with the latest edition of the OCIMF 'Recommendations for Oil Tanker Manifolds and Associated Equipment'? | Yes                                                                                                                                                                             |                           |
| 8.18                                        | Distance between cargo manifold centers:                                                                                     | 3,000.00 Millimetres                                                                                                                                                            |                           |
| 8.19                                        | Distance ships rail to manifold:                                                                                             | 4,300.00 Millimetres                                                                                                                                                            |                           |
| 8.20                                        | Distance manifold to ships side:                                                                                             | 4,600.00 Millimetres                                                                                                                                                            |                           |
| 8.21                                        | Top of rail to center of manifold:                                                                                           | 700.00 Millimetres                                                                                                                                                              |                           |
| 8.22                                        | Distance main deck to center of manifold:                                                                                    | 2,100.00 Millimetres                                                                                                                                                            |                           |
| 8.23                                        | Spill tank grating to center of manifold:                                                                                    | 900.00 Millimetres                                                                                                                                                              |                           |
| 8.24                                        | Manifold height above the waterline in normal ballast/at SDWT condition:                                                     | 22.60 Metres                                                                                                                                                                    | 10.57 Metres              |
| 8.25                                        | Number/size/type of reducers:                                                                                                | 4 x 660.4/508mm (26/20")<br>8 x 660.4/406.4mm (26/16")<br>4 x 660.4/304.8mm (26/12")<br>2 x 508/304.8mm (20/12")<br>2 x 254/304.8mm (10/12")<br>2 x 203/304.8mm (8/12")<br>ANSI |                           |
| 8.26                                        | Is vessel fitted with a stern manifold? If yes, state size:                                                                  | No,                                                                                                                                                                             |                           |
| <b>Heating</b>                              |                                                                                                                              |                                                                                                                                                                                 |                           |
| 8.27                                        | Cargo/slop tanks fitted with a cargo heating system?                                                                         | Type                                                                                                                                                                            | Coiled                    |
|                                             |                                                                                                                              |                                                                                                                                                                                 | Material                  |

|                                 |                                                                        |       |                           |                                                                    |
|---------------------------------|------------------------------------------------------------------------|-------|---------------------------|--------------------------------------------------------------------|
|                                 | Cargo Tanks:                                                           | Steam | Yes                       | Stainless Steel                                                    |
|                                 | Slop Tanks:                                                            | Steam | Yes                       | Stainless Steel for<br>slop/s <sub>1</sub><br>AL BRASS- for Slop/p |
| 8.28                            | Maximum temperature cargo can be loaded/maintained:                    |       | 65.0 °C / 149 °F          | 57 °C / 134.6 °F                                                   |
| 8.28.1                          | Minimum temperature cargo can be loaded/maintained:                    |       | NA                        | NA                                                                 |
| Inert Gas and Crude Oil Washing |                                                                        |       |                           |                                                                    |
| 8.29                            | Is an Inert Gas System (IGS) fitted/operational?                       |       | Yes/Yes                   |                                                                    |
| 8.29.1                          | Is a Crude Oil Washing (COW) installation fitted/operational?          |       | Yes/Yes                   |                                                                    |
| 8.30                            | Is IGS supplied by flue gas, inert gas (IG) generator and/or nitrogen: |       | Flue Gas                  |                                                                    |
| Cargo Pumps                     |                                                                        |       |                           |                                                                    |
| 8.31                            | How many cargo pumps can be run simultaneously at full capacity:       |       | 3                         |                                                                    |
| 8.32                            | Pumps                                                                  | No.   | Type                      | Capacity                                                           |
|                                 |                                                                        |       |                           | At What Head<br>(sg=1.0)                                           |
|                                 | Cargo Pumps:                                                           | 3     | Centrifugal               | 5500 M3/HR                                                         |
|                                 |                                                                        |       |                           | 150 Metres<br>150 Metres<br>150 Metres                             |
|                                 | Cargo Eductors:                                                        | 2     | Single-Flow Liquid driven | 630 Cu. Metres/Hour                                                |
|                                 | Stripping:                                                             | 1     | Reciprocating             | 200 Cu. Metres/Hour                                                |
| 8.33                            | Is at least one emergency portable cargo pump provided?                |       | No                        |                                                                    |

|           |                  |     |                   |                                |               |                      |
|-----------|------------------|-----|-------------------|--------------------------------|---------------|----------------------|
| <b>9.</b> | <b>MOORING</b>   |     |                   |                                |               |                      |
| 9.1       | Wires (on drums) | No. | Diameter          | Material                       | Length        | Breaking Strength    |
|           | Forecastle:      | 4   | 42.00 Millimetres | Galvanized steel               | 275.00 Metres | 124.90 Metric Tonnes |
|           | Main deck fwd:   | 6   | 42.00 Millimetres | Galvanized steel               | 275.00 Metres | 124.90 Metric Tonnes |
|           | Main deck aft:   | 4   | 42.00 Millimetres | Galvanized steel               | 275.00 Metres | 124.90 Metric Tonnes |
|           | Poop deck:       | 6   | 42.00 Millimetres | Galvanized steel               | 275.00 Metres | 124.90 Metric Tonnes |
| 9.2       | Wire tails       | No. | Diameter          | Material                       | Length        | Breaking Strength    |
|           | Forecastle:      | 4   | 88.00 Millimetres | Polyamide Multi-filament Nylon | 11.00 Metres  | 188.00 Metric Tonnes |
|           | Main deck fwd:   | 6   | 88.00 Millimetres | Polyamide Multi-filament Nylon | 11.00 Metres  | 188.00 Metric Tonnes |
|           | Main deck aft:   | 4   | 88.00 Millimetres | Polyamide Multi-filament Nylon | 11.00 Metres  | 188.00 Metric Tonnes |
|           | Poop deck:       | 6   | 88.00 Millimetres | Polyamide Multi-filament Nylon | 11.00 Metres  | 188.00 Metric Tonnes |
| 9.3       | Ropes (on drums) | No. | Diameter          | Material                       | Length        | Breaking Strength    |
|           | Forecastle:      |     |                   | Not Applicable                 |               |                      |
|           | Main deck fwd:   |     |                   | Not Applicable                 |               |                      |
|           | Main deck aft:   |     |                   | Not Applicable                 |               |                      |
|           | Poop deck:       |     |                   | Not Applicable                 |               |                      |
| 9.4       | Other lines      | No. | Diameter          | Material                       | Length        | Breaking Strength    |
|           | Forecastle:      | 2   | 80.00 Millimetres | PP & polyester mixed           | 220.00 Metres | 125.00 Metric Tonnes |
|           | Main deck fwd:   |     |                   | Not Applicable                 |               |                      |
|           | Main deck aft:   |     |                   | Not Applicable                 |               |                      |
|           | Poop deck:       | 2   | 80.00 Millimetres | PP & polyester                 | 220.00 Metres | 125 Metric Tonnes    |

|     |                                |           |                   |                   |                     |               |
|-----|--------------------------------|-----------|-------------------|-------------------|---------------------|---------------|
|     |                                |           |                   | mixed             |                     |               |
| 9.5 | Winches                        | No.       | No. Drums         | Motive Power      | Brake Capacity      | Type of Brake |
|     | Forecastle:                    | 2         | Double Drums      | Hydraulic         | 98.00 Metric Tonnes |               |
|     | Main deck fwd:                 | 3         | Double Drums      | Hydraulic         | 98.00 Metric Tonnes |               |
|     | Main deck aft:                 | 2         | Double Drums      | Hydraulic         | 98.00 Metric Tonnes |               |
|     | Poop deck:                     | 3         | Double Drums      | Hydraulic         | 98.00 Metric Tonnes |               |
| 9.6 | Bitts, closed chocks/fairleads | No. Bitts | SWL Bitts         | No. Closed Chocks | SWL Closed Chocks   |               |
|     | Forecastle:                    | 3         | 126 Metric Tonnes | 14                | 64 Metric Tonnes    |               |
|     | Main deck fwd:                 | 10        | 126 Metric Tonnes | 16                | 64 Metric Tonnes    |               |
|     | Main deck aft:                 | 8         | 126 Metric Tonnes | 15                | 64 Metric Tonnes    |               |
|     | Poop deck:                     | 4         | 126 Metric Tonnes | 15                | 64 Metric Tonnes    |               |

#### Anchors/Emergency Towing System

|        |                                                                         |                      |                   |
|--------|-------------------------------------------------------------------------|----------------------|-------------------|
| 9.7    | Number of shackles on port/starboard cable:                             | 14/14                |                   |
| 9.8    | Type/SWL of Emergency Towing system forward:                            | towing chain TK 40 F | 200 Metric Tonnes |
| 9.9    | Type/SWL of Emergency Towing system aft:                                | towing wire TK 40 A  | 200 Metric Tonnes |
| 9.10.1 | What is size of closed chock and/or fairleads of enclosed type on stern | 600 x 350            |                   |

#### Escort Tug

|        |                                                                         |                      |  |
|--------|-------------------------------------------------------------------------|----------------------|--|
| 9.10.2 | What is SWL of closed chock and/or fairleads of enclosed type on stern: | 200.00 Metric Tonnes |  |
| 9.11   | What is SWL of bollard on poop deck suitable for escort tug:            | 200.00 Metric Tonnes |  |

#### Lifting Equipment/Gangway

|      |                                                            |                                                                                           |  |
|------|------------------------------------------------------------|-------------------------------------------------------------------------------------------|--|
| 9.12 | Derrick/Crane description (Number, SWL and location):      | Cranes: 2 x 20.00 Tonnes<br>port and starboard<br>1 x 1.0 Ton for Man riding on Starboard |  |
| 9.13 | Accommodation ladder direction:                            | Aft                                                                                       |  |
|      | Does vessel have a portable gangway? If yes, state length: | No,                                                                                       |  |

#### Single Point Mooring (SPM) Equipment

|      |                                                                                                                                                                                             |                       |                      |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------|
| 9.14 | Does the vessel meet the recommendations in the latest edition of OCIMF 'Recommendations for Equipment Employed in the Bow Mooring of Conventional Tankers at Single Point Moorings (SPM)'? | Yes                   |                      |
| 9.15 | If fitted, how many chain stoppers:                                                                                                                                                         | 2                     |                      |
| 9.16 | State type/SWL of chain stopper(s):                                                                                                                                                         | tongue type           | 350.00 Metric Tonnes |
| 9.17 | What is the maximum size chain diameter the bow stopper(s) can handle:                                                                                                                      | 76.00 Millimetres     |                      |
| 9.18 | Distance between the bow fairlead and chain stopper/bracket:                                                                                                                                | 3,000.00 Millimetres  |                      |
| 9.19 | Is bow chock and/or fairlead of enclosed type of OCIMF recommended size (600mm x 450mm)? If not, give details of size:                                                                      | Yes<br>Not Applicable |                      |

|            |                                                                 |                                                                                      |                    |
|------------|-----------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------|
| <b>10.</b> | <b>PROPULSION</b>                                               |                                                                                      |                    |
| 10.1       | Speed                                                           | Maximum                                                                              | Economical         |
|            | Ballast speed:                                                  | 15.50 Knots (WSNP)                                                                   | 13.50 Knots (WSNP) |
|            | Laden speed:                                                    | 14.00 Knots (WSNP)                                                                   | 11.20 Knots (WSNP) |
| 10.2       | What type of fuel is used for main propulsion/generating plant: | HFO                                                                                  | HFO and DO         |
| 10.3       | Type/Capacity of bunker tanks:                                  | Fuel Oil: 8,998 Cu. Metres<br>Diesel Oil: 559.98 Cu. Metres<br>Gas Oil: 0 Cu. Metres |                    |
| 10.4       | Is vessel fitted with fixed or controllable pitch propeller(s): | Fixed                                                                                |                    |
| 10.5       | Engines                                                         | No                                                                                   | Capacity           |
|            | Main engine:                                                    | 1                                                                                    | 25,848.90 Kilowatt |
|            |                                                                 |                                                                                      | Hitachi Zosen B&W  |

|              |   |                          |                                    |               |
|--------------|---|--------------------------|------------------------------------|---------------|
|              |   |                          |                                    | Diesel Engine |
| Aux engine:  | 3 | 760 Kilowatt             | Wartsila NSD type W5I20C           |               |
| Power packs: |   |                          |                                    |               |
| Boilers:     | 2 | 38.00 Metric Tonnes/Hour | Hitachi Zosen HZAM 38 tons 2 drums |               |

#### Bow/Stern Thruster

|      |                                                          |     |
|------|----------------------------------------------------------|-----|
| 10.6 | What is brake horse power of bow thruster (if fitted):   | No, |
| 10.7 | What is brake horse power of stern thruster (if fitted): | No, |

#### Emissions

|      |                                                      |        |
|------|------------------------------------------------------|--------|
| 10.8 | Main engine IMO NOx emission standard:               | Tier I |
| 10.9 | Energy Efficiency Design Index (EEDI) rating number: | N/A    |

|            |                                                                                                                                                    |                                                                 |  |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|--|
| <b>11.</b> | <b>SHIP TO SHIP TRANSFER</b>                                                                                                                       |                                                                 |  |
| 11.1       | Does vessel comply with recommendations contained in OCIMF/ICS Ship To Ship Transfer Guide (Petroleum, Chemicals or Liquefied Gas, as applicable)? | Yes                                                             |  |
| 11.2       | What is maximum outreach of cranes/derricks outboard of the ship's side:                                                                           | 6.20 Metres                                                     |  |
| 11.3       | Date/place of last STS operation:                                                                                                                  | MT BESIKTAS DARDANELLES 04-APR-2021 / Tanjung Pelepas, Malaysia |  |

|            |                                                                                                                                                                                                                                                          |                                                                                                                                                                 |  |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>12.</b> | <b>RECENT OPERATIONAL HISTORY</b>                                                                                                                                                                                                                        |                                                                                                                                                                 |  |
| 12.1       | Last three cargoes/charterers/voyages (Last/2nd Last/3rd Last):                                                                                                                                                                                          | 1st Last Cargo: FO / MT BESIKTAS DARDANELLES , PTP Malaysia.<br>2nd Last Cargo: LSFO / MT GODAM, PTP Malaysia.<br>3rd Last Cargo FO / MT SJ SATU, PTP Malaysia. |  |
| 12.2       | Has vessel been involved in a pollution, grounding, serious casualty, unscheduled repair or collision incident during the past 12 months? If yes, provide details:                                                                                       | Pollution: No,<br>Grounding: No,<br>Casualty: No,<br>Repair: No,<br>Collision: No,                                                                              |  |
| 12.3       | Date and place of last Port State Control inspection:                                                                                                                                                                                                    | 23-FEB-2021 @PTP, Malaysia                                                                                                                                      |  |
| 12.4       | Any outstanding deficiencies as reported by any Port State Control? If yes, provide details:                                                                                                                                                             | Nil                                                                                                                                                             |  |
| 12.5       | Recent Oil company inspections/screenings (To the best of owners knowledge and without guarantee of acceptance for future business)*:<br><i>* "Approvals" are not given by Oil Majors and ships are accepted for the voyage on a case by case basis.</i> | IDEMITSU – 08 July 19<br>BIECO – 13 DEC'19<br>IDEMITSU- 17 June 20<br>BIECO -15 DEC'20                                                                          |  |
| 12.6       | Date/Place of last SIRE inspection:                                                                                                                                                                                                                      | 15 Dec, 2020 @ PTP, Malaysia.                                                                                                                                   |  |
| 12.7       | Additional information relating to features of the ship or operational characteristics:                                                                                                                                                                  | None.                                                                                                                                                           |  |

Revised 2018 (INTERTANKO/Q88.com)

Form completed on <http://www.q88.com/integration.aspx> Please email [support@q88.com](mailto:support@q88.com) an updated copy if this is not the latest version.