

1.	GENERAL INFORMATION		
1.1	Date updated:	11 Jan 2022	
1.2	Vessel's name (IMO number):	Phoenix Star (9180891)	
1.3	Vessel's previous name(s) and date(s) of change:	Phoenix M (16 Aug, 2021) / DHT Phoenix (06 Jun, 2017) / ASCONA (02 Mar, 2011)	
1.4	Date delivered/Builder (where built):	Sep 03, 1999 / DAEWOO HEAVY INDUSTRIES - OPKO KOREA	
1.5	Flag/Port of Registry:	Thailand / Bangkok	
1.6	Call sign/MMSI:	HSB 7650 / 567601000	
1.7	Vessel's contact details (satcom/fax/email etc.):	FBB Tel: +870 773274996 Local cell phone: +60142311716 Email: phoenixstar.master@nathalin.com	
1.8	Type of vessel (as described in Form A or Form B Q1.11 of the IOPPC):	Oil Tanker	
1.9	Type of hull:	Double Hull	
Ownership and Operation			
1.10	Registered owner - Full style:	PRIMA MARINE PUBLIC CO., LTD. 80 SOI BANGNA-TRAD 30, BANGNA TAI SUB-DISTRICT, BANGNA DISTRICT, BANGKOK 10260, THAILAND	
1.11	Technical operator - Full style:	Nathalin Shipping Pte. Ltd., 6 Temasek Boulevard #32-03 Suntec Tower Four, Singapore 038986 Tel: +65 6361 0389, Fax: +65 6361 0377 Email: technicalsg@nathalin.com / Safetysg@nathalin.com Company IMO#: 5672475	
1.12	Commercial operator - Full style:		
1.13	Desponent owner - Full style:	NA	
Insurance			
1.14	P & I Club - Full Style:	Gard P. & I. (Bermuda) Ltd., Singapore Branch 20 Anson Road #10-01 Twenty Anson Singapore 079912	
1.15	P & I Club pollution liability coverage/expiration date:	1,000,000,000 US\$	20 February 2022
1.16	Hull & Machinery insured by - Full Style: (Specify broker or leading underwriter)	Marsh (Singapore) Pte Ltd 8 Marina View, #09-02 Asia Square Tower 1, Singapore 018960 Tel: 65 6922 8388; Fax: 65 63333 8380	
1.17	Hull & Machinery insured value/expiration date:	18,000,000 US\$	20-Sep-2022
Classification			
1.18	Classification society:	Lloyds Register	
1.19	Class notation:	100AT Moored Oil Storage Tanker for service at Linggi (Malaysia), ShipRight(SDA,FDA,CM), LI, +LMS, UMS, IGS. Descriptive Note: COW (LR), part higher tensile steel, PL (LR), SBT (LR), SHIPRIGHT (ES + 1mm deck within 0.4L), PCWBT (09.99), SCM, SERS)	
1.20	Is the vessel subject to any conditions of class, class extensions, outstanding memorandums or class recommendations? If yes, give details:	No	
1.21	If classification society changed, name of previous and date of change:	NA	
1.22	Does the vessel have ice class? If yes, state what level:	No	
1.23	Date/place of last dry-dock:	Aug 20, 2019 / Linggi, Malaysia	
1.24	Date next dry dock due/next annual survey due:	July 28, 2022	July 28, 2022
1.25	Date of last special survey/next special survey due:	Aug 20, 2019	July 28, 2022
1.26	If ship has Condition Assessment Program (CAP), what is the latest overall rating:	Yes, 1	
Dimensions			
1.27	Length overall (LOA):	332.00 Metres	
1.28	Length between perpendiculars (LBP):	320.00 Metres	

1.29	Extreme breadth (Beam):			58.04 Metres	
1.30	Moulded depth:			31.00 Metres	
1.31	Keel to masthead (KTM)/ Keel to masthead (KTM) in collapsed condition, if applicable:			64.64 Metres	NA
1.32	Distance bridge front to center of manifold:			118.34 Metres	
1.33	Bow to center manifold (BCM)/Stern to center manifold (SCM):			163.11 Metres	168.89 Metres
1.34	Parallel body distances		Lightship	Normal Ballast	Summer Dwt
	Forward to mid-point manifold:		66.50 Metres	81.50 Metres	81.50 Metres
	Aft to mid-point manifold:		30.50 Metres	53.50 Metres	77.50 Metres
	Parallel body length:		97.00 Metres	135.00 Metres	159 Metres
Tonnages					
1.35	Net Tonnage:			108,701.00	
1.36	Gross Tonnage/Reduced Gross Tonnage (if applicable):			157,496.00	
1.37	Suez Canal Tonnage - Gross (SCGT)/Net (SCNT):				
1.38	Panama Canal Net Tonnage (PCNT):				
Loadline Information					
1.39	Loadline	Freeboard	Draft	Deadweight	Displacement
	Summer:	4.387 Metres	22.488 Metres	307151.00 Metric Tonnes	349050.00 Metric Tonnes
	Winter:	4.855 Metres	22.02Metres	299147.00 Metric Tonnes	341046.00 Metric Tonnes
	Tropical:	3.919Metres	22.956 Metres	315153.00 Metric Tonnes	357052.00 Metric Tonnes
	Lightship:	23.73 Metres	3.145 Metres	Not Applicable	41,899.00 Metric Tonnes
	Normal Ballast Condition:	16.735 Metres	10.14 Metres	102960.00 Metric Tonnes	144859.00 Metric Tonnes
	Segregated Ballast Condition:	16.735 Metres	10.14 Metres	102960.00 Metric Tonnes	144859.00 Metric Tonnes
1.40	FWA/TPC at summer draft:			510.00 Millimetres	171.20 MT
1.41	Does vessel have multiple SDWT? If yes, please provide all assigned loadlines:			Yes, LL1 FB 4387mm DWT 307,151MT; LL2 FB 4852mm DWT 299,198MT; LL3 FB 7155mm DWT 259,996MT; LL4 FB 7747mm DWT 250,000MT.	
1.42	Constant (excluding fresh water):			673 Metric Tonnes	
1.43	What is the company guidelines for Under Keel Clearance (UKC) for this vessel?			Open Sea : At least 20% of static deepest draft (never less than 2.0m). Coasting/ Fairway or River Passage/ Pilotage/ Moored to SPM-SBM-CBM : At least 10% of static deepest draft (never less than 1.5m). Moored at Berth : At least 5% of static deepest draft (never less than 0.5m).	
1.44	What is the max height of mast above waterline (air draft)			Full Mast	Collapsed Mast
	Summer deadweight:			42.152 Metres	0 Metres
	Normal ballast:			53.289 Metres	0 Metres
	Lightship:			61.495 Metres	0 Metres

2.	CERTIFICATES	Issued	Last Annual	Last Intermediate	Expires
2.1	Safety Equipment Certificate (SEC):	Aug 28, 2021	Aug 05, 2021	Aug 20, 2019	July 28, 2022
2.2	Safety Radio Certificate (SRC):	Aug 28, 2021	Aug 05, 2021	Aug 20, 2019	July 28, 2022
2.3	Safety Construction Certificate (SCC):	Aug 28, 2021	Aug 05, 2021	Aug 20, 2019	July 28, 2022
2.4	International Loadline Certificate (ILC):	Aug 28, 2021	Aug 05, 2021	NA	July 28, 2022
2.5	International Oil Pollution Prevention Certificate (IOPPC):	Aug 28, 2021	Aug 05, 2021	Aug 20, 2019	July 28, 2022

2.6	International Ship Security Certificate (ISSC):	Aug 26, 2021	Not Applicable	Jun.17,2020	Feb 16, 2022
2.7	Maritime Labour Certificate (MLC):	Aug 17, 2021	Not Applicable	Jun.17,2020	Feb 16, 2022
2.8	ISM Safety Management Certificate (SMC):	Aug 17, 2021	Not Applicable	Jun.17,2020	Feb 16, 2022
2.9	Document of Compliance (DOC):	Oct 20, 2017	Nov 01, 2021	Not Applicable	Oct 01, 2022
2.10	USCG Certificate of Compliance (USCGCOC):	Not Applicable			
2.11	Civil Liability Convention (CLC) 1992 Certificate:	Aug 16, 2021	Not Applicable	Not Applicable	Feb 20, 2022
2.12	Civil Liability for Bunker Oil Pollution Damage Convention (CLBC) Certificate:	Aug 16, 2021	Not Applicable	Not Applicable	Feb 20, 2022
2.13	Liability for the Removal of Wrecks Certificate (WRC):	Aug 16, 2021	Not Applicable	Not Applicable	Feb 20, 2022
2.14	U.S. Certificate of Financial Responsibility (COFR):	Not Applicable			
2.15	Certificate of Class (COC):	Aug 28, 2021	Aug 05, 2021	Aug 20, 2019	July 28, 2022
2.16	International Sewage Pollution Prevention Certificate (ISPPC):	Aug 16, 2021	Not Applicable	Not Applicable	July 28, 2022
2.17	Certificate of Fitness (COF):	Not Applicable			
2.18	International Energy Efficiency Certificate (IEEC):	Aug 16, 2021	Not Applicable	Not Applicable	Not Applicable
2.19	International Air Pollution Prevention Certificate (IAPPC):	Aug 28, 2021	Aug 05, 2021	Aug 20, 2019	July 28, 2022

Documentation

2.20	Owner warrant that vessel is member of ITOPF and will remain so for the entire duration of this voyage/contract:	Yes
2.21	Does vessel have in place a Drug and Alcohol Policy complying with OCIMF guidelines for Control of Drugs and Alcohol Onboard Ship?	Yes
2.22	Is the ITF Special Agreement on board (if applicable)?	No
2.23	ITF Blue Card expiry date (if applicable):	NA

3.	CREW				
3.1	Nationality of Master:	Chinese			
3.2	Number and nationality of Officers:	10 & Chinese, Bangladeshi, Thailand			
3.3	Number and nationality of Crew:	19 & Chinese, Myanmar, Bangladeshi, Filipino, Thailand			
3.4	What is the common working language onboard:	English			
3.5	Do officers speak and understand English?	Yes			
3.6	If Officers/ratings employed by a manning agency - Full style:	Officers: 1. Singhai Marine Services (S) Pte. Ltd Office address:151 Chin Swee Road #10-03/05 Manhattan House Singapore 169876 2. Hua Yang Maritime Center Office address: F4,Jia No. 240 Hui Xin Li Chao Yang Dist., Beijing, P.R.China 10029 3. Marine (Agency) Services HO: House-1, Lane-5,Road-1,Block-L Hailishahar Housing Estate,Chittagong-4224 Bangladesh Dhaka office: Satapdi Tower(4th floor), Room No. 4C, 292 Innar Circular Road(near Fokhira Pool Bazar), Fokhira Pool, Dhaka-1000,Bamgladesh 4. BSC Management Seafarer Recruitmer, 80 Bangna-Trad 30. Debaratna Road, Bangna Tai, Bangna, BKK Thailand. Ratings: 1. Singhai Marine Services (S) Pte. Ltd Office address:151 Chin Swee Road #10-03/05 Manhattan House Singapore 169876 2. Hua Yang Maritime Center Office address: F4,Jia No. 240 Hui Xin Li Chao Yang Dist., Beijing, P.R.China 10029 3. Marine (Agency) Services HO: House-1, Lane-5,Road-1,Block-L Hailishahar Housing Estate,Chittagong-4224 Bangladesh Dhaka office: Satapdi Tower(4th floor), Room No. 4C, 292 Innar Circular Road(near Fokhira Pool Bazar), Fokhira Pool, Dhaka-1000,Bamgladesh 4. Maritime Support Services Company Limited Office address: No.(95-E), Waiza Yanta Road, Block-3-B, South Okkalapa Township, Yangon, Myanmar 5. INTERMODSL SHIPPING, INC. Ground Flood, Casa Maritima 651 Gen. Luna Street, Intramuros, Manila 6. BSC Management Seafarer Recruitmer, 80			

			Bangna-Trad 30. Debaratna Road, Bangna Tai, Bangna, BKK Thailand.
--	--	--	---

4.	FOR USA CALLS		
4.1	Has the vessel Operator submitted a Vessel Spill Response Plan to the US Coast Guard which has been approved by official USCG letter?	No	
4.2	Qualified individual (QI) - Full style:	NA	
4.3	Oil Spill Response Organization (OSRO) - Full style:	NA	
4.4	Salvage and Marine Firefighting Services (SMFF) - Full Style:	NA	

5.	SAFETY/HELICOPTER		
5.1	Is the vessel operated under a Quality Management System? If Yes, what type of system? (ISO9001 or IMO Resolution A.741(18) as amended):	Yes, IMO Resolution A.741 (18)	
5.2	Can the ship comply with the ICS Helicopter Guidelines?	Yes	
5.2.1	If Yes, state whether winching or landing area provided:	Landing	
5.2.2	If Yes, what is the diameter of the circle provided:	16.00 Metres	

6.	COATING/ANODES				
6.1	Tank Coating	Coated	Type	To What Extent	Anodes
	Cargo tanks:	Yes	COAL TAR EPOXY II B	CARGO TANKS - DECK HEAD AND 2 METERS BELOW DECKHEAD. SLOP TANKS FULLY	No
	Ballast tanks:	Yes	COAL TAR EPOXY	FULL	Yes
	Slop tanks:	Yes	COAL TAR EPOXY	Whole Tank	No

7.	BALLAST				
7.1	Pumps	No.	Type	Capacity	At What Head (sg=1.0)
	Ballast Pumps:	2	Centrifugal	3000 m3/hr	35
	Ballast Eductors:	2	Venturi	550 m3/hr	20

8.	CARGO		
Double Hull Vessels			
8.1	Is vessel fitted with centerline bulkhead in all cargo tanks? If Yes, solid or perforated:		No
Cargo Tank Capacities			
8.2	Number of cargo tanks and total cubic capacity (98%):		15 (Excluding Slop Tanks)330,573.20 Cu. Metres
8.2.1	Capacity (98%) of each natural segregation with double valve (specify tanks):		Seg#1: 113189.3 m3 (1P&S, 3C, 4P&S, SLOP P&S (33.2%)) Seg#2: 100864.1 m3 (2C, 3P&S, 5C (29.6%)) Seg#3: 126587.6 m3 (1C, 2P&S, 4C, 5P&S, (37.2%))
8.3	Number of slop tanks and total cubic capacity (98%):		210,067.80 Cu. Metres
8.3.1	Specify segregations which slops tanks belong to and their capacity with double valve:		Seg#1 & 10067.8 Cu.meters (Slops), Total for Seg #1 : 113189.3m3.
8.3.2	Residual/retention oil tank(s) capacity (98%), if applicable:		NA
SBT Vessels			
8.3.3	What is total SBT capacity and percentage of SDWT vessel can maintain?		98630 Cu. Metres32.96 %
8.3.4	Does vessel meet the requirements of MARPOL Annex I Reg 18.2:		Yes
Cargo Handling and Pumping Systems			
8.4	How many grades/products can vessel load/discharge with double valve segregation:		3

8.5	Are there any cargo tank filling restrictions? If yes, specify number of slack tanks, max s.g., ullage restrictions etc.:		No	
8.6	Max loading rate for homogenous cargo		With VECS	Without VECS
	Loaded per manifold connection:		6,840 m3/Hour	6,840 m3/Hour
	Loaded simultaneously through all manifolds:		20,520 m3/Hour	20,520 m3/Hour
Cargo Control Room				
8.7	Is ship fitted with a Cargo Control Room (CCR)?		Yes	
8.8	Can tank innage/ullage be read from the CCR?		Yes	
Gauging and Sampling				
8.9	Is gauging system certified and calibrated? If no, specify which ones are not calibrated:		Yes	
	What type of fixed closed tank gauging system is fitted:		Radar	
	Are high level alarms fitted to the cargo tanks? If Yes, indicate whether to all tanks or partial:		Yes, All	
8.9.1	Can cargo be transferred under closed loading conditions in accordance with ISGOTT 11.1.6.6?		Yes	
8.9.2	Are cargo tanks fitted with multipoint gauging? If yes, specify type and locations:		Yes, Type: Vapor lock / Fwd & Aft in each tank	
8.10	Number of portable gauging units (example- MMC) on board:		3	
Vapor Emission Control System (VECS)				
8.11	Is a Vapour Emission Control System (VECS) fitted?		Yes	
8.12	Number/size of VECS manifolds (per side):		2	600 Millimetres
8.13	Number/size/type of VECS reducers:		4 Nos / 24 x 16 Inch; 2 Nos / 24 x 12 Inch	
Venting				
8.14	State what type of venting system is fitted:		Common Line Mast Riser + Individual High Velocity PV Valve for each Cargo and Slop Tanks	
Cargo Manifolds and Reducers				
8.15	Total number/size of cargo manifold connections on each side:		4 / 650.00 Millimetres	
8.16	What type of valves are fitted at manifold:		Butterfly	
8.17	What is the material/rating of the manifold:		STEEL/ANSI	
8.17.1	Does vessel comply with the latest edition of the OCIMF 'Recommendations for Oil Tanker Manifolds and Associated Equipment'?		Yes	
8.18	Distance between cargo manifold centers:		3,000.00 Millimetres	
8.19	Distance ships rail to manifold:		4,600.00 Millimetres	
8.20	Distance manifold to ships side:		4,600.00 Millimetres	
8.21	Top of rail to center of manifold:		900.00 Millimetres	
8.22	Distance main deck to center of manifold:		2,100.00 Millimetres	
8.23	Spill tank grating to center of manifold:		900.00 Millimetres	
8.24	Manifold height above the waterline in normal ballast/at SDWT condition:		23.00 Metres	11.12 Metres
8.25	Number/size/type of reducers:		6 x 650/500mm (26/20") 3 x 650/400mm (26/16") 3 x 650/300mm (26/12") 3 x 400/250mm (16/10") ANSI	
8.26	Is vessel fitted with a stern manifold? If yes, state size:		No	
Heating				
8.27	Cargo/slop tanks fitted with a cargo heating system?	Type	Coiled	Material
	Cargo Tanks:	Heating coils	Yes	Steel
	Slop Tanks:	Heating coils	Yes	Steel
8.28	Maximum temperature cargo can be loaded/maintained:		57 Deg C	57 Deg.C
8.28.1	Minimum temperature cargo can be loaded/maintained:		25 Deg.C	25 Deg.C
Inert Gas and Crude Oil Washing				
8.29	Is an Inert Gas System (IGS) fitted/operational?		Yes / Yes	

8.29.1	Is a Crude Oil Washing (COW) installation fitted/operational?				Yes / Yes	
8.30	Is IGS supplied by flue gas, inert gas (IG) generator and/or nitrogen:				Flue Gas	
Cargo Pumps						
8.31	How many cargo pumps can be run simultaneously at full capacity:					
8.32	Pumps	No.	Type	Capacity	At What Head (sg=1.0)	
	Cargo Pumps:	3	Centrifugal	5000 M3/HR	140 Meters	
	Cargo Eductors:	2	Venturi Type	550 M3/HR	25 Metres	
	Stripping:	1	Reciprocating	350 M3/HR	140 Metres	
8.33	Is at least one emergency portable cargo pump provided? No					

9.	MOORING					
9.1	Wires (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	4	42.00 Millimetres	GALV STEEL	275.00 Metres	113.50 Metric Tonnes
	Main deck fwd:	6	42.00 Millimetres	GALV STEEL	275.00 Metres	113.50 Metric Tonnes
	Main deck aft:	4	42.00 Millimetres	GALV STEEL	275.00 Metres	113.50 Metric Tonnes
	Poop deck:	6	42.00 Millimetres	GALV STEEL	275.00 Metres	113.50 Metric Tonnes
9.2	Wire tails	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	4	96 Millimetres	Mix Polyester & Polyolefine	11.00 Metres	191 Metric Tonnes
	Main deck fwd:	6	96 Millimetres	NYLON & Mix Polyester & Polyolefine	11.00 Metres	191 Metric Tonnes
	Main deck aft:	4	96 Millimetres	NYLON	11.00 Metres	191 Metric Tonnes
	Poop deck:	6	96 Millimetres	NYLON	11.00 Metres	191 Metric Tonnes
9.3	Ropes (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	0				
	Main deck fwd:	0				
	Main deck aft:	0				
	Poop deck:	0				
9.4	Other lines	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	1	96 Millimetres	POLYESTER / POLYPROPELENE	220.00 Metres	92 Metric Tonnes
	Main deck fwd:	0		Not Applicable		
	Main deck aft:	0		Not Applicable		
	Poop deck:	2	96 Millimetres	POLYESTER / POLYPROPELENE	220.00 Metres	163 Metric Tonnes
9.5	Winches	No.	No. Drums	Motive Power	Brake Capacity	Type of Brake
	Forecastle:	2	DOUBLE	Hydraulic	69.00 Metric Tonnes	Manual
	Main deck fwd:	3	DOUBLE	Hydraulic	69.00 Metric Tonnes	Manual
	Main deck aft:	2	DOUBLE	Hydraulic	69.00 Metric Tonnes	Manual
	Poop deck:	3	DOUBLE	Hydraulic	69.00 Metric Tonnes	Manual
9.6	Bitts, closed chocks/fairleads	No. Bitts	SWL Bitts	No. Closed Chocks	SWL Closed Chocks	
	Forecastle:	4	70 Metric Tonnes	8	115 Metric Tonnes	
	Main deck fwd:	9	70 Metric Tonnes	21	115 Metric Tonnes	
	Main deck aft:	7	70 Metric Tonnes	15	115 Metric Tonnes	
	Poop deck:	4	70 Metric Tonnes	15	115 Metric Tonnes	

Anchors/Emergency Towing System

9.7	Number of shackles on port/starboard cable:	14 / 14	
9.8	Type/SWL of Emergency Towing system forward:	CB/T 3672-95 A76	350T
9.9	Type/SWL of Emergency Towing system aft:	DRUM TYPE 4000 A S3	200T
Escort Tug			
9.10	What is size/SWL of closed chock and/or fairleads of enclosed type on stern:	1700 x 600 mm	200.00 Tonnes
9.11	What is SWL of bollard on poop deck suitable for escort tug:	200 Tonnes	
Lifting Equipment/Gangway			
9.12	Derrick/Crane description (Number, SWL and location):	Cranes: 2 x 20.00 Tonnes / MIDSHIP P & S	
9.13	Accommodation ladder direction:	Face Aft when rigged	
	Does vessel have a portable gangway? If yes, state length:	Yes, 20 meters	
Single Point Mooring (SPM) Equipment			
9.14	Does the vessel meet the recommendations in the latest edition of OCIMF 'Recommendations for Equipment Employed in the Bow Mooring of Conventional Tankers at Single Point Moorings (SPM)'?	Yes	
9.15	If fitted, how many chain stoppers:	2	
9.16	State type/SWL of chain stopper(s):	Tongue Type	350.00 Tonnes
9.17	What is the maximum size chain diameter the bow stopper(s) can handle:	76.00 Millimetres	
9.18	Distance between the bow fairlead and chain stopper/bracket:	3,125.00 Millimetres	
9.19	Is bow chock and/or fairlead of enclosed type of OCIMF recommended size (600mm x 450mm)? If not, give details of size:	Yes	

10.	PROPULSION		
10.1	Speed	Maximum	Economical
	Ballast speed:	16.4	13.0
	Laden speed:	15.5	12.0
10.2	What type of fuel is used for main propulsion/generating plant:	IFO 380 CST	HFO/MGO
10.3	Type/Capacity of bunker tanks:	FO: 9175.0 m3 ; MGO: 1283.1 m3	
10.4	Is vessel fitted with fixed or controllable pitch propeller(s):	Fixed	
10.5	Engines	No	Capacity
	Main engine:	1	34650 BHP
	Aux engine:	3	1448 PS
	Power packs:	8	30Tonnes
	Boilers:	2	40.00 MT/Hour

Bow/Stern Thruster		
10.6	What is brake horse power of bow thruster (if fitted):	No
10.7	What is brake horse power of stern thruster (if fitted):	No
Emissions		
10.8	Main engine IMO NOx emission standard:	
10.9	Energy Efficiency Design Index (EEDI) rating number:	

11.	SHIP TO SHIP TRANSFER		
11.1	Does vessel comply with recommendations contained in OCIMF/ICS Ship To Ship Transfer Guide (Petroleum, Chemicals or Liquefied Gas, as applicable)?	Yes	
11.2	What is maximum outreach of cranes/derricks outboard of the ship's side:	9.20 Metres	
11.3	Date/place of last STS operation:	11 Jan 2022 / Tanjung Pelepas, Malaysia	

12.	RECENT OPERATIONAL HISTORY		
12.1	Last three cargoes/charterers/voyages (Last/2nd Last/3rd Last):	FO / FO / FO ENEOS Oil / ENEOS Oil / ENEOS Oil	
12.2	Has vessel been involved in a pollution, grounding, serious casualty, unscheduled repair or collision incident during the past 12 months? If yes, provide details:	Pollution: No; Grounding: No, Casualty: No; Repair: No;	

		Collision: No.
12.3	Date and place of last Port State Control inspection:	08 Dec 2020 / PTP Johor, Malaysia
12.4	Any outstanding deficiencies as reported by any Port State Control? If yes, provide details:	NIL
12.5	Recent Oil company inspections/screenings (To the best of owners knowledge and without guarantee of acceptance for future business)*: * "Approvals" are not given by Oil Majors and ships are accepted for the voyage on a case by case basis.	BIECO; IDEMITSU
12.6	Date/Place of last SIRE inspection:	23 Oct 2021 / Tanjung Pelepas, Malaysia
12.7	Additional information relating to features of the ship or operational characteristics:	

Revised 2018 ([INTERTANKO/Q88.com](http://www.intertanko.com))

Form completed on <http://www.q88.com/integration.aspx> Please email support@q88.com an updated copy if this is not the latest version.