

SCD Reporting – Django Admin Cheat Sheet

Django Admin UI

URL: /admin/

Superusers: scd-admin · norman (both use scd-admin@fnal.gov)

Reset a password

```
python manage.py changepassword <username>
```

Or in the admin UI: **Users** ▾ **select user** ▾ **PASSWORD** section ▾ **“this form”** link.

User Management

Roles

Role	Key	Access
User	user	Submit / view own entries
Functional Lead	functional_lead	Leads one or more projects
Group Leader	group_leader	Leads a work group
Division Head	division_head	Oversees multiple groups
Auditor	auditor	Read-only access to all reports
Administrator	admin	Full access + Django admin

Create a superuser (interactive)

```
python manage.py createsuperuser
```

Seed the initial admin user (non-interactive)

```
SCD_INITIAL_ADMIN_USERNAME=scd-admin \  
SCD_INITIAL_ADMIN_EMAIL=scd-admin@fnal.gov \  
SCD_INITIAL_ADMIN_PASSWORD=changeme \  
python manage.py seed_admin
```

The command is idempotent — safe to run again if the user already exists.

Edit a user in the shell

```
python manage.py shell
```

```
from apps.accounts.models import User  
u = User.objects.get(email='someone@fnal.gov')  
u.role = User.Role.AUDITOR    # see role table above for valid values  
u.display_name = 'Jane Smith'
```

```
u.employee_id = '12345'
u.save()
```

List all users and roles

```
User.objects.values('email', 'role', 'is_active').order_by('email')
```

Deactivate / reactivate a user

```
u = User.objects.get(email='someone@fnal.gov')
u.is_active = False    # True to reactivate
u.save()
```

Assign a user to a work group

```
from apps.taxonomy.models import WorkGroup
u.group = WorkGroup.objects.get(name='SCD Computing')
u.save()
```

Taxonomy Management

Taxonomy records (projects, categories, groups, lab priorities) are managed at /admin/ or via the shell.

Seed default taxonomy (idempotent)

```
python manage.py seed_taxonomy
```

Seeds: DUNE, NOvA, MicroBooNE, CMS, LSST · Scientific, Operations, Outreach, Training · Lab Priorities.

Add / deactivate a project

```
from apps.taxonomy.models import Project
Project.objects.create(name='My Project', short_code='MYPROJ', sort_order=60)

# Deactivate without deleting
Project.objects.filter(name='My Project').update(is_active=False)
```

Same pattern works for Category, WorkGroup, and LabPriority.

Database

Run migrations

```
python manage.py migrate
```

Check for unapplied migrations

```
python manage.py showmigrations
```

Open the database shell

```
python manage.py dbshell
```

Backup (SQLite)

```
cp db.sqlite3 db.sqlite3.bak
```

Dump / load data

```
python manage.py dumpdata --indent 2 > backup.json  
python manage.py loaddata backup.json
```

Site Settings

Toggle open signup (allow anyone to register)

```
from apps.accounts.models import SiteSettings  
s = SiteSettings.get_solo()  
s.allow_signup = True    # False to close  
s.save()
```

Or set env var `SCD_DISABLE_LOCAL_SIGNUP=1` to disable local signup entirely regardless of the setting above.

AI Prompt Configuration

The global AI summary prompt is at `/admin/reports/aipromptconfig/`. Users can also configure personal prompts from the dashboard.

- `system_prompt` — instructions given to the model
- `user_template` — must contain `{entries}` as the only placeholder

Reset to defaults in the shell

```
from apps.reports.models import AIPromptConfig, DEFAULT_SYSTEM, DEFAULT_USER_TMPL  
config = AIPromptConfig.get_solo()  
config.system_prompt = DEFAULT_SYSTEM  
config.user_template = DEFAULT_USER_TMPL  
config.save()
```

Key Environment Variables

Required in production

Variable	Purpose
DJANGO_SECRET_KEY	Django signing key — must be strong and unique
DJANGO_ALLOWED_HOSTS	Comma-separated list of allowed hostnames
DATABASE_URL	PostgreSQL/SQLite connection string

Optional but commonly set

Variable	Default	Purpose
DJANGO_SETTINGS_MODULE	scd_reporting.settings.dev	Switch to scd_reporting.settings.prod in production
SCD_HOSTNAME	—	Derives CSRF_TRUSTED_ORIGINS automatically
CSRF_TRUSTED_ORIGINS	—	Explicit CSRF origins (overrides SCD_HOSTNAME)
SCD_DISABLE_LOCAL_SIGNUP	0	Set 1 to disable local email/password signup
ACCOUNT_EMAIL_VERIFICATION	optional	mandatory / optional / none
ANTHROPIC_API_KEY	—	Enables AI report summaries
ANTHROPIC_SUMMARY_MODEL	claude-sonnet-4-6	Claude model to use for summaries
EMAIL_HOST	—	SMTP host; omit to log emails to console
EMAIL_PORT	587	587 = STARTTLS, 465 = implicit SSL
EMAIL_HOST_USER	—	SMTP username
EMAIL_HOST_PASSWORD	—	SMTP password
DEFAULT_FROM_EMAIL	noreply@localhost	Sender address
MFA_WEBAUTHN_ALLOW_INSECURE_ORIGINS	False (prod)	Set true for localhost dev only

SSO / OIDC (Keycloak)

Variable	Purpose
OIDC_PROVIDER_URL	Realm base URL or .well-known discovery URL
OIDC_CLIENT_ID	Client ID registered in Keycloak
OIDC_CLIENT_SECRET	Client secret (or use file below)
OIDC_CLIENT_SECRET_FILE	Path to file containing the secret (preferred)

GitHub bug report integration

Variable	Purpose
GITHUB_APP_ID	GitHub App numeric ID
GITHUB_APP_INSTALLATION_ID	Installation ID for the target repo
GITHUB_APP_PRIVATE_KEY	PEM private key (newlines as <code>\n</code> or literal)
GITHUB_TOKEN	Fallback PAT if App credentials are not set

Static Files

```
python manage.py collectstatic --noinput
```

Common Troubleshooting

Symptom	Fix
ImproperlyConfigured: DJANGO_SECRET_KEY...	Set a strong DJANGO_SECRET_KEY env var in production
403 on admin	User needs <code>is_staff=True</code> and <code>is_superuser=True</code>
AI summary fails	Check ANTHROPIC_API_KEY is set; verify prompt template contains <code>{entries}</code>
Email not sending	Set EMAIL_HOST; check EMAIL_PORT, credentials
SSO not appearing on login page	All three OIDC vars must be set (URL, CLIENT_ID, SECRET)
CSRF errors behind proxy	Set SCD_HOSTNAME or CSRF_TRUSTED_ORIGINS
KeyError in template	User saved a prompt template with an unsupported placeholder — fix via <code>/admin/reports/aipromptconfig/</code>