experimental observation (secreted, ≥ 2, excluded)

Consumed (≤ −2) Neutral (−2 < v < 2)

Models trained without any validation isolate. Histograms: seed-0 model; ROC-AUC: mean ± SD over 20 seeds. Title: (reference training isolates, rank)

Acinetobacter GW821-FHT01E09 (1, genus)
ROC-AUC = 0.8481 ± 0.0150

Agrobacterium GW821-FHT02D03 (8, family)
ROC-AUC = 0.8057 ± 0.0144

Caulobacter GW822-FHT02A07 (3, genus)
ROC-AUC = 0.7490 ± 0.0327

Chryseobacterium TBS_030 (4, genus)
ROC-AUC = 0.9581 ± 0.0084

Cupriavidus FW507-4G11 (7, genus)
ROC-AUC = 0.9013 ± 0.0086

Delftia GW456-R20 (2, genus)
ROC-AUC = 0.8832 ± 0.0175

Ensifer EB106-05-01-XG146 (2, genus)
ROC-AUC = 0.9769 ± 0.0169
1 neutral compound

Janthinobacterium GW822-FHT05C05 (5, genus)
ROC-AUC = 0.9236 ± 0.0117

Paraburkholderia GW821-FHT02A12 (2, genus)
ROC-AUC = 0.9554 ± 0.0195

Pseudomonas GW456-11-11-14-TSB2 (42, genus)
ROC-AUC = 0.8610 ± 0.0117

Pseudomonas GW458-11-26-14-LB3 (42, genus)
ROC-AUC = 0.8309 ± 0.0181

Serratia MT49 (2, order)
ROC-AUC = 0.9053 ± 0.0234

Number of metabolites

Mean Ordinal-BPR score (at reference taxonomic level)