experimental observation (secreted, ≥ 2, excluded)

Consumed (≤ −2) Neutral (−2 < v < 2)

BPR models trained without any validation isolate. Histograms: seed-0 model; ROC-AUC: mean ± SD over 20 seeds. Title: (reference training isolates, rank)

Acinetobacter GW821-FHT01E09 (1, genus)
ROC-AUC = 0.8522 ± 0.0189

Agrobacterium GW821-FHT02D03 (8, family)
ROC-AUC = 0.8028 ± 0.0176

Caulobacter GW822-FHT02A07 (3, genus)
ROC-AUC = 0.7536 ± 0.0406

Chryseobacterium TBS_030 (4, genus)
ROC-AUC = 0.9630 ± 0.0113

Cupriavidus FW507-4G11 (7, genus)
ROC-AUC = 0.9034 ± 0.0086

Delftia GW456-R20 (2, genus)
ROC-AUC = 0.8959 ± 0.0169

Ensifer EB106-05-01-XG146 (2, genus)
ROC-AUC = 0.9800 ± 0.0133
1 neutral compound

Janthinobacterium GW822-FHT05C05 (5, genus)
ROC-AUC = 0.9249 ± 0.0100

Paraburkholderia GW821-FHT02A12 (2, genus)
ROC-AUC = 0.9442 ± 0.0234

Pseudomonas GW456-11-11-14-TSB2 (42, genus)
ROC-AUC = 0.8637 ± 0.0155

Pseudomonas GW458-11-26-14-LB3 (42, genus)
ROC-AUC = 0.8384 ± 0.0153

Serratia MT49 (2, order)
ROC-AUC = 0.9058 ± 0.0288

Number of metabolites

Mean BPR score (at reference taxonomic level)