

0353

NNNN

KMSC

HAUS BOU 210400

FROM SPACE DISTURBANCE FORECAST CENTER BOULDER COLO

SDF NUMBER Q52A ISSUED 0400Z 21 FEBRUARY 1971

CLASS C FLARES ARE EXPECTED AND CLASS M FLARES ARE PROBABLE  
DURING THE NEXT 13 HOURS.

A. ONLY A FEW MINOR SUBFLARES HAVE BEEN OBSERVED DURING THE  
PAST 11 HOURS. THE REGIONS ON THE DISK ALL APPEAR STABLE AND  
QUIET. THE GEOMAGNETIC FIELD HAS BEEN QUIET.

B. CLASS C FLARES AND AN OCCASIONAL CLASS M FLARE SHOULD BE  
THE PATTERN DURING THE NEXT THREE DAYS. THE REGION S16E36 IS  
THE MOST LIKELY REGION FOR CLASS M ACTIVITY. THE GEOMAGNETIC  
FIELD WILL HAVE PERIODS OF MINOR DISTURBANCE.

C. FLARE AND PROTON EVENT PROBABILITIES FOR THE NEXT THREE 24  
HOUR PERIODS BEGINNING 21 FEB/0400Z ENDING 24 FEB/0400Z.

CLASS M OR GREATER 80/70/70

CLASS X 05/05/05

PROTON EVENTS 01/01/01

D. OTTAWA 10.7CM FLUXES FOR 20/1700Z AND 20/2000Z WERE 141  
AND 138 RESPECTIVELY.

SOLIERWARN

SPAN

BT

NNNN  
KMSC

HAUS BOU 211700

FROM SPACE DISTURBANCE FORECAST CENTER BOULDER COLO

SDF NUMBER 052B ISSUED 1700Z 21 FEB 1971

ONLY CLASS C FLARES ARE EXPECTED DURING THE NEXT 11 HOURS.

A. ON THE DISK INFREQUENT, NON-ENERGETIC SUBFLARES CONTINUE TO CHARACTERIZE SOLAR ACTIVITY. AN IMPORTANCE 3 BSL/SPRAY WAS OBSERVED NEAR NW50 BEGINNING SHORTLY BEFORE 21/0836Z. THE ERUPTION'S MAXIMUM RADIAL EXTENT HAS BEEN ESTIMATED TO BE ABOUT 0.5 SOLAR RADIUS. THERE APPEARS TO BE LITTLE CHANGE IN THE CONFIGURATIONS OF THE 8 SMALL SPOT GROUPS CURRENTLY VISIBLE. BOTH HIGH AND LOW LATITUDE MAGNETOMETERS ARE NEAR THEIR RESPECTIVE QUIET-DAY RESPONSES.

B. NO CHANGE.

C. FLARE AND PROTON EVENT PROBABILITIES FOR THE NEXT THREE 24 HOUR PERIODS BEGINNING 21 FEB/1700Z ENDING 24 FEB/1700Z.

CLASS M OR GREATER 70/65/60

CLASS X 05/05/05

PROTON EVENTS 01/01/01

D. OTTAWA 10.7 CM FLUX FOR 21/1400Z WAS 135. PREDICTED 10.7 CM FLUX FOR 22-24 FEB IS 132/127/126.

E. MAGNETIC A-FREDERICKSBURG FOR 20 FEB WAS 10. FOR 21 FEB ABOUT 06. PREDICTED AP FOR 22-24 FEB, 04/03/09.

SOLTERWARN

SPAN

BT