

A-line mini shift dress (square neck, spaghetti straps - Vol2 #8)

custom measurements . 4 pieces . 2.15 m fabric at 140 cm wide

Measurements this pattern was drafted for

bust	96 cm
waist	70 cm
hip	116 cm
shoulder	37 cm
back length	41 cm
arm length	58 cm
neck	36 cm
extendMM	420 mm

Pieces

Top Front - cut 1 on fold - seam allowance 1.5 cm - sheets A1 A2 B1 B2 C1 C2 D1 D2

Top Back - cut 2 - seam allowance 1.5 cm - sheets D1 D2 E1 E2 F1 F2 G1 G2 H1 H2

Spaghetti Strap (ince aski) - cut 2 rectangle(s) 46 x 171 mm (finished 8 mm wide, a plain self-lined tube at the finished 141 mm strap span) - seam allowance 1.5 cm - sheets H1

Strips / notions (chalked on fabric, not printed)


Bias binding (neckline + armholes) - cut 1 strip(s) 1279 x 25 mm ON THE BIAS (45° to the grain), join end to end (total 1279 mm = edge 1259 mm + overlap), press in half, wrap the edge and trim the excess

seam allowance is included in the outer cut line (outer line cut, inner line sew).


the sewing guide at the back of this pack is the engine's own construction order.

Scale check

Print at 100% scale (actual size), headers and footers off.



this square measures exactly 10 x 10 cm - measure before cutting




3 cm, measure me before cutting



1 inch

Assembly

16 pattern sheets in a grid 2 across (A1 top-left). Cut or fold along the dashed page frame and tape edge to edge: the black corner squares and edge ticks complete across each joint, and a piece running off a page tells you which sheet it continues on. Verify both squares on this page before cutting.



on this sheet: Top Front

A2

A1 <

sheet A2

v B2



A-line mini shift dress (square neck, spaghetti straps - Vol2 #8) . sheet B1 . grid 2 wide

on this sheet: Top Front



^ 1

v 1

B1

-> B2

sheet B1

A-line mini shift dress (square neck, spaghetti straps - Vol2 #B) . sheet B2 . grid 2 wide

^ A2

on this sheet: Top Front


B2

B1 <


sheet B2

v C2

A-line mini shift dress (square neck, spaghetti straps - Vol2 #8) . sheet C1 . grid 2 wide



A-line mini shift dress (square neck, spaghetti straps - Vol2 #8) . sheet C2 . grid 2 wide



A-line mini shift dress (square neck, spaghetti straps - Vol2 #8) . sheet D1 . grid 2 wide

on this sheet: Top Front

^ C1

D1

-> D2

Top Back

cut 2

-> D2

sheet D1

v E1

A-line mini shift dress (square neck, spaghetti straps - Vol2 #8) . sheet D2 . grid 2 wide

^ C2

on this sheet: Top Front . Top Back

D2


D1 <-

D1 <-

sheet D2

v E2

A-line mini shift dress (square neck, spaghetti straps - Vol2 #8) . sheet E1 . grid 2 wide



A-line mini shift dress (square neck, spaghetti straps - Vol2 #8) . sheet E2 . grid 2 wide

on this sheet: Top Back

E2

E1 <

sheet E2

v F2

^ D2

A-line mini shift dress (square neck, spaghetti straps - Vol2 #8) . sheet F1 . grid 2 wide

on this sheet: Top Back

F1

sheet F1

v 61

-> F2



on this sheet: [Top](#) [Back](#)

F1 <-

sheet F2

v G2

A-line mini shift dress (square neck, spaghetti straps - Vol2 #8) . sheet G1 . grid 2 wide

on this sheet: Top Back


G1

sheet G1

v #1

→ G2

A-line mini shift dress (square neck, spaghetti straps - Vol2 #8) . sheet G2 . grid 2 wide



A-line mini shift dress (square neck, spaghetti straps - Vol2 #8) . sheet H1 . grid 2 wide

on this sheet: Top Back


^ 61

H1

-> H2

Spaghetti Strap (ince aski)

cut 2 rectangle(s) 46 x 171 mm (finished 8 mm wide, a plain self-lined tube at the finished 141 mm strap span)



A-line mini shift dress (square neck, spaghetti straps - Vol2 #8) . sheet H2 . grid 2 wide

^ G2

on this sheet: Top Back

H1 <-

H2

sheet H2

Sewing guide

custom measurements . 4 pieces . 2.15 m fabric at 140 cm wide

text-first guide, no illustrations in this edition. Every step is the engine's own instruction.

Cut list

Top Front - cut 1 on fold

Top Back - cut 2

Spaghetti Strap (ince aski) - cut 2 rectangle(s) 46 x 171 mm (finished 8 mm wide, a plain self-lined tube at the finished 141 mm strap span)

Strips / notions (chalked on fabric, not printed)

Bias binding (neckline + armholes) - cut 1 strip(s) 1279 x 25 mm ON THE BIAS (45° to the grain), join end to end (total 1279 mm = edge 1259 mm + overlap), press in half, wrap the edge and trim the excess

Construction order

1. Print and check the 3 cm calibration square before cutting.
2. This block uses standard assumptions for shoulder slope and underbust - sew a quick muslin first and adjust before cutting your real fabric.
3. Cut every piece as labelled ('on fold' on the fabric fold, 'cut 2' twice). Check the neck opening against your head circumference - a top has no zipper, it must slip over your head.
4. Staystitch the neckline just inside the seam line so it doesn't stretch while you work.
5. Sew the shoulder seams and press them open.
6. Prepare the neckline bias strip: join the ends as needed and press it in half lengthwise along the marked fold line.
7. Bind the neckline with the bias strip, right sides together and raw edges even, easing the strip gently around the curves. Trim to 6 mm, turn the folded edge to the inside and topstitch or slipstitch it down.
8. Sew the side seams.
9. Finish each armhole with its bias strip: press it in half, bind the armhole right sides together, ease around the curve, then turn and topstitch it to the inside.
10. Hem with a 2 cm double fold.
11. Spaghetti straps: cut the two strap rectangles as labelled. Fold each in half lengthwise right sides together, stitch the long edge, turn right side out and press (a plain self-lined tube, no gathering). Stitch each end to its shoulder placement notch - one at the front, the other at the back - catching it in the top-edge seam. Cut on the straight grain.