

A-line skirt (dart shaping, woven, waistband)

EU38 . 3 pieces . 0.6 m fabric at 140 cm wide

Measurements this pattern was drafted for

bust	88 cm
waist	70 cm
hip	94 cm
shoulder	37 cm
back length	40.5 cm
arm length	58 cm
neck	35 cm
lengthMM	450 mm

Pieces

Front - cut 1 on fold - seam allowance 1.5 cm - sheets A3 A4 B3 B4

Back - cut 1 on fold - seam allowance 1.5 cm - sheets A1 A2 B1 B2 C1 C2


Waistband - cut 2, interface 1 - seam allowance 1.0 cm - sheets A1 A2 A3

seam allowance is included in the outer cut line (outer line cut, inner line sew).


the sewing guide at the back of this pack is the engine's own construction order.

Scale check

Print at 100% scale (actual size), headers and footers off.



this square measures exactly 10 x 10 cm - measure before cutting




3 cm, measure me before cutting



1 inch

Assembly

10 pattern sheets in a grid 4 across (A1 top-left). Cut or fold along the dashed page frame and tape edge to edge: the black corner squares and edge ticks complete across each joint, and a piece running off a page tells you which sheet it continues on. Verify both squares on this page before cutting.



A-line skirt (dart shaping, woven, waistband) . sheet A2 . grid 4 wide

on this sheet: Waistband . Back

A2

A1 <-


-> A3

A1 <-


sheet A2


v B2

A-line skirt (dart shaping, woven, waistband) . sheet A3 . grid 4 wide



A-line skirt (dart shaping, woven, waistband) . sheet A4 . grid 4 wide





A-line skirt (dart shaping, woven, waistband) . sheet B1 . grid 4 wide


on this sheet: Back

B1

sheet B1

v C1

-> B2



A-line skirt (dart shaping, woven, waistband) . sheet B2 . grid 4 wide

B2


on this sheet: Back

B1 <

sheet B2

v C2

^ A2



A-line skirt (dart shaping, woven, waistband) . sheet B4 . grid 4 wide

^ A4

on this sheet: Front

B4

B3 <-

sheet B4

A-line skirt (dart shaping, woven, waistband) . sheet C1 . grid 4 wide

on this sheet: Back

^ 1

C1

-> C2

sheet C1

A-line skirt (dart shaping, woven, waistband) . sheet C2 . grid 4 wide

^ B2

on this sheet: Back

C2

C1 <-

sheet C2

Sewing guide

EU38 . 3 pieces . 0.6 m fabric at 140 cm wide

text-first guide, no illustrations in this edition. Every step is the engine's own instruction.

Cut list

Front - cut 1 on fold

Back - cut 1 on fold

Waistband - cut 2, interface 1

Construction order

1. Print the pattern and check the 3 cm calibration square with a ruler before cutting anything.
2. Fold your fabric and cut the front and back on the fold. Cut 2 waistband pieces, interface 1.
3. Sew any darts first, pressing them toward the center.
4. Stitch the side seams (1.5 cm seam allowance), leaving the top 20 cm of the left seam open for the zipper.
5. Insert an invisible zipper in the left seam: install the zipper BEFORE closing the seam below it, then close the seam.
6. Attach the interfaced waistband, right sides together, then fold and topstitch or hand-finish the inside.
7. Try it on. Adjust side seams if needed, then finish the hem with a 2 cm double-fold.