



DAY 4 IMPLEMENTATION – Report

Dynamic Routing




```
23  const Page = async ({ params }: PageProps) => {
41      <h1>Product not found</h1>
42  }
43  );
44  }
45
46  return (
47      <div key={product.id} className="max-w-7xl mx-auto px-4">
48          <div className="grid grid-cols-1 md:grid-cols-2 gap-12">
49              <div className="aspect-square">
50                  {product.image && (
51                      <img
52                          src={urlFor(product.image).url()}
53                          alt={product.title}
54                          width={500}
55                          height={500}
56                          className="rounded-lg shadow-md"
57                      />
58                  )}
59              </div>
60              <div className="flex flex-col gap-8">
61                  <h1 className="text-4xl font-bold">{product.title}</h1>
62                  <p className="text-2xl font-sans">${product.price}</p>
63                  <p className="text-2xl font-sans">{product.description}</p>
64              </div>
65          </div>
66      </div>
67  );
68  };
69
```


Product 1



Product 2




Product 3



Add to Cart Functionality

```
EXPLORER    ...    feature_products.tsx M    page.tsx ...[id] M    page.tsx ...cart M X    TS quer
FIGMA...    ...
node_modules
public
scripts
JS migrate.mjs
src
app
actions
TS actions.ts
cart
page.tsx M
checkout
page.tsx
components
feature_pro... M
footer.tsx
hero.tsx
logo.tsx
navbar.tsx M
our_product.tsx
popular_style.tsx
SearchFilter.tsx
top_categor... M
product\[id\]
page.tsx M
studio\[...tool\]
OUTLINE
src > app > cart > page.tsx > ...
14  const CartPage = () => {
39    const handleQuantityChange = (id: string, quantity: number) =>
41      setCartItems(getCartItems());
42    };
43
44    const handleIncrement = (id: string) => {
45      const product = cartItems.find((item) => item.id === id);
46      if (product) {
47        handleQuantityChange(id, product.inventory + 1);
48      }
49    };
50
51    const handleDecrement = (id: string) => {
52      const product = cartItems.find((item) => item.id === id);
53      if (product && product.inventory > 1) {
54        handleQuantityChange(id, product.inventory - 1);
55      }
56    };
57
58    const calculatedTotal = () => {
59      return cartItems.reduce(
60        (total, item) => total + item.price * item.inventory,
61        0
62      );
63    };
64
65    const router = useRouter();
66
67    const handleProceed = () => {
68      Swal.fire({
```



Check Out Page

EXPLORER

FIGMA-2

src

app

actions

TS actions.ts

cart

page.tsx M

checkout

page.tsx

components

feature_pro... M

footer.tsx

hero.tsx

logo.tsx

navbar.tsx M

our_product.tsx

popular_style.tsx

SearchFilter.tsx

top_categor... M

product \ [id]

page.tsx M

studio \ [...tool]

page.tsx

favicon.ico

globals.css

layout.tsx

OUTLINE

feature_products.tsx M

page.tsx ...[id] M

page.tsx ...checkout X

TS queries.ts

src > app > checkout > page.tsx > CheckoutPage

```
11
12
13 export default function CheckoutPage() {
14   const [cartItems, setCartItems] = useState<Product[]>([]);
15   const [discount, setDiscount] = useState<number>(0);
16   const [formValues, setFormValues] = useState({
17     firstName: "",
18     lastName: "",
19     address: "",
20     city: "",
21     zipCode: "",
22     phone: "",
23     email: "",
24   });
25
26   const [formErrors, setFormErrors] = useState({
27     firstName: false,
28     lastName: false,
29     address: false,
30     city: false,
31     zipCode: false,
32     phone: false,
33     email: false,
34   });
35
36   useEffect(() => {
37     setCartItems(getCartItems());
38     const appliedDiscount = localStorage.getItem("appliedDiscount");
39     if (appliedDiscount) {
40       setDiscount(Number(appliedDiscount));
41     }
42   });
43 }
```

localhost:3000/checkout

Order Summary



Rose Luxe Armchair

Quantity: 3

\$60



Gray Elegance

Quantity: 1

\$8



Nordic Spin

Quantity: 1

\$30



Library Stool Chair

Quantity: 1

\$20



SleekSpin

\$40

Billing Information

First Name

Last Name

Address

City

Zip Code

Phone

Email

Place Order

Search and Filter Option

EXPLORER

FIGMA...

src

app

cart

page.tsx

checkout

page.tsx

components

feature_pro... M

footer.tsx

hero.tsx

logo.tsx

navbar.tsx M

our_product.tsx

popular_style.tsx

SearchFilter.tsx

top_categor... M

product\[id]

page.tsx M

studio\[...tool]

page.tsx

favicon.ico

globals.css

layout.tsx

page.tsx

sanity

OUTLINE

feature_products.tsx M

page.tsx M

SearchFilter.tsx X

TS queries.ts

TS product.ts

src > app > components > SearchFilter.tsx > ...

```

11  const SearchFilter: React.FC<SearchFilterProps> = ({
13    onMinPriceChange,
14    onMaxPriceChange,
15  }) => {
16    const [searchTerm, setSearchTerm] = useState("");
17    const [minPrice, setMinPrice] = useState("");
18    const [maxPrice, setMaxPrice] = useState("");
19
20    const handleSearch = (e: React.ChangeEvent<HTMLInputElement>) => {
21      setSearchTerm(e.target.value);
22      onSearch(e.target.value);
23    };
24
25    const handleMinPriceChange = (e: React.ChangeEvent<HTMLInputElement>) => {
26      setMinPrice(e.target.value);
27      onMinPriceChange(e.target.value);
28    };
29
30    const handleMaxPriceChange = (e: React.ChangeEvent<HTMLInputElement>) => {
31      setMaxPrice(e.target.value);
32      onMaxPriceChange(e.target.value);
33    };
34
35    return (
36      <div className="flex flex-wrap gap-4 mb-6">
37        <input
38          type="text"
39          placeholder="Search by title..."
40          value={searchTerm}
41          onChange={handleSearch}

```

main*

Ln 63, Col 1

Spaces: 2

Our Products

