			_	retweets	
$0ar{ ext{N}}$				id [bigint, not null, uniq]	
				tweet_id [bigint, not null, FK(tweets)]	
	,´´	tweets	7	retweet_user_id [bigint, not null,	FK(users)]
			0N	created_at [datetime, not null]	
1.	_	<u>d</u> [bigint, not null, uniq]	1	updated_at [datetime, not null]	
users	_	user_id [bigint, not null, FK(users)]	_		
id [bigint, not null, uniq]	<u> </u>	weet_content [varchar(140),not null]		bookmarks	
user_name [varchar, not null, uniq]	_	created_at [datetime, not null]	1	id [bigint not null unig]	
tell [varchar, not null]	0.:N	updated_at [datetime, not null]	<u> </u>	id [bigint, not null, uniq]	orc\1
display_name [varchar, not null]		1 \		user_id [bigint, not null, FK(us $0,1$ ) tweet id [bigint, not null, FK(t	
self_introduction [varchar]		. – – – – – – – – – – – – – – – – – – –		tweet_id [bigint, not null, FK(t created_at [datetime, not nul	
place [varchar, not null]		messages	`\	updated_at [datetime, not nu	
web_site [varchar]	<u>id</u> [bi	igint, not null, uniq]		upuateu_at [datetime, not nu	]
1	0N send	_to_user_id [bigint, not null, FK(users)	)]		
profile_image [varchar]		_from_user_id [bigint, not null, FK(use	ers)]		
avatar_image [varchar]	mess	sage_content [varchar, not null]		0N	
email [varchar, not null, uniq]	creat	ted_at [datetime, not null]		likes	
created_at [datetime, not null]	upda	ited_at [datetime, not null]		id [bigint, not null, uniq]	
updated_at [datetime, not null]				tweet_id [bigint, not null, FK(t	weets)]
			·	JN user_id [bigint, not null, FK(us	
			⊸. ─────	created_at [datetime, not nul	
0	)N	follows		updated_at [datetime, not nu	
		gint, not null, uniq]		1	,
notice		v_to_user_id [bigint, not null, FK(users		/ <del>-</del>	
id [bigint, not null, uniq]	1-	<pre>/_from_user_id [bigint, not null, FK(us</pre>	ers)]		
follow_id [bigint, FK(follows)] 0N		ed_at [datetime, not null]			
like_id [bigint, FK(likes)]	updat	ted_at [datetime, not null]			
created_at [datetime, not null] $0N$					
updated_at [datetime, not null]					