
Performance Profile
K = 64
Fraction of Instances
1.0
0.8
0.6
0.4
0.2
0.0
1.0
1.05
1.1
1.5
2
10^1
10^2
I
F
KM1 Ratio
Algorithm
recalculations.1_k64
recalculations.2_k64
recalculations.8_k64
recalculations.10_k64
recalculations.3_k64
st_bfs.1.1_k64


Performance Profile with Imbalance Success Rate
K = 64
Fraction of Instances
1.0
0.8
0.6
0.4
0.2
0.0
1.0
1.05
1.1
1.5
2
10^1
10^2
I: < 0.75
0.50
0.25
0.0
F
KM1 Ratio / Imbalance Success Rate
Algorithm
recalculations.1_k64
recalculations.2_k64
recalculations.8_k64
recalculations.10_k64
recalculations.3_k64
st_bfs.1.1_k64


Performance Profile with Connectivity
K = 64
Fraction of Instances
1.0
0.8
0.6
0.4
0.2
0.0
1.0
1.05
1.1
1.5
2
10^1
10^2
C: 0
2
4
6
8
10
> 10 C
I
T
F
KM1 Ratio / Average Extra Components (C)
Algorithm
recalculations.1_k64
recalculations.2_k64
recalculations.8_k64
recalculations.10_k64
recalculations.3_k64
st_bfs.1.1_k64


Performance Profile with Connectivity Success Rate
K = 64
Fraction of Instances
1.0
0.8
0.6
0.4
0.2
0.0
1.0
1.05
1.1
1.5
2
10^1
10^2
C: < 0.75
0.50
0.25
0.0
I
F
KM1 Ratio / Connectivity Success Rate
Algorithm
recalculations.1_k64
recalculations.2_k64
recalculations.8_k64
recalculations.10_k64
recalculations.3_k64
st_bfs.1.1_k64


Imbalance Success Rate Profile
K = 64
1.0
0.8
0.6
0.4
0.2
0.0
Fraction of Instances
100%
75%
50%
25%
0%
F
Imbalance Success Rate
Algorithm
recalculations.1_k64
recalculations.2_k64
recalculations.8_k64
recalculations.10_k64
recalculations.3_k64
st_bfs.1.1_k64


Connectivity Success Rate Profile
K = 64
1.0
0.8
0.6
0.4
0.2
0.0
Fraction of Instances
100%
75%
50%
25%
0%
F
Connectivity Success Rate
Algorithm
recalculations.1_k64
recalculations.2_k64
recalculations.8_k64
recalculations.10_k64
recalculations.3_k64
st_bfs.1.1_k64


Extra Components Profile
K = 64
1.0
0.8
0.6
0.4
0.2
0.0
Fraction of Instances
0
2
4
6
8
10
> 10 C
I
F
Average Extra Components (C)
Algorithm
recalculations.1_k64
recalculations.2_k64
recalculations.8_k64
recalculations.10_k64
recalculations.3_k64
st_bfs.1.1_k64


Imbalance Grid
Number of BFS Origins
10 0.40 0.24 0.28 0.22 0.25 0.24 0.25 0.30 0.28 0.30
9 0.37 0.21 0.28 0.25 0.25 0.27 0.22 0.25 0.27 0.24
8 0.39 0.24 0.27 0.27 0.27 0.27 0.31 0.28 0.28 0.25
7 0.40 0.27 0.28 0.28 0.27 0.28 0.25 0.28 0.28 0.25
6 0.33 0.27 0.28 0.30 0.24 0.27 0.28 0.27 0.31 0.27
5 0.36 0.28 0.28 0.27 0.22 0.30 0.28 0.30 0.25 0.27
4 0.34 0.24 0.30 0.25 0.27 0.30 0.30 0.31 0.28 0.30
3 0.39 0.30 0.27 0.27 0.28 0.28 0.28 0.34 0.31 0.27
2 0.40 0.25 0.28 0.25 0.28 0.28 0.30 0.30 0.27 0.31
1 0.34 0.34 0.34 0.34 0.34 0.34 0.34 0.34 0.34 0.34
1 2 3 4 5 6 7 8 9 10
Number of Spanning Tree Recalculations per BFS
Below Threshold (1)
0.00 0.25 0.50 0.75 1.00


Total Time Grid
Number of BFS Origins
10 456 550 665 781 895 1006 1121 1238 1345 1459
9 440 522 625 727 823 924 1022 1124 1220 1321
8 421 495 586 673 767 853 941 1027 1111 1197
7 405 467 546 627 705 783 857 931 1008 1082
6 389 440 510 578 644 711 776 841 907 967
5 373 414 470 528 586 638 694 748 804 858
4 357 386 432 478 524 569 610 654 701 740
3 340 361 395 430 463 495 531 561 596 628
2 323 334 356 378 403 424 448 470 490 513
1 309 320 331 343 355 367 377 389 400 409
1 2 3 4 5 6 7 8 9 10
Number of Spanning Tree Recalculations per BFS
Total Time (s)
0 375 750 1125 1500