Part A
Scenario 1
Question 1
1460 milliseconds
Question 2
1980 milliseconds
Scenario 2
Excel Sheet
Question 1
252.5634143
Question 2
505.1268286
Question 3
741.6902429
Question 4
Question 5
Question 6
Question 7

Question 8

## Part B

Question 1: What is the web browser being used by the sender?

Firefox

Question 2: What is the web server software being used in the remote server?

Server: Microsoft-ISS 7.0

Question 3: Is protocol offloading being used at the client?

No it is not

Question 4: How many routers are there between the client and server?

2

Question 5: What is the raw TCP sequence number of

a) the packet initiating the TCP connection?

Sequence Number (raw): 3851697578

b) the acknowledgement from the server for the above packet?

Sequence Number (raw): 2747564191

Question 6: In frame 4, what are the values of the 8 TCP flags (CWR to FIN) as a single 8-digit binary number?

00011000

Question 7: In frame 4, the GET request is for a javascript file resource. What is the address of the web page that requested this javascript file resource?

http://a.bcd.com

Question 8: How long should the received javascript file be considered fresh?

110 milliseconds

Question 9: What is the initial value of the window scale shift count indicated by

a) the client?

b) the server?

5

Question 10: The GET packet from the client to the server has an advertised window size of 46. What is the true value window size in bytes?

753664 Bytes

Question 11: How many bytes are lost totally while transissing is indicated in the peapfile?

answer

Question 12: How many duplicate acknowledgments are sent by the client regarding the missing bytes?

answer

Question 13: In which frame is the lost frame retransmitted?

answer

Question 14: In which frame does the receiver indicate that all missing frames have been received?

answer

Question 15: From frame 1 to 3(inclusive), how many frames have incorrect checksum value?

answer