

INFO1111: Computing 1A Professionalism

2022 Semester 1

Team Project Report

Submission number: 3

Team Members:

Name	Student ID	Levels being attempted in this submission
Isaac Kim Jake Lewitton Tan Ky le	510603294 510440541 510565486	Task 4 Task 3,4 All Lvls Completed

Contents

1.	Level 1: Basic Skills	2
1.1.	Developing industry skills	2
1.2.	Skills: Isaac Kim : Data Science	3
1.3.	Skills: Tan Ky Le : Software Development	5
1.4.	Skills: Jake Lewitton : Cyber Security	6
2.	Level 2: Basic Technology	9
2.1.	Netflix tech stack - MEAN: Isaac Kim	9
2.2.	Microsoft Tech Stack: Jake Lewitton	9
2.3.	Instagram Tech Stack: Tan Ky Le	10
3.	Level 3: Advanced Skills	12
3.1.	Advanced features: Isaac Kim	12
3.2.	Jake Lewitton	15
3.3.	Tan Ky Le	17
4.	Level 4: Advanced Knowledge	20
4.1.	Advanced Knowledge: Isaac Kim	20
4.2.	Advanced Knowledge: Jake Lewitton	21
4.3.	Tan Ky le	21
4.4.	Advanced Knowledge: add student 4 name here	22
	References	23

1. Level 1: Basic Skills

1.1. Developing industry skills

1. Work on yearly projects

Every year, start by picking a medium-sized project in a new area of computing, whether that's a new language, framework or piece of technology. Over the year, work to complete that project and try to meet your original specifications by the end of the year. This will not only help with learning new skills, but also with project management skills. This is because it will help you set a long term goal and figure out the best way to meet it. Because it goes over a year-long period, it can be said that it would mimic the workflows of building large projects in the workplace.

2. Learn new skills every month

At the beginning of each month pick a brand new niche in coding. This would be a niche like a new Java framework, or a specific terminal tools/command line tool, or a specific computing concept, like blockchain technology, or encryption. Once you have picked the topic, you must then create three goals. The aim of these goals is not to have you complete three things, but to have three things that you could confidently say you would be able to build. This will help organize the learning process. Then, spend 5-10 hours a week on the skill and see that over the next year, you have learned 12 things.

3. Attend tech events and conferences

Tech events and conferences are great chances to keep up with the newest and most innovative technology and application. Those events could be an informative source of new knowledge and insights. Through them, you can join workshops, meet and talk to your peers and listen to new update from the industry. If time or money is what prevents you from taking part in such events, some events and conferences are hosted online which is really convenient.

4. Focus on practical skills

It's easy to feel frustrated when you don't understand the basics of operating systems or networking. Other times, you may be having trouble comprehending trigonometric rules used in game software or big O notation of a specific algorithm. However, rather than continuing to strive to comprehend computers, I feel it is more vital to focus on what we can create and achieve with computer tools as developers. In addition, several handy bundles of code known as API that will automate a tremendous amount of work with few lines of code have been created thanks to many developers around the world. After all, no one in the twenty-first century should be writing code in 0s and 1s.

5. Work to enhance problem solving skills

Problem resolution is at the heart of programming. I believe that the most difficult obstacle for most programmers is attempting to address larger problems as we begin to work on individual/group projects or industry tasks. As a result, as computer science graduates, we should be constantly working to enhance our ability to break down larger difficulties into smaller components. When we build a software product, we should think like an entrepreneur and a future customer of a service, not an engineer or a designer, because this will improve our ability to understand and discover the right challenges. In addition,

I would advise that we try to visualise the situation and brainstorm with new ideas rather than only following the directions and work on to raise our voices.

1.2. Skills: Isaac Kim : Data Science

1. Statistics

Statistics may look to first-year university students like myself to be a series of tedious calculations using fixed formulas. After all, that's what we've been doing in "Statistics" classes since high school. As a result, it's mind-boggling to grasp how statistical analysis and probability have such a profound impact on our daily lives. Statistics are used to forecast weather, restock store shelves, assess the state of the economy, and a variety of other things.(Ram Dewani, 2021) Statistics on its own is a powerful tool for getting useful insights, but when combined with computer algorithms, machine learning, or AI, it can investigate a far larger pool of data and provide answers to business, science, and societal concerns that were previously deemed unsolvable.(University of Virginia, 2020)

2. Programming Knowledge

Data science necessitates a mix of math and programming skills because it sits at the intersection of analytics and engineering. Data scientists will be unable to distinguish themselves from traditional statisticians if they are unable to use programming tools. Real data scientists will use sophisticated languages like Python or R to gain access to a wide range of useful functionality for dealing with Math, Statistics, and Scientific operations.(chandan07, 2021) Data scientists can utilise computer programmes to apply statistical expertise in a quick and secure manner, allowing them to uncover patterns in large amounts of disorganised data and make use of them.(Ram Dewani, 2021)

3. Data Wrangling

Data wrangling is the process of organising and transforming new data into the appropriate format for later analysis. It's a crucial step that's well worth the investment because it helps analysts make better data-driven judgments in less time. Outlier treatment, missing value imputation, scaling, and correcting data types can help make a data collection more orderly and aid in the development of more accurate statistical results.(Simplilearn, 2021) Data wrangling, in my opinion, is just as significant as Oxford Dictionary's decision to structure its print dictionary alphabetically. It couldn't be worse if an English learner had to go through 1000 pages of paper simply to discover a definition of one word.

4. Data Visualisation

It might be difficult to grasp what a data collection has to offer as a story when looking at a series of statistics or numerical summaries. This is where Data Visualization, the more entertaining side of data science, may be able to assist with the solution. Data visualisation enables data scientists to convey complex data sets to scholars and the general public in a more appealing and intelligible manner.(Ram Dewani, 2021) Furthermore, because computer software can automate the process, creating complex histograms or pie charts takes only a few seconds and does not require the assistance of a skilled artist.(Ram Dewani, 2021)

5. Machine Learning

Machine learning allows data scientists to easily uncover patterns in a variety of data sources and make continuous improvements to their models without the need for human involvement.(Patrick Grieve, 2022) Google and Facebook, for example, may develop highly targeted ad recommendation algorithms as more data from various people accumulates. Similarly, a skilled analyst could use data gathered by a Google search to find and predict popular software skills. On a larger scale, reliable prediction models, such as today's weather forecast system, can be constructed.(Ram Dewani, 2021)

6. Deep learning

Deep learning is a step forwards in machine learning because it uses a revolutionary method to decision-making based on a learning model that analyses data with a logical structure in much the same way that a human would.(Patrick Grieve, 2022) Deep learning applications use a layered framework of algorithms known as an artificial neural network to do this analysis.(Patrick Grieve, 2022) Using this new, sophisticated technique, data scientists may construct software for self-driving cars that can distinguish between traffic signs, detect pedestrians, and identify automobiles. (Ram Dewani, 2021) Deep learning can also be used to anticipate protein structures, create architectural plans, and design semiconductors. I am convinced that it has limitless potential for use in a variety of industries in the future.

7. Big Data Analysis

We produce 2.5 quintillions of data each day!(Ram Dewani, 2021) The growth of the internet, social media networks, and the internet of things (IoT) has resulted in a rapid increase in the amount of data we generate. Volume, velocity, and veracity are all high in this data.(TechTarget, 2022a) If businesses do not properly analyse their acquired data in this data-rich environment, they will miss out on chances for wiser business decisions, more effective operations, bigger profitability, and happier consumers.(TechTarget, 2022a) This is why data analysts are so important in today's enterprises: they help organisations minimise expenses, make quicker, more rational choices, and catch client demand at the appropriate moment to generate niche goods.(Ram Dewani, 2021)

8. Story-telling Skill

If it weren't for storytelling and visualisation, all of the data analysis and insights we create as data scientists would be pointless. Putting numbers and facts from your analysis on the table seldom gets you far. Imagine a weather forecaster walking in to tell people about an approaching blizzard. Their warning won't have any impact on the audience if they don't use appropriate visuals and storytelling techniques.(Ronald Van Loon, 2022) Hence, forecasters use graphics and interactive methods to keep viewers hooked and informed. (Ronald Van Loon, 2022)

Teamwork

I believe that the most significant element of data scientists is their ability to work in groups. Because data science is such a diverse area, it necessitates collaboration among specialists from other professions. We can't be specialists in all of the subjects and abilities listed above as individuals. It is vital to concentrate on a few abilities in which we are interested and confident while also learning from our team to improve other skills.

1.3. Skills: Tan Ky Le : Software Development

1.Programming languages

This is pretty obvious, a software developer needs to build a software from nothing and improve existing software which requires knowledge and capability over different languages. For a career as a software developer, I think one should master Java, Python and C++. Python has really simple syntax among programming languages and has been used in building mobile apps and webs, Java is a high-level language and software platform and C++ is the language for operating system programming and browsers(Mauricio Lopez, 2021). Knowing many coding languages allows more flexibility in choosing the field to work in as well as changing to different fields.

2.Debugging and testing

A software developers should not only know to code but also need to know how to test the software and fix bug. A lot of time and effort of a software project is put in testing and debugging since it is crucial that the software operates as expected. Usually, a team working on a software project has a tester to test the codes, however, one should be able to test his own code and I think it is easier to fix your code if you test it yourself. (Glassdoor Team, 2021)

3.Algorithms and data structures

It is important to understand and get familiar with different algorithms and data structures. During a software developer career, one may have to create a brand-new software or improve existing ones, thus the knowledge of algorithms and data structures will come in handy. Since the runtime and space are often required to be optimized, the developer needs to know what their software prioritize and flexibly apply different data structures and algorithms. Therefore, knowledge of algorithms and data structures will definitely be a strong skill for a software developer.

4.Version control tool (Git)

Git is extremely useful as it facilitates teamwork on a project and it allows version control which is really convenient to go back and forth between different versions of the project. Software development, which is mostly worked on as a team and consists of many procedures, can surely use git for it's convenience. Therefore, one should put time and effort in learning git, get comfortable with version control notions such as branching, merging and the command lines in git bash.

5.Teamwork skills

Software developers often work together as a team for better productivity as the work can be divided to people specializing in it. For example, a project manager who keeps things going as planned, a coder to write lines of code for the software to work. As a result, one should learn to work as a group since university. Teamwork means each person or a small group work on their allocated part of the project which offers more time, more creativity and possibilities, thus being a great benefit of teamwork. Therefore, teamwork is an important skill for people working in the industry.

6. Time management

To get the work done on time, one needs to manage and use time appropriately. It causes troubles if the work is not done on time, especially in a scenario where the work is a part of a bigger project and as a result can effect the progress of other people which is totally undesired. Good time management boosts productivity, efficiency and reduces stress while poor time managements impacts personal reputation, causes lowered motivation and energy and affect others. Thus, time management is an important skill for both life and work.

7. Self-learning ability

This is the skill we are expected to acquire from this unit. I think for any field in the IT industry, people have to do a lot of self-learning in order to catch up with the advances of technology. Technology moves on everyday and if one decides to just stand where they are, they will be left behind and replaced by others. We cannot expect schools or university to teach us all we will ever need to last long in the industry because a lot of knowledge is not yet to be available at the moment. Luckily, the internet has a lot of resources for one to learn from. Therefore, self-learning skill is one crucial skill for developers.

8. Logical thinking

This is the skill that I think is the most important skill of all. Logical thinking is the key to create efficient software codes, apply appropriate data structures and algorithms to optimize the software. I believe that it is the skill that differentiates good developers from others. Logical thinking can be acquired through learning and practices, often tiring but really rewarding for the long run.

1.4. Skills: Jake Lewitton : Cyber Security

1. Encryption

Encryption involves changing data in a way that makes it unintelligible. This is with the intention of using a reverse method (decryption) to make the data intelligible once again. Data encryption is so important to cyber security because data is not truly safe in any sort of storage space, until it is encrypted. It should always be assumed that data can be stolen/leaked, so the best way to secure said data, is to have it encrypted (Anonymome Labs, 2020). Data is encrypted and decrypted using a key. A key is a piece of data that, when used along with a decryption or encryption process, is able to decrypt or encrypt information.

2. Firewall Configuration

The purpose of a firewall is to block malicious traffic from entering a network, or computer. Despite the simple nature of a firewall - block traffic from certain places, the operations and specifics of building a firewall that works when it needs to and doesn't work when it shouldn't is really complicated. This means it is beyond important for cyber security experts to understand how firewalls work, how to configure them, and most importantly, diagnose when they go wrong (CISA, 2019). Understanding firewalls, despite being a basic skill, is one that will help security experts massively in the long run.

3. Antivirus/Antimalware Software

Malware is software that has been created or uploaded somewhere with malicious intent. This intent could be to steal data, slow operation or use computing power for DoS attacks (to name a few cases). A type of malware is a virus, hence the name antivirus. Malware comes in a lot of shapes and sizes, making developing antimalware software really tedious. Not only do cyber security experts need to know how to combat malware, but they also need to be on top of the latest tricks and techniques used by malicious groups to develop malware (Australian Cyber Security Centre, N/A).

4. Security Auditing

Security audits are really important to any business that develops, monitors or maintains software. An audit is an effort to assess and analyse an entities transactions in order to ascertain what position they are in. A security audit is one in which the goal is to assess the soundness of a softwares security processes. Effective security audits should assess the following (Auditboard, 2021):

1. Physical components of the information system
2. Any security patches that have been released in applications or software
3. Any threats within the network system internally or externally
4. The most important one. How employees collect, store and communicate their information

5. Data Management

Data management is a really important, intricate and mostly tedious process that requires massive attention to detail. When collecting small amounts of data from a small sample, it can be easy to underestimate the skill required to store data, but once that sample grows from 10 to 100,000, the attitude begins to change. Data management is about finding the most secure and succinct way to store data in a way that does not all any external, or even internal user of software to access any confidential information. Careful consideration must happen in order to assess whether data has been or is managed in a safe way (Craig Stedman, 2019).

6. Digital Forensics

Digital forensics isn't quite the job of cyber security managers, but it deserves a mention as something that cyber security experts must have knowledge or skills about. Digital forensics is the act of using data that has been stored, or traces of online activity that can be found to help solve crimes. These crimes are normally online, so they greatly effect the day-to-day operations of software companies. This work is done by large authoritative bodies, yet it still matters to cyber security experts, as they are tasked sometimes with ensuring their systems provide enough information to catch bad actors within their system (Interpol, N/A).

7. Identity and Access Management

Right now, software systems are big. Big means millions, if not sometimes billions of users. Most of the time, each user of a software system is priviledged to a different amount/level

of information about certain things. For example, an Instagram user can only see posts of their friends if they allow them to. It is the job of a security expert to ensure that the right users always have access to the right information, and the wrong users do not. Such an intricate and accurate system of access management requires constant modification and updating, as the way we use software is always updating, and the roles of users are too.

8.Attention to detail

While not being a hard skill, this soft skill is extremely important to any cyber security developer. Throughout any coding journey, developers will inevitably come into contact with a large piece of code that is so riddled with bugs, it almost feels like it might be better starting off from scratch. Through becoming a developer who notices these issues early on, and constantly plugs up security flaws, you are able to instantly build software faster, and software that is better than most other developers. As Steve Jobs has said, "Details matter. It's worth waiting to get it right." (Chris Denny, 2018)



2. Level 2: Basic Technology

2.1. Netflix tech stack - MEAN: Isaac Kim

1. MongoDB

MongoDB is a NoSQL database that is open source and geared for cloud applications. (IBM Cloud Education, 2019) MongoDB, in short, aids in the creation of robust and responsive databases. It's a modern database system that works with massive volumes of distributed data that don't fit well in a rigid, relational model. MongoDB's architecture is made up of collections and documents, rather than tables and rows, as in older relational databases. (TechTarget, 2022b) Documents that contain a data structure made with field and value pairs, similar to JSON, are the basic units of MongoDB. (TechTarget, 2022b)

2. ExpressJS

Express is a lightweight framework that runs on top of Node.js' web server functionality. It helps simplify existing APIs and introduces useful additional features. Express essentially serves as a backend that manages all the interactions between frontend and the database, ensuring a smooth data transfer from server to its end users. (IBM Cloud Education, 2019)

3. AngularJS

Angular is a JavaScript MVC framework for building dynamic web applications on the client side. (tutorialsteacher, 2022) Angular began as a Google project, but it is currently available as an open source framework. (IBM Cloud Education, 2019) It does not require new syntax or language because it is built purely on HTML and JavaScript. Angular took front end development to a whole new next level by transforming static html into dynamic html. It is a very popular and crucial tool in today's web design.

4. Node.js

Node.js is an open source JavaScript framework that processes different connections simultaneously using asynchronous events.(IBM Cloud Education, 2019) It is the MEAN stack's core. It includes an integrated web server that will provide data to users using AngularJS while also deploying the MongoDB database and application to the cloud.(IBM Cloud Education, 2019) The scalability of Node.js is one of its strongest features, since it easily responds to use increases.

2.2. Microsoft Tech Stack: Jake Lewitton

The frontend tech-stack is one that is used for client-side software. Microsoft uses it to host all web pages on Microsoft Edge.

1. HTML

HTML stands for Hyper Text Markup Language. It creates and displays web documents, principally ones where the layout is created through code. HTML dictates the layout and presentation of a web page. It is essential for programmers to understand how HTML works, as it dictates the language style for most document-based coding languages such as Flutter, or React. HTML is a rather simple language that links up with the other technologies in this stack to create highly responsive and adaptive web pages for users.

2. CSS

CSS stands for Cascading Style Sheets. CSS is all about how things look. In HTML files developers are able to class elements into classes or ids, which then dictate how those specific elements are handled in CSS. In CSS, you can outline that specific classes should look a certain way, or adapt to where the mouse is on the screen ect. Developers use several frameworks along with CSS in order to help organise code and make it more dynamic for users through adding animations, or adaptive layouts.

3. JavaScript

JavaScript was developed to handle interactivity within front-end software solutions. Essentially, JavaScript is where all the computing, data storage, and logic happens. If you would like to have a button change colour every time it is clicked, JavaScript would handle that logic, while CSS would handle the front-end changes. Similarly to CSS, developers use a wide range of libraries and frameworks to help with JavaScript development. Things like jQuery, which helps with data querying, React, which helps with creating interact-able UIs and Angular to help with condensing code all allow developers to build front-end solutions that last.

At the end of the day, the front-end tech-stack is one of the most iconic of them all, as it is probably being used somewhere on your computer right now. Almost all of the internet runs it, meaning it is adaptable and will remain relevant for a very long time.

2.3. Instagram Tech Stack: Tan Ky Le

1. Django

Django is an open-source web framework entirely written in Python which is great for social media sites. According to Instagram engineering team, Instagram utilizes Django and features the world's largest deployment of Django web framework(Instagram Engineering, 2016b). Django is the core of Instagram. To report errors on Instagram, the team at Disqus wrote Sentry which is a Django backed app. Django is integrated strongly helping Instagram starts quickly(Shaini A Ravi, 2020).

2. Objective-C

Objective-C can be used to create phone applications for IOS system, in this case is Instagram.

3. React Native

Instagram user app (front end) is written in React Native, a cross-functional programming language for building and developing applications on multiple platforms such as IOS, Android operating systems.(Anastasiia Lastovetska, 2021). Using React Native allows Instagram to be developed cross-platform.

4. Celery and RabbitMQ

All asynchronous activities, such as delivering notifications and running background processes, are handled by Celery and RabbitMQ. Celery is a task queue that is built on message communication dispersion. It's priority involves real-time activities. Celery is also helpful for scheduling. RabbitMQ is a messaging platform and is highly compatible with Celery.

It is written down using the Advanced Messaging Queuing Protocol (AMQP)(Shaini A Ravi, 2020).

5. PostgreSQL and Cassandra

Instagram mainly uses PostgreSQL and Cassandra as back-end systems. Both have mature replication frameworks that fit as a globally consistent data store(Instagram Engineering, 2016a). PostgreSQL is used to contain Instagram’s data such as images, videos, articles and user information(Shaini A Ravi, 2020). “Most of our data(users, photo meta, tags, etc..) lives in PostgreSQL” said the engineering team. Instagram uses Cassandra as key-value storage, assisting user photo feed, direct messages and fraud detection as well(Joab Jackson, 2018)



3. Level 3: Advanced Skills

3.1. Advanced features: Isaac Kim

1. L^AT_EX - Floating figures



Figure 1: Caption : We can load images as figures, center them, and write captions for it

To load images, we first need to load graphicx package. Though not required, we could also set a default path for images. (eg. `graphicspathImages/`) By placing the image in a figure code block, we can specify where the image should be placed in the document with more control. (eg. `h` for "here", `t` for "top", `b` for "bottom") This is possible because figures are floats, which means figures can end up anywhere on the document depending on how they fit.

Figure 2, 3 = The same image used for figure 1 was resized relative to the size of the report page several times.



Figure 2: Caption : This image is scaled to match 60 percent of the width of the page (columnwidth).



Figure 3: Caption : This image is scaled to match 40 percent of the width of the page (columnwidth).

2. L^AT_EX - Style Sheet

Latex Style Sheet allows users to keep content of document and style in a separate file. (stylesheet in a .sty file). While I could load different packages into the tex file and work on styling (eg. drawing background logo, coloring fonts), doing so may make the document not as ordered compared to when I would create a separate stylesheet (IsaacStyleSheet.sty) and keep all the styling commands there. For instance, I created a new command "drawlogo" inside IsaacStyleSheet, which draws USYD logo with lower opacity and dimension resized relative to page size. (width = 0.7, height=0.6). To use the command, I need to upload the stylesheet by including usepackageIsaacStyleSheet. Other commands I have implemented to the stylesheet includes...

- 1) \makeHorizLine: draws a horizontal line with the specified color (1st parameter)



- 2) \colorText : prints the text(1st parameter) according to the specified color(2nd parameter) I'm cyan , Hi I'm magenta , Hellooo I'm teal , And I'm Olive

- 3) \istGroupMembers: prints a table with our group members' name, age, and hobby each in the specified backround colors(3 parameters)

Name	Age	Hobby
Isaac	19	sports
Jack	19	cooking
Kyle	19	jogging

3. Git - Revert

The git revert command is a forward-moving undo operation that allows you to undo changes in a secure manner. A revert creates a new commit that reverses the modifications indicated, rather than deleting or link commits in the commit history.(Atlassian, 2021) In terms of losing work, git reverse is a better option than git reset.(Atlassian, 2021)

While working on the group project, I have used git revert several times because I have committed wrong lines of code into main. Since all of our group members work on main branch, there is no first line defense of wrong code merging into main compared to using separate braches. In such cases, it is complicaed to pull from the git and fix the wrong codes. Instead, I would revert my local repository to previous commit state and push the code again to the remote repository. To revert to last commit, one can use command "git revert" followed by the hash code of the previous commit (eg. 1a4abb7719fe976a8b2090f296ba4cffa2017cc0) Hashcodes of previous commits appears in a list when "git log" is executed in terminal.

4. Git - Automated Merges

When a user enables auto-merge for a pull request, it will merge automatically once all needed reviews have been completed and status checks have been passed. Auto-merge eliminates the need for developers to wait for requirements to be satisfied, allowing you to focus move on to next duties. Auto-merge must be enabled for the repository before it can be used with a pull request.

As I stated in the previous section, our group has been working on this particular project using git but using only main branch. However, in most team development processes, it is normal to work on separate branches and make pull / merge requests to have one's code merged into default branch. In such cases, team members need to confirm merge requests. I have showcased such circumstance in below figures.




Figure 4: Code from person A must be reviewed and merged by peers.




Figure 5: Code from person A must be reviewed and merged by peers.




Figure 6: Under settings page of one's own repository, we can enable automated merges

Interactions within MEAN

Javascript has long been a popular language for front-end web development. It's adaptable, easy to use, and most importantly, dynamic. (IBM Cloud Education, 2019) It is arguably

the most widely used programming language on the planet, and not just because it can help you develop beautiful, responsive websites. Javascript has shown to be a viable option for backend and database development over the last few years. (IBM Cloud Education, 2019) This essentially means that javascript can be used to generate and deliver a fully functional webpage.

Every component of MEAN uses the same language, javascript. This is the tech stack's most valuable asset because javascript's standardization allows developers to reuse code throughout the entire program.(IBM Cloud Education, 2019) Since all 4 components run on the same language, there is no need for type conversions in end-to-end data transfer. This is why MongoDB is able to have document-oriented, not relational architecture. In addition due to Javascript essentially being the core of reactive web design, React builds upon the advantage and makes the javascript language for web building even stronger and ease the burden of many developers. And since the tech stack is designed to run in cloud systems, the flexibility and speed is both ensured for applications using MEAN thanks to functionalities of Node.js and Express. Furthermore, from the standpoint of companies, MEAN eliminates the need to hire many professionals to develop different components of an app, instead relying on a single pool of Javascript developers to work on any part of the application. (IBM Cloud Education, 2019)

MEAN is an open source web stack for building cloud-hosted apps. MEAN stack apps are scalable, adaptable, and versatile, making them ideal for cloud hosting.(IBM Cloud Education, 2019) The stack comes with its own web server, making it simple to install, and the database can be expanded on demand to handle temporary traffic surges. (IBM Cloud Education, 2019) The MEAN stack takes advantage of the cloud's cost savings and performance enhancements.(IBM Cloud Education, 2019)

The above explanation of MEAN is a straightforward answer to why big tech companies like Netflix could be using MEAN. Netflix is responsible for about fifteen percent of all internet traffic globally. Netflix grew incredibly fast as a company. I believe one of the most crucial factors behind their success was their quick adaptation of strategies to handle overflowing user connections globally. Netflix started using AWS(Amazon Web Server) as their cloud provider to move away from fixed relational databases and head towards highly reliable and scalable distributed servers.(Netflix, 2022) MongoDB, Express, Angular, and Node.js together must have played a very important role in achieving this, enabling Netflix to respond to user requests flexibly with the power of cloud computing and quickly with usage of consistent data structures within the program.

3.2. Jake Lewitton

Git: Rebasing files

Rebasing is an incredibly useful tool that is quite similar to merging, though the functionality behind the tool makes some important distinctions that make it much more useful. While merging is a process that is non-destructive, meaning it only adds non-existing branches, rather than removing branches that are unused, rebasing moves an alternative branch into the main branch. This incorporates all the commits that have been made in the alternative branch into the now rebased main branch. I have used this command now to merge my different part of the submission.(Atlassian, 2022c)(Atlassian, 2022b)

Git: Ignoring files

An ignored file in git is one which should not be added to the remote repository, or edited to match the remote repository. This is mostly used for log files, which indicate when

certain individuals have worked on the software. It makes sense for every developer to have their own version of this file, so this file should be ignored, and not added to the stage when commits are made. These ignored files are all stored in a folder in the git repo that is automatically made called .gitignore. I have added to my local repos .gitignore folder a log file that is ignored by git and stores my progress on this submission.(Atlassian, 2022a)

Latex: Cross-referencing

Cross-referencing is when you reference an image, equation, graph etc. that is in a document somewhere within that same document. When cross-referencing, the referenced item is given a figure and a number, which refers to that specific reference. To create a figure, the

caption command is used. Inside the brackets, the caption for the figure is then included. After that, the reference is labelled, with the label command. Inside the brackets, the label is written. Then, to reference the figure, the ref command is used, with the label inside the brackets. This will print the figure number being referenced.(Overleaf, 2022b)



Figure 7: This is cross-referencing

Latex: Custom commands

A custom command is one that the document writer decides on and creates to make writing code simpler throughout the coding process. To create a custom command, the `\newcommand` command is used. Inside the first brackets, the new command should be illustrated. For example, if I wanted a “ to be outputted every time I typed `\sym`, I would put `\sym` in the first brackets. In the second brackets, the output of the new command should be put in. In my example, a “ would be put inside the second brackets. Now, every time `\sym` was written, “ would be outputted. Every time I have written the “ symbol, it has been through a custom command.(Overleaf, 2022a)

Interactions

The front-end tech stack is highly interdependent with most systems. This is because it exists as the basis of almost all web-based systems that exist today. Because of its high usage across the web, the HTML, CSS and JS tech stack is one that can interact with database systems, coding languages, scripting languages and so on. HTML and CSS aren't able to actually interact with any other languages or systems because they are strictly document and styling focused, and do not dictate the logic that underpins the site. JavaScript however is able to connect with these systems, as it is a coding language that handles all kinds of logic. One of the most important systems that HTML interacts with is PHP: Hypertext processor, which is a scripting language. It is mostly used to call external files and databases from inside a web-server. This is what is used to power most data-driven interactions over the internet. Beyond JavaScript, HTML can connect with any other languages that are supported on common web-servers. These are languages such as Python, Perl, C-Sharp, Flash (which is no longer natively supported over the web) and Java. These interactions make the front-end tech stack versatile and powerful, allowing it to become the massive force it is over the entire internet.

3.3. Tan Ky Le

Latex: Macro and Hyperlink

A **macro** is a set of commands that are frequently used and by creating macros, one can save a lot of time by simply referring to the **macro** instead of re-writing all those commands again. In addition, by using **macro**, user can easily apply changes to the document. For example, if you refer to a name of a city in the document many times by typing the name out or copy paste every time and later find out that you got the spelling wrong and want to change all the names in the document, then changing those names would be taking quite an amount of time. However, if you use macro instead, you can easily change the name in the macro and the change will be applied to the whole document which is totally way faster. For my demonstration, I created a macro which make the text "macro" to be underlined, bold and italic as you can see in this paragraph.

Hyperlinks: With hyperlinks, user can make their photos, texts,.. clickable in latex which is useful since reader can just click and they will be taken to the information that they are actually interested in. I have used hyperlinks in latex, words documents and HTML files and they are always a crucial element to make sure that my documents are informative. For example, I am writing about some kind of turtles and would like to show reader to some videos on youtube for a better visualization so I can use hyperlinks to save space and keep the document as tidy as possible. To use hyperlink, i added hyperref package. (I suppose i need to include it so tutor can assess the Git skills part) This is the link to my github: [My github](#)

Git: Tags and Resetting

Tags: Git is able to tag specific points in a repository's history. Git tags are used to capture the specific point in the history that is further used to point to a released version. A tag does not change like a branch. They don't have a further history of commits after being created. Git has two different kinds of tags, annotated and lightweight tags. Annotated tags are saved as full objects in the Git database. They store some extra information such as the tagger's name, email and date. Lightweight tags are just bookmarks to a commit, they are just a name and a pointer to a commit which is great for producing quick links

to relevant commits. About the actual use, I created an annotated tag name v3.0 using `git tag -a "v3.0" -m "message"`, check it again by `git show v3.0` and I can show list of tags using `git tag`.

```
PCBMSTI MINGW64 ~/Desktop/2022sem1/info111/testing (exper)
$ git tag -a "v3.0" -m "version 3.0"

PCBMSTI MINGW64 ~/Desktop/2022sem1/info111/testing (exper)
$ git show v3.0
tag v3.0
Tagger: Kyle <ta1e6870@uni.sydney.edu.au>
Date: Fri Apr 29 05:14:08 2022 +1000

version 3.0

commit 452b0955eda6db20703a7674cb3f98142e6255db (HEAD -> exper, tag: v3.0, origin/exper, origin/HEAD)
Author: Kyle <ta1e6870@uni.sydney.edu.au>
Date: Fri Apr 29 05:06:56 2022 +1000

3

diff --git a/2.py b/2.py
index 8161f74..39e1759 100644
--- a/2.py
+++ b/2.py
@@ -1,1 @@
-1
+3
```

Figure 8: Creating an annotated tag

Reset: Git reset is a versatile tool to undo changes. It has three primary forms of invocation which correspond to the following command line arguments `–soft`, `–mixed`, `–hard`. `–hard` is the most frequently used option but also most dangerous, any progress in the staging index and working directory will be lost. `–mixed` is the default mode, any changes undone from the staging index are moved to the working directory. `–soft` left the staging index and working directory untouched. About the actual use, I will demonstrate how I used the `–hard` command: At first I had file `2.py` in my folder of which content was `print(3)`, I then created a new empty file which was `1.py`. Then I `git add` only `2.py` and changed its code to `print(2)`. Last I use `git reset –hard`, after that the `1.py` file will be deleted and the content of `2.py` will be `print(3)` again. `1.py` was removed since it was in the working directory and undoing the change led to it being deleted. `2.py` was in staging phase, so the change made to it was undone as well and its content went back to being `print(3)` which is the same as in the beginning.

.git	4/29/2022 6:19 AM	File folder
info11week3	4/29/2022 5:36 AM	File folder
2.py	4/29/2022 6:16 AM	Python File 1 KB

Figure 9: Initial files

```
File Edit Selection Find View
2.py
1 print(3)
```

Figure 10: 2.py content

.git	4/29/2022 6:19 AM	File folder
info11week3	4/29/2022 5:36 AM	File folder
1.py	4/29/2022 6:21 AM	Python File 0 KB
2.py	4/29/2022 6:16 AM	Python File 1 KB

Figure 11: New file 1.py created


A screenshot of a code editor window. The title bar shows 'File Edit Selection Find View'. The editor has a dark background. A tab labeled '2.py' is open. Line 1 is highlighted, and the code 'print(1)' is written in a light blue font. The number '1' in the code is highlighted with a yellow cursor.

Figure 12: 2.py changed

Interactions

React Native and Objective-C: React native is a cross-functional programming language for building and developing applications on multiple platforms such as IOS, Android operating systems and Objective-C is used for creating applications on IOS systems. React Native also allows developers to write native code in languages such as Java or Kotlin for Android, Objective-C or Swift for iOS, and C++/WinRT or C for Windows 10. Therefore, React Native and Objective-C together facilitates the development of Instagram on IOS system.

Celery and RabbitMQ: All asynchronous activities, such as delivering notifications and running background processes, are handled by Celery and RabbitMQ. Celery is a task queue that is built on message communication dispersion. It's priority involves real-time activities. Celery is also helpful for scheduling. RabbitMQ is a messaging platform and is highly compatible with Celery. It is written down using the Advanced Messaging Queuing Protocol (AMQP).

PostgreSQL and Cassandra: PostgreSQL and Cassandra work together as back-end systems for Instagram. Both have mature replication frameworks that fit as a globally consistent data store. PostgreSQL is used to contain Instagram's data such as images, videos, articles and user information. Most of our data(users, photo meta, tags, etc..) lives in PostgreSQL said the engineering team. Instagram uses Cassandra as key-value storage, assisting user photo feed, direct messages and fraud detection as well.

4. Level 4: Advanced Knowledge

4.1. Advanced Knowledge: Isaac Kim

Strengths and Limitations of MEAN

Because MEAN components primarily store and communicate data in JSON format, there is no need to convert data, which is considered a critical support for larger projects. (knowledgenile, 2021) Furthermore, because the stack creates apps using only one language, JS, developers may quickly deploy web applications to a server, thus simplifying the data administration and transmission system even more. (knowledgenile, 2021) However, this fantastic feature may offer a risk in high-volume scenarios, as records written by MongoDB may be lost. Though MEAN's responsive database offers a wider range of data types and is thus regarded as its strong feature, it is not as secure as standard relational databases. (knowledgenile, 2021) Therefore, some experts do not consider MEAN Stack to be a feasible option for large-scale applications.

Another essential feature of the MEAN stack is its high level of cloud compatibility. The functionality gives users access to a number of cloud tools, making developing, testing, and deploying an app a lot easier. Furthermore, (knowledgenile, 2021) MEAN Stack's components are open source, allowing developers to create solid solutions and apps by using a variety of features created by developers all over the world. (knowledgenile, 2021) While the MEAN stack's cost-effective features make it appealing to businesses, developers should also be aware of the trade-offs. Usage of open-source APIs leave room for a large attack surface. When a hacker discovers a specific vulnerability inside an API package, numerous services that use the API may be attacked by hackers, resulting in data loss or similar security problems. (knowledgenile, 2021)

Alternative Tech Stack for MEAN

MERN is a popular MEAN alternative stack. While both use the same components to work with databases and the server-side(back-end), the client-side(front-end) design is handled by a different component. The difference between MEAN and MERN is essentially the same as the difference between Angular.js and React.js. React, like Angular, is a javascript-based framework that assists developers in swiftly and effectively designing more engaging and dynamic web sites.

When compared to MEAN Stack's Angular.js, MERN Stack's React.js performs better in terms of UI layer abstraction. Its collection of dynamic user interfaces readily available within the library allows it to execute code development swiftly. (Intellipect, 2022) MERN is the most effective at handling and updating massive amounts of dynamic JSON data, allowing for seamless navigation between the frontend and the backend. (Intellipect, 2022)

While both stacks are fast increasing in popularity and provide developers with similar functionality, I believe that the project requirements are the most important factor to consider when selecting a skill to develop a project. Because React outperforms Angular in terms of UI rendering, MERN developer is thought to be more suited for managing larger projects. According to a survey, MEAN, on the other hand, offers better developer productivity. (Intellipect, 2022) Management team should select the most appropriate stack for their project based on the project's size and resources.

4.2. Advanced Knowledge: Jake Lewitton

Strengths

HTML, CSS and JavaScript are all languages that are easy to learn. This is because they have simple syntax that is highly interactive. HTML, consequently is very fast to load, which is very useful for web-pages which are used by the masses. It has been documented, if pages take more than 0.1 seconds to load, users assume something has gone wrong. (,) All of the languages are supported by all web-browsers, meaning they can be used across all platforms. As mentioned in the previous part, another massive advantage is the fact that there are many other systems like PHP and Python, which can be used in conjunction with HTML, CSS and JS programs.

Limitations

JavaScript is known for not being suitable for developing large-scale programs. A main issue with HTML, CSS and JavaScript code is that the source code is viewable by anyone using the website that is hosting the code. This is a massive limitation, as source code has to be hidden within subroutines to be successfully hidden away from users, which is a massive and tedious task. Also, despite JavaScript code working on all platforms, it does not work the same on all platforms, meaning small tedious adjustments have to be made in order to have the code be the same on all web-systems.

Alternatives

There are no alternatives to HTML, CSS and JavaScript that match its ability to be used in all web-browsers as well as being completely flexible to the needs of the developer, although there are some less-favourable alternatives. The best of all the alternatives is using an no-code website builder. These programs are usually web-based themselves and use pre-made templates with drag-and-drop features to help developers and users piece together websites without writing any code. While still using HTML, CSS and JavaScript to operate, this is an alternative because the development process is very different. Instead of writing any code, developers drag and drop design elements. A few of these alternatives in particular are Webflow, Wix and GoDaddy. This is a very valid alternative, as it drastically reduced development time and technical knowledge required. Technically, creating a PDF, and registering a domain that links to that PDF is an alternative to using HTML, CSS and JS. A PDF allows links to other pages, the presentation of information with text and photos, and other features that come from using a markdown language, similar to HTML, but what PDFs do not allow for is the dynamic displaying of content. While it works as a basic alternative, creating and using a PDF requires a lot more technical knowledge than using a drag-and-drop system.

4.3. Tan Ky le

Strength

Instagram tech stack has consistently interactive components (as I mentioned in level 3 interactions) which makes the stack itself a better structure. Django is one of the best web structures and has made it simpler for designers to assemble plenty of web applications, website pages, and web administrations. Instagram has a lightweight interface for promoting posts called Post Promote and implementing it by React Native has created fantastic

improvements on startup times and user experience(Instagram Engineering, 2017). Objective C is stable and there's no need to spend money on migrating if you have developed your app on Objective C which saves a lot of money. Both PostgreSQL and Cassandra have mature replication frameworks that fit as a globally consistent data store. Celery supports multiple message brokers and RabbitMQ is quite the best choice for Instagram since it guarantees message delivery, is fault-tolerant, supports synchronous replication and it's superb for real-time applications(Edidiong Etuk, 2021).

Limitation

Unlike most web development frameworks, Django can't handle multiple requests simultaneously. Objective-C is syntactically verbose, complex and cannot be more stable since it is a pretty old language. React Native requires expertise on 3 different platforms which is rather complex and heavy for developers. Instagram has Shop feature for user to purchase products and since Cassandra deals with great amounts of data and many requests, transactions slow down meaning latency problem which is an issue with user experience.

Alternatives

Swift for Objective-C: Swift is an open-source programming language, commonly referred to as Objective-C without C(Emmanuel Ighosewe, 2021). Unlike Objective-C, Swift is a quite young language which first appeared in 2014. According to Apple, it is 2.6 times faster than Objective-C language. Its syntax is generally cleaner and easier to manage. It is a priority to develop secure apps these days and Swift has a safer security which is totally a huge advantage. Though replacing Objective-C with Swift can be difficult since Instagram has been built on Objective-C and has huge codebase of several million lines, Swift can be a better option if Instagram wants a faster, cleaner language in their stack which also promotes security better than Objective-C.

Flutter for React Native: As mentioned above, React Native requires developer expertise in 3 platforms. With Flutter, developers can write just one codebase for two applications – covering both iOS and Android platforms(Bartosz Skuza, 2021). In addition, Flutter makes faster apps and needs less testing compared to React Native. Therefore, I think Flutter can be a great alternative for React Native in case Instagram wants to reduce the complexness of development process.

4.4. Advanced Knowledge: add student 4 name here

Your text goes here

References

- Anastasiia Lastovetska. (2021). *APA how to make an app like instagram: Tech stack, features, costs*. (See <https://mlsdev.com/blog/70-how-to-develop-an-app-like-instagram>)
- Anonymouse Labs. (2020). *APA what is encryption and why is it important? (6th edition)*. (See <https://anonymouse.com/2020/01/what-is-encryption-and-why-is-it-important>)
- Atlassian. (2021). *APA git revert (6th edition)*. (See <https://www.atlassian.com/git/tutorials/undoing-changes/git-revert>)
- Atlassian. (2022a). *APA .gitignore (6th edition)*. (See <https://www.atlassian.com/git/tutorials/saving-changes/gitignore>)
- Atlassian. (2022b). *APA git rebase (6th edition)*. (See <https://www.atlassian.com/git/tutorials/rewriting-history/git-rebase>)
- Atlassian. (2022c). *APA merging vs. rebasing (6th edition)*. (See <https://www.atlassian.com/git/tutorials/merging-vs-rebasing>)
- Auditboard. (2021). *APA what is a security audit? the basics you need to get started (6th edition)*. (See <https://www.auditboard.com/blog/what-is-security-audit>)
- Australian Cyber Security Centre. (N/A). *APA malware (6th edition)*. (See <https://www.cyber.gov.au/acsc/view-all-content/threats/malware>)
- Bartosz Skuza. (2021). *APA flutter vs. react native – what to choose in 2022?* (See <https://www.thedroidsonroids.com/blog/flutter-vs-react-native-what-to-choose-in-2021>)
- chandan07. (2021). *APA python for data science (6th edition)*. (See <https://www.geeksforgeeks.org/python-for-data-science/>)
- Chris Denny. (2018). *APA 9 great attention to detail quotes (6th edition)*. (See <https://attentiontodetail.com/2018/09/19/9-great-attention-to-detail-quotes>)
- CISA. (2019). *APA understanding firewalls for home and small office use (6th edition)*. (See <https://www.cisa.gov/uscert/ncas/tips/ST04-004>)
- Craig Stedman. (2019). *APA what is data management and why is it important? (6th edition)*. (See <https://www.techtarget.com/searchdatamanagement/definition/data-management>)
- Edidiong Etuk. (2021). *APA why you should use celery with rabbitmq*. (See <https://www.section.io/engineering-education/why-you-should-use-celery-with-rabbitmq/>)
- Emmanuel Ighosewe. (2021). *APA swift vs objective c*. (See <https://upstack.co/knowledge/swift-vs-objective-c>)
- Glassdoor Team. (2021). *APA top software engineer skills to impress employers*. (See <https://www.glassdoor.com/blog/guide/software-engineer-skills>)
- IBM Cloud Education. (2019). *APA mean stack (6th edition)*. (See <https://www.ibm.com/cloud/learn/mean-stack-explained>)

- Instagram Engineering. (2016a). *APA instagrator pt. 2: Scaling our infrastructure to multiple data centers*. (See <https://instagram-engineering.com/instagrator-pt-2-scaling-our-infrastructure-to-multiple-data-centers-5745cbad7834>)
- Instagram Engineering. (2016b). *APA web service efficiency at instagram with python*. (See <https://instagram-engineering.com/web-service-efficiency-at-instagram-with-python-4976d078e366>)
- Instagram Engineering. (2017). *APA react native at instagram*. (See <https://instagram-engineering.com/react-native-at-instagram-dd828a9a90c7>)
- Intellipect. (2022). *APA mean stack vs mern stack (6th edition)*. (See <https://intellipect.com/blog/mean-vs-mern-stack-development-difference/>)
- Interpol. (N/A). *APA digital forensics (6th edition)*. (See <https://www.interpol.int/en/How-we-work/Innovation/Digital-forensics>)
- Joab Jackson. (2018). *APA instagram supercharges cassandra with a pluggable rocksdb storage engine*. (See <https://thenewstack.io/instagram-supercharges-cassandra-pluggable-rocksdb-storage-engine>)
- knowledgenile. (2021). *APA understanding mean stack, its advantages, disadvantages, and use cases (6th edition)*. (See <https://www.knowledgenile.com/blogs/understanding-mean-stack-applications/>)
- Mauricio Lopez. (2021). *APA 6 reasons c++ is still in use today*. (See <https://www.jobcity.com/blog/6-reasons-c-is-still-in-use-today>)
- Netflix. (2022). *APA completing the netflix cloud migration (6th edition)*. (See <https://about.netflix.com/en/news/completing-the-netflix-cloud-migration>)
- Overleaf. (2022a). *APA commands (6th edition)*. (See <https://www.overleaf.com/learn/latex/Commands>)
- Overleaf. (2022b). *APA cross referencing sections, equations and floats (6th edition)*. (See https://www.overleaf.com/learn/latex/Cross_referencing_sections2C_equations_and_floats)
- Patrick Grieve. (2022). *APA deep learning vs. machine learning: What's the difference? (6th edition)*. (See <https://www.zendesk.com/au/blog/machine-learning-and-deep-learning/>)
- Ram Dewani. (2021). *APA 14 must-have skills to become a data scientist (6th edition)*. (See <https://www.analyticsvidhya.com/blog/2020/11/14-must-have-skills-to-become-a-data-scientist-with-resources/>)
- Ronald Van Loon. (2022). *APA the value of mastering data visualization and storytelling for data scientists (6th edition)*. (See <https://www.simplilearn.com/value-of-mastering-data-visualization-storytelling-for-data-scientists-article>)
- Shaini A Ravi. (2020). *APA instagram - tech stack*. (See <https://medium.com/shaini4020/instagram-tech-stack-f19ddd4dcc0d>)
- Simplilearn. (2021). *APA what is data wrangling? benefits, tools, examples and skills (6th edition)*. (See <https://www.simplilearn.com/data-wrangling-article>)
- TechTarget. (2022a). *APA big data analytics (6th edition)*. (See <https://www.techtarget.com/searchbusinessanalytics/definition/big-data-analytics>)
- TechTarget. (2022b). *APA mongodb (6th edition)*. (See <https://www.techtarget.com/searchdatamanagement/definition/MongoDB>)
- tutorialsteacher. (2022). *APA what is angularjs (6th edition)*. (See <https://www.tutorialsteacher.com/angularjs/what-is-angularjs>)
- University of Virginia. (2020). *APA how much do data scientists need to know about statistics? (6th edition)*. (See <https://datascience.virginia.edu/news/how-much>)

-do-data-scientists-need-know-about-statistics)

