OUTPUT-

CODE –

```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Forms Example</title>
    <style>
        body {
            display: flex;
            align-items: center;
            justify-content: center;
            height: 100vh;
            margin: 0;
            background-color: #f0f0f0;
        }

        .form-container {
            display: flex;
            justify-content: space-between;
            max-width: 900px;
        }

        .form-box {
            flex: 1;
            padding: 20px;
            background-color: #fff;
            border: 2px solid #3498db;
            border-radius: 8px;
```

```css
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
        margin-right: 20px;
    }

    form {
        max-width: 100%;
    }

    label {
        display: block;
        margin-bottom: 8px;
        cursor: pointer;
    }

    input,
    select,
    textarea,
    file {
        width: calc(100% - 16px);
        padding: 8px;
        margin-bottom: 12px;
        border: 1px solid #ccc;
        border-radius: 4px;
        box-sizing: border-box;
    }

    input[type="checkbox"],
    input[type="radio"] {
        margin-right: 5px;
    }

    input[type="submit"] {
        background-color: #4caf50;
        color: #fff;
        padding: 10px;
        border: none;
        border-radius: 4px;
        cursor: pointer;
    }

    input[type="submit"]:hover {
        background-color: #45a049;
    }

    textarea {
        resize: vertical;
    }
```

```css
        /* Custom styling for checkboxes */
        input[type="checkbox"]+label,
        input[type="radio"]+label {
            display: inline-block;
            margin-bottom: 8px;
            cursor: pointer;
        }

        input[type="checkbox"]:checked+label,
        input[type="checkbox"]:not(:checked)+label {
            padding: 8px;
            border: 1px solid #ccc;
            border-radius: 4px;
            cursor: pointer;
        }

        input[type="checkbox"]:checked+label {
            background-color: #4caf50;
            color: #fff;
        }

        /* Cursor blinking animation */
        .cursor {
            display: inline-block;
            width: 1px;
            height: 15px;
            background-color: black;
            margin-left: 2px;
            animation: blinkCursor 0.7s infinite;
        }

        @keyframes blinkCursor {

        0%,
        100% {
            opacity: 1;
        }

        50% {
            opacity: 0;
        }
        }
    </style>
</head>

<body>

    <div class="form-container">
```

```html
        <!-- Form 1 -->
        <div class="form-box">
            <form id="form1" onsubmit="showSubmissionPopup(event)">
                <p>
                    <label for="name">Name:<span id="cursor"
class="cursor"></span></label>
                    <input type="text" id="name" name="name"
placeholder="Enter your name"
                        onclick="startBlinkingCursor()">
                </p>
                <p>
                    <label for="age">Age:</label>
                    <input type="radio" id="age1" name="age" value="0-20">
                    <label for="age1">0-20yrs</label>
                    <input type="radio" id="age2" name="age" value="21-40">
                    <label for="age2">21-40yrs</label>
                    <input type="radio" id="age3" name="age" value="41-60">
                    <label for="age3">41-60yrs</label>
                    <input type="radio" id="age4" name="age" value="61+">
                    <label for="age4">61+yrs</label>
                </p>
                <p>
                    <label for="profession">Profession:</label>
                    <select id="profession" name="profession">
                        <option value="" disabled selected>Choose
profession</option>
                        <option value="student">Student</option>
                        <option value="employed">Employed</option>
                        <option value="unemployed">Unemployed</option>
                        <option value="retired">Retired</option>
                    </select>
                </p>
                <p>
                    <input type="submit" value="Submit">
                </p>
            </form>
        </div>

        <!-- Form 2 -->
        <div class="form-box">
            <form id="form2" onsubmit="showSubmissionPopup(event)">
                <p>
                    <label for="story">Your life story:</label>
                    <textarea id="story" name="story" placeholder="Share your
life story"></textarea>
                </p>
                <p>
                    <label for="description">Description:</label>
```

```html
                <textarea id="description" name="description"
placeholder="Provide a description"></textarea>
                </p>
                <p>
                    <label>Favorite Colors:</label>
                    <input type="checkbox" id="color1" name="color1"
value="green">
                    <label for="color1">Green</label>
                    <input type="checkbox" id="color2" name="color2"
value="blue">
                    <label for="color2">Blue</label>
                    <input type="checkbox" id="color3" name="color3"
value="red">
                    <label for="color3">Red</label>
                    <input type="checkbox" id="color4" name="color4"
value="yellow">
                    <label for="color4">Yellow</label>
                </p>
                <p>
                    <label for="biodata">Upload Biodata:</label>
                    <input type="file" id="biodata" name="biodata">
                </p>
                <p>
                    <input type="submit" value="Submit">
                </p>
            </form>
        </div>
    </div>

    <script>
        function showSubmissionPopup(event) {
            event.preventDefault(); // Prevents the default form submission
            alert("Your submission has been recorded!");
            // You can replace the alert with a custom popup or notification
library
        }

        function startBlinkingCursor() {
            var cursor = true;
            var speed = 250;
            setInterval(() => {
                var cursorElement = document.getElementById('cursor');
                if (cursor) {
                    cursorElement.style.opacity = 0;
                    cursor = false;
                } else {
                    cursorElement.style.opacity = 1;
                    cursor = true;
```

```
                    }
            }, speed);
        }

        document.getElementById('profession').addEventListener('change',
showAdvice);

        function showAdvice() {
            var professionDropdown = document.getElementById('profession');
            var selectedProfession =
professionDropdown.options[professionDropdown.selectedIndex].value;

            // You can customize the advice based on the selectedProfession
            var advice = "";
            switch (selectedProfession) {
                case 'student':
                    advice = "Study hard and enjoy your learning journey!";
                    break;
                case 'employed':
                    advice = "Work smart and stay motivated in your career!";
                    break;
                case 'unemployed':
                    advice = "Stay persistent in your job search, and consider
expanding your skills.";
                    break;
                case 'retired':
                    advice = "Congratulations on your retirement! Enjoy your
well-deserved break.";
                    break;
                default:
                    advice = "Choose a profession to get personalized
advice.";
                    break;
            }

            alert(advice);
        }
    </script>

</body>

</html>
```