# **Preprocessors**

**DEADLINE:** 06/05/2021

#### **FOLDER STRUCTURE**

```
FL16 HW3/*
  └─ task/**
                                                                              * - required
  └─ homework/*
                                                                              ** - restricted (no need
     └─ css/*
                                                                             to submit)
        └─ style1.css*
        └─ style2.css*
    └─ img/*
        └─ images...*
    ∟ scss/*
        └─ _main.scss*
        └─ _variables1.scss*
        └─ _variables2.scss*
        └─ style1.scss*
        └─ style2.scss*
     └─ index.html*
     └─ koala-config.json*
```

#### **TASK**

In this archive you can find an index.html file with provided page markup, images, some prepared .scss files, and a design/ folder with expected results.

Your task is to generate two different css files according to design.

- All required css rules and scss mixins should be written in \_main.scss and variables should be defined in \_variables1.scss and \_variables2.scss files
- Do not change files **scss/style1.scss** and **scss/style2.scss**. They already import all necessary partials
- scss file should use a nesting syntax
- you should use mixin for styling links and buttons
- use at least one @extend rule
- use at least one map

- index.html by default should use style1.css for styling
- All distances between blocks should be set by yourself (tips: you can use Pixel perfect browser addon, but it isn't required)
- No requirements for browser support (should correctly work in last version of Google Chrome)

Please use <u>koala-app</u> for compiling. Find a koala-config.json config file where compilation path is already set.

#### **EXPECTED RESULTS**

The **style1.css** and **style2.css** are generated from source files.

Page design should match v1.png. When page is switched to use styles2.css by changing link to k rel="stylesheet" href="css/style2.css"> it should match v2.png.

You can switch styles manually in header section of index.html.

### **EXAMPLE**

```
_main.scss:
body {
    background: $contentBackground;
}
main {
    margin: 0 auto;
    width: 960px;
}
...
_variables1.scss:
$contentBackground: #fff;
...
_variables2.scss:
$contentBackground: #660;
```

#### **FONTS AND COLORS**

Fonts are already included in hlml head section, use them as:

font-family: 'Source Sans Pro', sans-serif;

font-family: 'Hind', sans-serif; font-family: 'Fresca', sans-serif;

Feel free to use any tool which will help you to pick the right color. Colors should be as close to

design as possible.

## **RESTRICTIONS**

- Do not use any CSS framework for this homework.
- Do not use any others scss compilers except koala.

#### **BEFORE SUBMIT**

- Make sure you've done all steps, described above and homework result match the designs;
- \*.scss files compiles without any errors;
- Make sure your code is well-formatted, and validated via validator:

HTML: <a href="https://validator.w3.org/">https://validator.w3.org/</a>
CSS: css validation isn't required.

#### **SUBMIT**

• The **FL16\_HW3** folder without **task** folder should be uploaded to GitLab repository "**FL-16**" into **master** branch.

#### **USEFUL LINKS**

- <a href="http://koala-app.com/">http://koala-app.com/</a>
- https://sass-lang.com/guide