


An officer can see transfers but does not know whom to contact

Asha reports a crypto payment as a scam. The officer starts with the receiving address, **wallet A**. The records show these later transfers:

ONE INVENTED EXAMPLE



The blockchain shows the transfers, but does not automatically name the company operating C.

This is the missing link.

Transfer history + a supported service label can tell the officer which company to contact.

Why that helps

Alpha is two transfer steps from A. It may hold customer and account records that the officer can lawfully request. Identifying the receiving service does **not** yet identify the offender or prove the funds are still there.

Only three terms to remember

Wallet address: a destination for a crypto transfer, like a payment reference.


Blockchain: the network record of transactions.

VASP: Virtual Asset Service Provider, such as an exchange or a company that holds crypto for customers.

Asha, A, B, C and Exchange Alpha are fictional. This explains the method, not a real attribution.

How TraceSetu gets an answer


The same example, from case entry to a result the officer can review.



API means a way for software to ask another system for data. If identity evidence is missing, more transaction data alone cannot supply a company name.

What happens next

TraceSetu helps the officer decide who to approach and why.



Future authorised delivery

Today, our app stops at a reviewed export. The proposed SAHYOG connection would support authorised delivery and replies. It is not connected, and TraceSetu cannot itself freeze funds.

What makes our approach useful

Why this exchange?	Show the first supported service and gaps that could hide a nearer one.
What if the label is wrong?	Remove its source and see whether the answer still holds. Keep the original.
What should I check next?	Suggest a useful next lookup within a limit on data requests.
Can another officer check?	Export evidence that a reviewer can check and use to reproduce the result.
Can a service correct us?	Verify a signed reply and review it before adding it as evidence.

What we have actually built

Working app: cases, transfer graph, evidence checks, query limits, reports and reviewed requests.

Real data: a limited Bitcoin search was tested; it did not identify a VASP.

Demonstrations: invented cases show the attribution workflow. Code exists for six networks; full live coverage still needs testing.

Underneath: React screens + Python/FastAPI rules + a database + blockchain APIs.