
nouPix

BRAND GUIDE · V1.2

BLACK.
RED ACTS.
WHITE IS LIT.

How nouPix looks, speaks and is built: for everyone who designs, films, writes or codes for it.

nouPix by NOULED.STUDIO · November 2026
Logo, colour, type, icons, controls, writing and code
noupix.nouled.com · github.com/nouled-studio/nouPix



CONTENTS

WHAT'S IN THIS GUIDE

01	The idea	p. 03	02	The name	p. 04	03	The logo	p. 05
04	Lockups and versions	p. 06	05	Space and size	p. 07	06	Logo: don't	p. 08
07	Colour	p. 09	08	Greys and the white look	p. 10	09	Type	p. 11
10	Shape and space	p. 12	11	Icons	p. 13	12	The icon set	p. 14
13	Buttons and choices	p. 15	14	Sliders	p. 16	15	Faders and MIDI	p. 17
16	Scenes and states	p. 18	17	Light on screen	p. 19	18	Writing	p. 20
19	For coders	p. 21	20	For content	p. 22	21	The kit	p. 23
22	The newer parts	p. 24	23	Line icons	p. 25	24	New in 1.6	p. 26

THE SOURCE OF TRUTH

The app is. Every value here comes from `css/app.css` and `css/remote.css` in nouPix 1.6.2; `docs/brand.md` in the repo explains them for developers. If they ever disagree with this guide, the app wins.

WITH THIS GUIDE

The brand kit: logo files (SVG and PNG), app icons, the interface icons, the fonts for desktop and web, colour tokens (CSS, JSON, Adobe and GIMP swatches), the controls as working HTML and CSS, and official screenshots and films.

THE IDEA

01 THE LIGHT IS THE BRIGHTEST THING ON SCREEN

nouPix is a tool for people who light buildings and stages. Its look gets out of the way of the light: black, precise, and quiet until something acts.

01

BLACK FIRST

Pure black, so the light on the stage is the brightest thing on screen. Everything else is a grey on black.

02

FOUR COLOURS, FOUR MEANINGS

Red acts. White is lit. Yellow is MIDI. Aluminium is what you move. A colour is never decoration.

03

SQUARE AND EXACT

Square corners, 1 px lines, 45° cuts like the traces on a circuit board. No shadows, no decorative gradients.

04


QUIET TYPE, LOUD LIGHT

Labels short and uppercase, running text light and plain, every number in mono.

05

REAL PIXELS

Show what nouPix really does: its own output, geometric, red and white. Never fake LEDs or stock pictures.



THE NAME

02 nouPix

One word: a lowercase n, a capital P. It is the app's name everywhere: windows, files, the website, the phone app.

nouPix


`lowercase n · capital P · one word`

✓ DO	✕ DON'T
`nouPix`	`Noupix · NouPix · noupix · Nou Pix · nou-Pix`
nouPix by NOULED.STUDIO	nouPix™ in running text, "the nouPix app software"
Project files: `.noupix`	openLedMapper, Weft (the old names, up to 0.9)


- **In running text** always write nouPix, also at the start of a sentence.
- **In uppercase settings** (labels, headlines in Chakra Petch) don't spell it out: use the wordmark, or set the name in the body font so its case stays.
- **Lowercase only where systems need it**: `noupix.py`, `.noupix`, `noupix-project`, the repo `nouled-studio/nouPix`, `~/.noupix`.
- **The maker** is NOULED.STUDIO: capitals, with the dot. "by NOULED.STUDIO" may follow the name; it never replaces it.
- **Free and open source.** The code is under the GNU AGPL-3.0; the name and the logo belong to NOULED.STUDIO and are not covered by that licence.

THE LOGO

03 AN LED, AND A NAME MADE OF TRACES



1. **The tile**: black, a 1 px grey edge, two 45° cuts, top left and bottom right.
2. **The LED symbol**: the circle and the wire, as in a schematic.
3. **The diode** and its cathode bar, in white: the light.
4. **Two light arrows**, red: the only colour, the one that acts.




1. **Square monoline letters**, low and wide: x-height 10.5 units, letters 11.5 wide, 3.5 apart.
2. **45° cuts** on the top-left and bottom-right corners, like circuit-board traces.
3. **The x is nine rounded pixels**: a tiny matrix.
4. **The dot of the i is the one red pixel**, the one that is lit. It is level with the top of the P.


> Never redraw the logo or set "nouPix" in a font to imitate it: use the files in `logo/`. They are drawn per size (see 04), so they stay crisp from 16 px to a building.

LOCKUPS AND VERSIONS


04 THE RIGHT FILE FOR THE PLACE




noupix-lockup.svg
on black: the main version



noupix-lockup-light.svg
on white and light paper




noupix-lockup-mono-white.svg
one colour, on dark or photos



noupix-lockup-mono-black.svg
one colour: engraving, stamps, fax

THE ICON: FOUR DRAWINGS, ONE PER SIZE



16 px
noupix-icon-16px.svg

32 px
noupix-icon-32px.svg

48 px
noupix-icon-small.svg

72 px
noupix-icon.svg

The smaller it is, the heavier the lines and the bigger the symbol in its tile. 16 px: the browser tab. 32 px: the taskbar. 24–48 px: the top bar. 64 px and up: everything else.

THE WORDMARK

FILE	USE	LINE · PIXELS
noupix-wordmark.svg	On black, 40 px tall and up	1.25 · 1.85
noupix-wordmark-small.svg	On black, below 40 px (the top bar draws it at 15 px)	1.8 · 2.3
noupix-wordmark-light.svg	On white: ink #0A0A0A, red #C8141A	1.45 · 2.0
noupix-lockup*.svg	Icon and wordmark together, the wordmark 0.44 × the icon's height	—

PNG copies of each, from 16 to 1920 px, with or without background, are in `logo/png/`; the app's own icons (.ico, .icns, the phone app's) in `logo/app-icons/`.

SPACE AND SIZE

05 ROOM TO BREATHE, NEVER TOO SMALL



Keep a clear space of **a quarter of the icon's height** around the lockup (the red squares): no text, edge or other logo inside it. For the wordmark alone, the height of its x (the letters without the P).

SMALLEST SIZES

	SCREEN	PRINT
Icon	16 px (16 px file)	6 mm
Wordmark	15 px tall (small file)	12 mm wide
Lockup	120 px wide	25 mm wide


WHERE IT SITS

- On black, or on its own black tile over anything busy.
- Top left in documents, apps and slides; centred only on covers, splash screens and title cards.
- Next to a partner's logo: same height as the other mark's body, the clear space between them.


> These sizes and spaces are the guide's rules for new material; the app itself follows its own fixed layout.

LOGO: DON'T


06 LEAVE IT AS IT IS DRAWN




Don't change its colours. The arrows are red, the drawing white.



Don't stretch, squash or crop it.



Don't add glows, shadows, bevels or outlines.




Don't turn, skew or animate it into another shape.




Don't type it in a font: use the files.



Don't use rainbow or other colours, gradients or textures.



Don't put it on busy pictures without its black tile.



Don't frame it in boxes with rounded corners, or add emojis or symbols.

COLOUR

07 FOUR COLOURS, FOUR MEANINGS

Each colour says one thing, always the same. Red comes in small doses: an edge, a line, a dot, text. Never a red area: the only red fills are the primary button and Blackout while it is on.

BLACK

The canvas, the window. Everything else is a grey on it.

`#000000`
`RGB 0 0 0`
`--bg0`
`white look: #E8E8E8 (window)`

RED

Acts: the active tool, the tab line, the primary button, focus, Blackout, the logo's arrows.

`#FF3B3B`
`RGB 255 59 59`
`--accent`
`white look: #C8141A`

WHITE

A light is on: Art-Net on, the playing scene, the source playing.

`#FFFFFF`
`RGB 255 255 255`
`--live`
`white look: #000000`

YELLOW


MIDI, and nothing else: learn, fader lines, CC and Note tags, MIDI wires.

`#FFD23F`
`RGB 255 210 63`
`--midi`
`white look: #8A6400`

ALUMINIUM

What you move: sliders and their fill, faders, levels, the macros' links.

`#DCE1E6`
`RGB 220 225 230`
`--fader`
`white look: #4F5861`



About how much of a screen each takes: black and greys most of it, white for text and light, red and aluminium in touches, yellow only while MIDI is in use.

CMYK and Pantone: match the hex on screen, check a proof

GREYS AND THE WHITE LOOK

08 EVERYTHING ELSE IS A GREY

TOKEN	USED FOR	BLACK LOOK	WHITE LOOK
`--bg0`	window, stage	#000000	#e8e8e8
`--bg1`	panels, bars	#0a0a0a	#f5f5f5
`--bg2`	inputs, pills	#111111	#ffffff
`--bg3`	buttons, raised	#191919	#ececec
`--bg4`	hover, slider tracks	#232323	#dcdcdc
`--line`	hairlines	#1e1e1e	#dadada
`--line2`	control borders	#2c2c2c	#c4c4c4
`--line3`	borders under the pointer	#3a3a3a	#a6a6a6
`--text`	text	#f0f0f0	#111111
`--text2`	secondary text	#bdbdbd	#3d3d3d
`--muted`	darkest grey for text	#8e8e8e	#666666
`--warn`	warning	#ff7a1a	#b04a00
`--sel`	what is selected (outline)	#f0f0f0	#111111
`--dot-edge`	ring of an LED that is off	#8c8c8c	#8c8c8c

TWO LOOKS

Black is the default. The white look is for daylight: one click in the top bar. Every colour is a token, redefined for white, so the meanings stay. The canvas with the LEDs stays black in both: it shows light.

CONTRAST

Text at least 4.5 : 1 on its background. `--muted` is the darkest grey allowed for text; darker greys are for lines and fills.

COLOURS THE USER GIVES

#2f7bff	#00c2ff	#00d68f	#8fe000	#ff8a00	#ff2fd1	#9b5cff	#ff5c8a

Groups, zones and scenes can be given one of these eight, only when the user chooses. None is red or yellow: those mean something.

TYPE

09 THREE VOICES

LABELS **Chakra Petch 600**	SCENES · PATCH · LEARN	Panel heads, tabs, buttons, section titles. **Uppercase**, letter-spacing .12–.16 em, 10–11 px in the app. Short labels only, never sentences.
RUNNING TEXT **Saira 300**	Drag fixtures onto an output, or press Auto-patch.	All running text: 13.5 px in the app. List rows, inputs and values use 400 so they stay readable. Never lighter than 300.
NUMBERS **JetBrains Mono 300–400**	10.0.0.50 · U 0–15 · 512 ch · 40 fps	Every number a person patches: addresses, universes, channels, times, values, keys.
DISPLAY (WEB, PRINT, FILM) **Chakra Petch 700**	**DRAW IT. PATCH IT. LIGHT IT.**	Headlines, uppercase, tight. A line may be outlined; the red full stop is the one touch of colour.

All three are under the SIL Open Font License: free to use, embed and share. `fonts/desktop/` to install them, `fonts/web/` to serve them (the app never loads fonts from the internet).


SHAPE AND SPACE

10 SQUARE, CUT AT 45°, NO SHADOWS



THE CUT	SIZE
Primary button	6 px
Scene tile, playlist step	8 px
Website frames and cards	12–18 px
The logo's tile	7.5 / 64 of the side

ROUND ONLY WHAT IS ROUND



- Corners are square: `--r: 0`. Status dots, switch knobs, the colour wheel and its thumbs, LED pixels and the patch bay's wire ends are round, because they are.
- Lines are 1 px: `--line` for hairlines, `--line2` for controls, `--line3` under the pointer.
- No drop shadows. Menus, dialogs and messages are set apart by their borders. The one glow is a light that is on.

SPACING STEPS




- Controls are 26 px high (22 px small), 24 px in segmented groups.
- Panels are dense: rows 26 px high, 7 px apart, sections padded 10–12 px.
- Web and print use the same steps, doubled or more.

ICONS

11 DRAWN, NEVER TYPED

Icons are small line drawings in SVG, in the colour of the text around them. They are never emojis.



16 × 16 grid, 1.5 units inside the edge (red dashes); the Undo icon: 1.5 stroke, round caps and joins.

- **Grid:** a 16 × 16 viewBox for the interface; 18 × 18 for the tool rail and the stage bar. Keep about 1.5 units free at the edges.
- **Line:** 1.3–1.6 units, round caps where a line ends. Solid shapes (play, pause, a lock's body, matrix cells) are filled.
- **Colour:** `currentColor` only, so an icon takes the colour of its button: grey at rest, white when on, red for the active tool, yellow for MIDI. No colours inside an icon.
- **Size:** 14–15 px in buttons, 16–18 px in the rail and window titles. Never scaled up as decoration.
- **Meaning:** one icon, one meaning, the same everywhere. A button with an icon only has a title or aria-label that says what it does.
- **How:** inline SVG, no width or height in the file, no icon fonts or libraries (nouPix has no dependencies). The set is in `icons/svg/` and as a sprite.

NEVER EMOJIS

Not in the interface, not in docs, not in messages, menus, release notes or posts. Emojis look different on every system, come in colour (breaking the four colours), can't be styled, and blur at 14 px.


✓ DO	✕ DON'T
An SVG icon from the set	A light bulb, warning sign, check box, play button, sun or coloured circle emoji
Text signs from the fonts: × · – → ← ↑ ↓ ° ✓ ⇧ ⌘	Signs that phones turn into emojis: the play triangle, the sun, the warning sign, stars
Words: "Highlight", "Blackout"	A symbol where a word is clearer

12

THE ICON SET

EVERY ICON IN THE APP


67 icons, as the app draws them. Each is a file in icons/svg/ (named as below) and a symbol in noupix-icons-sprite.svg.



■ added after 1.0: the Dot, NDI and OMT streams, the Channel monitor, Output settings, the left panel, Interact on the phone, Rotate

BUTTONS AND CHOICES

13 SQUARE, LABELLED, RED ONLY WHEN IT ACTS




- **Button:** 26 px high (22 px small), 10 px sides, a 1 px `--line2` border on `--bg3`; the label in Chakra Petch 600, 10.5 px, uppercase. Hover: `--bg4`, `--line3`.
- **Primary:** red with black text and the logo's two 45° cuts (6 px), drawn with background gradients so a focus or MIDI outline isn't clipped. One per view.
- **Ghost:** no border, grey text: tools in panel heads.
- **Tabs:** the chosen one has white text and a 2 px red line under it.
- **Segmented:** the chosen part is raised (`--bg4`) with a 2 px red line inside its bottom edge. Never a red fill.
- **Switch:** on = white edge and text, a white knob with the one glow. **Checkbox:** red.
- **Blackout:** red icon; on, a red fill that breathes, so nobody forgets it. With the primary button, the only red fills.
- **Focus:** a 2 px red outline, 1 px away. **Disabled:** 45% opacity.


Bottom left: the same controls in the white look.

SLIDERS

14 A THIN LINE, A NARROW HANDLE

Sliders are aluminium: they are what you move. Square, flat, and as thin as can still be grabbed.






- **Track** 2 px: `--fader` up to the value, `--bg4` after it (the `--p` variable, kept by `rangeFill`).
- **Handle** a 3 × 14 px bar, square. Never round, never red.
- **The value** sits to the right in mono: double-click it to type, Shift + scroll steps it in notches.
- **Phone** (the remote page): a 3 px track and a 6 × 30 px handle, for fingers.

```
/* components/components.css */
input[type=range]::-webkit-slider-runnable-
track {
  height: 2px;
  background: linear-gradient(to right,
    var(--fader) var(--p, 0%),
    var(--bg4) var(--p, 0%)); }
input[type=range]::-webkit-slider-thumb {
  width: 3px; height: 14px;
  margin-top: -6px; border-radius: 0;
  background: var(--fader); }
```


Exception: the colour picker's gradient sliders keep round thumbs with a dark ring, so the colour under them shows.

15 YELLOW BELONGS TO MIDI




THE FADER (VERTICAL)

- A 30 × 120 px box on `--bg0` with a 1 px `--line2` edge, and a 2 px centre line.
- The value: a 2 px **yellow** line up from the bottom, when the value is MIDI's (the virtual controller).
- The cap: an aluminium bar, the box's width less 6 px, 13 px tall, square.
- Its value above in mono, its name (CC 21) and what it drives under it.



A MIDI FADER ON A SLIDER




- A **2 px yellow line** where the hardware fader is; at 45% until the slider has picked it up. The slider keeps its colours.
- Its **tag** (CC 1, Note 36) in 9 px mono yellow, above the slider, while the MIDI window is open.
- **Learning**: what MIDI can drive gets a dashed yellow outline; the one picked a solid, pulsing one. Scene tiles turn yellow along their cuts.
- **Pads**: 96 × 58 px; pressed, yellow with black text.
- Yellow means MIDI and **nothing else**: never for warnings, highlights or decoration.

SCENES AND STATES

16 ONE LOOK PER STATE






At rest · playing · with its zone's colour (a 3 px line on the left) · while learning MIDI

STATE	HOW IT SHOWS
Rest	grey edge (--line2), --bg3 fill
Hover	--bg4 fill
Selected	white outline (--sel), never red
Acts / chosen	red line, dot or text (--accent)
Lit / playing	white edge, white bar (--live)
MIDI	yellow edge or line (--midi)
Warning	orange (--warn), paused steps
Disabled	45% opacity


> The tile's edge and fill are two layers clipped to the cut shape (`::before`, `::after`), so outlines and MIDI tags around it aren't clipped.

LIGHT ON SCREEN

17 PIXELS ARE ROUND, THE CANVAS IS BLACK



The stage with its zones shown: dashed frames, each with its name on a tag.



- **The canvas is always black**, in both looks: it shows light.
- **An LED is a round dot** in the colour it sends, inside a grey ring (`--dot-edge` #8C8C8C) so fixtures are easy to find even when off.
- **Selected** fixtures get a white frame and handles; never red.
- **Zones** are dashed frames with a small name tag: the same idea frames sections on the website.
- **Glow** only on what is lit, and only a little.

WRITING

18 SHORT, PLAIN, EXACT

- **Short plain sentences**, sentence case, a full stop at the end. Say what happened and what to do.
- **No jargon where a word will do**; when a lighting term is the right word (universe, Art-Net, DMX), use it.
- **No exclamation marks, no "Oops", no emojis.** Calm, like a good technician on a show night.
- **Labels** are one to three words; they are written in sentence case in code and set in uppercase by the label style.
- **Numbers with their unit**, in mono: 512 ch · U 0–15 · 40 fps · 2 s · 10.0.0.50.
- **Shortcuts** as keys: Ctrl S on Windows and Linux, ⌘ S on a Mac.
- **Spelling:** sentences use UK spelling (colour, centre, licence). A few control names keep the US form (Color 1, Color order); don't mix forms in one sentence.
- **The user's words keep their case**: names of fixtures, zones and scenes are never uppercased.

✓ DO	✕ DON'T
Patched 7 fixtures onto Controller A	Operation completed successfully!
Allow pop-up windows for this page.	Error 0x80: popup blocked
No scenes yet. Set up the layers, then + Store.	Oops! Nothing here yet
Drag sideways to change it. Shift = ×10.	Utilize the scrubbing functionality
Art-Net is off: values shown are what would be sent.	WARNING!!! OUTPUT DISABLED

> Messages go through one place in the app (`toast()`): a red line on the left for news, orange for a warning, red for an error.

FOR CODERS


19 TOKENS, BOTH LOOKS, NO DEPENDENCIES

- **Colours are tokens.** Use `var(--accent)`, `var(--line2)`… never a hex value; tints with `color-mix(in srgb, var(--live) 8%, var(--bg3))`.
- **Both looks.** Every token is redefined under `:root[data-theme="light"]`. Check anything new in black and in white.
- **Fonts are local** (`css/fonts.css`): nothing is fetched from the internet, so it works on a show network.
- **No dependencies.** Plain scripts; third-party code only in `js/vendor/`, unchanged, with its licence.
- **Icons inline**, SVG with `currentColor`, from the set; a title or aria-label on icon-only buttons.
- **MIDI:** anything MIDI can drive is marked `data-midi` (`midiSlot` for a slider, `midiButton` for a button or tile).
- **Focus** stays visible (2 px red outline). **Motion** stops for `prefers-reduced-motion`. **Contrast** 4.5 : 1 for text.
- **Start from** `components/components.css`: the app's own rules. `docs/brand.md` in the repo has the details.

```
/* a new control, the nouPix way */
.levelchip {
  height: 26px; padding: 0 10px;
  border: 1px solid var(--line2);
  border-radius: var(--r);          /* 0 */
  background: var(--bg3);
  font: 600 10.5px/1 var(--label);
  letter-spacing: .12em; text-transform: uppercase;
  color: var(--text2);
}
.levelchip:hover { background: var(--bg4); border-color: var(--line3); }
.levelchip.on {                     /* chosen: a red line, no red fill */
  color: var(--text);
  box-shadow: inset 0 -2px 0 var(--accent);
}
.levelchip.live {                   /* a light is on */
  border-color: var(--live);
  background: color-mix(in srgb, var(--live) 8%, var(--bg3));
}
.levelchip:focus-visible { outline: 2px solid var(--accent); outline-offset:
1px; }
```

FOR CONTENT

20 WEB, FILM, SOCIAL AND PRINT



PICTURES AND FILMS

- Record them **in nouPix**: the app's own output, or the stage in the black look.
- **Red, white and black** content, geometric: rings, triangles, lines, matrices, in zones.
- Slow the motion down (the Speed macro) and play it back faster: smoother films.
- Rainbow effects are part of the app, but not of the brand's own pictures.
- No stock photos of LEDs, no fake renders of the interface.

LAYOUT

- **Black backgrounds**; light paper only for print that needs it, with the light lockup.
- **Zone frames**: dashed 1 px boxes with a small name tag, as on the stage.
- **45° cuts** on frames, cards and buttons: top left and bottom right.
- **Headlines** in Chakra Petch 700 uppercase, a line outlined, a red full stop.
- LED canvases as backgrounds: round dots, red and white.

FORMAT	SIZE	NOTES
Screenshots	1440 × 900 @2×	The black look; a real project; no personal data on screen
Film, web	1920 × 1080, H.264	Silent loops, 8–12 s; poster frame from the film
Social, square	1080 × 1080	The stage cropped to its zones; the lockup top left
Print	CMYK proof	Black: rich black; red: match # FF3B3B on a proof

The kit's imagery/ folder holds the official screenshots, two films and geometry.noupix, the project they were made with.

THE KIT

21 EVERYTHING IN ONE FOLDER

nouPix-brand-kit/	
nouPix-brand-guide.pdf	this guide
README.md	what is where
logo/svg/	icon (4 sizes), wordmark (3), lockup: dark, light, one-colour white and black
logo/png/	the same as PNG: icon 16–1024 px, wordmark and lockups at 480, 960, 1920 px
logo/app-icons/	.ico, .icns, 256 px, the phone app's 192, 512 and maskable icons
icons/svg/	interface icons, currentColor
icons/noupix-icons-sprite.svg	all of them as <symbol>s
fonts/desktop/	Saira, Chakra Petch, JetBrains Mono (TTF) to install
fonts/web/	the app's woff2 files and fonts.css
colours/	tokens (CSS, JSON), Adobe swatches (.ase), GIMP/Inkscape palette (.gpl)
components/	components.css and components.html: the app's controls, working, both looks
imagery/	official screenshots, two films with posters, geometry.noupix

- **Designers**: install `fonts/desktop/`, load `colours/noupix.ase`, place the SVG logos.
- **Video and content**: start from `imagery/`; open `geometry.noupix` in nouPix to make new shots in the same style.
- **Developers**: `components/components.css` and `colours/noupix-tokens.css`; icons from `icons/svg/`.
- **Licences**: the fonts are under the SIL Open Font License 1.1 (OFL.txt with them). The nouPix name and logo belong to NOULED.STUDIO: use them to talk about nouPix, not as the name or logo of something else.

DOWNLOAD AND SITE

`noupix.nouled.com`


SOURCE, MANUAL, ISSUES

`github.com/nouled-studio/nouPix`

22 SINCE 1.0


THE NEWER PARTS

What nouPix gained after 1.0, in the same four colours: nothing new to learn, only more places to see the rules at work.



BOTH SIDE PANELS FOLD

The left panel folds like the right: « in its head, the stage bar's first button (`side-panel-left`) or Shift H. The two stage-bar buttons mirror each other and are outlined in red while their panel shows.




QUIET PLAYLISTS

Tabs with no status words: a small square play button, the name, the length in mono. Playing: white, with a 2 px white line filling along the top; paused: orange. Each step is a cut tile with its fade and play time.




THE X-FADER

A dot on its button, red while it is on; its curve drawn on the mode button (Mix, Dip, Cut). Two live previews tagged **A** and **B**, an aluminium fader, each share in mono. A's and B's scenes sit side by side.




TEMPO

The BPM in mono with a dot that lights red on each beat; the bar's beats as short lines, white as they pass, beat 1 red. The white dot by the master blinks with the beat. The beat band's edges are what you drag.



INTERACT

A black pad with the zone's fixtures drawn faintly in white, so the light under the finger is the only colour. On the phone the button carries the `touch` icon in red.




PROTOCOLS AND DEVICES

Art-Net, sACN and DDP as small mono tags in a 1 px box; the filter a segmented choice. Protocol names keep their case, also where labels are set in capitals: **sACN**, never SACN.

23 LINE ICONS

BUTTONS WITHOUT A BOX

Where many buttons sit together and the content is the point (the timeline's bar, the Scenes panel, the cue lists), buttons lose their box. Their icons are drawn with a thinner line, 1.2 on the 16 grid, with square ends.



LOOP

at rest: grey

LOOP

pointed at: white

LOOP

on: white, a red line

Send Art-Net Pictures on scenes

the tick box: a thin square, ticked a thin red tick

WHERE

The timeline's bar, the Scenes panel (zone heads, playlists, sizes), the cue lists, the stage's Fit, the places of a panel. Settings, dialogs, Patch and the side panels keep their boxes.


THE RULES

Grey at rest, white when pointed at, white with a short red line while on. One picture per meaning: Fit is the same line icon on the stage and on the timeline.

NEW IN 1.6


24 THE TIMELINE, CUE LISTS AND THEIR WINDOWS

The parts added in 1.6, in the same four colours: aluminium for what you move, white for what plays, red only for a line, an edge or a dot.




KEYFRAMES

A clip unfolds to a row per control under its picture: the curve an aluminium line, each key a small diamond (a square on Hold, hollow when eased), the picked ones white. A colour's keys are diamonds in their own colour.




MARKERS

A small flag in the marker's colour (aluminium without one), its name in capitals cut at 45° on the right, and a faint dashed line down through the zones. The playhead stays the one red line.




AUDIO TRACKS

Each track a block with its name over an aluminium waveform, cut like a clip. Its volume is the same line as a clip's level, and the waveform dims with it. Volume and mute beside its name.




CUE LISTS

GO, boxed and large. The cue on standby has a red edge; the cue playing a white edge, its ▶ and a white progress line. A countdown to a cue going by itself is red text; actions sit in small boxed tags.



WINDOWS OF THEIR OWN

The Timeline and the Cue lists, like the Scenes, open in a window dressed like the main one, for another screen. The four place icons sit at the top right; the one in use white with the red line.



A ZONE'S HEAD

Its stop a small white square with no box, red when pointed at; + Store at the right end. An edited scene shows a small orange pencil. Scene buttons come in three sizes, chosen by three squares at the panel's foot.