

Pandoc Markdown-to-Beamer test

Pietro De Nicolao

5 giugno 2016

Indice

| | |
|--------------------------|----------|
| In the morning | 1 |
| Getting up | 1 |
| Breakfast | 1 |
| In the evening | 1 |
| Dinner | 1 |
| Image | 2 |
| Going to sleep | 2 |
| Markup | 2 |
| Python | 2 |
| Maths | 2 |
| Tables | 3 |
| Links | 3 |

In the morning

Getting up

- Turn off alarm
- Get out of bed

Breakfast

- Eat eggs
- Drink coffee

In the evening

Dinner

- Eat spaghetti

- Drink wine

Image

This is **Dr. Strangelove**.



Figura 1: Dr. Strangelove

Going to sleep

- Get in bed
- Count sheep

Markup

Python

Sample Python code with syntax highlighting.

```
import sys
import re

print(sys.argv[0])
if len(sys.argv) > 3:
    print("Ok!")
```

Maths

- Bayes theorem: $P(H|E) = \frac{P(E|H)P(H)}{P(E)}$
- $\sqrt{x^2 - 1}$ is a random formula.

Tables

Markdown table:

Tabella 1: Demonstration of pipe table syntax.

| Right | Left | Default | Center |
|--------------|------|---------|--------|
| 12 | 12 | 12 | 12 |
| 123 | 123 | 123 | 123 |
| 1 | 1 | 1 | 1 |

| Age | Frequency |
|-------|-----------|
| 18–25 | 15 |
| 26–35 | 33 |
| 36–45 | 22 |

Tabella 2: Pure L^AT_EX table

Links

- **Internal link:** link to markup.
- **External link:** link to Google.