

Hackathon Assurance API Documentation

Endpoint

GET <https://apidevis.onrender.com/api/auto/packs>

Query Parameters

Parameter	Example	Description
n_cin	08478931	National ID number of the insured person.
valeur_venale	60000	Current market value of the car (in local currency).
nature_contrat	r / n	Type of insurance contract: - r = Responsabilité Civile (mandatory liability only). - n = Tous Risques (comprehensive).
nombre_place	5	Number of seats in the vehicle.
valeur_a_neuf	60000	Replacement value if the car is brand new.
date_premiere_mise_en_circulation	2022-02-28	Date of first registration of the vehicle.
capital_bris_de_glace	900	Coverage limit for broken glass (windshield, windows).
capital_dommage_collision	60000	Coverage limit for damage caused by collision.
puissance	6	Fiscal horsepower of the car.
classe	3	Risk/bonus-malus class of the driver.

Response Structure

The API returns a list of insurance **packs** (offers). Each pack may include:

Field	Description
pack_name	Name of the insurance pack (e.g., <i>Standard</i> , <i>Premium</i>).
price	The annual premium for the pack (amount the client pays for coverage).
guarantees	List of guarantees included in the pack (e.g., liability, collision, theft, glass breakage).
franchise	Deductible the insured has to pay in case of a claim.
coverage_limits	Maximum compensation amounts per guarantee.
extras	Optional additional coverages or services.

Example Responses

1. `nature_contrat=r` (Responsabilité Civile)

```
[
  {
    "pack_name": "Responsabilité Civile de Base",
    "price": 350,
    "guarantees": ["Responsabilité Civile Obligatoire"],
    "franchise": null,
    "coverage_limits": {
      "responsabilite_civile": "illimitée"
    },
    "extras": []
  }
]
```

🔗 **Explanation:**

- Only covers liability towards third parties (injuries, damages).
- No coverage for own vehicle damage.
- Cheapest contract, legally mandatory.

2. `nature_contrat=n` (Tous Risques)

```
[
  {
    "pack_name": "Tous Risques Premium",
    "price": 1800,
    "guarantees": [
      "Responsabilité Civile",
      "Dommages Collision",
      "Vol",
      "Incendie",
      "Bris de Glace"
    ],
    "franchise": 500,
    "coverage_limits": {
      "collision": 60000,
      "bris_de_glace": 900,
      "vol": 60000,
      "incendie": 60000
    },
    "extras": ["Assistance 24/7", "Véhicule de remplacement"]
  }
]
```

🔗 **Explanation:**

- Covers liability and own vehicle damages (collision, theft, fire, glass, etc.).
- Price is higher because coverage is broader.
- Includes a deductible (`franchise`), meaning the client pays part of the repair in case of claim.
- Can include extras like roadside assistance or replacement car.

Summary

- Use `nature_contrat=r` for liability-only quotes.
- Use `nature_contrat=n` for comprehensive insurance quotes.
- `price` = annual premium.
- `guarantees` and `coverage_limits` tell you **what is covered and how much is reimbursed**.
- `franchise` = deductible (out-of-pocket cost for insured).

Testing in Postman

1. Open Postman.
2. Create a new **GET request** with the endpoint:

```
https://apidevis.onrender.com/api/auto/packs
```

3. Go to **Params** and add the required parameters (`n_cin` , `valeur_venale` , `nature_contrat` , etc.).
4. Click **Send** to view the JSON response.