1. The probability of a leap year selected at random contain 53						
Sunday is:						
(a) 53/ 366	(b) 1/7	(c) 2/7	(d) 53/365			
2. A bag contain	ns 3 red and 2 b	lue marbles. A r	marble is drawn at			
random. The pro	_					
(a) 3/5	(b) 2/5	(c) 0/5	(d) 1/5			
3. The probabili	ty that it will rai	in tomorrow is 0	0.85. What is the			
probability that i						
` '	` ,		(d) none of these			
	-		ed from the numbers			
(1, 2, 3,,15	-		4.4			
	•	(c) 2/15	• •			
5. What are the						
, ,		(c) 8	• •			
-	-	number selecte	ed at random from the			
numbers (1,2,3,		() 10/0=	(1)			
			(d) none of these			
7. The sum of the	-					
* *		0 (d) non				
		are given; choos	se the correct answer			
for that which is			(1)			
			(d) none of these.			
		iuitaneousiy, tha	n the probability of			
getting at least two heads, is: (a) 1/4 (b) 3/8 (c) ½ (d) 1/8						
10. A letter is c						
(a) 6/12	(b) 7/12		letter chosen has: (d) none of these.			
(a) 0/13	(b) // 13	(6) 1	(u) none or these.			
11 A dice is thre	own Find the n	robability of got	ting an even number			
	-		ting an even number. D) 1/2			
(A) 2/3	(D) I	(C) 3/0	(D) 1/2			
12. Two coins are thrown at the same time. Find the probability of						
getting both hea		(D) 0				
(A) 3/4 (B) 1/4	+ (0) 1/2	(D) 0				
13. Two dice are thrown simultaneously. The probability of getting a						

1

sum of 9 is:

(A) 1/10	(B) 3/10	(C) 1/9	(D) 4	/9			
14. 100 cards are numbered from 1 to 100. Find the probability of getting a prime number.							
• • •	(B) 27/50	(C) 1/4	(D)	29/100			
_	a blue ball is d	ouble that of a		f the probability en the number of			
16. A box of taken out a	of 600 bulbs co at random from tive bulb is:	ntains <mark>12 defe</mark>	n the probab				
mixed thor	marked with nu oughly. One ca ility that the nu (B) 1/10	ırd is drawn fro	om this box r is a perfect s	andomly, then square.			
18. What i (A) 1/7	s the probabilit (B) 53/366	ty of getting 53 (C) 2/7	•				
probability	is drawn from of getting a kin (B) 3/26	ng of red suit.	d deck of 52) 1/13	cards. Find the			
equally like 1,2,312	te of chance co ely to come to i then the prob (B) 1/12	rest pointing to ability that it w	o one of the r vill point to a	number n odd number is:			
21. A game consists of tossing a one rupee coin 3 times and noting its outcome each time. Aryan wins if all the tosses give the same result i.e. three heads or three tails and loses otherwise. Then the probability that Aryan will lose the game. (A) 3/4 (B) 1/2 (C) 1 (D) 1/4							

22. Riya and Kajal are friends. Probability that both will have the same birthday is the same birthday is:						
•		•	(D) 1/133225			
23. A number x is chosen at random from the numbers -2, -1, 0, 1, 2. Then the probability that $x^2 < 2$ is? (A) $1/5$ (B) $2/5$ (C) $3/5$ (D) $4/5$						
24. A jar contains 24 marbles. Some are red and others are white. If a marble is drawn at random from the jar, the probability that it is red is 2/3, then the number of white marbles in the jar is: (A) 10 (B) 6 (C) 8 (D) 7						
Then the proba		multiple of 3 and) natural numbers. 4 is:			
with n dots showing 4 dots	owing up is propo s is?	ortional to n. The	obability of a face probability of face			
a) $\frac{1}{7}$	b) $\frac{5}{42}$	c) $\frac{1}{21}$	(d) $\frac{4}{21}$			
		n 5 one day match	es are 50, 70, 82,			
a) 25.79	e standard devia b) 25.49		d) 25.69			
28. Find median and mode of the messages received on 9 consecutive days 15, 11, 9, 5, 18, 4, 18, 13, 17.						
a) 13, 15	(b) 13, 18	c) 18, 15	d) 13, 16			
29. A coin is tossed up 4 times. The probability that tails turn up in 3 cases is						
a) $\frac{1}{2}$ 30. X is a varia	b) $^{1}/_{3}$	d 3. The value of I	<u> </u>			
31. The random variables X and Y have variances 0.2 and 0.5 respectively. Let Z= 5X-2Y. The variance of Z is?						

32.Out of t probability?	•	alues, which	one is not pos	sible in
a) $P(x) = 1$	b) ∑ x	P(x) = 3		
C) P(x) = 0.3	d) P(x	(x) = -0.5		
33.If E(x) = a) 2	2 and E(z) = 4 b) 6	, then E(z – (c) 0	•	sufficient data
34.The cov	ariance of two	independen	it random varia	ble is
a) 1	b) 0	c) - 1	d) U	ndefined
35.If Σ P(x) a) 0	b) 1 = k ² - 8 then,	the value of		nsufficient data
, ,	0.5 and x = 4, b) 0.5	, ,	? (d) 2	
37.In a discis always?	rete probabilit	y distributio	on, the sum of a	ll probabilities
a) 0	b) Infinite	(c) 1	d) Ur	ndefined
38.If the pr	obability of hit	tting the tar	get is 0.4, find ı	mean and
	b) 0.6,	0.24	c) 0.4, 0.16	d) 0.6, 0.16
-	% and if 10 bo	mbs are dro	-	ce will strike the n and variance? d) 4, 1.6
a) 2		c) 8	d) 1 or standard nor	mal distribution?

c) 5

d) 7

a) 3

b) 4

(a) Mean is 0 and variance is 1 b) Mean is 1 and variance is 0 c) Mean is 0 and variance is ∞ d) Mean is ∞ and variance is 0								
42. Variance of a random variable X is given by a) $E(X)$ b) $E(X2)$ c) $E(X2)$ - $E(X2)$ d) $E(X)$ 2								
	43.Mean of a random variable X is given by a) E(X)							
	44.Mean of a constant 'a' is a) 0 b) a c) a/2 d) 1							
45.Variance of a constant 'a' is . a) 0 b) a c) a/2 d) 1								
46. Find the mean and variance of X?								
Ī	Х	0	1	2	3	4		
f(x) 1/9 2/9 3/9 2/9 1/9								
a) 2, 4/3 b) 3, 4/3 c) 2, 2/3 d) 3, 2/3 47. Find the expectation of a random variable X?								

	Х	0	1	2	3	
	f(x)	1/6	2/6	2/6	1/6	
a) ().5		b) 1.5		c) 2.5	(d) 3.5)

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by

a) np

b) npq

c) np2q

d) npq2

49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use **Binomial Distribution.**

- a) P(X = x) = nCx px qx
- (b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx

50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard **Deviation?**

- a) \sqrt{np} b) \sqrt{pq} c) (np)2
- d) \sqrt{npq}