

PENETRATION TESTING REPORT

FOOTPRINTING & NETWORK SCANNING PHASES

W2-PM-FINAL | CYBERSECURITY | NETWORKWALKS

Pentester Name	Noussaiba Aouad
Program/Batch	B083-Networkwalks
Date	18 September 2026
Modules completed	- W2-PM1 (Multiple Kali Tools) - W2-PM2 (GHDB) - W2-PM5 (Zenmap Scanning)
Client/Target	1. Networkwalks (secured written permission already) 2. Public Internet (GHDB) 3. My own local LAN Network
Permission secured from client?	Yes
Phases covered	- Phase 1: Reconnaissance & Footprinting - Phase 2: Scanning & Network Discovery - Phase 3-5: In Progress

1. Liability Disclaimer

I have performed these activities only on the systems & devices where I had secured written permission or the devices/systems that I own myself. The GHDB footprinting was performed strictly passively via public search engines. All these materials are for education and research purposes only. Do not use anything from here to break the law. The instructor, the authors, and Networkwalks are not responsible for what you do with this knowledge. Every action you take is your own responsibility. Misuse can lead to criminal charges, heavy fines, loss of your job, and a permanent record. In most countries, unauthorised access is a crime even when nothing is damaged.

2. Introduction

This report covers footprinting the networkwalks.com domain using multiple Kali Linux tools (W2-PM1), performing open-source intelligence gathering via the Google Hacking Database (W2-PM2), and scanning my own local network with Zenmap (W2-PM5). These modules cover the footprinting and scanning phases, showing how an attacker moves from gathering public information to mapping live hosts on a network. It is the Week 2 part of my ongoing internship program at Networkwalks.

All commands were run in the Kali Linux host environment (footprinting), via public search engines (GHDB), and on a Windows environment with Zenmap installed (scanning). Every step below includes the exact command used, the result I observed, a screenshot as evidence, and a short note on why the finding matters from an attacker's point of view.

3. Tools Used

Tool	Purpose
Kali Linux & Windows	Operating systems used for reconnaissance and scanning activities.
WHOIS	Find domain registration details (owner, dates, name servers).
whatweb	Fingerprint web technologies (server, CMS, plugins, IP).
nslookup	Resolve the domain name to its IP address using DNS.
curl -I	Read the HTTP response headers of the website.
wafw00f	Detect whether a Web Application Firewall protects the site.
dnsrecon	Enumerate all DNS records (NS, MX, SPF, TXT, SRV).
Google Search (GHDB)	Passive reconnaissance using advanced operators (Dorks) to find exposed assets.
Zenmap (Nmap GUI)	Scan the local subnet to find live hosts, IPs and MAC addresses.
Windows CMD	Local IP and MAC address identification via ipconfig.

4. Activities Performed

4.1 Footprinting & Reconnaissance

I performed reconnaissance against the networkwalks.com domain using six Kali Linux tools.

- **WHOIS:** Obtained publicly available domain registration information and identified the domain's name servers (NS6135.HOSTGATOR.COM and NS6136.HOSTGATOR.COM).
- **WhatWeb:** Identified technologies used by the website, including WordPress 7.1, WP Download Manager 3.3.58, Bootstrap 7.1, and JQuery 3.7.1.
- **Nslookup:** Resolved the domain name to its IP address (192.232.216.135).
- **Curl -I:** Inspected the HTTP response headers and exposed the WordPress REST API endpoint /wp-json/.
- **Wafw00f:** Determined that the Web Application Firewall ModSecurity (SpiderLabs) was protecting the website.
- **DNSRecon:** Enumerated DNS records, providing information relating to name servers, mail servers (mail.networkwalks.com), SPF/TXT records, and DNS software information (Bind Version 9.16.23-RH).

4.2 Google Hacking Database Footprinting (W2-PM2)

I used GHDB dorks to identify sensitive information accidentally exposed to the public internet. By leveraging specific search operators, I located live, vulnerable security cameras and open directories containing downloadable PDF documents without directly interacting with the target servers.

Task 1: Exposed Security Cameras

NO.	LINK	RELEVANT DORK
1	http://72.199.200.5:8080/	intitle:"webcamXP" inurl:8080
2	http://109.233.191.130:8080/	intitle:"webcamXP" inurl:8080
3	http://184.57.102.6:5432/	intitle:"webcamXP" inurl:8080
4	http://80.61.63.103:81/	intitle:"webcamXP" inurl:8080
5	http://217.141.88.39:50002/view/viewer_index.shtml?id=347	intitle:"webcamXP" inurl:8080
6	http://139.64.168.120:8080/	intitle:"webcamXP" inurl:8080
7	http://75.149.26.30:1024/	intitle:"webcamXP" inurl:8080
8	http://85.93.53.175:8080/gallery.html?page=6	intitle:"webcamXP" inurl:8080
9	http://195.32.24.180:1024/view/index.shtml	intitle:"webcamXP" inurl:8080
10	http://67.49.38.233:83/view/viewer_index.shtml?id=3246	intitle:"webcamXP" inurl:8080

Task 2: Exposed Open Directories (Mathematics PDFs)

NO.	LINK	RELEVANT DORK
1	https://www.unm.edu/~megrad/Math/	intitle:index.of "parent directory" mathematics pdf
2	http://erewhon.superkuh.com/library/Math/	intitle:index.of "parent directory" mathematics pdf
3	https://www.fsr.ac.ma/DOC/cours/maths/	intitle:index.of "parent directory" mathematics pdf
4	https://justmathbg.info/files/	intitle:index.of "parent directory" mathematics pdf
5	https://education.giakonda.org.uk/Maths/?SD	intitle:index.of "parent directory" mathematics pdf
6	https://www.maths.dur.ac.uk/teaching/Exam/papers/2025/	intitle:index.of "parent directory" mathematics pdf
7	https://www.netlib.org/math/docpdf/	intitle:index.of "parent directory" mathematics pdf
8	https://www.jsoftware.com/books/pdf/	intitle:index.of "parent directory" mathematics pdf
9	https://www.learn-fo.com/FYUG%20mathematics%20solutions/?SD	intitle:index.of "parent directory" mathematics pdf
10	https://ochicken.net/library/Mathematics/	intitle:index.of "parent directory" mathematics pdf

4.3 Network Scanning with Zenmap (W2-PM5)

I used Zenmap to perform network discovery on my local network. The practical required me to identify my local IP address and subnet, discover live hosts, identify their IP and MAC addresses, and generate a network topology.

I first used the Windows `ipconfig` command to identify my local IPv4 address (192.168.1.33) and LAN subnet. I then entered the subnet into Zenmap and selected Ping Scan to identify active hosts.

- **Subnet Scanned:** 192.168.1.0/24
- **Live Hosts Detected:** 2
- **Identified Hosts & MAC Addresses:**
 - 192.168.1.1 — F0:B4:D2:7C:6F:80 (D-Link International - Gateway/Router)
 - 192.168.1.33 — A8-6D-AA-97-C1-79 (Intel Wireless - Local Machine)

After completing the scan, I generated the Topology in Zenmap, confirming the direct link between the localhost and the gateway.

5. Risk Analysis / Impact

Based on the information collected during the footprinting and network scanning activities, I identified the following potential risks.

#	Risk / Finding	Evidence / Observation	Potential Impact	Risk Level
1	Web technology information exposed	WhatWeb identified WordPress 7.1 and Bootstrap versions.	Attackers may use exposed technology/version information to identify software requiring further security review.	Medium
2	Server IP address identifiable	Nslookup resolved the domain to 192.232.216.135.	Provides information about the network location of the web service.	Low
3	HTTP technical information exposed	Curl returned HTTP response headers and exposed /wp-json/.	May assist technology fingerprinting and further enumeration.	Low
4	WAF technology identifiable	Wafw00f identified ModSecurity (SpiderLabs).	Reveals information about the web application's security architecture.	Low
5	DNS infrastructure information exposed	DNSRecon identified DNS, mail, and Bind version records.	DNS information can help build a broader infrastructure profile.	Medium
6	Unsecured IoT Devices	GHDB searches revealed publicly accessible IP security cameras.	Exposed webcams allow unauthorized surveillance and serve as network pivot points.	Critical

#	Risk / Finding	Evidence / Observation	Potential Impact	Risk Level
7	Open Directories	GHDB searches revealed indexed internal directories hosting PDF files.	Exposes sensitive intellectual property and misconfigured server architecture.	High
8	Local network visibility	Zenmap identified live hosts in the local network.	Unknown or unauthorized devices may potentially be present on a network, requiring rogue device monitoring.	Med

The risks above are observations from the footprinting and scanning exercises, not confirmed vulnerabilities. The practical exercises primarily involved information gathering and host discovery. No exploitation or vulnerability validation was performed as part of these modules.

6. Recommendations

Based on the observations from these activities, I recommend the following security improvements:

1. **Review publicly exposed technology information:** Organizations should regularly review what information about their web technologies, CMS, and plugins is publicly visible in HTTP headers and source code.
2. **Keep software updated:** CMS platforms, plugins, and infrastructure software should be regularly updated and reviewed against current security advisories.
3. **Secure IoT Devices:** IP cameras must never be exposed directly to the internet. Access should be restricted to strict VPN environments, default credentials must be changed immediately, and strong authentication must be enforced.
4. **Disable Directory Listing:** Web servers must be configured to disable directory listing (index.of) to prevent search engine indexing of internal files.

5. **Review DNS records regularly:** DNS records should be checked periodically to ensure that only required information and services are publicly exposed.
6. **Properly configure and monitor the WAF:** Keep the WAF (ModSecurity) enabled and tuned, as it effectively blocks naive attack patterns.
7. **Perform regular internal network discovery:** Organizations should periodically scan their own networks to identify active devices.
8. **Investigate unknown devices:** Any unexpected device discovered during network scanning should be investigated and verified.
9. **Perform security testing with authorization:** Reconnaissance and scanning should only be performed against systems and networks where appropriate authorization has been provided.

7. Conclusion

During Week 2 of my Cybersecurity & Ethical Hacking internship, I completed practical activities covering footprinting, reconnaissance, and network scanning.

In the footprinting activity, I used six Kali Linux tools to collect critical information about the target domain. I learned how WHOIS provides domain ownership context, WhatWeb identifies application stacks, Nslookup resolves network locations, Curl inspects HTTP configurations, Wafw00f identifies defensive architectures, and DNSRecon maps the broader DNS infrastructure.

Additionally, I utilized the Google Hacking Database (GHDB) to demonstrate how advanced search operators can uncover globally misconfigured assets, uncovering highly sensitive open directories and unsecured IP cameras without ever touching the target systems directly.

In the network scanning activity, I deployed Zenmap to identify my local IPv4 configuration and discover active hosts, successfully collecting IP and MAC address telemetry to generate an internal network topology map.

These exercises reinforced that comprehensive information gathering is the critical first stage of cybersecurity operations. By analyzing publicly available information and network responses, security professionals can identify the attack surface and implement defensive configurations before exploitation attempts occur.

8. Evidences Collected

1-PM1

```

kali@kali: ~
Session Actions Edit View Help

(kali@kali)-[~]
$ whois networkwalks.com
Domain Name: NETWORKWALKS.COM
Registry Domain ID: 2452319255_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.godaddy.com
Registrar URL: http://www.godaddy.com
Updated Date: 2025-11-12T10:08:43Z
Creation Date: 2019-11-06T22:51:46Z
Registry Expiry Date: 2027-11-06T22:51:46Z
Registrar: GoDaddy.com, LLC
Registrar IANA ID: 146
Registrar Abuse Contact Email: abuse@godaddy.com
Registrar Abuse Contact Phone: 480-624-2505
Domain Status: clientDeleteProhibited https://icann.org/epp#clientDeleteProhibited
Domain Status: clientRenewProhibited https://icann.org/epp#clientRenewProhibited
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Domain Status: clientUpdateProhibited https://icann.org/epp#clientUpdateProhibited
Name Server: NS6135.HOSTGATOR.COM
Name Server: NS6136.HOSTGATOR.COM
DNSSEC: unsigned
URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
>>> Last update of whois database: 2026-09-16T10:21:39Z <<<

For more information on Whois status codes, please visit https://icann.org/epp

NOTICE: The expiration date displayed in this record is the date the
registrar's sponsorship of the domain name registration in the registry is
currently set to expire. This date does not necessarily reflect the expiration
date of the domain name registrant's agreement with the sponsoring
registrar. Users may consult the sponsoring registrar's Whois database to
view the registrar's reported date of expiration for this registration.

TERMS OF USE: You are not authorized to access or query our Whois
database through the use of electronic processes that are high-volume and
automated except as reasonably necessary to register domain names or
modify existing registrations; the Data in VeriSign Global Registry
Services' ("VeriSign") Whois database is provided by VeriSign for
information purposes only, and to assist persons in obtaining information
about or related to a domain name registration record. VeriSign does not
guarantee its accuracy. By submitting a Whois query, you agree to abide
by the following terms of use: You agree that you may use this Data only
for lawful purposes and that under no circumstances will you use this Data

```

```

(kali@kali)-[~]
$ whatweb networkwalks.com
http://networkwalks.com [301 Moved Permanently] Apache, Cookies[_wpdm_client], Country[UNITED STATES][US], HTTP
Server[Apache], HttpOnly[_wpdm_client], IP[192.232.216.135], RedirectLocation[https://networkwalks.com/], Uncom
monHeaders[permissions-policy,x-redirect-by,upgrade,referrer-policy,x-endurance-cache-level,x-nginx-cache]
https://networkwalks.com [200 OK] Apache, Bootstrap[7.1], Cookies[_wpdm_client], Country[UNITED STATES][US], Em
ail[info@networkwalks.com], Frame, Google-Tag-Manager, HTML5, HTTPServer[Apache], HttpOnly[_wpdm_client], IP[19
2.232.216.135], JQuery[3.7.1], MetaGenerator[WordPress 7.1,WordPress Download Manager 3.3.58], Open-Graph-Protoc
ol[website], Script[4684NR-IPiB&pidnVar2=50511&prtVar2=7&scvVar2=12,application/json,application/ld+
json,module,speculationrules,text/javascript], Title[Networkwalks Academy], UncommonHeaders[permissions-policy,l
ink,upgrade,referrer-policy,x-endurance-cache-level,x-nginx-cache], WordPress[7.1]
https://networkwalks.com/ [200 OK] Apache, Bootstrap[7.1], Country[UNITED STATES][US], Email[info@networkwalks.c
om], Frame, Google-Tag-Manager, HTML5, HTTPServer[Apache], IP[192.232.216.135], JQuery[3.7.1], MetaGenerator[Wor
dPress 7.1,WordPress Download Manager 3.3.58], Open-Graph-Protocol[website], Script[4684NR-IPiB&pidnVar2=505
11&prtVar2=7&scvVar2=12,application/json,application/ld+json,module,speculationrules,text/javascript], T
itle[Networkwalks Academy], UncommonHeaders[permissions-policy,link,upgrade,referrer-policy,x-endurance-cache-le
vel,x-nginx-cache], WordPress[7.1]

```

```

(kali@kali)-[~]
$ nslookup networkwalks.com
Server:      8.8.8.8
Address:     8.8.8.8#53

Non-authoritative answer:
Name:   networkwalks.com
Address: 192.232.216.135

```

```

(kali@kali)-[~]
$

```

```
(kali@kali)-[~]
$ curl -I https://networkwalks.com
HTTP/2 200
permissions-policy: private-state-token-redemption=(self "https://www.google.com" "https://www.gstatic.com" "https://recaptcha.net" "https://challenges.cloudflare.com" "https://hcaptcha.com"), private-state-token-issuance=(self "https://www.google.com" "https://www.gstatic.com" "https://recaptcha.net" "https://challenges.cloudflare.com" "https://hcaptcha.com")
link: <https://networkwalks.com/wp-json/>; rel="https://api.w.org/", <https://networkwalks.com/wp-json/wp/v2/pages/53>; rel="alternate"; title="JSON"; type="application/json", <https://networkwalks.com/>; rel=shortlink
set-cookie: __wpdm_client=728f4551f1b95741d2ffafe514d9e3ae; path=/; domain=networkwalks.com; secure; HttpOnly
referrer-policy: no-referrer-when-downgrade
x-endurance-cache-level: 0
x-nginx-cache: WordPress
content-type: text/html; charset=UTF-8
date: Wed, 16 Sep 2026 10:49:31 GMT
server: Apache
```

```
(kali@kali)-[~]
$ wafw00f networkwalks.com
```




~ WAFW00F : v2.4.2 ~
The Web Application Firewall Fingerprinting Toolkit

```
[*] Checking https://networkwalks.com
[+] The site https://networkwalks.com is behind ModSecurity (SpiderLabs) WAF.
[~] Number of requests: 2
```


```
(kali@kali)-[~]
$ dnsrecon -d networkwalks.com
2026-09-16T05:55:16.681618-0400 INFO Starting enumeration for domain: networkwalks.com
2026-09-16T05:55:16.682447-0400 INFO std: Performing General Enumeration against: networkwalks.com...
2026-09-16T05:55:17.421621-0400 ERROR No answer for DNSSEC query for networkwalks.com
2026-09-16T05:55:18.191443-0400 INFO SOA ns6135.hostgator.com 50.87.144.87
2026-09-16T05:55:18.762064-0400 INFO NS ns6135.hostgator.com 50.87.144.87
2026-09-16T05:55:19.470603-0400 INFO Bind Version for 50.87.144.87 "9.16.23-RH"
2026-09-16T05:55:19.471593-0400 INFO NS ns6136.hostgator.com 192.232.216.131
2026-09-16T05:55:20.084337-0400 INFO Bind Version for 192.232.216.131 "9.16.23-RH"
2026-09-16T05:55:21.112074-0400 INFO MX mail.networkwalks.com 192.232.216.135
2026-09-16T05:55:21.824080-0400 INFO A networkwalks.com 192.232.216.135
2026-09-16T05:55:22.749411-0400 INFO TXT networkwalks.com google-site-verification=rr04eRmqHoWY3XemnizDNVVK4q75X-Ij-mjgEeg-UsYI
2026-09-16T05:55:22.750602-0400 INFO TXT networkwalks.com v=spf1 +a +mx +ip4:50.87.144.87 +include:websitewelcome.com ~all
2026-09-16T05:55:23.363178-0400 INFO Enumerating SRV Records
2026-09-16T05:55:27.361173-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.11 443
2026-09-16T05:55:27.363015-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.9 443
2026-09-16T05:55:27.364784-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.14 443
2026-09-16T05:55:27.366439-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.15 443
2026-09-16T05:55:27.367322-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.15 443
2026-09-16T05:55:27.368709-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.11 443
2026-09-16T05:55:27.370109-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.14 443
2026-09-16T05:55:27.371054-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.9 443
2026-09-16T05:55:27.373959-0400 INFO 8 Records Found
2026-09-16T05:55:27.374983-0400 INFO Completed enumeration for domain: networkwalks.com
```

2-PM2



The screenshot shows the main page of the Exploit-DB website. The header includes the Exploit-DB logo and navigation icons. The main content area displays a list of exploits with columns for Date, D (Download), A (Add), V (Verify), Title, Type, Platform, and Author. The list is filtered by 'Verified' and 'Has App' checkboxes. A search bar is visible on the right.

Date	D	A	V	Title	Type	Platform	Author
2026-09-11				CVE-2026-80428 Unauthenticated PHP Object Injection via Shibboleth - ILIAS < 9.22, 10.0 < 10.10, 11.0 < 11.3 - RCE	Remote	Multiple	DigiProSec
2026-09-03				FreePBX 17.0.2 - Remote Code Execution (RCE)	WebApps	Multiple	Jared Brits
2026-09-03				Metabase 0.61.0 - Authenticated Remote Code Execution	WebApps	Multiple	Gutierre0x80
2026-09-02				Everest 2025.9.0 - DoS	DoS	Multiple	Ranjit Kumar Singh
2026-09-02				Bludit CMS 3.20.0 - Reflected Cross-Site Scripting	WebApps	Multiple	Ranjit Kumar Singh
2026-09-02				PodcastGenerator 3.2.9 - Stored XSS	WebApps	Multiple	Sahil Arya



The screenshot shows the Google Hacking Database page on Exploit-DB. The header includes the Exploit-DB logo and navigation icons. The main content area displays a list of Google Hacking Database entries with columns for Date Added, Dork, Category, and Author. The list is filtered by 'Quick Search' and 'Reset All' buttons. A search bar is visible on the right.

Date Added	Dork	Category	Author
2023-11-07	intitle:"Webcam" inurl:WebCam.htm	Various Online Devices	s Thakur
2023-03-14	Google Dork : intitle:"Toshiba Network Camera"	Various Online Devices	Shilpa Shaji
2023-02-27	intitle:"Index of /cam/"	Files Containing Juicy Info	Sanu Jose M
2023-01-31	intitle:"Index of /webcam/"	Files Containing Juicy Info	Shuvrosayar Das
2022-07-25	intitle:"Device(IP CAMERA)" "language" -com net	Pages Containing Login Portals	s Thakur
2022-07-25	intitle:"NoVus IP camera" -com	Various Online Devices	s Thakur
2022-07-20	intitle:"Network Camera" inurl:main.cgi	Various Online Devices	s Thakur

← → ↻ 🔍 exploit-db.com/google-hacking-database

EXPLOIT DATABASE

Google Hacking Database

Show 15 ▾

Date Added Dork

2024-08-23	site:github.com "BEGIN OPENSSSH PRIVATE KEY"
2024-08-23	ext:nix "BEGIN OPENSSSH PRIVATE KEY"
2024-07-26	inurl:home.htm intitle:1766
2024-07-04	intitle:"SSL Network Extender Login" -checkpoint.com
2024-07-04	intext:"siemens" & inurl: "/portal/portal.mwsl"
2024-07-04	Google Dork Submission For GlobalProtect Portal

← → ↻ 🔍 google.com/search?q=intitle%3A"webcamXP"+inurl%3A8080&rlz=1C1CHBD_frMA1057MA1057&oq=intitle%3A"webcamXP"+inurl%3A8080&gs_lcrp... ☆

Google



intitle:"webcamXP" inurl:8080

Mode IA Tous Images Vidéos Actualités Vidéos courtes Maps Plus ▾ Outils ▾

 **webcamXP 5**
http://109.233.191.130 · Traduire cette page ⋮
webcamXP 5
webcamXP 5. webcams and ip cameras server for windows. HomeMulti viewSmartphoneGalleryAdministration. Not logged in. Source 1, Source 2, Source 5, Source 6 ...

 **Insecam**
http://www.insecam.org · bytype · Traduire cette page ⋮
Live cameras: WebcamXP
Webcamxp is a software for recording video stream from webcams, creating a home video surveillance system and recording video broadcast from online cameras. The ...

 **webcamXP**
https://www.webcamxp.com · Traduire cette page ⋮
webcamXP - Webcam and Network Camera Surveillance ...





PI6ZDM

WEBCAMS



Home Multi view Smartphone Gallery Administration


Not logged in

Source 1 JavaScript

Live View

Pan, Tilt & Zoom

No PTZ



PI6ZDM Amateur Television Repeater Wormer the Netherlands JO22JL 5 viewer(s) on LJY.NL



Video format

Motion JPEG




Live View

Cache Valley Pet Hotel

9/17/2026 3:07:34 PM [042]

Pan, Tilt & Zoom

No PTZ



WEBCAMXP 5

WEBCAMS AND IP CAMERAS SERVER FOR WINDOWS



Home Multi view Smartphone Gallery Administration

Not logged in

Source 1 ▼ JavaScript ▼

Live View

97.5 - The Hound



Pan, Tilt & Zoom

No PTZ

POWERED BY WEBCAMXP 5 V5.5.0.8

WEBCAMXP 5


WEBCAMS AND IP CAMERAS SERVER FOR WINDOWS



Home Multi view Smartphone Gallery Administration

Not logged in

page >> 1 2 3 4 5 6 7 8 9 10






AXIS 211 Network Camera

Live View | Setup | Help



Video format
Motion JPEG





Corso Sannitico



3-PM5





```
C:\Users\hp>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : mshome.net

Unknown adapter Connexion au r seau local:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Wireless LAN adapter Connexion au r seau local* 1:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Wireless LAN adapter Connexion au r seau local* 10:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Wireless LAN adapter Wi-Fi:

    Connection-specific DNS Suffix  . :
    IPv6 Address. . . . . : fd80::a6a0:dacc:3c69:43b7
    Temporary IPv6 Address. . . . . : fd80::a577:596c:8b60:c80
    Link-local IPv6 Address . . . . . : fe80::e5d9:4b94:e2c6:9abd%6
    IPv4 Address. . . . . : 192.168.1.33
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : fe80::1%6
                                192.168.1.1
```

-End-

