RMSE = 0.637858586137443

R2 = 0.985738487216305


Staging: Localized FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
1.00
0.75
0.50
0.25
0.00
25
50
75
Probability of clinically detectable metastases at diagnosis
Binned PSA [ng/mL]
Age group
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years


Staging: Localized FirstLine: Radiotherapy
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Probability of clinically detectable metastases at diagnosis
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
1.00
0.75
0.50
0.25
0.00
25
50
75
Probability of clinically detectable metastases at diagnosis
Binned PSA [ng/mL]
Age group
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years


Staging: Localized FirstLine: Prostatectomy
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Probability of clinically detectable metastases at diagnosis
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
1.00
0.75
0.50
0.25
0.00
25
50
75
Probability of clinically detectable metastases at diagnosis
Binned PSA [ng/mL]
Age group
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years


Staging: Regional FirstLine: Radiotherapy
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Probability of clinically detectable metastases at diagnosis
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
1.00
0.75
0.50
0.25
0.00
25
50
75
Probability of clinically detectable metastases at diagnosis
Binned PSA [ng/mL]
Age group
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years


Staging: Regional FirstLine: Prostatectomy
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Probability of clinically detectable metastases at diagnosis
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Metastatic FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
1.00
0.75
0.50
0.25
0.00
25
50
75
Probability of clinically detectable metastases at diagnosis
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years


Staging: Metastatic FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Probability of clinically detectable metastases at diagnosis
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Metastatic FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
1.00
0.75
0.50
0.25
0.00
25
50
75
Probability of clinically detectable metastases at diagnosis
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years


Staging: Metastatic FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Probability of clinically detectable metastases at diagnosis
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Probability of not dying of prostate cancer within 10 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Binned PSA [ng/mL]
Age group
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years


Staging: Localized FirstLine: Radiotherapy
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years
Probability of not dying of prostate cancer within 10 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Probability of not dying of prostate cancer within 10 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Binned PSA [ng/mL]
Age group
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years


Staging: Localized FirstLine: Prostatectomy
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years
Probability of not dying of prostate cancer within 10 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Probability of not dying of prostate cancer within 10 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Binned PSA [ng/mL]
Age group
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years


Staging: Regional FirstLine: Radiotherapy
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years
Probability of not dying of prostate cancer within 10 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Probability of not dying of prostate cancer within 10 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Binned PSA [ng/mL]
Age group
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years


Staging: Regional FirstLine: Prostatectomy
45−49 years
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years
Probability of not dying of prostate cancer within 10 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Metastatic FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Probability of not dying of prostate cancer within 10 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years


Staging: Metastatic FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years
Probability of not dying of prostate cancer within 10 years
Binned PSA [ng/mL]
0.00
0.25
0.50
0.75
1.00
25
50
75
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Metastatic FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Probability of not dying of prostate cancer within 10 years
1.00
0.75
0.50
0.25
0.00
25
50
75
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years


Staging: Metastatic FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
85−89 years
Probability of not dying of prostate cancer within 10 years
Binned PSA [ng/mL]
0.00
0.25
0.50
0.75
1.00
25
50
75
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q30) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
40
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Localized FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q30) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q30) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
40
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Localized FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q30) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q30) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Regional FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q30) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q30) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Regional FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q30) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Metastatic FirstLine: Radiotherapy
Gleason score 10
Gleason score 8
Gleason score 9
Survival quantile (q30) [Years]
10.0
7.5
5.0
2.5
0.0
20
40
60
Age group
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Binned PSA [ng/mL]


Staging: Metastatic FirstLine: Radiotherapy
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
10.0
7.5
5.0
2.5
0.0
20
40
60
Survival quantile (q30) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 8
Gleason score 9


Staging: Metastatic FirstLine: Prostatectomy
Gleason score 10
Gleason score 8
Gleason score 9
Survival quantile (q30) [Years]
10.0
7.5
5.0
2.5
0.0
20
40
60
Age group
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Binned PSA [ng/mL]


Staging: Metastatic FirstLine: Prostatectomy
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
10.0
7.5
5.0
2.5
0.0
20
40
60
Survival quantile (q30) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q40) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
40
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Localized FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q40) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q40) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
40
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Localized FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q40) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q40) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Regional FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q40) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q40) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Regional FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q40) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9



Binned PSA [ng/mL]


Staging: Metastatic FirstLine: Radiotherapy
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
10.0
7.5
5.0
2.5
0.0
20
40
60
Survival quantile (q40) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 8
Gleason score 9


Staging: Metastatic FirstLine: Prostatectomy
Gleason score 10
Gleason score 8
Gleason score 9
Survival quantile (q40) [Years]
10.0
7.5
5.0
2.5
0.0
20
40
60
Age group
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Binned PSA [ng/mL]


Staging: Metastatic FirstLine: Prostatectomy
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
10.0
7.5
5.0
2.5
0.0
20
40
60
Survival quantile (q40) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q50) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
40
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Localized FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q50) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q50) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
40
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Localized FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q50) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
10.0
7.5
5.0
2.5
0.0
10
20
30
Survival quantile (q50) [Years]
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Regional FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q50) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q50) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Regional FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q50) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9



Binned PSA [ng/mL]


Staging: Metastatic FirstLine: Radiotherapy
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q50) [Years]
10.0
7.5
5.0
2.5
0.0
20
40
60
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 8
Gleason score 9


Staging: Metastatic FirstLine: Prostatectomy
Gleason score 10
Gleason score 8
Gleason score 9
Survival quantile (q50) [Years]
10.0
7.5
5.0
2.5
0.0
20
40
60
Age group
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Binned PSA [ng/mL]


Staging: Metastatic FirstLine: Prostatectomy
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q50) [Years]
10.0
7.5
5.0
2.5
0.0
20
40
60
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q60) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
40
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Localized FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q60) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q60) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
40
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Localized FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q60) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q60) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Regional FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q60) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q60) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Regional FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q60) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Metastatic FirstLine: Radiotherapy
Gleason score 10
Gleason score 8
Gleason score 9
Survival quantile (q60) [Years]
10.0
7.5
5.0
2.5
0.0
20
40
60
Age group
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Binned PSA [ng/mL]


Staging: Metastatic FirstLine: Radiotherapy
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
10.0
7.5
5.0
2.5
0.0
20
40
60
Survival quantile (q60) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 8
Gleason score 9



Binned PSA [ng/mL]


Staging: Metastatic FirstLine: Prostatectomy
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
10.0
7.5
5.0
2.5
0.0
20
40
60
Survival quantile (q60) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q70) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
40
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Localized FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q70) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q70) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
40
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Localized FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q70) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q70) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Regional FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q70) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q70) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Regional FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q70) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Metastatic FirstLine: Radiotherapy
Gleason score 10
Gleason score 8
Gleason score 9
Survival quantile (q70) [Years]
10.0
7.5
5.0
2.5
0.0
20
40
60
Age group
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Binned PSA [ng/mL]


Staging: Metastatic FirstLine: Radiotherapy
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
10.0
7.5
5.0
2.5
0.0
20
40
60
Survival quantile (q70) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 8
Gleason score 9


Staging: Metastatic FirstLine: Prostatectomy
Gleason score 10
Gleason score 8
Gleason score 9
Survival quantile (q70) [Years]
10.0
7.5
5.0
2.5
0.0
20
40
60
Age group
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Binned PSA [ng/mL]


Staging: Metastatic FirstLine: Prostatectomy
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q70) [Years]
10.0
7.5
5.0
2.5
0.0
20
40
60
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q80) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
40
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Localized FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q80) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Localized FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q80) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
40
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Localized FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q80) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Radiotherapy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q80) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Regional FirstLine: Radiotherapy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q80) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9


Staging: Regional FirstLine: Prostatectomy
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9
Survival quantile (q80) [Years]
10.0
7.5
5.0
2.5
0.0
10
20
30
Binned PSA [ng/mL]
Age group
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years


Staging: Regional FirstLine: Prostatectomy
50−54 years
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
Survival quantile (q80) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 6
Gleason score 7
Gleason score 8
Gleason score 9



Binned PSA [ng/mL]


Staging: Metastatic FirstLine: Radiotherapy
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
10.0
7.5
5.0
2.5
0.0
20
40
60
Survival quantile (q80) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 8
Gleason score 9



Binned PSA [ng/mL]


Staging: Metastatic FirstLine: Prostatectomy
55−59 years
60−64 years
65−69 years
70−74 years
75−79 years
80−84 years
10.0
7.5
5.0
2.5
0.0
20
40
60
Survival quantile (q80) [Years]
Binned PSA [ng/mL]
Clinical Gleason score
Gleason score 10
Gleason score 8
Gleason score 9