

NOVAK PROTOCOL SERIES

Part 7: Security Model & Threat Surfaces

Adversarial Analysis and Defensive Architecture

Authoritative Edition

The Core Security Axiom



"If a system can act without proving correctness, it can be compromised without detection."

NOVAK eliminates this possibility.

9 Major Threat Domains

1. Hardware

2. Firmware

3. OS Kernel

4. Network

5. API / App

6. AI / Model




7. Robotics

8. Gov / Reg




9. Psycho-Social

1. Hardware Threats (PL-X)

Threats

-  Voltage Glitching
-  Clock Skew
-  Hardware Trojans

Defense

-  PL-X Metastability Detection
-  Device-Hash Binding
-  Drift-Profile Sealing

2 & 3. Firmware & OS

Firmware

Prevents pre-boot malware and malicious flashing.

- Immutable regions.
- PUF-anchored boot.

OS Kernel

Prevents rootkits and syscall hooking.

- Determinized syscall graph.
- Identity-bound processes.

4 & 5. Network & API

Network

Stops replay attacks and routing manipulation.

- Identity-bound packets.
- Monotonic timestamp lineage.

API / App

Stops injection and schema violations.

- Schema-lock via HD hashing.
- Pure functions only.

6. AI / Machine Learning

The Threat

Hallucinations, stochastic outputs, model drift, and prompt exploitation.

The Defense

Determinized inference graphs, model-weight hashing, and output pre-computation.

⚠ Critical: NOVAK is the antidote to undeterministic AI behavior.

7 & 8. Robotics & Government

Robotics

Prevents sensor spoofing and motion drift.

- Identity-bound movement.
- Safety Gate trajectory prediction.

Government

Prevents corruption and hidden data.

- Immutable audit lineage (RGAC).
- Rule determinism (L13).



• Fraud & Lying



• Social Engineering



• Insider Threats



Intent-Profile Hashing



APT*s*



Quantum



Deepfakes

Insiders cannot act without leaving a perfect, immutable forensic trail.

Prevents:

- Silent log mods.

Enforces:

- Identity-Bound (EIR).

Threat	Layer	Prevention
Hardware Tamper	PL-X + SG	LO, L6, L8



APT's



Quantum



Deepfakes

Insiders cannot act without leaving a perfect, immutable forensic trail.

Prevents:

- Silent log mods.

Enforces:

- Identity-Bound (EIR).

				Threat	Layer	Prevention				
				Hardware Tamper	PL-X + SG	LO, L6, L8				
				Kernel Tamper	OS + RGAC	L2-L4, L11				

NOVAK Protocol Standards Series