

according to Regulation (EC) No. 1907/2006

Revision Date 03.02.2015

Version 15.1

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Catalogue No. 102791

Product name Copper(II) sulfate anhydrous for analysis EMSURE®

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

CAS-No. 7758-98-7

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

# 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49 6151 72-0

Responsible Department EQ-RS \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

# **SECTION 2. Hazards identification**

# 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Oral, H302 Skin irritation, Category 2, H315 Eye irritation, Category 2, H319

Acute aquatic toxicity, Category 1, H400 Chronic aquatic toxicity, Category 1, H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# Classification (67/548/EEC or 1999/45/EC)

XnHarmfulR22XiIrritantR36/38NDangerous for the environmentR50/53

For the full text of the R-phrases mentioned in this Section, see Section 16.

Catalogue No. 102791

Product name Copper(II) sulfate anhydrous for analysis EMSURE®

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





# Signal word Warning

# Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

Prevention

P273 Avoid release to the environment.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

#### Reduced labelling (≤125 ml)

Hazard pictograms





Signal word

Index-No. 029-004-00-0

# 2.3 Other hazards

None known.

# SECTION 3. Composition/information on ingredients

# 3.1 Substance

Formula CuSO<sub>4</sub> CuO<sub>4</sub>S (Hill)

 Index-No.
 029-004-00-0

 EC-No.
 231-847-6

 Molar mass
 159,61 g/mol

# Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. Registration number Classification

Copper(II) sulphate (<= 100 %)

7758-98-7 \*)

according to Regulation (EC) No. 1907/2006

Catalogue No. 102791

Product name Copper(II) sulfate anhydrous for analysis EMSURE®

Acute toxicity, Category 4, H302 Skin irritation, Category 2, H315 Eye irritation, Category 2, H319

Acute aquatic toxicity, Category 1, H400 Chronic aquatic toxicity, Category 1, H410

M-Factor: 10

For the full text of the H-Statements mentioned in this Section, see Section 16.

# Hazardous components (1999/45/EC)

Chemical Name (Concentration)
CAS-No. Classification
Copper(II) sulphate (<= 100 % )
7758-98-7 Xn, Harmful; R22
Xi, Irritant; R36/38

N, Dangerous for the environment; R50-53

M-Factor: 10

For the full text of the R-phrases mentioned in this Section, see Section 16.

#### 3.2 Mixture

Not applicable

#### **SECTION 4. First aid measures**

#### 4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

irritant effects, conjunctivitis, gastric pain, Diarrhoea, Vomiting, collapse, Risk of corneal clouding., death

# 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

## **SECTION 5. Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

<sup>\*)</sup> A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102791

Product name Copper(II) sulfate anhydrous for analysis EMSURE®

Sulphur oxides, metal fumes

# 5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6. Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

## 6.2 Environmental precautions

Do not empty into drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

# 6.4 Reference to other sections

Indications about waste treatment see section 13.

# SECTION 7. Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

# SECTION 8. Exposure controls/personal protection

#### 8.1 Control parameters

# 8.2 Exposure controls

#### **Engineering measures**

according to Regulation (EC) No. 1907/2006

Catalogue No. 102791

Product name Copper(II) sulfate anhydrous for analysis EMSURE®

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

#### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection
Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# **Environmental exposure controls**

Do not empty into drains.

#### SECTION 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Form solid

Colour light grey

Odour odourless

according to Regulation (EC) No. 1907/2006

Catalogue No. 102791

Product name Copper(II) sulfate anhydrous for analysis EMSURE®

Odour Threshold Not applicable

pH 3,5 - 4,5

at 50 g/l 20 °C

Melting point Not applicable

Boiling point/boiling range Not applicable

Flash point does not flash

Evaporation rate No information available.

Flammability (solid, gas)

The product is not flammable.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapour pressure No information available.

Relative vapour density No information available.

Density 3,60 g/cm³

at 20 °C

Relative density No information available.

Water solubility 203 g/l

at 20 °C

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature 340 - 650 °C

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature Not applicable

Bulk density ca.800 kg/m³

# SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

according to Regulation (EC) No. 1907/2006

Catalogue No. 102791

Product name Copper(II) sulfate anhydrous for analysis EMSURE®

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### 10.3 Possibility of hazardous reactions

Exothermic reaction with:

hydroxylamine, Strong oxidizing agents, powdered magnesium

#### 10.4 Conditions to avoid

no information available

# 10.5 Incompatible materials

no information available

## 10.6 Hazardous decomposition products

in the event of fire: See section 5.

# **SECTION 11. Toxicological information**

# 11.1 Information on toxicological effects

Acute oral toxicity
LD50 Rat: 481 mg/kg
OECD Test Guideline 401

LDLO human: 50 mg/kg (RTECS)

absorption

Symptoms: gastric pain, Vomiting, Diarrhoea

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation

Causes skin irritation.

Eve irritation

Risk of corneal clouding. conjunctivitis

Causes serious eye irritation.

Sensitisation

This information is not available.

Germ cell mutagenicity Genotoxicity in vivo

Micronucleus test

Result: negative

(Lit.)

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(Lit.)

Carcinogenicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102791

Product name Copper(II) sulfate anhydrous for analysis EMSURE®

Reproductive toxicity

This information is not available.

**Teratogenicity** 

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

#### 11.2 Further information

After absorption:

drop in blood pressure, tachycardia, collapse, acidosis

After a latency period:

death

Metal-fume fever after inhalation of large quantities.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12. Ecological information**

# 12.1 Toxicity

Toxicity to fish

LC50 Oncorhynchus mykiss (rainbow trout): 0,11 mg/l; 96 h (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 0,02 mg/l; 48 h (ECOTOX Database)

#### 12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### 12.6 Other adverse effects

Additional ecological information

Fungicide

Discharge into the environment must be avoided.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102791

Product name Copper(II) sulfate anhydrous for analysis EMSURE®

# **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14. Transport information**

Land transport (ADR/RID)

**14.1 UN number** UN 3077

**14.2 Proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (COPPER(II)-SULPHATE)

14.3 Class914.4 Packing groupIII14.5 Environmentally hazardousyes14.6 Special precautions foryes

user

Tunnel restriction code E

Packages smaller than or equal to 5 kg / L, not dangerous goods of Class 9

# Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

**14.1 UN number** UN 3077

**14.2 Proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (COPPER(II)-SULPHATE)

14.3 Class914.4 Packing groupIII14.5 Environmentally hazardousyes14.6 Special precautions forno

user

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

Sea transport (IMDG)

**14.1 UN number** UN 3077

**14.2 Proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (COPPER(II)-SULPHATE)

14.3 Class914.4 Packing groupIII14.5 Environmentally hazardousyes14.6 Special precautions foryes

user

EmS F-A S-F

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

according to Regulation (EC) No. 1907/2006

Catalogue No. 102791

Product name Copper(II) sulfate anhydrous for analysis EMSURE®

## **SECTION 15. Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard

Legislation

96/82/EC

Dangerous for the environment

9a

Quantity 1: 100 t Quantity 2: 200 t

Occupational restrictions

Take note of Dir 94/33/EC on the protection of young people at

work.

Observe work restrictions regarding maternity protection in

accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

not regulated

Regulation (EC) No 850/2004 of the European

Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

Directive 79/117/EEC

not regulated

Regulation (EC) No 689/2008 concerning the export not regulated

and import of dangerous chemicals

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of  $\geq$  0.1 % (w/w).

National legislation

Storage class 10 - 13

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102791

Product name Copper(II) sulfate anhydrous for analysis EMSURE®

#### **SECTION 16. Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

# Full text of R-phrases referred to under sections 2 and 3

R22 Harmful if swallowed.
R36/38 Irritating to eyes and skin.
R50 Very toxic to aquatic organisms.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

R53 May cause long-term adverse effects in the aquatic environment.

# Training advice

Provide adequate information, instruction and training for operators.

#### Labelling

# Hazard pictograms





# Signal word Warning

#### Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

# Precautionary statements

Prevention

P273 Avoid release to the environment.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

# Labelling (67/548/EEC or 1999/45/EC)

Symbol(s) Xn Harmful

N Dangerous for the environment

*R-phrase(s)* 22-36/38-50/53 Harmful if swallowed. Irritating to eyes and skin. Very toxic to

aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102791

Product name Copper(II) sulfate anhydrous for analysis EMSURE®

S-phrase(s) 22-60-61 Do not breathe dust. This material and its container must be

disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions/ Safety data

sheets.

EC-No. 231-847-6 EC Label

Reduced labelling (≤125 ml)

Symbol(s) Xn Harmful

N Dangerous for the environment

*R-phrase(s)* 22 Harmful if swallowed.

# Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

#### Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.